Peihong Fan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/253341/publications.pdf Version: 2024-02-01



Ρειμονό Ελν

#	Article	IF	CITATIONS
1	Synthesis of 3- <i>O</i> -Acetyl-11-keto-β-boswellic Acid (AKBA)-Derived Amides and Their Mitochondria-Targeted Antitumor Activities. ACS Omega, 2022, 7, 9853-9866.	3.5	10
2	Genus Sapium (Euphorbiaceae): A review on traditional uses, phytochemistry, and pharmacology. Journal of Ethnopharmacology, 2021, 277, 114206.	4.1	3
3	Antitumor and toxicity study of mitochondria-targeted triptolide derivatives using triphenylphosphine (TPP+) as a carrier. Bioorganic and Medicinal Chemistry, 2021, 50, 116466.	3.0	9
4	Anticancer Effects of Honokiol via Mitochondrial Dysfunction Are Strongly Enhanced by the Mitochondria-Targeting Carrier Berberine. Journal of Medicinal Chemistry, 2020, 63, 11786-11800.	6.4	23
5	CLG from Hemp Seed Inhibits LPS-Stimulated Neuroinflammation in BV2 Microglia by Regulating NF-κB and Nrf-2 Pathways. ACS Omega, 2019, 4, 16517-16523.	3.5	7
6	Cannabisin F from Hemp (Cannabis sativa) Seed Suppresses Lipopolysaccharide-Induced Inflammatory Responses in BV2 Microglia as SIRT1 Modulator. International Journal of Molecular Sciences, 2019, 20, 507.	4.1	37
7	New coumarins and monoterpene galloylglycoside from the stem bark of Sapium baccatum. Fìtoterapìâ, 2019, 134, 435-442.	2.2	9
8	Chemical constituents of hemp (Cannabis sativa L.) seed with potential anti-neuroinflammatory activity. Phytochemistry Letters, 2018, 23, 57-61.	1.2	73
9	Hemp (<i>Cannabis sativa</i> L.) Seed Phenylpropionamides Composition and Effects on Memory Dysfunction and Biomarkers of Neuroinflammation Induced by Lipopolysaccharide in Mice. ACS Omega, 2018, 3, 15988-15995.	3.5	41
10	Bioactive constituents from cinnamon, hemp seed and polygonum cuspidatum protect against H 2 O 2 but not rotenone toxicity in a cellular model of Parkinson's disease. Journal of Traditional and Complementary Medicine, 2018, 8, 420-427.	2.7	21
11	Anti-neuroinflammatory effects of grossamide from hemp seed via suppression of TLR-4-mediated NF-κB signaling pathways in lipopolysaccharide-stimulated BV2 microglia cells. Molecular and Cellular Biochemistry, 2017, 428, 129-137.	3.1	63
12	Mitochondria-Targeted Lupane Triterpenoid Derivatives and Their Selective Apoptosis-Inducing Anticancer Mechanisms. Journal of Medicinal Chemistry, 2017, 60, 6353-6363.	6.4	101
13	Ring A-modified Derivatives from the Natural Triterpene 3-O-acetyl-11-keto-Î2-Boswellic Acid and their Cytotoxic Activity. Anti-Cancer Agents in Medicinal Chemistry, 2017, 17, 1153-1167.	1.7	8
14	Hapmnioides A–C, Rearranged Labdane-Type Diterpenoids from the Chinese Liverwort <i>Haplomitrium mnioides</i> . Organic Letters, 2016, 18, 4274-4276.	4.6	16
15	Diketopiperazine indole alkaloids from hemp seed. Phytochemistry Letters, 2016, 18, 77-82.	1.2	19
16	Preparative Scale MS-Guided Isolation of Bioactive Compounds Using High-Resolution Flash Chromatography: Antifungals from Chiloscyphus polyanthos as a Case Study. Planta Medica, 2016, 82, 1051-1057.	1.3	11
17	Characterization of Lignanamides from Hemp (<i>Cannabis sativa</i> L.) Seed and Their Antioxidant and Acetylcholinesterase Inhibitory Activities. Journal of Agricultural and Food Chemistry, 2015, 63, 10611-10619.	5.2	120
18	Acetylcholinesterase inhibitors and compounds promoting SIRT1 expression from Curcuma xanthorrhiza. Phytochemistry Letters, 2015, 12, 215-219.	1.2	22

Peihong Fan

#	Article	IF	CITATIONS
19	Anti-inflammatory Activity of the Invasive Neophyte Polygonum Cuspidatum Sieb. and Zucc. (Polygonaceae) and the Chemical Comparison of the Invasive and Native Varieties with regard to Resveratrol. Journal of Traditional and Complementary Medicine, 2013, 3, 182-187.	2.7	12
20	Chemical constituents of <i>Asplenium ruta-muraria</i> L. Natural Product Research, 2012, 26, 1413-1418.	1.8	9
21	Allelochemicals of the invasive neophyte Polygonum cuspidatum Sieb. & Zucc. (Polygonaceae). Chemoecology, 2010, 20, 223-227.	1.1	48
22	Acetylcholinesterase-Inhibitory Activity of Linarin from <i>Buddleja davidii</i> , Structure-Activity Relationships of Related Flavonoids, and Chemical Investigation of <i>Buddleja nitida</i> . Pharmaceutical Biology, 2008, 46, 596-601.	2.9	67