Michele Paganelli

List of Publications by Citations

Source: https://exaly.com/author-pdf/2533439/michele-paganelli-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

64 1,888 25 42 g-index

66 2,110 3.7 4.24 ext. papers ext. citations avg, IF L-index

| # | Paper | IF | Citations |
|----|--|------|-----------|
| 64 | Laparoscopic adjustable gastric banding for the treatment of morbid (grade 3) obesity and its metabolic complications: a three-year study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 3555-61 | 5.6 | 143 |
| 63 | Post-surgery adherence to scheduled visits and compliance, more than personality disorders, predict outcome of bariatric restrictive surgery in morbidly obese patients. <i>Obesity Surgery</i> , 2007 , 17, 1492-7 | 3.7 | 125 |
| 62 | Case-matched analysis of totally laparoscopic versus open liver resection for HCC: short and middle term results. <i>Journal of Surgical Oncology</i> , 2010 , 102, 82-6 | 2.8 | 124 |
| 61 | Laparoscopic gastric banding prevents type 2 diabetes and arterial hypertension and induces their remission in morbid obesity: a 4-year case-controlled study. <i>Diabetes Care</i> , 2005 , 28, 2703-9 | 14.6 | 119 |
| 60 | The -866A/A genotype in the promoter of the human uncoupling protein 2 gene is associated with insulin resistance and increased risk of type 2 diabetes. <i>Diabetes</i> , 2004 , 53, 1905-10 | 0.9 | 94 |
| 59 | Circulating leptin correlates with left ventricular mass in morbid (grade III) obesity before and after weight loss induced by bariatric surgery: a potential role for leptin in mediating human left ventricular hypertrophy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 4087-93 | 5.6 | 91 |
| 58 | C-174G polymorphism in the promoter of the interleukin-6 gene is associated with insulin resistance. <i>Diabetes Care</i> , 2005 , 28, 2007-12 | 14.6 | 67 |
| 57 | Ultrasound measurement of visceral and subcutaneous fat in morbidly obese patients before and after laparoscopic adjustable gastric banding: comparison with computerized tomography and with anthropometric measurements. <i>Obesity Surgery</i> , 2002 , 12, 648-51 | 3.7 | 63 |
| 56 | Italian Group for Lap-Band System: results of multicenter study on patients with BMI Obesity Surgery, 2004 , 14, 415-8 | 3.7 | 61 |
| 55 | Laparoscopic adjustable gastric banding via pars flaccida versus perigastric positioning: technique, complications, and results in 2,549 patients. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2010 , 24, 1519-23 | 5.2 | 58 |
| 54 | Randomized comparison of isoflurane and sevoflurane for laparoscopic gastric banding in morbidly obese patients. <i>Journal of Clinical Anesthesia</i> , 2001 , 13, 565-70 | 1.9 | 57 |
| 53 | Safety and feasibility of laparoscopic liver resection with associated lymphadenectomy for intrahepatic cholangiocarcinoma: a propensity score-based case-matched analysis from a single institution. Surgical Endoscopy and Other Interventional Techniques, 2016, 30, 1999-2010 | 5.2 | 54 |
| 52 | Effect of weight loss through laparoscopic gastric banding on blood pressure, plasma renin activity and aldosterone levels in morbid obesity. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2009 , 19, 110-4 | 4.5 | 52 |
| 51 | Weight loss through gastric banding: effects on TSH and thyroid hormones in obese subjects with normal thyroid function. <i>Obesity</i> , 2010 , 18, 854-7 | 8 | 51 |
| 50 | In morbid obesity, metabolic abnormalities and adhesion molecules correlate with visceral fat, not with subcutaneous fat: effect of weight loss through surgery. <i>Obesity Surgery</i> , 2009 , 19, 745-50 | 3.7 | 45 |
| 49 | The Italian Group for LAP-BAND: predictive value of initial body mass index for weight loss after 5 years of follow-up. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2004 , 18, 1524-7 | 5.2 | 45 |
| 48 | Laparoscopic vs Open Surgery for Colorectal Liver Metastases. <i>JAMA Surgery</i> , 2018 , 153, 1028-1035 | 5.4 | 41 |

(2018-2013)

| 47 | Intragastric gastric band migration: erosion: an analysis of multicenter experience on 177 patients. Surgical Endoscopy and Other Interventional Techniques, 2013 , 27, 1151-7 | 5.2 | 39 |
|----|--|--------------|----|
| 46 | Defining indications to ALPPS procedure: technical aspects and open issues. <i>Updates in Surgery</i> , 2014 , 66, 41-9 | 2.9 | 38 |
| 45 | White blood cells in obesity and diabetes: effects of weight loss and normalization of glucose metabolism. <i>Diabetes Care</i> , 2004 , 27, 2501-2 | 14.6 | 38 |
| 44 | Laparoscopic major hepatectomies: current trends and indications. A comparison with the open technique. <i>Updates in Surgery</i> , 2015 , 67, 157-67 | 2.9 | 31 |
| 43 | Impact of common polymorphisms in candidate genes for insulin resistance and obesity on weight loss of morbidly obese subjects after laparoscopic adjustable gastric banding and hypocaloric diet. Journal of Clinical Endocrinology and Metabolism, 2005, 90, 5064-9 | 5.6 | 31 |
| 42 | Perioperative and Long-Term Outcomes of Laparoscopic Versus Open Lymphadenectomy for Biliary Tumors: A Propensity-Score-Based, Case-Matched Analysis. <i>Annals of Surgical Oncology</i> , 2019 , 26, 564-575 | 3.1 | 30 |
| 41 | Hilar cholangiocarcinoma: preoperative liver optimization with multidisciplinary approach. Toward a better outcome. <i>World Journal of Surgery</i> , 2013 , 37, 1388-96 | 3.3 | 29 |
| 40 | Bariatric surgery in obesity: changes of glucose and lipid metabolism correlate with changes of fat mass. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2009 , 19, 198-204 | 4.5 | 29 |
| 39 | Biliary cystadenoma: short- and long-term outcome after radical hepatic resection. <i>Updates in Surgery</i> , 2012 , 64, 13-8 | 2.9 | 22 |
| 38 | Laparoscopic Versus Open Major Hepatectomy: Analysis of Clinical Outcomes and Cost Effectiveness in a High-Volume Center. <i>Journal of Gastrointestinal Surgery</i> , 2019 , 23, 2163-2173 | 3.3 | 21 |
| 37 | Gastric bezoars after adjustable gastric banding. Obesity Surgery, 2004, 14, 796-7 | 3.7 | 20 |
| 36 | Intraoperative monitoring of stroke volume variation versus central venous pressure in laparoscopic liver surgery: a randomized prospective comparative trial. <i>Hpb</i> , 2016 , 18, 136-144 | 3.8 | 19 |
| 35 | Comparative Analysis of Left- Versus Right-sided Resection in Klatskin Tumor Surgery: can Lesion Side be Considered a Prognostic Factor?. <i>Journal of Gastrointestinal Surgery</i> , 2015 , 19, 1324-33 | 3.3 | 19 |
| 34 | Thirty months experience with laparoscopic adjustable gastric banding. <i>Obesity Surgery</i> , 2000 , 10, 269-7 | ' 3.7 | 19 |
| 33 | Liver failure in patients treated with chemotherapy for colorectal liver metastases: Role of chronic disease scores in patients undergoing major liver surgery. A case-matched analysis. <i>European Journal of Surgical Oncology</i> , 2014 , 40, 1550-6 | 3.6 | 17 |
| 32 | Role of portal vein embolization in liver surgery: single centre experience in sixty-two patients. <i>Updates in Surgery</i> , 2010 , 62, 153-9 | 2.9 | 17 |
| 31 | A stepwise learning curve to define the standard for technical improvement in laparoscopic liver resections: complexity-based analysis in 1032 procedures. <i>Updates in Surgery</i> , 2019 , 71, 273-283 | 2.9 | 16 |
| 30 | Effect of Previous Abdominal Surgery on Laparoscopic Liver Resection: Analysis of Feasibility and Risk Factors for Conversion. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2018 , 28, 785-791 | 2.1 | 16 |

| 29 | Perihilar cholangiocarcinoma: are we ready to step towards minimally invasiveness?. <i>Updates in Surgery</i> , 2020 , 72, 423-433 | 2.9 | 15 |
|----|---|-----|----|
| 28 | Elevated concentrations of liver enzymes and ferritin identify a new phenotype of insulin resistance: effect of weight loss after gastric banding. <i>Obesity Surgery</i> , 2009 , 19, 80-6 | 3.7 | 15 |
| 27 | The clinical and biological impacts of the implementation of fast-track perioperative programs in complex liver resections: A propensity score-based analysis between the open and laparoscopic approaches. <i>Surgery</i> , 2018 , 164, 395-403 | 3.6 | 12 |
| 26 | Totally Laparoscopic Radical Cholecystectomy for Gallbladder Cancer: A Single Center Experience. Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A, 2019 , 29, 741-746 | 2.1 | 10 |
| 25 | Metabolic syndrome, hypertension, and diabetes mellitus after gastric banding: the role of aging and of duration of obesity. <i>Surgery for Obesity and Related Diseases</i> , 2013 , 9, 894-900 | 3 | 10 |
| 24 | No increase in prevalence of Barrett's oesophagus in a surgical series of obese patients referred for laparoscopic gastric banding. <i>Digestive and Liver Disease</i> , 2011 , 43, 613-5 | 3.3 | 10 |
| 23 | Approach to hepatocaval confluence during laparoscopic right hepatectomy: three variations on a theme. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017 , 31, 949 | 5.2 | 9 |
| 22 | LESS technique for liver resection: the progress of the mini-invasive approach: a single-centre experience. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2012 , 21, 55-8 | 2.1 | 8 |
| 21 | Theory of Relativity for Posterosuperior Segments of the Liver. <i>Annals of Surgical Oncology</i> , 2019 , 26, 1149-1157 | 3.1 | 7 |
| 20 | Technical Insights on Laparoscopic Left and Right Hepatectomy for Perihilar Cholangiocarcinoma. <i>Annals of Surgical Oncology</i> , 2020 , 27, 5191-5192 | 3.1 | 7 |
| 19 | Tips and Tricks for a Laparoscopic Approach to Paracaval Liver Segments. <i>Annals of Surgical Oncology</i> , 2018 , 25, 1695-1698 | 3.1 | 7 |
| 18 | Management of hilum infiltrating tumors of the liver: The impact of experience and standardization on outcome. <i>Digestive and Liver Disease</i> , 2019 , 51, 135-141 | 3.3 | 7 |
| 17 | Reappraisal of the advantages of laparoscopic liver resection for intermediate hepatocellular carcinoma within a stage migration perspective: Propensity score analysis of the differential benefit. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020 , 27, 510-521 | 2.8 | 6 |
| 16 | Minimally invasive approach to intrahepatic cholangiocarcinoma: technical notes for a safe hepatectomy and lymphadenectomy. <i>Annals of Laparoscopic and Endoscopic Surgery</i> ,2, 68-68 | 0.7 | 6 |
| 15 | Laparoscopic or open approaches for posterosuperior and anterolateral liver resections? A propensity score based analysis of the degree of advantage. <i>Hpb</i> , 2019 , 21, 1676-1686 | 3.8 | 4 |
| 14 | Surgical approach to multifocal hepatocellular carcinoma with portal vein thrombosis and arterioportal shunt leading to portal hypertension and bleeding: a case report. <i>World Journal of Surgical Oncology</i> , 2012 , 10, 34 | 3.4 | 3 |
| 13 | Perioperative and oncologic outcomes of open radical nephrectomy and inferior vena cava thrombectomy with liver mobilization and Pringle maneuver for Mayo III level tumor thrombus: single institution experience. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and</i> | 4.4 | 2 |
| 12 | Nephrology, 2020, Serum levels of endothelin-1 after liver resection as an early predictor of postoperative liver failure. A prospective study. <i>Hepatology Research</i> , 2016, 46, 529-40 | 5.1 | 2 |

LIST OF PUBLICATIONS

| 11 | Challenges and Technical Innovations for an Effective Laparoscopic Lymphadenectomy in Liver Malignancies. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2019 , 29, 72-75 | 2.1 | 2 |
|----|--|-------|---|
| 10 | Safety of minimally invasive liver resections during live surgery: a propensity score based assessment. <i>Hpb</i> , 2019 , 21, 328-334 | 3.8 | 2 |
| 9 | Fat absorption and gastroenteric pH profile in postsurgical pancreatic insufficiency: role of the association of H2-receptor antagonists with pancreatic enzymes. <i>Pancreas</i> , 1993 , 8, 494-8 | 2.6 | 1 |
| 8 | Pure laparoscopic right hepatectomy: A risk score for conversion for the paradigm of difficult laparoscopic liver resections. A single centre case series. <i>International Journal of Surgery</i> , 2020 , 82, 108- | ·17†§ | 1 |
| 7 | Correlation Between Type of Retrieval Incision and Postoperative Outcomes in Laparoscopic Liver Surgery: A Critical Assessment. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2021 , 31, 423-432 | 2.1 | 1 |
| 6 | Focal Nodular Hyperplasia 2015 , 159-168 | | O |
| 5 | Fast-Track Programs 2015 , 333-337 | | |
| 4 | Changes in lipid levels with percent of weight loss in morbid obesity. <i>Obesity Surgery</i> , 2001 , 11, 649-50 | 3.7 | |
| 3 | Laparoscopic Hepatic Transection Using Stapler and CUSA 2012 , 123-127 | | |
| 2 | Left Lateral Sectionectomy: Laparoscopic Approach. <i>Updates in Surgery Series</i> , 2013 , 245-251 | 0.1 | |

Single-Access Laparoscopic Liver Resections **2014**, 151-157