

Peter Kovacs

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2533658/peter-kovacs-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

172
papers

25,244
citations

56
h-index

158
g-index

193
ext. papers

30,696
ext. citations

11
avg, IF

5.51
L-index

#	Paper	IF	Citations
172	Genetic studies of body mass index yield new insights for obesity biology. <i>Nature</i> , 2015 , 518, 197-206	50.4	2687
171	Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. <i>Nature Genetics</i> , 2010 , 42, 937-48	36.3	2267
170	New genetic loci implicated in fasting glucose homeostasis and their impact on type 2 diabetes risk. <i>Nature Genetics</i> , 2010 , 42, 105-16	36.3	1673
169	Hundreds of variants clustered in genomic loci and biological pathways affect human height. <i>Nature</i> , 2010 , 467, 832-8	50.4	1514
168	Defining the role of common variation in the genomic and biological architecture of adult human height. <i>Nature Genetics</i> , 2014 , 46, 1173-86	36.3	1339
167	Variation in FTO contributes to childhood obesity and severe adult obesity. <i>Nature Genetics</i> , 2007 , 39, 724-6	36.3	1205
166	New genetic loci link adipose and insulin biology to body fat distribution. <i>Nature</i> , 2015 , 518, 187-196	50.4	920
165	Meta-analysis identifies 13 new loci associated with waist-hip ratio and reveals sexual dimorphism in the genetic basis of fat distribution. <i>Nature Genetics</i> , 2010 , 42, 949-60	36.3	724
164	Large-scale association analyses identify new loci influencing glycemic traits and provide insight into the underlying biological pathways. <i>Nature Genetics</i> , 2012 , 44, 991-1005	36.3	621
163	A genome-wide approach accounting for body mass index identifies genetic variants influencing fasting glycemic traits and insulin resistance. <i>Nature Genetics</i> , 2012 , 44, 659-69	36.3	615
162	New loci associated with kidney function and chronic kidney disease. <i>Nature Genetics</i> , 2010 , 42, 376-84	36.3	599
161	Insulin-sensitive obesity. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2010 , 299, E506615		542
160	Plasma visfatin concentrations and fat depot-specific mRNA expression in humans. <i>Diabetes</i> , 2005 , 54, 2911-6	0.9	540
159	Genetic variation in GIPR influences the glucose and insulin responses to an oral glucose challenge. <i>Nature Genetics</i> , 2010 , 42, 142-8	36.3	527
158	Genome-wide association study for early-onset and morbid adult obesity identifies three new risk loci in European populations. <i>Nature Genetics</i> , 2009 , 41, 157-9	36.3	521
157	An Expanded Genome-Wide Association Study of Type 2 Diabetes in Europeans. <i>Diabetes</i> , 2017 , 66, 2888-2902	29.0	414
156	Rare and low-frequency coding variants alter human adult height. <i>Nature</i> , 2017 , 542, 186-190	50.4	412

155	New gene functions in megakaryopoiesis and platelet formation. <i>Nature</i> , 2011 , 480, 201-8	50.4	330
154	Serum retinol-binding protein is more highly expressed in visceral than in subcutaneous adipose tissue and is a marker of intra-abdominal fat mass. <i>Cell Metabolism</i> , 2007 , 6, 79-87	24.6	318
153	Common variants at 10 genomic loci influence hemoglobin A1C levels via glycemic and nonglycemic pathways. <i>Diabetes</i> , 2010 , 59, 3229-39	0.9	314
152	Genetic associations at 53 loci highlight cell types and biological pathways relevant for kidney function. <i>Nature Communications</i> , 2016 , 7, 10023	17.4	295
151	Genetic fine mapping and genomic annotation defines causal mechanisms at type 2 diabetes susceptibility loci. <i>Nature Genetics</i> , 2015 , 47, 1415-25	36.3	292
150	Sex-stratified genome-wide association studies including 270,000 individuals show sexual dimorphism in genetic loci for anthropometric traits. <i>PLoS Genetics</i> , 2013 , 9, e1003500	6	277
149	Genome-wide associations for birth weight and correlations with adult disease. <i>Nature</i> , 2016 , 538, 248-252	52.4	266
148	Vaspin gene expression in human adipose tissue: association with obesity and type 2 diabetes. <i>Biochemical and Biophysical Research Communications</i> , 2006 , 339, 430-6	3.4	257
147	MicroRNA expression in human omental and subcutaneous adipose tissue. <i>PLoS ONE</i> , 2009 , 4, e4699	3.7	243
146	Common nonsynonymous variants in PCSK1 confer risk of obesity. <i>Nature Genetics</i> , 2008 , 40, 943-5	36.3	242
145	Impact of common genetic determinants of Hemoglobin A1c on type 2 diabetes risk and diagnosis in ancestrally diverse populations: A transethnic genome-wide meta-analysis. <i>PLoS Medicine</i> , 2017 , 14, e1002383	11.6	223
144	Refining the accuracy of validated target identification through coding variant fine-mapping in type 2 diabetes. <i>Nature Genetics</i> , 2018 , 50, 559-571	36.3	221
143	The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. <i>PLoS Genetics</i> , 2015 , 11, e1005378	6	220
142	A catalog of genetic loci associated with kidney function from analyses of a million individuals. <i>Nature Genetics</i> , 2019 , 51, 957-972	36.3	217
141	Detailed physiologic characterization reveals diverse mechanisms for novel genetic Loci regulating glucose and insulin metabolism in humans. <i>Diabetes</i> , 2010 , 59, 1266-75	0.9	211
140	Protein-altering variants associated with body mass index implicate pathways that control energy intake and expenditure in obesity. <i>Nature Genetics</i> , 2018 , 50, 26-41	36.3	186
139	Maternal and fetal genetic effects on birth weight and their relevance to cardio-metabolic risk factors. <i>Nature Genetics</i> , 2019 , 51, 804-814	36.3	181
138	New loci for body fat percentage reveal link between adiposity and cardiometabolic disease risk. <i>Nature Communications</i> , 2016 , 7, 10495	17.4	180

137	Genome-wide association and functional follow-up reveals new loci for kidney function. <i>PLoS Genetics</i> , 2012 , 8, e1002584	6	143
136	A central role for GRB10 in regulation of islet function in man. <i>PLoS Genetics</i> , 2014 , 10, e1004235	6	124
135	Target genes, variants, tissues and transcriptional pathways influencing human serum urate levels. <i>Nature Genetics</i> , 2019 , 51, 1459-1474	36.3	122
134	Genetics and epigenetics in obesity. <i>Metabolism: Clinical and Experimental</i> , 2019 , 92, 37-50	12.7	117
133	Fatty acids and insulin resistance in muscle and liver. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2005 , 19, 625-35	6.5	97
132	Vaspin inhibits kallikrein 7 by serpin mechanism. <i>Cellular and Molecular Life Sciences</i> , 2013 , 70, 2569-83	10.3	95
131	Sequence variants at CYP1A1-CYP1A2 and AHR associate with coffee consumption. <i>Human Molecular Genetics</i> , 2011 , 20, 2071-7	5.6	95
130	The genetics of fat distribution. <i>Diabetologia</i> , 2014 , 57, 1276-86	10.3	83
129	Polymorphisms at PRSS1-PRSS2 and CLDN2-MORC4 loci associate with alcoholic and non-alcoholic chronic pancreatitis in a European replication study. <i>Gut</i> , 2015 , 64, 1426-33	19.2	82
128	Vaspin serum concentrations in patients with carotid stenosis. <i>Atherosclerosis</i> , 2009 , 204, 262-6	3.1	81
127	Effects of genetic variation in the human retinol binding protein-4 gene (RBP4) on insulin resistance and fat depot-specific mRNA expression. <i>Diabetes</i> , 2007 , 56, 3095-100	0.9	81
126	Many obesity-associated SNPs strongly associate with DNA methylation changes at proximal promoters and enhancers. <i>Genome Medicine</i> , 2015 , 7, 103	14.4	79
125	Gut Microbiome, Intestinal Permeability, and Tissue Bacteria in Metabolic Disease: Perpetrators or Bystanders?. <i>Nutrients</i> , 2020 , 12,	6.7	72
124	Association of FTO variants with BMI and fat mass in the self-contained population of Sorbs in Germany. <i>European Journal of Human Genetics</i> , 2010 , 18, 104-10	5.3	71
123	Variation of the gene encoding the nuclear bile salt receptor FXR and gallstone susceptibility in mice and humans. <i>Journal of Hepatology</i> , 2008 , 48, 116-24	13.4	68
122	Adipose tissue expression and genetic variants of the bone morphogenetic protein receptor 1A gene (BMPRI1A) are associated with human obesity. <i>Diabetes</i> , 2009 , 58, 2119-28	0.9	65
121	Genetic variation in the visfatin gene (PBEF1) and its relation to glucose metabolism and fat-depot-specific messenger ribonucleic acid expression in humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 2725-31	5.6	60
120	Large-scale cis- and trans-eQTL analyses identify thousands of genetic loci and polygenic scores that regulate blood gene expression. <i>Nature Genetics</i> , 2021 , 53, 1300-1310	36.3	60

119	Genome-wide DNA promoter methylation and transcriptome analysis in human adipose tissue unravels novel candidate genes for obesity. <i>Molecular Metabolism</i> , 2017 , 6, 86-100	8.8	59
118	Adipose tissue derived bacteria are associated with inflammation in obesity and type 2 diabetes. <i>Gut</i> , 2020 , 69, 1796-1806	19.2	58
117	Genetic variation in GPR133 is associated with height: genome wide association study in the self-contained population of Sorbs. <i>Human Molecular Genetics</i> , 2009 , 18, 4662-8	5.6	57
116	Genome-wide association study identifies inversion in the locus to modify risk for alcoholic and non-alcoholic chronic pancreatitis. <i>Gut</i> , 2018 , 67, 1855-1863	19.2	54
115	Integration of genome-wide association studies with biological knowledge identifies six novel genes related to kidney function. <i>Human Molecular Genetics</i> , 2012 , 21, 5329-43	5.6	54
114	Widely Used Commercial ELISA Does Not Detect Precursor of Haptoglobin2, but Recognizes Properdin as a Potential Second Member of the Zonulin Family. <i>Frontiers in Endocrinology</i> , 2018 , 9, 22	5.7	52
113	The role of insulin receptor substrate-1 gene (IRS1) in type 2 diabetes in Pima Indians. <i>Diabetes</i> , 2003 , 52, 3005-9	0.9	52
112	Genetic variation in the Sorbs of eastern Germany in the context of broader European genetic diversity. <i>European Journal of Human Genetics</i> , 2011 , 19, 995-1001	5.3	50
111	Fibroblast growth factor-21 serum concentrations are associated with metabolic and hepatic markers in humans. <i>Journal of Endocrinology</i> , 2013 , 216, 135-43	4.7	48
110	A novel missense substitution (Val1483Ile) in the fatty acid synthase gene (FAS) is associated with percentage of body fat and substrate oxidation rates in nondiabetic Pima Indians. <i>Diabetes</i> , 2004 , 53, 1915-9	0.9	45
109	Relationship Between 12 Adipocytokines and Distinct Components of the Metabolic Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 1015-1023	5.6	44
108	Hypoxia-inducible factor 3A gene expression and methylation in adipose tissue is related to adipose tissue dysfunction. <i>Scientific Reports</i> , 2016 , 6, 27969	4.9	44
107	Non-specific caspase inhibition reduces infarct size and improves post-ischaeic recovery in isolated ischaemic/reperfused rat hearts. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2001 , 364, 501-7	3.4	44
106	The trans-ancestral genomic architecture of glycemic traits. <i>Nature Genetics</i> , 2021 , 53, 840-860	36.3	44
105	Protein-coding variants implicate novel genes related to lipid homeostasis contributing to body-fat distribution. <i>Nature Genetics</i> , 2019 , 51, 452-469	36.3	44
104	Genome-wide association meta-analyses and fine-mapping elucidate pathways influencing albuminuria. <i>Nature Communications</i> , 2019 , 10, 4130	17.4	43
103	Effects of resveratrol on memory performance, hippocampus connectivity and microstructure in older adults - A randomized controlled trial. <i>NeuroImage</i> , 2018 , 174, 177-190	7.9	42
102	Eating Behaviour in the General Population: An Analysis of the Factor Structure of the German Version of the Three-Factor-Eating-Questionnaire (TFEQ) and Its Association with the Body Mass Index. <i>PLoS ONE</i> , 2015 , 10, e0133977	3.7	40

101	TAS2R38 and its influence on smoking behavior and glucose homeostasis in the German Sorbs. <i>PLoS ONE</i> , 2013 , 8, e80512	3.7	38
100	Bone morphogenetic protein 2 (BMP2) may contribute to partition of energy storage into visceral and subcutaneous fat depots. <i>Obesity</i> , 2016 , 24, 2092-100	8	36
99	Global DNA methylation levels in human adipose tissue are related to fat distribution and glucose homeostasis. <i>Diabetologia</i> , 2014 , 57, 2374-83	10.3	36
98	Genetic and evolutionary analyses of the human bone morphogenetic protein receptor 2 (BMP2) in the pathophysiology of obesity. <i>PLoS ONE</i> , 2011 , 6, e16155	3.7	33
97	Integration of Genome-Wide SNP Data and Gene-Expression Profiles Reveals Six Novel Loci and Regulatory Mechanisms for Amino Acids and Acylcarnitines in Whole Blood. <i>PLoS Genetics</i> , 2015 , 11, e1005510	6	32
96	Common genetic variation near MC4R has a sex-specific impact on human brain structure and eating behavior. <i>PLoS ONE</i> , 2013 , 8, e74362	3.7	30
95	Sex-dimorphic genetic effects and novel loci for fasting glucose and insulin variability. <i>Nature Communications</i> , 2021 , 12, 24	17.4	30
94	TCF7L2 gene polymorphisms confer an increased risk for early impairment of glucose metabolism and increased height in obese children. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 1956-60	5.6	29
93	Fat depot-specific expression of HOXC9 and HOXC10 may contribute to adverse fat distribution and related metabolic traits. <i>Obesity</i> , 2016 , 24, 51-9	8	28
92	Common variants in Mendelian kidney disease genes and their association with renal function. <i>Journal of the American Society of Nephrology: JASN</i> , 2013 , 24, 2105-17	12.7	27
91	Genetic variation in the human winged helix/forkhead transcription factor gene FOXC2 in Pima Indians. <i>Diabetes</i> , 2003 , 52, 1292-5	0.9	27
90	Quantitative trait loci on chromosomes 1 and 4 affect lipid phenotypes in the rat. <i>Archives of Biochemistry and Biophysics</i> , 1998 , 354, 139-43	4.1	27
89	Genome wide meta-analysis highlights the role of genetic variation in RARRES2 in the regulation of circulating serum chemerin. <i>PLoS Genetics</i> , 2014 , 10, e1004854	6	24
88	The power of genetic diversity in genome-wide association studies of lipids. <i>Nature</i> , 2021 ,	50.4	24
87	FTO Obesity Risk Variants Are Linked to Adipocyte IRX3 Expression and BMI of Children - Relevance of FTO Variants to Defend Body Weight in Lean Children?. <i>PLoS ONE</i> , 2016 , 11, e0161739	3.7	24
86	Effects of Weight Loss on Glutathione Peroxidase 3 Serum Concentrations and Adipose Tissue Expression in Human Obesity. <i>Obesity Facts</i> , 2018 , 11, 475-490	5.1	24
85	Population-genetic comparison of the Sorbian isolate population in Germany with the German KORA population using genome-wide SNP arrays. <i>BMC Genetics</i> , 2011 , 12, 67	2.6	22
84	Role of genetic variants in ADIPOQ in human eating behavior. <i>Genes and Nutrition</i> , 2015 , 10, 449	4.3	21

83	Adipose tissue depot specific promoter methylation of TMEM18. <i>Journal of Molecular Medicine</i> , 2014 , 92, 881-8	5.5	21
82	Repin1 maybe involved in the regulation of cell size and glucose transport in adipocytes. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 400, 246-51	3.4	20
81	Liver-restricted Repin1 deficiency improves whole-body insulin sensitivity, alters lipid metabolism, and causes secondary changes in adipose tissue in mice. <i>Diabetes</i> , 2014 , 63, 3295-309	0.9	19
80	Brown adipose tissue (BAT) specific vaspin expression is increased after obesogenic diets and cold exposure and linked to acute changes in DNA-methylation. <i>Molecular Metabolism</i> , 2017 , 6, 482-493	8.8	18
79	Age- and gender-specific norms for the German version of the Three-Factor Eating-Questionnaire (TFEQ). <i>Appetite</i> , 2015 , 91, 241-7	4.5	18
78	Effect of genetic variation in the human fatty acid synthase gene (FASN) on obesity and fat depot-specific mRNA expression. <i>Obesity</i> , 2010 , 18, 1218-25	8	17
77	Effects of genetic variants in ADCY5, GIPR, GCKR and VPS13C on early impairment of glucose and insulin metabolism in children. <i>PLoS ONE</i> , 2011 , 6, e22101	3.7	17
76	R1467H variant in the rho guanine nucleotide exchange factor 11 (ARHGEF11) is associated with impaired glucose tolerance and type 2 diabetes in German Caucasians. <i>Journal of Human Genetics</i> , 2008 , 53, 365-367	4.3	16
75	Polymorphisms in the oxygen-regulated protein 150 gene (ORP150) are associated with insulin resistance in Pima Indians. <i>Diabetes</i> , 2002 , 51, 1618-21	0.9	16
74	Impaired Intestinal Barrier and Tissue Bacteria: Pathomechanisms for Metabolic Diseases. <i>Frontiers in Endocrinology</i> , 2021 , 12, 616506	5.7	16
73	Functional and clinical relevance of novel and known variants for childhood obesity and glucose metabolism. <i>Molecular Metabolism</i> , 2017 , 6, 295-305	8.8	15
72	A novel FoxD3 Variant Is Associated With Vitiligo and Elevated Thyroid Auto-Antibodies. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, E1335-42	5.6	15
71	Nicotinamide nucleotide transhydrogenase mRNA expression is related to human obesity. <i>Obesity</i> , 2013 , 21, 529-34	8	14
70	TCF7L2 gene expression in human visceral and subcutaneous adipose tissue is differentially regulated but not associated with type 2 diabetes mellitus. <i>Metabolism: Clinical and Experimental</i> , 2008 , 57, 1227-31	12.7	14
69	Blurring the picture in leaky gut research: how shortcomings of zonulin as a biomarker mislead the field of intestinal permeability. <i>Gut</i> , 2021 , 70, 1801-1802	19.2	14
68	Voluntary upregulation of heart rate variability through biofeedback is improved by mental contemplative training. <i>Scientific Reports</i> , 2019 , 9, 7860	4.9	13
67	The Relevance of Genomic Signatures at Adhesion GPCR Loci in Humans. <i>Handbook of Experimental Pharmacology</i> , 2016 , 234, 179-217	3.2	13
66	C57BL/6JRj mice are protected against diet induced obesity (DIO). <i>Biochemical and Biophysical Research Communications</i> , 2012 , 417, 717-20	3.4	13

65	Genetic Contribution of Variants near SORT1 and APOE on LDL Cholesterol Independent of Obesity in Children. <i>PLoS ONE</i> , 2015 , 10, e0138064	3.7	13
64	Identification of distinct transcriptome signatures of human adipose tissue from fifteen depots. <i>European Journal of Human Genetics</i> , 2020 , 28, 1714-1725	5.3	13
63	Excess maternal transmission of variants in the THADA gene to offspring with type 2 diabetes. <i>Diabetologia</i> , 2016 , 59, 1702-13	10.3	13
62	Depletion of Jmjd1c impairs adipogenesis in murine 3T3-L1 cells. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017 , 1863, 1709-1717	6.9	12
61	IRS1 DNA promoter methylation and expression in human adipose tissue are related to fat distribution and metabolic traits. <i>Scientific Reports</i> , 2017 , 7, 12369	4.9	12
60	Exome-Derived Adiponectin-Associated Variants Implicate Obesity and Lipid Biology. <i>American Journal of Human Genetics</i> , 2019 , 105, 15-28	11	12
59	THOC5: a novel gene involved in HDL-cholesterol metabolism. <i>Journal of Lipid Research</i> , 2013 , 54, 3170-6	6.3	12
58	ADCY5 gene expression in adipose tissue is related to obesity in men and mice. <i>PLoS ONE</i> , 2015 , 10, e0130742	3.7	12
57	Leptin stimulates autophagy/lysosome-related degradation of long-lived proteins in adipocytes. <i>Adipocyte</i> , 2019 , 8, 51-60	3.2	10
56	(Epi)genetic regulation of CRTC1 in human eating behaviour and fat distribution. <i>EBioMedicine</i> , 2019 , 44, 476-488	8.8	10
55	Insulin administration acutely decreases vaspin serum concentrations in humans. <i>Obesity Facts</i> , 2013 , 6, 86-8	5.1	10
54	The role of rs2237781 within GRM8 in eating behavior. <i>Brain and Behavior</i> , 2013 , 3, 495-502	3.4	10
53	Role of vaspin in human eating behaviour. <i>PLoS ONE</i> , 2013 , 8, e54140	3.7	10
52	Genetic Studies of Leptin Concentrations Implicate Leptin in the Regulation of Early Adiposity. <i>Diabetes</i> , 2020 , 69, 2806-2818	0.9	10
51	Circulating Oxytocin Is Genetically Determined and Associated With Obesity and Impaired Glucose Tolerance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 5621-5632	5.6	9
50	DNA methylation signature in blood mirrors successful weight-loss during lifestyle interventions: the CENTRAL trial. <i>Genome Medicine</i> , 2020 , 12, 97	14.4	9
49	Accumulation of severe hypoglycemia at weekends and in warm seasons in patients with type 1 diabetes but not with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2016 , 30, 1308-14	3.2	8
48	Novel Mutations in the Asparagine Synthetase Gene (ASNS) Associated With Microcephaly. <i>Frontiers in Genetics</i> , 2018 , 9, 245	4.5	8

47	Common variants in the CLDN2-MORC4 and PRSS1-PRSS2 loci confer susceptibility to acute pancreatitis. <i>Pancreatology</i> , 2018 , 18, 477-481	3.8	8
46	Effects of psychological eating behaviour domains on the association between socio-economic status and BMI. <i>Public Health Nutrition</i> , 2017 , 20, 2706-2712	3.3	8
45	Genome-wide meta-analysis identifies novel determinants of circulating serum progranulin. <i>Human Molecular Genetics</i> , 2018 , 27, 546-558	5.6	7
44	Repin1 deficiency improves insulin sensitivity and glucose metabolism in db/db mice by reducing adipose tissue mass and inflammation. <i>Biochemical and Biophysical Research Communications</i> , 2016 , 478, 398-402	3.4	7
43	Pro-neurotensin depends on renal function and is related to all-cause mortality in chronic kidney disease. <i>European Journal of Endocrinology</i> , 2020 , 183, 233-244	6.5	7
42	The Obesity-Susceptibility Gene TMEM18 Promotes Adipogenesis through Activation of PPAR γ . <i>Cell Reports</i> , 2020 , 33, 108295	10.6	7
41	Multinucleated Giant Cells in Adipose Tissue Are Specialized in Adipocyte Degradation. <i>Diabetes</i> , 2021 , 70, 538-548	0.9	7
40	Genetic variants in AKR1B10 associate with human eating behavior. <i>BMC Genetics</i> , 2015 , 16, 31	2.6	6
39	Refining Attention-Deficit/Hyperactivity Disorder and Autism Spectrum Disorder Genetic Loci by Integrating Summary Data From Genome-wide Association, Gene Expression, and DNA Methylation Studies. <i>Biological Psychiatry</i> , 2020 , 88, 470-479	7.9	6
38	Analysis of a rare functional truncating mutation rs61757459 in vaspin (SERPINA12) on circulating vaspin levels. <i>Journal of Molecular Medicine</i> , 2013 , 91, 1285-92	5.5	6
37	Signatures of natural selection at the FTO (fat mass and obesity associated) locus in human populations. <i>PLoS ONE</i> , 2015 , 10, e0117093	3.7	6
36	Genetics of Obesity in East Asians. <i>Frontiers in Genetics</i> , 2020 , 11, 575049	4.5	6
35	Circulating Adipokine VASPIN Is Associated with Serum Lipid Profiles in Humans. <i>Lipids</i> , 2019 , 54, 203-210	10.6	5
34	Adipocytokines are not associated with gestational diabetes mellitus but with pregnancy status. <i>Cytokine</i> , 2020 , 131, 155088	4	5
33	Insulin-Sensitizer Effects of Fenugreek Seeds in Parallel with Changes in Plasma MCH Levels in Healthy Volunteers. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	5
32	Identification of 371 genetic variants for age at first sex and birth linked to externalising behaviour. <i>Nature Human Behaviour</i> , 2021 ,	12.8	5
31	HLA Class II Allele Analyses Implicate Common Genetic Components in Type 1 and Non-Insulin-Treated Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	4
30	DNA methylation of SSPN is linked to adipose tissue distribution and glucose metabolism. <i>FASEB Journal</i> , 2018 , 32, fj201800528R	0.9	4

29	Atg7 Knockdown Reduces Chemerin Secretion in Murine Adipocytes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 5715-5728	5.6	4
28	The effect of a high-polyphenol Mediterranean diet (GREEN-MED) combined with physical activity on age-related brain atrophy: the DIRECT PLUS randomized controlled trial.. <i>American Journal of Clinical Nutrition</i> , 2022 ,	7	4
27	Tissue-Specific Alteration of Metabolic Pathways Influences Glycemic Regulation		4
26	Serum levels of advanced glycation end products and their receptors sRAGE and Galectin-3 in chronic pancreatitis. <i>Pancreatology</i> , 2020 , 20, 187-192	3.8	4
25	Genetics of Body Fat Distribution: Comparative Analyses in Populations with European, Asian and African Ancestries. <i>Genes</i> , 2021 , 12,	4.2	4
24	Circulating bacterial signature is linked to metabolic disease and shifts with metabolic alleviation after bariatric surgery. <i>Genome Medicine</i> , 2021 , 13, 105	14.4	4
23	Developmentally Driven Changes in Adipogenesis in Different Fat Depots Are Related to Obesity. <i>Frontiers in Endocrinology</i> , 2020 , 11, 138	5.7	4
22	Gene expression profiling in adipose tissue of Sprague Dawley rats identifies olfactory receptor 984 as a potential obesity treatment target. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 505, 801-806	3.4	4
21	Metabolic effects of genetic variation in the human REPIN1 gene. <i>International Journal of Obesity</i> , 2019 , 43, 821-831	5.5	3
20	Genome-wide meta-analysis of phytosterols reveals five novel loci and a detrimental effect on coronary atherosclerosis.. <i>Nature Communications</i> , 2022 , 13, 143	17.4	3
19	Effects of lifestyle interventions on epigenetic signatures of liver fat: Central randomized controlled trial. <i>Liver International</i> , 2021 , 41, 2101-2111	7.9	3
18	The Glu23Lys polymorphism in KCNJ11 and impaired hypoglycaemia awareness in patients with type 1 diabetes. <i>Journal of Human Genetics</i> , 2005 , 50, 530-533	4.3	2
17	Interplay between adipose tissue secreted proteins, eating behavior and obesity. <i>European Journal of Nutrition</i> , 2021 , 1	5.2	2
16	Nicotinamide Nucleotide Transhydrogenase (Nnt) is Related to Obesity in Mice. <i>Hormone and Metabolic Research</i> , 2020 , 52, 877-881	3.1	2
15	Lifestyle weight-loss intervention may attenuate methylation aging: the CENTRAL MRI randomized controlled trial. <i>Clinical Epigenetics</i> , 2021 , 13, 48	7.7	2
14	Increased circulating cell-free DNA in insulin resistance. <i>Diabetes and Metabolism</i> , 2020 , 46, 249-252	5.4	2
13	Effect of broth from meat of linseed-fed cattle on glucose-stimulated insulin release in healthy male volunteers. <i>Animal Science Journal</i> , 2019 , 90, 769-773	1.8	1
12	Genetically programmed changes in transcription of the novel progranulin regulator. <i>Journal of Molecular Medicine</i> , 2020 , 98, 1139-1148	5.5	1

11	Protein-Coding Variants Implicate Novel Genes Related to Lipid Homeostasis Contributing to Body Fat Distribution		1
10	The Effect of FGF21 and Its Genetic Variants on Food and Drug Cravings, Adipokines and Metabolic Traits. <i>Biomedicines</i> , 2021 , 9,	4.8	1
9	A novel compound heterozygous leptin receptor mutation causes more severe obesity than in Lepr mice. <i>Journal of Lipid Research</i> , 2021 , 62, 100105	6.3	1
8	Letter to the Editor regarding Miki et al.'s paper: Gut microbiota, dietary intakes and intestinal permeability reflected by serum zonulin in women. <i>European Journal of Nutrition</i> , 2018 , 57, 2999-3000	5.2	1
7	PTEN regulates adipose progenitor cell growth, differentiation, and replicative aging. <i>Journal of Biological Chemistry</i> , 2021 , 297, 100968	5.4	1
6	Differential and shared genetic effects on kidney function between diabetic and non-diabetic individuals. <i>Communications Biology</i> , 2022 , 5,	6.7	1
5	Copy number variations in "classical" obesity candidate genes are not frequently associated with severe early-onset obesity in children. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2017 , 30, 507-515	1.6	
4	Setting our AdipoSIGHTS on Stem Cells in Pharmacogenomics. <i>Cell Stem Cell</i> , 2019 , 24, 206-207	18	
3	Das menschliche Gewebemikrobiom im metabolischen Syndrom: der Leaky Gut-Hypothese auf der Spur. <i>Adipositas - Ursachen Folgeerkrankungen Therapie</i> , 2019 , 13, 190-196	0.2	
2	Letter to the Editor Regarding "Cyst-Peritoneal Shunt for the Treatment of a Progressive Intracerebral Cyst Associated with ASNS Mutation: Case Report and Literature Review". <i>World Neurosurgery</i> , 2019 , 130, 564-566	2.1	
1	Erhöhte Darmpermeabilität: Pathomechanismus für metabolische Erkrankungen?. <i>Diabetologe</i> , 2021 , 17, 382-390	0.2	