

Lili Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2534619/publications.pdf>

Version: 2024-02-01

111
papers

3,847
citations

94381

37
h-index

161767

54
g-index

115
all docs

115
docs citations

115
times ranked

5701
citing authors

#	ARTICLE	IF	CITATIONS
1	Nasopharyngeal carcinoma: an evolving paradigm. <i>Nature Reviews Clinical Oncology</i> , 2021, 18, 679-695.	12.5	207
2	The Tumor Suppressor UCHL1 Forms a Complex with p53/MDM2/ARF to Promote p53 Signaling and Is Frequently Silenced in Nasopharyngeal Carcinoma. <i>Clinical Cancer Research</i> , 2010, 16, 2949-2958.	3.2	136
3	The Ubiquitin Peptidase UCHL1 Induces G0/G1 Cell Cycle Arrest and Apoptosis Through Stabilizing p53 and Is Frequently Silenced in Breast Cancer. <i>PLoS ONE</i> , 2012, 7, e29783.	1.1	116
4	Protocadherin 17 acts as a tumour suppressor inducing tumour cell apoptosis and autophagy, and is frequently methylated in gastric and colorectal cancers. <i>Journal of Pathology</i> , 2013, 229, 62-73.	2.1	98
5	The human cadherin 11 is a pro-apoptotic tumor suppressor modulating cell stemness through Wnt/ β -catenin signaling and silenced in common carcinomas. <i>Oncogene</i> , 2012, 31, 3901-3912.	2.6	92
6	Epigenetic inactivation of the CpG demethylase TET1 as a DNA methylation feedback loop in human cancers. <i>Scientific Reports</i> , 2016, 6, 26591.	1.6	90
7	DACT1, an antagonist to Wnt/ β -catenin signaling, suppresses tumor cell growth and is frequently silenced in breast cancer. <i>Breast Cancer Research</i> , 2013, 15, R23.	2.2	83
8	Grifolin, a potential antitumor natural product from the mushroom <i>Albatrellus confluens</i> , inhibits tumor cell growth by inducing apoptosis in vitro. <i>FEBS Letters</i> , 2005, 579, 3437-3443.	1.3	82
9	STAT3 activation induced by Epstein-Barr virus latent membrane protein1 causes vascular endothelial growth factor expression and cellular invasiveness via JAK3 And ERK signaling. <i>European Journal of Cancer</i> , 2010, 46, 2996-3006.	1.3	76
10	Grifolin, a potent antitumour natural product upregulates death-associated protein kinase 1 DAPK1 via p53 in nasopharyngeal carcinoma cells. <i>European Journal of Cancer</i> , 2011, 47, 316-325.	1.3	65
11	Double restriction-enzyme digestion improves the coverage and accuracy of genome-wide CpG methylation profiling by reduced representation bisulfite sequencing. <i>BMC Genomics</i> , 2013, 14, 11.	1.2	64
12	(-)-Epigallocatechin-3-gallate inhibition of Epstein-Barr virus spontaneous lytic infection involves ERK1/2 and PI3-K/Akt signaling in EBV-positive cells. <i>Carcinogenesis</i> , 2013, 34, 627-637.	1.3	64
13	A novel 3p22.3 gene CMTM7 represses oncogenic EGFR signaling and inhibits cancer cell growth. <i>Oncogene</i> , 2014, 33, 3109-3118.	2.6	64
14	The Epigenetic Modifier PRDM5 Functions as a Tumor Suppressor through Modulating WNT/ β -Catenin Signaling and Is Frequently Silenced in Multiple Tumors. <i>PLoS ONE</i> , 2011, 6, e27346.	1.1	64
15	<i>Paired box gene 5</i> is a novel tumor suppressor in hepatocellular carcinoma through interaction with p53 signaling pathway. <i>Hepatology</i> , 2011, 53, 843-853.	3.6	63
16	Nuclear accumulation of epidermal growth factor receptor and acceleration of G1/S stage by Epstein-Barr-encoded oncoprotein latent membrane protein 1. <i>Experimental Cell Research</i> , 2005, 303, 240-251.	1.2	62
17	Epigenetic silencing of the WNT antagonist Dickkopf 3 disrupts normal Wnt/ β -catenin signalling and apoptosis regulation in breast cancer cells. <i>Journal of Cellular and Molecular Medicine</i> , 2013, 17, 1236-1246.	1.6	60
18	The Metalloprotease ADAMTS8 Displays Antitumor Properties through Antagonizing EGFR-MEK-ERK Signaling and Is Silenced in Carcinomas by CpG Methylation. <i>Molecular Cancer Research</i> , 2014, 12, 228-238.	1.5	58

#	ARTICLE	IF	CITATIONS
19	Latent membrane protein 1 of Epstein-Barr virus regulates p53 phosphorylation through MAP kinases. <i>Cancer Letters</i> , 2007, 255, 219-231.	3.2	56
20	Grifolin, a potential antitumor natural product from the mushroom <i>Albatrellus confluens</i> , induces cell-cycle arrest in G1 phase via the ERK1/2 pathway. <i>Cancer Letters</i> , 2007, 258, 199-207.	3.2	56
21	SOX10, a novel HMG-box-containing tumor suppressor, inhibits growth and metastasis of digestive cancers by suppressing the Wnt/ β -catenin pathway. <i>Oncotarget</i> , 2014, 5, 10571-10583.	0.8	56
22	Epstein-Barr virus encoded latent membrane protein 1 modulates nuclear translocation of telomerase reverse transcriptase protein by activating nuclear factor- κ B p65 in human nasopharyngeal carcinoma cells. <i>International Journal of Biochemistry and Cell Biology</i> , 2005, 37, 1881-1889.	1.2	53
23	Lipid-Polymer Nanoparticles Encapsulating Doxorubicin and 2-Deoxy-5-azacytidine Enhance the Sensitivity of Cancer Cells to Chemical Therapeutics. <i>Molecular Pharmaceutics</i> , 2013, 10, 1901-1909.	2.3	53
24	PLCD1 is a functional tumor suppressor inducing G ₂ /M arrest and frequently methylated in breast cancer. <i>Cancer Biology and Therapy</i> , 2010, 10, 520-527.	1.5	52
25	Characterization of the nasopharyngeal carcinoma methylome identifies aberrant disruption of key signaling pathways and methylated tumor suppressor genes. <i>Epigenomics</i> , 2015, 7, 155-173.	1.0	52
26	OVOL2 links stemness and metastasis via fine-tuning epithelial-mesenchymal transition in nasopharyngeal carcinoma. <i>Theranostics</i> , 2018, 8, 2202-2216.	4.6	50
27	Viral oncoprotein LMP1 disrupts p53-induced cell cycle arrest and apoptosis through modulating K63-linked ubiquitination of p53. <i>Cell Cycle</i> , 2012, 11, 2327-2336.	1.3	49
28	Tyrosylprotein Sulfotransferase-1 and Tyrosine Sulfation of Chemokine Receptor 4 Are Induced by Epstein-Barr Virus Encoded Latent Membrane Protein 1 and Associated with the Metastatic Potential of Human Nasopharyngeal Carcinoma. <i>PLoS ONE</i> , 2013, 8, e56114.	1.1	49
29	Protocadherin 17 functions as a tumor suppressor suppressing Wnt/ β -catenin signaling and cell metastasis and is frequently methylated in breast cancer. <i>Oncotarget</i> , 2016, 7, 51720-51732.	0.8	46
30	Oncogenic HOXB8 is driven by MYC-regulated super-enhancer and potentiates colorectal cancer invasiveness via BACH1. <i>Oncogene</i> , 2020, 39, 1004-1017.	2.6	45
31	A Novel 19q13 Nucleolar Zinc Finger Protein Suppresses Tumor Cell Growth through Inhibiting Ribosome Biogenesis and Inducing Apoptosis but Is Frequently Silenced in Multiple Carcinomas. <i>Molecular Cancer Research</i> , 2012, 10, 925-936.	1.5	44
32	FEZF2, a novel 3p14 tumor suppressor gene, represses oncogene EZH2 and MDM2 expression and is frequently methylated in nasopharyngeal carcinoma. <i>Carcinogenesis</i> , 2013, 34, 1984-1993.	1.3	44
33	Aberrant promoter CpG methylation and its translational applications in breast cancer. <i>Chinese Journal of Cancer</i> , 2013, 32, 12-20.	4.9	44
34	Epigenetic identification of receptor tyrosine kinase-like orphan receptor 2 as a functional tumor suppressor inhibiting β -catenin and AKT signaling but frequently methylated in common carcinomas. <i>Cellular and Molecular Life Sciences</i> , 2014, 71, 2179-2192.	2.4	43
35	Immunoglobulin Expression and Its Biological Significance in Cancer Cells. <i>Cellular and Molecular Immunology</i> , 2008, 5, 319-324.	4.8	41
36	Regulation of Survivin and CDK4 by Epstein-Barr virus encoded latent membrane protein 1 in nasopharyngeal carcinoma cell lines. <i>Cell Research</i> , 2005, 15, 777-784.	5.7	39

#	ARTICLE	IF	CITATIONS
37	Methylation of PLCD1 and adenovirus-mediated PLCD1 overexpression elicits a gene therapy effect on human breast cancer. <i>Experimental Cell Research</i> , 2015, 332, 179-189.	1.2	39
38	Epstein-Barr virus latent membrane protein 1 mediates serine 25 phosphorylation and nuclear entry of annexin A2 via PI3K/Akt pathway. <i>Molecular Carcinogenesis</i> , 2008, 47, 934-946.	1.3	38
39	BCLB, methylated in hepatocellular carcinoma, is a starvation stress sensor that induces apoptosis and autophagy through the AMPK-mTOR signaling cascade. <i>Cancer Letters</i> , 2017, 395, 63-71.	3.2	38
40	Identification of novel phosphoproteins in signaling pathways triggered by latent membrane protein 1 using functional proteomics technology. <i>Proteomics</i> , 2006, 6, 1810-1821.	1.3	37
41	EBV encoded miR-BHRF1-1 potentiates viral lytic replication by downregulating host p53 in nasopharyngeal carcinoma. <i>International Journal of Biochemistry and Cell Biology</i> , 2012, 44, 275-279.	1.2	37
42	p16 ^{INK4A} Acts as a Tumor Suppressor Gene: Epigenetic Inactivation in Nasopharyngeal Carcinoma. <i>Journal of Cellular Biochemistry</i> , 2015, 116, 1766-1775.	1.2	37
43	EBV-encoded LMP1 regulates Op18/stathmin signaling pathway by cdc2 mediation in nasopharyngeal carcinoma cells. <i>International Journal of Cancer</i> , 2009, 124, 1020-1027.	2.3	36
44	Promoter methylation of tumor suppressor genes in esophageal squamous cell carcinoma. <i>Chinese Journal of Cancer</i> , 2013, 32, 3-11.	4.9	36
45	Latent membrane protein 1 encoded by Epstein-Barr virus induces telomerase activity via p16 ^{INK4A} /Rb/E2F1 and JNK signaling pathways. <i>Journal of Medical Virology</i> , 2007, 79, 1153-1163.	2.5	34
46	The new 6q27 tumor suppressor DACT2, frequently silenced by CpG methylation, sensitizes nasopharyngeal cancer cells to paclitaxel and 5-FU toxicity via β -catenin/Cdc25c signaling and G2/M arrest. <i>Clinical Epigenetics</i> , 2018, 10, 26.	1.8	34
47	Heterogeneity of aberrant immunoglobulin expression in cancer cells. <i>Cellular and Molecular Immunology</i> , 2011, 8, 479-485.	4.8	33
48	Epstein-Barr virus oncoprotein LMP1 mediates survivin upregulation by p53 contributing to G1/S cell cycle progression in nasopharyngeal carcinoma. <i>International Journal of Molecular Medicine</i> , 2012, 29, 574-580.	1.8	33
49	Epigenomic characterization of a p53-regulated 3p22.2 tumor suppressor that inhibits STAT3 phosphorylation via protein docking and is frequently methylated in esophageal and other carcinomas. <i>Theranostics</i> , 2018, 8, 61-77.	4.6	33
50	Methylation profiling of Epstein-Barr virus immediate-early gene promoters, BZLF1 and BRLF1 in tumors of epithelial, NK- and B-cell origins. <i>BMC Cancer</i> , 2012, 12, 125.	1.1	32
51	Interferon regulatory factor 8 functions as a tumor suppressor in renal cell carcinoma and its promoter methylation is associated with patient poor prognosis. <i>Cancer Letters</i> , 2014, 354, 227-234.	3.2	32
52	19q13 KRAB zinc-finger protein ZNF471 activates MAPK10/JNK3 signaling but is frequently silenced by promoter CpG methylation in esophageal cancer. <i>Theranostics</i> , 2020, 10, 2243-2259.	4.6	31
53	Dickkopf-related protein 2 induces G0/G1 arrest and apoptosis through suppressing Wnt/ β -catenin signaling and is frequently methylated in breast cancer. <i>Oncotarget</i> , 2017, 8, 39443-39459.	0.8	31
54	Dapper Homolog 1 Is a Novel Tumor Suppressor in Gastric Cancer through Inhibiting the Nuclear Factor- κ B Signaling Pathway. <i>Molecular Medicine</i> , 2012, 18, 1402-1411.	1.9	30

#	ARTICLE	IF	CITATIONS
55	BTB/POZ zinc finger protein ZBTB16 inhibits breast cancer proliferation and metastasis through upregulating ZBTB28 and antagonizing BCL6/ZBTB27. <i>Clinical Epigenetics</i> , 2020, 12, 82.	1.8	29
56	Genome-Wide Screening for Genetic Alterations in Esophageal Cancer by aCGH Identifies 11q13 Amplification Oncogenes Associated with Nodal Metastasis. <i>PLoS ONE</i> , 2012, 7, e39797.	1.1	29
57	Epstein-Barr virus latent membrane protein 1 mediates phosphorylation and nuclear translocation of annexin A2 by activating PKC pathway. <i>Cellular Signalling</i> , 2007, 19, 341-348.	1.7	28
58	Epigenetic silencing of <i>ADAMTS18</i> promotes cell migration and invasion of breast cancer through AKT and NF- κ B signaling. <i>Cancer Medicine</i> , 2017, 6, 1399-1408.	1.3	28
59	Zinc-Finger Protein 545 Inhibits Cell Proliferation as a Tumor Suppressor through Inducing Apoptosis and is Disrupted by Promoter Methylation in Breast Cancer. <i>PLoS ONE</i> , 2014, 9, e110990.	1.1	27
60	The tumor suppressor interferon regulatory factor 8 inhibits β -catenin signaling in breast cancers, but is frequently silenced by promoter methylation. <i>Oncotarget</i> , 2017, 8, 48875-48888.	0.8	27
61	Epigenetic silencing of the 3p22 tumor suppressor DLEC1 by promoter CpG methylation in non-Hodgkin and Hodgkin lymphomas. <i>Journal of Translational Medicine</i> , 2012, 10, 209.	1.8	26
62	Epstein-Barr virus-encoded LMP1 triggers regulation of the ERK-mediated O ₂ p18/stathmin signaling pathway in association with cell cycle. <i>Cancer Science</i> , 2012, 103, 993-999.	1.7	26
63	The novel 19q13 KRAB zinc-finger tumour suppressor ZNF382 is frequently methylated in oesophageal squamous cell carcinoma and antagonises Wnt/ β -catenin signalling. <i>Cell Death and Disease</i> , 2018, 9, 573.	2.7	26
64	The epigenetic modifier CHD5 functions as a novel tumor suppressor for renal cell carcinoma and is predominantly inactivated by promoter CpG methylation. <i>Oncotarget</i> , 2016, 7, 21618-21630.	0.8	26
65	Oncogenic induction of cellular high CpG methylation by Epstein-Barr virus in malignant epithelial cells. <i>Chinese Journal of Cancer</i> , 2014, 33, 604-8.	4.9	25
66	DACT2 silencing by promoter CpG methylation disrupts its regulation of epithelial-to-mesenchymal transition and cytoskeleton reorganization in breast cancer cells. <i>Oncotarget</i> , 2016, 7, 70924-70935.	0.8	24
67	Epigenetic silencing of WNT5A in Epstein-Barr virus-associated gastric carcinoma. <i>Archives of Virology</i> , 2013, 158, 123-132.	0.9	23
68	Tumor suppressive BTB/POZ zinc-finger protein ZBTB28 inhibits oncogenic BCL6/ZBTB27 signaling to maintain p53 transcription in multiple carcinogenesis. <i>Theranostics</i> , 2019, 9, 8182-8195.	4.6	23
69	The 3p14.2 tumour suppressor <i>ADAMTS9</i> is inactivated by promoter CpG methylation and inhibits tumour cell growth in breast cancer. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 1257-1271.	1.6	22
70	Physiological pathway of human cell damage induced by genotoxic crystalline silica nanoparticles. <i>Biomaterials</i> , 2012, 33, 7540-7546.	5.7	21
71	DLEC1, a 3p tumor suppressor, represses NF- κ B signaling and is methylated in prostate cancer. <i>Journal of Molecular Medicine</i> , 2015, 93, 691-701.	1.7	21
72	Paired box 5 is a frequently methylated lung cancer tumour suppressor gene interfering β -catenin signalling and <i>GADD45G</i> expression. <i>Journal of Cellular and Molecular Medicine</i> , 2016, 20, 842-854.	1.6	21

#	ARTICLE	IF	CITATIONS
73	The tumor suppressor Zinc finger protein 471 suppresses breast cancer growth and metastasis through inhibiting AKT and Wnt/ β -catenin signaling. <i>Clinical Epigenetics</i> , 2020, 12, 173.	1.8	21
74	Chromatin regulators with tumor suppressor properties and their alterations in human cancers. <i>Epigenomics</i> , 2012, 4, 537-549.	1.0	19
75	Interferon Consensus Sequence-Binding Protein 8, a Tumor Suppressor, Suppresses Tumor Growth and Invasion of Non-Small Cell Lung Cancer by Interacting with the Wnt/ β -Catenin Pathway. <i>Cellular Physiology and Biochemistry</i> , 2018, 51, 961-978.	1.1	19
76	OPCML is frequently methylated in human colorectal cancer and its restored expression reverses EMT via downregulation of smad signaling. <i>American Journal of Cancer Research</i> , 2015, 5, 1635-48.	1.4	19
77	Homeobox protein MSX1 inhibits the growth and metastasis of breast cancer cells and is frequently silenced by promoter methylation. <i>International Journal of Molecular Medicine</i> , 2018, 41, 2986-2996.	1.8	17
78	The activation of p53 mediated by Epstein-Barr virus latent membrane protein 1 in SV40 large T antigen transformed cells. <i>FEBS Letters</i> , 2008, 582, 755-762.	1.3	16
79	Epstein-Barr Virus-Induced Epigenetic Pathogenesis of Viral-Associated Lymphoepithelioma-Like Carcinomas and Natural Killer/T-Cell Lymphomas. <i>Pathogens</i> , 2018, 7, 63.	1.2	16
80	Cancer cells escape p53's tumor suppression through ablation of ZDHHC1-mediated p53 palmitoylation. <i>Oncogene</i> , 2021, 40, 5416-5426.	2.6	16
81	Epigenomic and Functional Characterization of Junctophilin 3 (JPH3) as a Novel Tumor Suppressor Being Frequently Inactivated by Promoter CpG Methylation in Digestive Cancers. <i>Theranostics</i> , 2017, 7, 2150-2163.	4.6	15
82	Blockade of AP-1 activity by dominant-negative TAM67 can abrogate the oncogenic phenotype in latent membrane protein 1-positive human nasopharyngeal carcinoma. <i>Molecular Carcinogenesis</i> , 2007, 46, 901-911.	1.3	14
83	Epigenetic identification of ZNF545 as a functional tumor suppressor in multiple myeloma via activation of p53 signaling pathway. <i>Biochemical and Biophysical Research Communications</i> , 2016, 474, 660-666.	1.0	13
84	ZBTB28 inhibits breast cancer by activating IFNAR and dual blocking CD24 and CD47 to enhance macrophages phagocytosis. <i>Cellular and Molecular Life Sciences</i> , 2022, 79, 83.	2.4	13
85	Ubiquitination of MDM2 modulated by Epstein-Barr virus encoded latent membrane protein 1. <i>Virus Research</i> , 2007, 130, 275-280.	1.1	12
86	Tumor Suppression of Ras GTPase-Activating Protein RASA5 through Antagonizing Ras Signaling Perturbation in Carcinomas. <i>IScience</i> , 2019, 21, 1-18.	1.9	12
87	ZMYND10, an epigenetically regulated tumor suppressor, exerts tumor-suppressive functions via miR145-5p/NEDD9 axis in breast cancer. <i>Clinical Epigenetics</i> , 2019, 11, 184.	1.8	12
88	The 19q13 KRAB Zinc-finger protein <i>ZFP82</i> suppresses the growth and invasion of esophageal carcinoma cells through inhibiting <i>NF-κB</i> transcription and inducing apoptosis. <i>Epigenomics</i> , 2019, 11, 65-80.	1.0	12
89	ZBTB28 induces autophagy by regulation of FIP200 and Bcl-XL facilitating cervical cancer cell apoptosis. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021, 40, 150.	3.5	12
90	Classic SRY-box protein SOX7 functions as a tumor suppressor regulating WNT signaling and is methylated in renal cell carcinoma. <i>FASEB Journal</i> , 2019, 33, 254-263.	0.2	11

#	ARTICLE	IF	CITATIONS
91	Diagnostic utility of corneal confocal microscopy in type 2 diabetic peripheral neuropathy. <i>Journal of Diabetes Investigation</i> , 2021, 12, 574-582.	1.1	11
92	Silencing of hypoxia-inducible tumor suppressor lysyl oxidase gene by promoter methylation activates carbonic anhydrase IX in nasopharyngeal carcinoma. <i>American Journal of Cancer Research</i> , 2014, 4, 789-800.	1.4	11
93	Multiple logistic regression analysis of risk factors for carcinogenesis of oral submucous fibrosis in mainland China. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2008, 37, 1094-1098.	0.7	10
94	Monoamine oxidase A is down-regulated in EBV-associated nasopharyngeal carcinoma. <i>Scientific Reports</i> , 2020, 10, 6115.	1.6	10
95	The Polymorphisms on Igf1 Gene Are Related to Susceptibility of Breast Cancer and Gastric Cancer. <i>Genetic Testing and Molecular Biomarkers</i> , 2008, 12, 575-580.	1.7	9
96	The phosphorylation of survivin Thr34 by p34cdc2 in carcinogenesis of oral submucous fibrosis. <i>Oncology Reports</i> , 1994, 20, 1085.	1.2	8
97	Low Expression and Promoter Hypermethylation of the Tumour Suppressor SLIT2, are Associated with Adverse Patient Outcomes in Diffuse Large B Cell Lymphoma. <i>Pathology and Oncology Research</i> , 2019, 25, 1223-1231.	0.9	8
98	Zinc finger protein 280C contributes to colorectal tumorigenesis by maintaining epigenetic repression at H3K27me3-marked loci. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	3.3	5
99	Targeting the polycomb repressive complex-2 related proteins with novel combinational strategies for nasopharyngeal carcinoma. <i>American Journal of Cancer Research</i> , 2020, 10, 3267-3284.	1.4	4
100	Corneal Nerve Parameter Reference Values for Chinese Adults Assessed by Corneal Confocal Microscopy. <i>Journal of Diabetes Research</i> , 2022, 2022, 1-8.	1.0	4
101	Prognostic significance of interferon regulating factor 4 in esophageal squamous cell carcinoma. <i>Biochemical and Biophysical Research Communications</i> , 2018, 506, 685-691.	1.0	2
102	Diagnostic utility of corneal confocal microscopy in type 2 diabetic peripheral neuropathy. , 2021, 12, 574.		1
103	Low-dose selenite synergizes with KRAS inhibitor as a dual apoptotic and ferroptotic agent in lung adenocarcinoma.. <i>Journal of Clinical Oncology</i> , 2022, 40, e21039-e21039.	0.8	1
104	LMP1-target deoxyribozyme causes S phase arrest and induction radiosensitivity in LMP1-positive cells. <i>Cell Biology International</i> , 2008, 32, S33-S33.	1.4	0
105	STAT3 induced by Epstein-Barr virus latent membrane protein 1 causes vascular endothelial growth factor expression and cellular invasiveness via JAK3 and ERK1/2 signaling. <i>Cell Biology International</i> , 2008, 32, S36-S36.	1.4	0
106	Transcriptional regulation of survivin by p53 mediated by EBV-LMP. <i>Cell Biology International</i> , 2008, 32, S27-S27.	1.4	0
107	Dual regulation of LMP1-augmented kappa light chain expression and secretion in nasopharyngeal carcinoma cells by NF- κ B and AP-1. <i>Cell Biology International</i> , 2008, 32, S29-S29.	1.4	0
108	LMP1 regulates Op18/stathmin signalling pathway by cdc2 mediation in nasopharyngeal carcinoma cells. <i>Cell Biology International</i> , 2008, 32, S31-S31.	1.4	0

#	ARTICLE	IF	CITATIONS
109	Polycomb group proteins and their roles in carcinogenesis. Science Bulletin, 2012, 57, 2259-2264.	1.7	0
110	Abstract 2190:ADAMTS8at 11q25 is a tumor suppressor antagonizing Ras-signaling and methylated in multiple carcinomas. , 2011, , .		0
111	Zinc-finger protein 382 antagonises CDC25A and ZEB1 signaling pathway in breast cancer. Genes and Diseases, 2022, , .	1.5	0