

Lili Li

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2534619/lili-li-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

107
papers

2,866
citations

33
h-index

47
g-index

115
ext. papers

3,333
ext. citations

6.5
avg, IF

4.55
L-index

#	Paper	IF	Citations
107	ZBTB28 inhibits breast cancer by activating IFNAR and dual blocking CD24 and CD47 to enhance macrophages phagocytosis.. <i>Cellular and Molecular Life Sciences</i> , 2022 , 79, 83	10.3	1
106	Corneal Nerve Parameter Reference Values for Chinese Adults Assessed by Corneal Confocal Microscopy.. <i>Journal of Diabetes Research</i> , 2022 , 2022, 4913031	3.9	0
105	Diagnostic utility of corneal confocal microscopy in type2 diabetic peripheral neuropathy 2021 , 12, 574		1
104	ZBTB28 induces autophagy by regulation of FIP200 and Bcl-XL facilitating cervical cancer cell apoptosis. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021 , 40, 150	12.8	3
103	Nasopharyngeal carcinoma: an evolving paradigm. <i>Nature Reviews Clinical Oncology</i> , 2021 , 18, 679-695	19.4	28
102	Diagnostic utility of corneal confocal microscopy in type2 diabetic peripheral neuropathy. <i>Journal of Diabetes Investigation</i> , 2021 , 12, 574-582	3.9	4
101	Cancer cells escape p53 tumor suppression through ablation of ZDHHC1-mediated p53 palmitoylation. <i>Oncogene</i> , 2021 , 40, 5416-5426	9.2	3
100	BTB/POZ zinc finger protein ZBTB16 inhibits breast cancer proliferation and metastasis through upregulating ZBTB28 and antagonizing BCL6/ZBTB27. <i>Clinical Epigenetics</i> , 2020 , 12, 82	7.7	8
99	19q13 KRAB zinc-finger protein ZNF471 activates MAPK10/JNK3 signaling but is frequently silenced by promoter CpG methylation in esophageal cancer. <i>Theranostics</i> , 2020 , 10, 2243-2259	12.1	18
98	Monoamine oxidase A is down-regulated in EBV-associated nasopharyngeal carcinoma. <i>Scientific Reports</i> , 2020 , 10, 6115	4.9	7
97	Targeting the polycomb repressive complex-2 related proteins with novel combinational strategies for nasopharyngeal carcinoma. <i>American Journal of Cancer Research</i> , 2020 , 10, 3267-3284	4.4	3
96	The tumor suppressor Zinc finger protein 471 suppresses breast cancer growth and metastasis through inhibiting AKT and Wnt/βcatenin signaling. <i>Clinical Epigenetics</i> , 2020 , 12, 173	7.7	7
95	Oncogenic HOXB8 is driven by MYC-regulated super-enhancer and potentiates colorectal cancer invasiveness via BACH1. <i>Oncogene</i> , 2020 , 39, 1004-1017	9.2	25
94	Tumor Suppression of Ras GTPase-Activating Protein RASA5 through Antagonizing Ras Signaling Perturbation in Carcinomas. <i>IScience</i> , 2019 , 21, 1-18	6.1	6
93	Low Expression and Promoter Hypermethylation of the Tumour Suppressor SLIT2, are Associated with Adverse Patient Outcomes in Diffuse Large B Cell Lymphoma. <i>Pathology and Oncology Research</i> , 2019 , 25, 1223-1231	2.6	5
92	Classic SRY-box protein SOX7 functions as a tumor suppressor regulating WNT signaling and is methylated in renal cell carcinoma. <i>FASEB Journal</i> , 2019 , 33, 254-263	0.9	10
91	Tumor suppressive BTB/POZ zinc-finger protein ZBTB28 inhibits oncogenic BCL6/ZBTB27 signaling to maintain p53 transcription in multiple carcinogenesis. <i>Theranostics</i> , 2019 , 9, 8182-8195	12.1	12

90	ZMYND10, an epigenetically regulated tumor suppressor, exerts tumor-suppressive functions via miR145-5p/NEDD9 axis in breast cancer. <i>Clinical Epigenetics</i> , 2019 , 11, 184	7.7	7
89	The 19q13 KRAB Zinc-finger protein ZFP82 suppresses the growth and invasion of esophageal carcinoma cells through inhibiting NF- κ B transcription and inducing apoptosis. <i>Epigenomics</i> , 2019 , 11, 65-80	4.4	9
88	Epigenomic characterization of a p53-regulated 3p22.2 tumor suppressor that inhibits STAT3 phosphorylation via protein docking and is frequently methylated in esophageal and other carcinomas. <i>Theranostics</i> , 2018 , 8, 61-77	12.1	21
87	OVOL2 links stemness and metastasis via fine-tuning epithelial-mesenchymal transition in nasopharyngeal carcinoma. <i>Theranostics</i> , 2018 , 8, 2202-2216	12.1	38
86	Epstein-Barr Virus-Induced Epigenetic Pathogenesis of Viral-Associated Lymphoepithelioma-Like Carcinomas and Natural Killer/T-Cell Lymphomas. <i>Pathogens</i> , 2018 , 7,	4.5	11
85	The new 6q27 tumor suppressor DACT2, frequently silenced by CpG methylation, sensitizes nasopharyngeal cancer cells to paclitaxel and 5-FU toxicity via β Catenin/Cdc25c signaling and G2/M arrest. <i>Clinical Epigenetics</i> , 2018 , 10, 26	7.7	28
84	The 3p14.2 tumour suppressor ADAMTS9 is inactivated by promoter CpG methylation and inhibits tumour cell growth in breast cancer. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 1257-1271	5.6	15
83	Interferon Consensus Sequence-Binding Protein 8, a Tumor Suppressor, Suppresses Tumor Growth and Invasion of Non-Small Cell Lung Cancer by Interacting with the Wnt/ β Catenin Pathway. <i>Cellular Physiology and Biochemistry</i> , 2018 , 51, 961-978	3.9	12
82	Homeobox protein MSX1 inhibits the growth and metastasis of breast cancer cells and is frequently silenced by promoter methylation. <i>International Journal of Molecular Medicine</i> , 2018 , 41, 2986-2996	4.4	11
81	Prognostic significance of interferon regulating factor 4 in esophageal squamous cell carcinoma. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 506, 685-691	3.4	2
80	The novel 19q13 KRAB zinc-finger tumour suppressor ZNF382 is frequently methylated in oesophageal squamous cell carcinoma and antagonises Wnt/ β Catenin signalling. <i>Cell Death and Disease</i> , 2018 , 9, 573	9.8	18
79	BCLB, methylated in hepatocellular carcinoma, is a starvation stress sensor that induces apoptosis and autophagy through the AMPK-mTOR signaling cascade. <i>Cancer Letters</i> , 2017 , 395, 63-71	9.9	28
78	Epigenetic silencing of ADAMTS18 promotes cell migration and invasion of breast cancer through AKT and NF- κ B signaling. <i>Cancer Medicine</i> , 2017 , 6, 1399-1408	4.8	18
77	Epigenomic and Functional Characterization of Junctophilin 3 (JPH3) as a Novel Tumor Suppressor Being Frequently Inactivated by Promoter CpG Methylation in Digestive Cancers. <i>Theranostics</i> , 2017 , 7, 2150-2163	12.1	9
76	The tumor suppressor interferon regulatory factor 8 inhibits β Catenin signaling in breast cancers, but is frequently silenced by promoter methylation. <i>Oncotarget</i> , 2017 , 8, 48875-48888	3.3	17
75	Dickkopf-related protein 2 induces G0/G1 arrest and apoptosis through suppressing Wnt/ β Catenin signaling and is frequently methylated in breast cancer. <i>Oncotarget</i> , 2017 , 8, 39443-39459	3.3	23
74	Epigenetic inactivation of the CpG demethylase TET1 as a DNA methylation feedback loop in human cancers. <i>Scientific Reports</i> , 2016 , 6, 26591	4.9	66
73	Protocadherin 17 functions as a tumor suppressor suppressing Wnt/ β Catenin signaling and cell metastasis and is frequently methylated in breast cancer. <i>Oncotarget</i> , 2016 , 7, 51720-51732	3.3	37

72	DACT2 silencing by promoter CpG methylation disrupts its regulation of epithelial-to-mesenchymal transition and cytoskeleton reorganization in breast cancer cells. <i>Oncotarget</i> , 2016 , 7, 70924-70935	3.3	20
71	The epigenetic modifier CHD5 functions as a novel tumor suppressor for renal cell carcinoma and is predominantly inactivated by promoter CpG methylation. <i>Oncotarget</i> , 2016 , 7, 21618-30	3.3	17
70	Epigenetic identification of ZNF545 as a functional tumor suppressor in multiple myeloma via activation of p53 signaling pathway. <i>Biochemical and Biophysical Research Communications</i> , 2016 , 474, 660-666	3.4	13
69	Paired box 5 is a frequently methylated lung cancer tumour suppressor gene interfering β -catenin signalling and GADD45G expression. <i>Journal of Cellular and Molecular Medicine</i> , 2016 , 20, 842-54	5.6	15
68	DLEC1, a 3p tumor suppressor, represses NF- κ B signaling and is methylated in prostate cancer. <i>Journal of Molecular Medicine</i> , 2015 , 93, 691-701	5.5	18
67	Methylation of PLCD1 and adenovirus-mediated PLCD1 overexpression elicits a gene therapy effect on human breast cancer. <i>Experimental Cell Research</i> , 2015 , 332, 179-89	4.2	27
66	Protocadherin20 Acts as a Tumor Suppressor Gene: Epigenetic Inactivation in Nasopharyngeal Carcinoma. <i>Journal of Cellular Biochemistry</i> , 2015 , 116, 1766-75	4.7	31
65	Characterization of the nasopharyngeal carcinoma methylome identifies aberrant disruption of key signaling pathways and methylated tumor suppressor genes. <i>Epigenomics</i> , 2015 , 7, 155-73	4.4	44
64	OPCML is frequently methylated in human colorectal cancer and its restored expression reverses EMT via downregulation of smad signaling. <i>American Journal of Cancer Research</i> , 2015 , 5, 1635-48	4.4	16
63	Epigenetic identification of receptor tyrosine kinase-like orphan receptor 2 as a functional tumor suppressor inhibiting β -catenin and AKT signaling but frequently methylated in common carcinomas. <i>Cellular and Molecular Life Sciences</i> , 2014 , 71, 2179-92	10.3	41
62	Interferon regulatory factor 8 functions as a tumor suppressor in renal cell carcinoma and its promoter methylation is associated with patient poor prognosis. <i>Cancer Letters</i> , 2014 , 354, 227-34	9.9	26
61	The metalloprotease ADAMTS8 displays antitumor properties through antagonizing EGFR-MEK-ERK signaling and is silenced in carcinomas by CpG methylation. <i>Molecular Cancer Research</i> , 2014 , 12, 228-38	6.6	53
60	A novel 3p22.3 gene CMTM7 represses oncogenic EGFR signaling and inhibits cancer cell growth. <i>Oncogene</i> , 2014 , 33, 3109-18	9.2	50
59	Zinc-finger protein 545 inhibits cell proliferation as a tumor suppressor through inducing apoptosis and is disrupted by promoter methylation in breast cancer. <i>PLoS ONE</i> , 2014 , 9, e110990	3.7	22
58	Oncogenic induction of cellular high CpG methylation by Epstein-Barr virus in malignant epithelial cells. <i>Chinese Journal of Cancer</i> , 2014 , 33, 604-8		17
57	SOX10, a novel HMG-box-containing tumor suppressor, inhibits growth and metastasis of digestive cancers by suppressing the Wnt/ β -catenin pathway. <i>Oncotarget</i> , 2014 , 5, 10571-83	3.3	44
56	Silencing of hypoxia-inducible tumor suppressor lysyl oxidase gene by promoter methylation activates carbonic anhydrase IX in nasopharyngeal carcinoma. <i>American Journal of Cancer Research</i> , 2014 , 4, 789-800	4.4	11
55	DACT1, an antagonist to Wnt/ β -catenin signaling, suppresses tumor cell growth and is frequently silenced in breast cancer. <i>Breast Cancer Research</i> , 2013 , 15, R23	8.3	65

54	Double restriction-enzyme digestion improves the coverage and accuracy of genome-wide CpG methylation profiling by reduced representation bisulfite sequencing. <i>BMC Genomics</i> , 2013 , 14, 11	4.5	48
53	FEZF2, a novel 3p14 tumor suppressor gene, represses oncogene EZH2 and MDM2 expression and is frequently methylated in nasopharyngeal carcinoma. <i>Carcinogenesis</i> , 2013 , 34, 1984-93	4.6	38
52	Epigenetic silencing of WNT5A in Epstein-Barr virus-associated gastric carcinoma. <i>Archives of Virology</i> , 2013 , 158, 123-32	2.6	18
51	Protocadherin 17 acts as a tumour suppressor inducing tumour cell apoptosis and autophagy, and is frequently methylated in gastric and colorectal cancers. <i>Journal of Pathology</i> , 2013 , 229, 62-73	9.4	80
50	Lipid-polymer nanoparticles encapsulating doxorubicin and 2-Deoxy-5-azacytidine enhance the sensitivity of cancer cells to chemical therapeutics. <i>Molecular Pharmaceutics</i> , 2013 , 10, 1901-9	5.6	44
49	(-)-Epigallocatechin-3-gallate inhibition of Epstein-Barr virus spontaneous lytic infection involves ERK1/2 and PI3-K/Akt signaling in EBV-positive cells. <i>Carcinogenesis</i> , 2013 , 34, 627-37	4.6	49
48	Epigenetic silencing of the WNT antagonist Dickkopf 3 disrupts normal Wnt/β-catenin signalling and apoptosis regulation in breast cancer cells. <i>Journal of Cellular and Molecular Medicine</i> , 2013 , 17, 1236-46	5.6	50
47	Tyrosylprotein sulfotransferase-1 and tyrosine sulfation of chemokine receptor 4 are induced by Epstein-Barr virus encoded latent membrane protein 1 and associated with the metastatic potential of human nasopharyngeal carcinoma. <i>PLoS ONE</i> , 2013 , 8, e56114	3.7	29
46	Aberrant promoter CpG methylation and its translational applications in breast cancer. <i>Chinese Journal of Cancer</i> , 2013 , 32, 12-20		33
45	Promoter methylation of tumor suppressor genes in esophageal squamous cell carcinoma. <i>Chinese Journal of Cancer</i> , 2013 , 32, 3-11		30
44	Epstein-Barr virus-encoded LMP1 triggers regulation of the ERK-mediated Op18/stathmin signaling pathway in association with cell cycle. <i>Cancer Science</i> , 2012 , 103, 993-9	6.9	23
43	EBV encoded miR-BHRF1-1 potentiates viral lytic replication by downregulating host p53 in nasopharyngeal carcinoma. <i>International Journal of Biochemistry and Cell Biology</i> , 2012 , 44, 275-9	5.6	33
42	Physiological pathway of human cell damage induced by genotoxic crystalline silica nanoparticles. <i>Biomaterials</i> , 2012 , 33, 7540-6	15.6	14
41	Methylation profiling of Epstein-Barr virus immediate-early gene promoters, BZLF1 and BRLF1 in tumors of epithelial, NK- and B-cell origins. <i>BMC Cancer</i> , 2012 , 12, 125	4.8	27
40	Epigenetic silencing of the 3p22 tumor suppressor DLEC1 by promoter CpG methylation in non-Hodgkin and Hodgkin lymphomas. <i>Journal of Translational Medicine</i> , 2012 , 10, 209	8.5	24
39	Chromatin regulators with tumor suppressor properties and their alterations in human cancers. <i>Epigenomics</i> , 2012 , 4, 537-49	4.4	13
38	Dapper homolog 1 is a novel tumor suppressor in gastric cancer through inhibiting the nuclear factor-κB signaling pathway. <i>Molecular Medicine</i> , 2012 , 18, 1402-11	6.2	25
37	Polycomb group proteins and their roles in carcinogenesis. <i>Science Bulletin</i> , 2012 , 57, 2259-2264		

36	Viral oncoprotein LMP1 disrupts p53-induced cell cycle arrest and apoptosis through modulating K63-linked ubiquitination of p53. <i>Cell Cycle</i> , 2012 , 11, 2327-36	4.7	39
35	The human cadherin 11 is a pro-apoptotic tumor suppressor modulating cell stemness through Wnt/ β -catenin signaling and silenced in common carcinomas. <i>Oncogene</i> , 2012 , 31, 3901-12	9.2	69
34	A novel 19q13 nucleolar zinc finger protein suppresses tumor cell growth through inhibiting ribosome biogenesis and inducing apoptosis but is frequently silenced in multiple carcinomas. <i>Molecular Cancer Research</i> , 2012 , 10, 925-36	6.6	37
33	Epstein-Barr virus oncoprotein LMP1 mediates survivin upregulation by p53 contributing to G1/S cell cycle progression in nasopharyngeal carcinoma. <i>International Journal of Molecular Medicine</i> , 2012 , 29, 574-80	4.4	30
32	The ubiquitin peptidase UCHL1 induces G0/G1 cell cycle arrest and apoptosis through stabilizing p53 and is frequently silenced in breast cancer. <i>PLoS ONE</i> , 2012 , 7, e29783	3.7	96
31	Genome-wide screening for genetic alterations in esophageal cancer by aCGH identifies 11q13 amplification oncogenes associated with nodal metastasis. <i>PLoS ONE</i> , 2012 , 7, e39797	3.7	28
30	Grifolin, a potent antitumour natural product upregulates death-associated protein kinase 1 DAPK1 via p53 in nasopharyngeal carcinoma cells. <i>European Journal of Cancer</i> , 2011 , 47, 316-25	7.5	47
29	Paired box gene 5 is a novel tumor suppressor in hepatocellular carcinoma through interaction with p53 signaling pathway. <i>Hepatology</i> , 2011 , 53, 843-53	11.2	59
28	Heterogeneity of aberrant immunoglobulin expression in cancer cells. <i>Cellular and Molecular Immunology</i> , 2011 , 8, 479-85	15.4	23
27	The epigenetic modifier PRDM5 functions as a tumor suppressor through modulating WNT/ β -catenin signaling and is frequently silenced in multiple tumors. <i>PLoS ONE</i> , 2011 , 6, e27346	3.7	51
26	The tumor suppressor UCHL1 forms a complex with p53/MDM2/ARF to promote p53 signaling and is frequently silenced in nasopharyngeal carcinoma. <i>Clinical Cancer Research</i> , 2010 , 16, 2949-58	12.9	110
25	PLCD1 is a functional tumor suppressor inducing G(2)/M arrest and frequently methylated in breast cancer. <i>Cancer Biology and Therapy</i> , 2010 , 10, 520-7	4.6	42
24	STAT3 activation induced by Epstein-Barr virus latent membrane protein1 causes vascular endothelial growth factor expression and cellular invasiveness via JAK3 And ERK signaling. <i>European Journal of Cancer</i> , 2010 , 46, 2996-3006	7.5	63
23	EBV-encoded LMP1 regulates Op18/stathmin signaling pathway by cdc2 mediation in nasopharyngeal carcinoma cells. <i>International Journal of Cancer</i> , 2009 , 124, 1020-7	7.5	33
22	Immunoglobulin expression and its biological significance in cancer cells. <i>Cellular and Molecular Immunology</i> , 2008 , 5, 319-24	15.4	32
21	The activation of p53 mediated by Epstein-Barr virus latent membrane protein 1 in SV40 large T-antigen transformed cells. <i>FEBS Letters</i> , 2008 , 582, 755-62	3.8	13
20	The polymorphisms on Iggkappa gene are related to susceptibility of breast cancer and gastric cancer. <i>Genetic Testing and Molecular Biomarkers</i> , 2008 , 12, 575-80		7
19	Multiple logistic regression analysis of risk factors for carcinogenesis of oral submucous fibrosis in mainland China. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2008 , 37, 1094-8	2.9	8

18	LMP1-target deoxyribozyme causes S phase arrest and induction radiosensitivity in LMP1-positive cells. <i>Cell Biology International</i> , 2008 , 32, S33-S33	4.5	
17	STAT3 induced by Epstein-Barr virus latent membrane protein 1 causes vascular endothelial growth factor expression and cellular invasiveness via JAK3 and ERK1/2 signaling. <i>Cell Biology International</i> , 2008 , 32, S36-S36	4.5	
16	Epstein-Barr virus latent membrane protein 1 mediates serine 25 phosphorylation and nuclear entry of annexin A2 via PI-PLC-PKCalpha/PKCbeta pathway. <i>Molecular Carcinogenesis</i> , 2008 , 47, 934-46	5	34
15	Transcriptional regulation of survivin by p53 mediated by EBV-LMP. <i>Cell Biology International</i> , 2008 , 32, S27-S27	4.5	
14	Dual regulation of LMP1-augmented kappa light chain expression and secretion in nasopharyngeal carcinoma cells by NFB and AP-1. <i>Cell Biology International</i> , 2008 , 32, S29-S29	4.5	
13	LMP1 regulates Op18/stathmin signalling pathway by cdc2 mediation in nasopharyngeal carcinoma cells. <i>Cell Biology International</i> , 2008 , 32, S31-S31	4.5	
12	Blockade of AP-1 activity by dominant-negative TAM67 can abrogate the oncogenic phenotype in latent membrane protein 1-positive human nasopharyngeal carcinoma. <i>Molecular Carcinogenesis</i> , 2007 , 46, 901-11	5	13
11	Latent membrane protein 1 encoded by Epstein-Barr virus induces telomerase activity via p16INK4A/Rb/E2F1 and JNK signaling pathways. <i>Journal of Medical Virology</i> , 2007 , 79, 1153-63	19.7	33
10	Epstein-Barr virus latent membrane protein 1 mediates phosphorylation and nuclear translocation of annexin A2 by activating PKC pathway. <i>Cellular Signalling</i> , 2007 , 19, 341-8	4.9	27
9	Ubiquitination of MDM2 modulated by Epstein-Barr virus encoded latent membrane protein 1. <i>Virus Research</i> , 2007 , 130, 275-80	6.4	10
8	Latent membrane protein 1 of Epstein-Barr virus regulates p53 phosphorylation through MAP kinases. <i>Cancer Letters</i> , 2007 , 255, 219-31	9.9	48
7	Grifolin, a potential antitumor natural product from the mushroom <i>Albatrellus confluens</i> , induces cell-cycle arrest in G1 phase via the ERK1/2 pathway. <i>Cancer Letters</i> , 2007 , 258, 199-207	9.9	48
6	Identification of novel phosphoproteins in signaling pathways triggered by latent membrane protein 1 using functional proteomics technology. <i>Proteomics</i> , 2006 , 6, 1810-21	4.8	35
5	Nuclear accumulation of epidermal growth factor receptor and acceleration of G1/S stage by Epstein-Barr-encoded oncoprotein latent membrane protein 1. <i>Experimental Cell Research</i> , 2005 , 303, 240-51	4.2	55
4	Epstein-Barr virus encoded latent membrane protein 1 modulates nuclear translocation of telomerase reverse transcriptase protein by activating nuclear factor-kappaB p65 in human nasopharyngeal carcinoma cells. <i>International Journal of Biochemistry and Cell Biology</i> , 2005 , 37, 1881-9	5.6	50
3	Grifolin, a potential antitumor natural product from the mushroom <i>Albatrellus confluens</i> , inhibits tumor cell growth by inducing apoptosis in vitro. <i>FEBS Letters</i> , 2005 , 579, 3437-43	3.8	71
2	Regulation of survivin and CDK4 by Epstein-Barr virus encoded latent membrane protein 1 in nasopharyngeal carcinoma cell lines. <i>Cell Research</i> , 2005 , 15, 777-84	24.7	34
1	The phosphorylation of survivin Thr34 by p34cdc2 in carcinogenesis of oral submucous fibrosis. <i>Oncology Reports</i> , 1994 , 20, 1085	3.5	

