Anthony W Ryan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2535/publications.pdf

Version: 2024-02-01

46 papers 4,545 citations

257450 24 h-index 243625 44 g-index

47 all docs

47 docs citations

times ranked

47

7987 citing authors

#	Article	IF	CITATIONS
1	Comparative Genetic Analysis of Psoriatic Arthritis and Psoriasis for the Discovery of Genetic Risk Factors and Risk Prediction Modeling. Arthritis and Rheumatology, 2022, 74, 1535-1543.	5.6	15
2	Cross-phenotype association mapping of the MHC identifies genetic variants that differentiate psoriatic arthritis from psoriasis. Annals of the Rheumatic Diseases, 2017, 76, 1774-1779.	0.9	51
3	Increased Population Risk of <i> AIP < /i> -Related Acromegaly and Gigantism in Ireland. Human Mutation, 2017, 38, 78-85.</i>	2.5	25
4	Replication of a distinct psoriatic arthritis risk variant at the L23 Rlocus. Annals of the Rheumatic Diseases, 2016, 75, 1417-1418.	0.9	9
5	Common polygenic variation in coeliac disease and confirmation of ZNF335 and NIFA as disease susceptibility loci. European Journal of Human Genetics, 2016, 24, 291-297.	2.8	25
6	PTPN22 is associated with susceptibility to psoriatic arthritis but not psoriasis: evidence for a further PsA-specific risk locus. Annals of the Rheumatic Diseases, 2015, 74, 1882-1885.	0.9	64
7	Detecting Allelic Expression Imbalance at Candidate Genes Using 5′ Exonuclease Genotyping Technology. Methods in Molecular Biology, 2015, 1326, 93-103.	0.9	O
8	Celiac Disease. Methods in Molecular Biology, 2015, 1326, v.	0.9	1
9	Dense genotyping of immune-related susceptibility loci reveals new insights into the genetics of psoriatic arthritis. Nature Communications, 2015, 6, 6046.	12.8	149
10	Celiac Disease: Background and Historical Context. Methods in Molecular Biology, 2015, 1326, 3-14.	0.9	0
11	Epigenetic modulation in the treatment of atherosclerotic disease. Frontiers in Genetics, 2014, 5, 364.	2.3	39
12	Variants in <i>RUNX3</i> Contribute to Susceptibility to Psoriatic Arthritis, Exhibiting Further Common Ground With Ankylosing Spondylitis. Arthritis and Rheumatism, 2013, 65, 1224-1231.	6.7	63
13	Comprehensive assessment of rheumatoid arthritis susceptibility loci in a large psoriatic arthritis cohort. Annals of the Rheumatic Diseases, 2012, 71, 1350-1354.	0.9	39
14	Identification of 15 new psoriasis susceptibility loci highlights the role of innate immunity. Nature Genetics, 2012, 44, 1341-1348.	21.4	848
15	Genes of the Interleukin-18 Pathway Are Associated With Susceptibility to Barrett's Esophagus and Esophageal Adenocarcinoma. American Journal of Gastroenterology, 2012, 107, 1331-1341.	0.4	39
16	Genetic variation at the 8q24 locus confers risk to multiple myeloma. British Journal of Haematology, 2012, 156, 133-136.	2.5	4
17	Evidence to support <i>IL-13</i> as a risk locus for psoriatic arthritis but not psoriasis vulgaris. Annals of the Rheumatic Diseases, 2011, 70, 1016-1019.	0.9	68
18	Confirmation of TNIP1 and IL23A as susceptibility loci for psoriatic arthritis. Annals of the Rheumatic Diseases, 2011, 70, 1641-1644.	0.9	103

#	Article	IF	Citations
19	Meta-analysis of genome-wide association studies in celiac disease and rheumatoid arthritis identifies fourteen non-HLA shared loci. Annals of the Rheumatic Diseases, 2011, 70, A21-A21.	0.9	O
20	Meta-Analysis Confirms the LCE3C_LCE3B Deletion as a Risk Factor for Psoriasis in Several Ethnic Groups and Finds Interaction with HLA-Cw6. Journal of Investigative Dermatology, 2011, 131, 1105-1109.	0.7	89
21	Meta-Analysis of Genome-Wide Association Studies in Celiac Disease and Rheumatoid Arthritis Identifies Fourteen Non-HLA Shared Loci. PLoS Genetics, 2011, 7, e1002004.	3.5	307
22	Evaluation of 6 candidate genes on chromosome 11q23 for coeliac disease susceptibility: a case control study. BMC Medical Genetics, 2010, 11, 76.	2.1	7
23	Common variants at TRAF3IP2 are associated with susceptibility to psoriatic arthritis and psoriasis. Nature Genetics, 2010, 42, 996-999.	21.4	334
24	A genome-wide association study identifies new psoriasis susceptibility loci and an interaction between HLA-C and ERAP1. Nature Genetics, 2010, 42, 985-990.	21.4	918
25	Variants in linkage disequilibrium with the late cornified envelope gene cluster deletion are associated with susceptibility to psoriatic arthritis. Annals of the Rheumatic Diseases, 2010, 69, 2199-2203.	0.9	36
26	High sensitivity cytokine detection in acute coronary syndrome reveals up-regulation of Interferon Gamma and Interleukin-10 post Myocardial Infarction. Clinical Immunology, 2009, 133, 251-256.	3.2	16
27	Natural selection and the molecular basis of electrophoretic variation at the coagulation F13B locus. European Journal of Human Genetics, 2009, 17, 219-227.	2.8	20
28	Coeliac disease-associated risk variants in TNFAIP3 and REL implicate altered NF-ÂB signalling. Gut, 2009, 58, 1078-1083.	12.1	170
29	A haplotype at the MMP-9 locus is associated with high-blood pressure and arterial stiffness in patients with essential hypertension. Artery Research, 2009, 3, 17.	0.6	2
30	Interleukin 17: An unlikely marker of acute coronary syndrome?. Atherosclerosis, 2009, 205, 33-34.	0.8	11
31	Tauroursodeoxycholic acid: Relieving the pathogenesis of HFE C282Y hereditary hemochromatosis. Hepatology, 2008, 48, 344-345.	7.3	5
32	Newly identified genetic risk variants for celiac disease related to the immune response. Nature Genetics, 2008, 40, 395-402.	21.4	599
33	Lack of association between NFKBIL1/LTA polymorphisms and hypertension, myocardial infarct, unstable angina and stable angina in a large Irish population sample. Atherosclerosis, 2008, 197, 465-466.	0.8	5
34	A genome-wide approach to identify genetic loci with a signature of natural selection in the Irish population. Genome Biology, 2006, 7, R74.	9.6	8
35	The Pregnane X Receptor Locus Is Associated With Susceptibility to Inflammatory Bowel Disease. Gastroenterology, 2006, 130, 341-348.	1.3	153
36	Gene Polymorphism and Requirement for Vasopressor Infusion After Cardiac Surgery. Annals of Thoracic Surgery, 2006, 82, 895-901.	1.3	18

#	Article	lF	CITATIONS
37	Haplotypes in the CTLA4 region are associated with coeliac disease in the Irish population. Genes and Immunity, 2006, 7, 19-26.	4.1	30
38	Levels of interpopulation differentiation among different functional classes of immunologically important genes. Genes and Immunity, 2006, 7, 179-183.	4.1	13
39	Sequence and phylogenetic analysis of the gene for surface layer protein, slpA, from 14 PCR ribotypes of Clostridium difficile. Journal of Medical Microbiology, 2006, 55, 69-83.	1.8	57
40	Chromosome 5q candidate genes in coeliac disease: Genetic variation at IL4, IL5, IL9, IL13, IL17B and NR3C1. Tissue Antigens, 2005, 65, 150-155.	1.0	26
41	Genetic differentiation of blue whiting (Micromesistius poutassou Risso) populations at the extremes of the species range and at the Hebrides–Porcupine Bank spawning grounds. ICES Journal of Marine Science, 2005, 62, 948-955.	2.5	25
42	Haplotype variation at the IBD5/SLC22A4 locus (5q31) in coeliac disease in the Irish population. Tissue Antigens, 2004, 64, 195-198.	1.0	15
43	Eastern and Western Poor Cod (Trisopterus minutus capelanus) Populations in the Mediterranean Sea: Evidence from Allozyme and Minisatellite Loci. Marine Ecology, 2003, 24, 247-258.	1.1	85
44	VNTR variability in Atlantic poor cod (Trisopterus minutus minutus) throughout its range: single locus minisatellite data suggest reproductive isolation for the Faroe Bank population. Fisheries Research, 2002, 58, 185-191.	1.7	10
45	Allozyme analyses of the genus Trisopterus: taxonomic status and population structure of the poor cod. Journal of Fish Biology, 2000, 56, 474-494.	1.6	14
46	Glutathione Pretreatment Lessens the Acute Liver Injury Induced by Carbon Tetrachloride. Basic and Clinical Pharmacology and Toxicology, 1997, 81, 164-168.	0.0	6