## Blanca Xicoy

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2535807/publications.pdf

Version: 2024-02-01

218381 174990 3,033 127 26 52 citations h-index g-index papers 142 142 142 3602 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Development and validation of a prognostic scoring system for patients with chronic myelomonocytic leukemia. Blood, 2013, 121, 3005-3015.	0.6	251
2	Cytogenetic risk stratification in chronic myelomonocytic leukemia. Haematologica, 2011, 96, 375-383.	1.7	226
3	Observation versus antiplatelet therapy as primary prophylaxis for thrombosis in low-risk essential thrombocythemia. Blood, 2010, 116, 1205-1210.	0.6	202
4	Allogeneic stem cell transplantation after reduced intensity conditioning in patients with relapsed or refractory Hodgkin's lymphoma. Results of the HDR-ALLO study - a prospective clinical trial by the Grupo Espanol de Linfomas/Trasplante de Medula Osea (GEL/TAMO) and the Lymphoma Working Party of the European Group for Blood and Marrow Transplantation. Haematologica, 2012, 97, 310-317.	1.7	194
5	Intensive chemotherapy (high-dose CHOP/ESHAP regimen) followed by autologous stem-cell transplantation in previously untreated patients with peripheral T-cell lymphoma. Annals of Oncology, 2008, 19, 958-963.	0.6	182
6	Nonmyeloablative Stem Cell Transplantation Is an Effective Therapy for Refractory or Relapsed Hodgkin Lymphoma: Results of a Spanish Prospective Cooperative Protocol. Biology of Blood and Marrow Transplantation, 2006, 12, 172-183.	2.0	135
7	Results of treatment with doxorubicin, bleomycin, vinblastine and dacarbazine and highly active antiretroviral therapy in advanced stage, human immunodeficiency virus-related Hodgkin's lymphoma. Haematologica, 2007, 92, 191-198.	1.7	124
8	Molecular landscape and clonal architecture of adult myelodysplastic/myeloproliferative neoplasms. Blood, 2020, 136, 1851-1862.	0.6	112
9	Evaluation of procalcitonin, neopterin, C-reactive protein, IL-6 and IL-8 as a diagnostic marker of infection in patients with febrile neutropenia. Leukemia and Lymphoma, 2008, 49, 1752-1761.	0.6	98
10	Effectiveness of azacitidine in unselected high-risk myelodysplastic syndromes: results from the Spanish registry. Leukemia, 2015, 29, 1875-1881.	3.3	93
11	Allogeneic transplantation of CD34+selected cells from peripheral blood from human leukocyte antigen–identical siblings: detrimental effect of a high number of donor CD34+ cells?. Blood, 2001, 98, 2352-2357.	0.6	71
12	Busulfan in patients with polycythemia vera or essential thrombocythemia refractory or intolerant to hydroxyurea. Annals of Hematology, 2014, 93, 2037-2043.	0.8	66
13	Results of the PETHEMA ALL-96 trial in elderly patients with Philadelphia chromosome-negative acute lymphoblastic leukemia. European Journal of Haematology, 2006, 78, 061114074547002-???.	1.1	63
14	Outcome and Prognostic Factors in Patients with Hematologic Malignancies Admitted to the Intensive Care Unit: A Single-Center Experience. International Journal of Hematology, 2007, 85, 195-202.	0.7	59
15	The International Prognostic Scoring System does not accurately discriminate different risk categories in patients with post-essential thrombocythemia and post-polycythemia vera myelofibrosis. Haematologica, 2014, 99, e55-e57.	1.7	51
16	Azacitidine frontline therapy for unfit acute myeloid leukemia patients: Clinical use and outcome prediction. Leukemia Research, 2015, 39, 296-306.	0.4	50
17	Better prognosis for patients with del(7q) than for patients with monosomy 7 in myelodysplastic syndrome. Cancer, 2012, 118, 127-133.	2.0	43
18	Criteria for evaluating response and outcome in clinical trials for children with juvenile myelomonocytic leukemia. Haematologica, 2015, 100, 17-22.	1.7	43

#	Article	IF	Citations
19	Proposed global prognostic score for systemic mastocytosis: a retrospective prognostic modelling study. Lancet Haematology,the, 2021, 8, e194-e204.	2.2	39
20	A polymorphism in the XPD gene predisposes to leukemic transformation and new nonmyeloid malignancies in essential thrombocythemia and polycythemia vera. Blood, 2012, 119, 5221-5228.	0.6	37
21	Comparison of flowâ€FISH and MM–qPCR telomere length assessment techniques for the screening of telomeropathies. Annals of the New York Academy of Sciences, 2020, 1466, 93-103.	1.8	35
22	Dose-intensive chemotherapy including rituximab is highly effective but toxic in human immunodeficiency virus-infected patients with Burkitt lymphoma/leukemia: parallel study of 81 patients. Leukemia and Lymphoma, 2014, 55, 2341-2348.	0.6	34
23	Prognostic factors for advancedâ€stage human immunodeficiency virusâ€associated classical Hodgkin lymphoma treated with doxorubicin, bleomycin, vinblastine, and dacarbazine plus combined antiretroviral therapy: A multiâ€institutional retrospective study. Cancer, 2015, 121, 423-431.	2.0	34
24	Prognostic impact of highly active antiretroviral therapy in HIV-related Hodgkin's disease. Aids, 2002, 16, 1973-1976.	1.0	32
25	Outcome and management of pregnancies in severe chronic neutropenia patients by the European Branch of the Severe Chronic Neutropenia International Registry. Haematologica, 2014, 99, 1395-1402.	1.7	31
26	Rabbit antithymocyte globulin versus horse antithymocyte globulin for treatment of acquired aplastic anemia: a retrospective analysis. Annals of Hematology, 2015, 94, 947-954.	0.8	31
27	Targeted deep sequencing improves outcome stratification in chronic myelomonocytic leukemia with low risk cytogenetic features. Oncotarget, 2016, 7, 57021-57035.	0.8	26
28	Prognostic value of trisomy 8 as a single anomaly and the influence of additional cytogenetic aberrations in primary myelodysplastic syndromes. British Journal of Haematology, 2012, 159, 311-321.	1.2	25
29	Use of newer prognostic indices for patients with myelodysplastic syndromes in the low and intermediate-1 risk categories: a population-based study. Lancet Haematology,the, 2015, 2, e260-e266.	2.2	24
30	Post-transplant Burkit t's Leukemia or Lymphoma. Study of Five Cases Treated with Specific Intensive Therapy (PETHEMA ALL-3/97 Trial). Leukemia and Lymphoma, 2003, 44, 1541-1543.	0.6	23
31	Usefulness and safety of oral cryotherapy in the prevention of oral mucositis after conditioning regimens with highâ€dose melphalan for autologous stem cell transplantation for lymphoma and myeloma. European Journal of Haematology, 2014, 93, 487-491.	1.1	23
32	Response to erythropoieticâ€stimulating agents in patients with chronic myelomonocytic leukemia. European Journal of Haematology, 2016, 97, 33-38.	1.1	23
33	Co-existence of <i>JAK2</i> V617F and <i>CALR</i> mutations in primary myelofibrosis. Leukemia and Lymphoma, 2015, 56, 2973-2974.	0.6	21
34	Considering Bone Marrow Blasts From Nonerythroid Cellularity Improves the Prognostic Evaluation of Myelodysplastic Syndromes. Journal of Clinical Oncology, 2016, 34, 3284-3292.	0.8	20
35	Favorable Impact of Virological Response to Highly Active Antiretroviral Therapy on Survival in Patients with AIDS-related Lymphoma. Leukemia and Lymphoma, 2002, 43, 1837-1842.	0.6	19
36	Multivariable time-dependent analysis of the impact of azacitidine in patients with lower-risk myelodysplastic syndrome and unfavorable specific lower-risk score. Leukemia Research, 2015, 39, 52-57.	0.4	18

3

#	Article	IF	CITATIONS
37	Impact of <scp>SNP</scp> array karyotyping on the diagnosis and the outcome of chronic myelomonocytic leukemia with low risk cytogenetic features or no metaphases. American Journal of Hematology, 2016, 91, 185-192.	2.0	18
38	Diagnostic and prognostic contribution of targeted NGS in patients with tripleâ€negative myeloproliferative neoplasms. American Journal of Hematology, 2019, 94, E264-E267.	2.0	17
39	Immunohistochemical expression profile and prognosis in patients with diffuse large B-cell lymphoma with or without human immunodeficiency virus infection. Leukemia and Lymphoma, 2010, 51, 2063-2069.	0.6	16
40	Results of treatment with azacitidine in patients aged ≥ 75 years included in the Spanish Registry of Myelodysplastic Syndromes. Leukemia and Lymphoma, 2014, 55, 1300-1303.	0.6	16
41	Long-term results of prednisone treatment for the anemia of myelofibrosis. Leukemia and Lymphoma, 2016, 57, 120-124.	0.6	16
42	Long-term follow up of patients with human immunodeficiency virus infection and advanced stage Hodgkin's lymphoma treated with doxorubicin, bleomycin, vinblastine and dacarbazine. Haematologica, 2013, 98, e85-e86.	1.7	15
43	Multivariate timeâ€dependent comparison of the impact of lenalidomide in lowerâ€risk myelodysplastic syndromes with chromosome 5q deletion. British Journal of Haematology, 2014, 166, 189-201.	1.2	15
44	Comparison of three prognostic scoring systems in a series of 146 cases of chronic myelomonocytic leukemia (CMML): MD Anderson prognostic score (MDAPS), CMML-specific prognostic scoring system (CPSS) and Mayo prognostic model. A detailed review of prognostic factors in CMML. Leukemia Research, 2015, 39, 1146-1153.	0.4	15
45	The division of chronic myelomonocytic leukemia (CMML)-1 into CMML-0 and CMML-1 according to 2016 World Health Organization (WHO) classification has no impact in outcome in a large series of patients from the Spanish group of MDS. Leukemia Research, 2018, 70, 34-36.	0.4	15
46	Impact of mutational studies on the diagnosis and the outcome of high-risk myelodysplastic syndromes and secondary acute myeloid leukemia patients treated with 5-azacytidine. Oncotarget, 2018, 9, 19342-19355.	0.8	15
47	DNA methylation profile in chronic myelomonocytic leukemia associates with distinct clinical, biological and genetic features. Epigenetics, 2018, 13, 8-18.	1.3	14
48	Predicting Survival after Allogeneic Hematopoietic Cell Transplantation in Myelofibrosis: Performance of the Myelofibrosis Transplant Scoring System (MTSS) and Development of a New Prognostic Model. Biology of Blood and Marrow Transplantation, 2020, 26, 2237-2244.	2.0	14
49	Realâ€world analysis of main clinical outcomes in patients with polycythemia vera treated with ruxolitinib or best available therapy after developing resistance/intolerance to hydroxyurea. Cancer, 2022, 128, 2441-2448.	2.0	14
50	Simultaneous analysis of the expression of 14 genes with individual prognostic value in myelodysplastic syndrome patients at diagnosis: WT1 detection in peripheral blood adversely affects survival. Annals of Hematology, 2012, 91, 1887-1895.	0.8	12
51	Enumerating bone marrow blasts from nonerythroid cellularity improves outcome prediction in myelodysplastic syndromes and permits a better definition of the intermediate risk category of the Revised International Prognostic Scoring System (IPSSâ€R). American Journal of Hematology, 2017, 92, 614-621.	2.0	12
52	Erythroleukemia shares biological features and outcome with myelodysplastic syndromes with excess blasts: a rationale for its inclusion into future classifications of myelodysplastic syndromes. Modern Pathology, 2016, 29, 1541-1551.	2.9	11
53	Targeted deep sequencing of CD34+ cells from peripheral blood can reproduce bone marrow molecular profile in myelodysplastic syndromes. American Journal of Hematology, 2018, 93, E152-E154.	2.0	11
54	Immediate Effects of Dasatinib on the Migration and Redistribution of NaÃ-ve and Memory Lymphocytes Associated With Lymphocytosis in Chronic Myeloid Leukemia Patients. Frontiers in Pharmacology, 2019, 10, 1340.	1.6	11

#	Article	IF	CITATIONS
55	Allogeneic hematopoietic cell transplantation in patients with myeloid/lymphoid neoplasm with FGFR1-rearrangement: a study of the Chronic Malignancies Working Party of EBMT. Bone Marrow Transplantation, 2022, 57, 416-422.	1.3	11
56	AA-type Amyloid Tumor as an Unsuspected Cause of Residual Mass in a Patient With Large B-cell Non-Hodgkin's Lymphoma. Leukemia and Lymphoma, 2002, 43, 681-682.	0.6	10
57	Frequency of ABL gene mutations in chronic myeloid leukemia patients resistant to imatinib and results of treatment switch to second-generation tyrosine kinase inhibitors. Medicina ClÃnica, 2013, 141, 95-99.	0.3	10
58	Advanced Stage Is the Most Important Prognostic Factor for Survival in Patients with Systemic Acquired Immunodeficiency Syndrome-Related Non-Hodgkin's Lymphoma Treated with CHOP and Highly Active Antiretroviral Therapy. International Journal of Hematology, 2007, 86, 337-342.	0.7	8
59	Comparison of CHOP treatment with specific short-intensive chemotherapy in AIDS-related Burkitt's lymphoma or leukemia. Medicina ClÃnica, 2011, 136, 323-328.	0.3	8
60	Lack of impact of human immunodeficiency virus infection on the outcome of lymphoma patients transferred to the intensive care unit. Leukemia and Lymphoma, 2012, 53, 1966-1970.	0.6	8
61	Phase 3 Study of Lenalidomide (LEN) Vs Placebo in Non-Transfusion Dependent (TD) Low Risk Del(5q) MDS Patients - Interim Analysis of the European Sintra-REV Trial. Blood, 2020, 136, 28-29.	0.6	8
62	Effectiveness of Local Radiotherapy in Primary Extranodal Marginal Zone B-cell Lymphoma of MALT or MALT Lymphoma of Conjunctiva: Study of Four Cases. Leukemia and Lymphoma, 2002, 43, 1975-1977.	0.6	7
63	Limited prognostic value of the International Prognostic Score in advanced stage human immunodeficiency virus infection-related Hodgkin lymphoma treated with the doxorubicin, bleomycin, vinblastine, and dacarbazine regimen. Leukemia and Lymphoma, 2009, 50, 1718-1720.	0.6	7
64	Myelodysplastic syndromes with 20q deletion: incidence, prognostic value and impact on response to azacitidine of ASXL1 chromosomal deletion and genetic mutations. British Journal of Haematology, 2021, 194, 708-717.	1.2	7
65	Feasibility and efficacy of outpatient therapy with intermediate dose cytarabine, fludarabine and idarubicin for patients with acute myeloid leukaemia aged 70 or older. European Journal of Haematology, 2015, 95, 576-582.	1.1	6
66	Highly variable mutational profile of <i><i><scp>ASXL</scp>1</i> in myelofibrosis. European Journal of Haematology, 2016, 97, 331-335.</i>	1.1	6
67	Multidimensional assessment of patient condition and mutational analysis in peripheral blood, as tools to improve outcome prediction in myelodysplastic syndromes: A prospective study of the Spanish MDS group. American Journal of Hematology, 2017, 92, E534-E541.	2.0	6
68	Response to highly active antiretroviral therapy as the only therapy in an HIV-infected patient with interfollicular Hodgkin's lymphoma. Leukemia and Lymphoma, 2007, 48, 2058-2059.	0.6	5
69	Pharmacogenetic analysis in the treatment of Hodgkin lymphoma. Leukemia and Lymphoma, 2013, 54, 1706-1712.	0.6	5
70	Chronic myelomonocytic leukemia and blastic plasmacytoid dendritic cell neoplasm. A case report and systematic review. Cytometry Part B - Clinical Cytometry, 2021, 100, 292-295.	0.7	5
71	Analysis of Intratumoral Heterogeneity in Myelodysplastic Syndromes with Isolated del(5q) Using a Single Cell Approach. Cancers, 2021, 13, 841.	1.7	5
72	Intensive Chemotherapy (High-Dose CHOP/ESHAP Regimen) Followed by Autologous Stem-Cell Transplantation (ASCT) in Previously Untreated Patients with Peripheral T-Cell Lymphoma (PTCL). Results of a Prospective Phase II Study from the GELCAB Blood, 2005, 106, 2077-2077.	0.6	5

#	Article	IF	CITATIONS
73	Transfusion dependence development and disease evolution in patients with MDS and del(5q) and without transfusion needs at diagnosis. Leukemia Research, 2014, 38, 304-309.	0.4	4
74	Polycythemia Vera Evolution to Chronic Myelomocytic Leukemia: The Prognostic Value of Next Generation Sequencing. HemaSphere, 2020, 4, e466.	1.2	4
75	Distinct mutational pattern of myelodysplastic syndromes with and without 5q– treated with lenalidomide. British Journal of Haematology, 2020, 189, e133-e137.	1.2	4
76	Pro-B acute lymphoblastic leukemia in a patient with severe congenital neutropenia: an unusual form of malignant evolution. Leukemia and Lymphoma, 2013, 54, 2325-2327.	0.6	3
77	Azacitidine As Front-Line Therapy in AML: Results From Spanish National Registry. Alma Study Investigators. Blood, 2012, 120, 3593-3593.	0.6	3
78	Age, Performance Status and Plasma Interleukin-10 Levels At Diagnosis: A Triad for Improving Survival Prediction of Patients with Myelodysplastic Syndromes Already Stratified by IPSS-R. Spanish MDS Group (GESMD). Blood, 2012, 120, 3803-3803.	0.6	3
79	Natural killer cell receptors and ligand variants modulate response to tyrosine kinase inhibitors in patients with chronic myeloid leukemia. Hla, 2022, 99, 93-104.	0.4	3
80	Association of <i>JAK2 </i> Mutation Status and Cytogenetic Abnormalities at Diagnosis in Myeloproliferative Neoplasms and Myelodysplastic/Myeloproliferative Neoplasms. American Journal of Clinical Pathology, 2012, 137, 677-678.	0.4	2
81	Indications and use of, and incidence of major bleeding with, antithrombotic agents in myelodysplastic syndrome. Leukemia Research, 2018, 73, 24-28.	0.4	2
82	Is There a Role for Autologous Stem-Cell Transplantation (ASCT) in Peripheral T-Cell Lymphoma (PTCL)? Final Results of a Prospective Phase II Study from the GELCAB Blood, 2006, 108, 3070-3070.	0.6	2
83	Prognostic Impact of Monosomal Karyotype in Patients with Myelodysplastic Syndrome and Abnormal Karyotype. A Report From the Spanish Group of MDS (GESMD). Blood, 2011, 118, 1724-1724.	0.6	2
84	Lack of impact of human immunodeficiency virus infection on the outcome of lymphoma patients transferred to the intensive care unit. Leukemia and Lymphoma, 0, , 425-430.	0.6	2
85	Influence of Telomere Length on the Achievement of Deep Molecular Response With Imatinib in Chronic Myeloid Leukemia Patients. HemaSphere, 2021, 5, e657.	1.2	2
86	Systemic thrombotic thrombocytopenic purpura (TTP) following unrelated cord blood transplantation. Leukemia and Lymphoma, 2006, 47, 1173-1175.	0.6	1
87	Chronic myelomonocytic leukemia diagnosed by means of mutational analysis in a patient with persistent monocytosis and tuberculosis. Leukemia and Lymphoma, 2013, 54, 2297-2298.	0.6	1
88	Calreticulin mutations are not present in patients with myeloproliferative chronic myelomonocytic leukemia. Annals of Hematology, 2015, 94, 869-871.	0.8	1
89	Impact of previous admission to an intensive care unit on stem cell transplantation outcome. Medicina ClÃnica, 2020, 155, 382-387.	0.3	1
90	Effectiveness of Various Dosage Regimens of Azacitidine In Patients with Myelodysplastic Syndromes: Safety and Efficacy Final Data From the Spanish Azacitidine Compassionate Use Registry. Blood, 2010, 116, 1853-1853.	0.6	1

#	Article	IF	Citations
91	Safety and Efficacy of Dasatinib Treatment Change for Patients Previosly Treated with Imatinib with Late Warning Response. Results from the Phase II, Open, Multicenter Dasapost Study. Blood, 2016, 128, 5450-5450.	0.6	1
92	Analysis of Transfusion Dependency Development and Disease Evolution in Patients with MDS with 5q-and without Transfusion Needs at Diagnosis. Blood, 2016, 128, 3180-3180.	0.6	1
93	Monocyte subset distribution in myeloproliferative and myelodysplastic/myeloproliferative neoplasms with monocytosis. Leukemia Research, 2022, 112, 106771.	0.4	1
94	International Sentinel Site Surveillance of Patients with Transfusional Hemosiderosis Treated with Deferasirox in Actual Practice Setting. Clinical Lymphoma, Myeloma and Leukemia, 2016, 16, S85.	0.2	0
95	Utilidad del lavado broncoalveolar y la citometrÃa de flujo en pacientes con hemopatÃas malignas e insuficiencia respiratoria. Medicina ClÃnica, 2017, 148, 297-302.	0.3	0
96	Inspecting Targeted Deep Sequencing of Whole Genome Amplified DNA Versus Fresh DNA for Somatic Mutation Detection: A Genetic Study in Myelodysplastic Syndrome Patients. Biopreservation and Biobanking, 2017, 15, 360-365.	0.5	0
97	Segundas neoplasias en pacientes adultos receptores de un trasplante de progenitores hematopoyéticos. Medicina ClÃnica, 2018, 150, 421-427.	0.3	0
98	Tratamiento actual de las neoplasias mieloproliferativas: frente a tres escenarios. Medicina ClÃnica, 2020, 154, 131-133.	0.3	0
99	Mutational profile and relative telomere length in Chronic Myelomonocytic Leukemia subgroups according to the 2016 World Health Organization classification. Leukemia Research, 2021, 111, 106726.	0.4	0
100	Outcome and Prognostic Factors in Patients with Hematological Malignancy That Are Admitted to the Intensive Care Unit Blood, 2004, 104, 5285-5285.	0.6	0
101	Treatment with Rituximab, CHOP and Highly Active Antiretroviral Therapy (HAART) in AIDS-Related Diffuse Large B-Cell Lymphomas (DLBCL). Study of 60 Patients Blood, 2005, 106, 774-774.	0.6	0
102	Comparison of Immunohystochemical (IHC) Expression Profile and Prognosis in 98 Patients with Diffuse Large B Cell Non-Hodgkinâ∈™s Lymphoma (DLBCL) with and without Human Immunodeficiency Virus (HIV) Infection Blood, 2007, 110, 4403-4403.	0.6	0
103	Azacitidine In Compassionate Use: Response to Therapy, Survival, and Prognostic Factors In 200 Patients Diagnosed with MDS or AML. Blood, 2010, 116, 2933-2933.	0.6	0
104	Clinical and Biological Characteristics According to the Burden of JAK2V617F Mutated Allele in BCR-ABL Negative MPNs. Blood, 2012, 120, 1437-1437.	0.6	0
105	Characterization of Cytogenetic Abnormalities and Mutations in ASXL1, SRSF2, CBL and JAK2 Genes in Chronic Myelomonocytic Leukemia. Blood, 2012, 120, 4809-4809.	0.6	0
106	Analysis Of Transfusion Dependence Development and Disease Evolution In Patients With MDS and Del(5q) and Without Transfusion Needs At Diagnosis. Blood, 2013, 122, 1542-1542.	0.6	0
107	Aplicability Of The Predictive Model Of Response To Erythropoetic Stimulating Agents (ESA) From Myelodysplastic Syndromes (MDS) and Analysis Of Response and Overall Survival (OS) In a Series Of 99 Patients (Pts) With Chronic Myelomonocytic Leukemia (CMML) From The Spanish Registry Of MDS and The D $\tilde{A}_{14}$ 4sseldorf-MDS Registry, Germany, Blood, 2013, 122, 2813-2813.	0.6	0
108	Whole-Exome Sequencing In Myelodysplastic Syndromes With 5q- and Normal Karyotype. Blood, 2013, 122, 1551-1551.	0.6	0

#	Article	IF	CITATIONS
109	Very Early Molecular Responses During The First Two Months Of Therapy Are Highly Predicitive Of Deep Molecular Responses In Newly-Diagnosed Chronic Myeloid Leukemia In Chronic Phase(CML-CP) Patients Treated Upfront With Nilotinib. The Spanish Substudy Of The ENEST1st Trial. Blood, 2013, 122, 5190-5190.	0.6	0
110	Multivariable Time-Dependent Analysis Of The Impact Of 5 Azacitidine In Patients With Lower-Risk Myelodysplastic Syndrome and Unfavorable Specific Lower-Risk Score. Blood, 2013, 122, 2754-2754.	0.6	0
111	Utility of SNP Arrays in Chronic Myelomonocytic Leukemia with Low Risk Cytogenetic Features or No Metaphases. Blood, 2014, 124, 4659-4659.	0.6	O
112	Advanced Stage Hodgkin's Lymphoma Has More Aggressive Characteristics but Similar Outcome in HIV-Infected Than in HIV-Negative Patients in the Combination Antiretroviral Therapy Era. Blood, 2014, 124, 4435-4435.	0.6	0
113	Survey of Treatment of 1021 Patients with Myelodysplastic Syndromes in a Tertiary Referal Center 2007-2013. Blood, 2014, 124, 4647-4647.	0.6	O
114	Comparison of Three Prognostic Scoring Systems in a Series of 146 Cases of Chronic Myelomonocytic Leukemia (CMML): MD Anderson Prognostic Score (MDAPS), CMML-Specific Prognostic Scoring System (CPSS) and Mayo Prognostic Model. Blood, 2014, 124, 4660-4660.	0.6	O
115	Frequency and Prognosis of JAK2 V617F, Calr, MPL and ASXL1 Mutations in Primary Myelofibrosis. Blood, 2014, 124, 5562-5562.	0.6	0
116	Azacitidine in Older Patients with Acute Myeloid Leukemia (AML) and Adverse Karyotype. Subanalisis from the Alma Study. Blood, 2014, 124, 945-945.	0.6	0
117	Mutational Studies Using Next Generation Sequencing in High Risk Myelodysplastic Syndromes and Secondary Acute Myeloid Leukemia Patients Treated with Azacitidine (High risk MDS 2009 protocol) Tj ETQq1	1 0 <b>.7086</b> 4314	∤rg®T/Over
118	Molecular Genetic Profiling in Chronic Myelomonocytic Leukemia with Low Risk Cytogenetic Features. Blood, 2015, 126, 2883-2883.	0.6	0
119	Methylation Patterns in Patients with High-Risk Myelodysplatic Syndromes and Secondary Acute Myeloid Leukemia Treated with Azacitidine (high-risk MDS 2009 protocol from CETLAM Group). Blood, 2015, 126, 1682-1682.	0.6	0
119 120	Myeloid Leukemia Treated with Azacitidine (high-risk MDS 2009 protocol from CETLAM Group). Blood,	0.6	0
	Myeloid Leukemia Treated with Azacitidine (high-risk MDS 2009 protocol from CETLAM Group). Blood, 2015, 126, 1682-1682.  Efficacy and Safety of Dasatinib in Late Suboptimal Response CML Patients a Its Relation with		
120	Myeloid Leukemia Treated with Azacitidine (high-risk MDS 2009 protocol from CETLAM Group). Blood, 2015, 126, 1682-1682.  Efficacy and Safety of Dasatinib in Late Suboptimal Response CML Patients a Its Relation with Lymphocytosis, Lymphocyte Migration and Chemokine Receptor Expression. Blood, 2015, 126, 4015-4015.  Considering Bone Marrow Blasts from Nonerythroid Cellularity Improves the Prognostic Evaluation of MDS in the Context of IPSS-R and Permits a Better Risk Assessment of MDS Patients Classified into	0.6	0
120 121	Myeloid Leukemia Treated with Azacitidine (high-risk MDS 2009 protocol from CETLAM Group). Blood, 2015, 126, 1682-1682.  Efficacy and Safety of Dasatinib in Late Suboptimal Response CML Patients a Its Relation with Lymphocytosis, Lymphocyte Migration and Chemokine Receptor Expression. Blood, 2015, 126, 4015-4015.  Considering Bone Marrow Blasts from Nonerythroid Cellularity Improves the Prognostic Evaluation of MDS in the Context of IPSS-R and Permits a Better Risk Assessment of MDS Patients Classified into the Intermediate Risk Category. Blood, 2016, 128, 3185-3185.  Application of Trusight Myeloid Panel on Whole Genome Amplified DNA in Myelodysplastic Syndrome	0.6	0
120 121 122	Myeloid Leukemia Treated with Azacitidine (high-risk MDS 2009 protocol from CETLAM Group). Blood, 2015, 126, 1682-1682.  Efficacy and Safety of Dasatinib in Late Suboptimal Response CML Patients a Its Relation with Lymphocytosis, Lymphocyte Migration and Chemokine Receptor Expression. Blood, 2015, 126, 4015-4015.  Considering Bone Marrow Blasts from Nonerythroid Cellularity Improves the Prognostic Evaluation of MDS in the Context of IPSS-R and Permits a Better Risk Assessment of MDS Patients Classified into the Intermediate Risk Category. Blood, 2016, 128, 3185-3185.  Application of Trusight Myeloid Panel on Whole Genome Amplified DNA in Myelodysplastic Syndrome Patients. Blood, 2016, 128, 5519-5519.	0.6 0.6	0 0
120 121 122 123	Myeloid Leukemia Treated with Azacitidine (high-risk MDS 2009 protocol from CETLAM Group). Blood, 2015, 126, 1682-1682.  Efficacy and Safety of Dasatinib in Late Suboptimal Response CML Patients a Its Relation with Lymphocytosis, Lymphocyte Migration and Chemokine Receptor Expression. Blood, 2015, 126, 4015-4015.  Considering Bone Marrow Blasts from Nonerythroid Cellularity Improves the Prognostic Evaluation of MDS in the Context of IPSS-R and Permits a Better Risk Assessment of MDS Patients Classified into the Intermediate Risk Category. Blood, 2016, 128, 3185-3185.  Application of Trusight Myeloid Panel on Whole Genome Amplified DNA in Myelodysplastic Syndrome Patients. Blood, 2016, 128, 5519-5519.  Comparison of the Molecular Spectrum of Lenalidomide-Treated Myelodysplastic Syndrome with and without Del(5q). Blood, 2016, 128, 3172-3172.  Treatment Outcomes in Patients with Transfusional Hemosiderosis Who Received Deferasirox for up	0.6 0.6 0.6	0 0 0

#	Article	lF	CITATIONS
127	Myelodysplastic Syndromes with 20q Deletion: Incidence, Prognostic Value and Impact on Response to Azacitidine of <i>ASXL1</i> Chromosomal Deletion and Genetic Mutations. Blood, 2020, 136, 1-2.	0.6	O