Ying-Jun Zhang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2535913/publications.pdf

Version: 2024-02-01

156 4,363 36 55
papers citations h-index g-index

160 160 160 4305 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Processing and chemical constituents of Pu-erh tea: A review. Food Research International, 2013, 53, 608-618.	6.2	212
2	Antifungal Activity of C-27 Steroidal Saponins. Antimicrobial Agents and Chemotherapy, 2006, 50, 1710-1714.	3.2	181
3	Phenolic antioxidants from Chinese toon (fresh young leaves and shoots of Toona sinensis). Food Chemistry, 2007, 101, 365-371.	8.2	134
4	Phyllanemblinins Aâ^'F, New Ellagitannins fromPhyllanthusemblica. Journal of Natural Products, 2001, 64, 1527-1532.	3.0	123
5	Antiproliferative Activity of the Main Constituents from Phyllanthus emblica. Biological and Pharmaceutical Bulletin, 2004, 27, 251-255.	1.4	115
6	The Genus Solanum: An Ethnopharmacological, Phytochemical and Biological Properties Review. Natural Products and Bioprospecting, 2019, 9, 77-137.	4.3	81
7	The processing of Panax notoginseng and the transformation of its saponin components. Food Chemistry, 2012, 132, 1808-1813.	8.2	79
8	Phyllaemblic acid, a novel highly oxygenated norbisabolane from the roots of Phyllanthus emblica. Tetrahedron Letters, 2000, 41, 1781-1784.	1.4	76
9	New Phenolic Constituents from the Fruit Juice of Phyllanthus emblica Chemical and Pharmaceutical Bulletin, 2001, 49, 537-540.	1.3	72
10	Antiviral activity and possible mechanisms of action of pentagalloylglucose (PGG) against influenza A virus. Archives of Virology, 2011, 156, 1359-1369.	2.1	72
11	Puerins A and B, Two New 8-C Substituted Flavan-3-ols from Pu-er Tea. Journal of Agricultural and Food Chemistry, 2005, 53, 8614-8617.	5.2	70
12	Antioxidant phenolic compounds from rhizomes of Polygonum paleaceum. Journal of Ethnopharmacology, 2005, 96, 483-487.	4.1	67
13	Plant Resources, Chemical Constituents, and Bioactivities of Tea Plants from the Genus <i>Camellia</i> Section <i>Thea</i> Journal of Agricultural and Food Chemistry, 2019, 67, 5318-5349.	5.2	67
14	Novel Norsesquiterpenoids from the Roots of Phyllanthus emblica. Journal of Natural Products, 2000, 63, 1507-1510.	3.0	66
15	Two New Acylated Flavanone Glycosides from the Leaves and Branches of Phyllanthus emblica Chemical and Pharmaceutical Bulletin, 2002, 50, 841-843.	1.3	61
16	Steroidal saponins from fresh stem of Dracaena cochinchinensis. Steroids, 2004, 69, 111-119.	1.8	61
17	Anti-Coxsackie Virus B3 Norsesquiterpenoids from the Roots of <i>Phyllanthus emblica</i> . Journal of Natural Products, 2009, 72, 969-972.	3.0	60
18	Antioxidant phenolic constituents from Fagopyrum dibotrys. Journal of Ethnopharmacology, 2005, 99, 259-264.	4.1	57

#	Article	IF	Citations
19	Dammarane-Type Glycosides from Steamed Notoginseng. Journal of Agricultural and Food Chemistry, 2008, 56, 1751-1756.	5.2	56
20	Phenolic Antioxidants from Green Tea Produced from Camellia taliensis. Journal of Agricultural and Food Chemistry, 2008, 56, 7517-7521.	5.2	54
21	Atropurosides A–G, new steroidal saponins from Smilacina atropurpurea. Steroids, 2006, 71, 712-719.	1.8	50
22	Triterpenoids with Promoting Effects on the Differentiation of PC12 Cells from the Steamed Roots of <i>Panax notoginseng</i> . Journal of Natural Products, 2015, 78, 1829-1840.	3.0	50
23	The Genus Terminalia (Combretaceae): An Ethnopharmacological, Phytochemical and Pharmacological Review. Natural Products and Bioprospecting, 2019, 9, 357-392.	4.3	49
24	Dammarane Triterpenoids from the Roots of Gentiana rigescens. Journal of Natural Products, 2007, 70, 880-883.	3.0	48
25	Novel Sesquiterpenoids from the Roots of Phyllanthusemblica. Journal of Natural Products, 2001, 64, 870-873.	3.0	47
26	Anti-Hepatitis B Virus Norbisabolane Sesquiterpenoids from <i>Phyllanthus acidus</i> and the Establishment of Their Absolute Configurations Using Theoretical Calculations. Journal of Organic Chemistry, 2014, 79, 5432-5447.	3.2	47
27	New pregnane glycosides from the roots of Cynanchum otophyllum. Steroids, 2007, 72, 778-786.	1.8	45
28	Caffeoyl arbutin and related compounds from the buds of Vaccinium dunalianum. Phytochemistry, 2008, 69, 3087-3094.	2.9	43
29	The Genus Carissa: An Ethnopharmacological, Phytochemical and Pharmacological Review. Natural Products and Bioprospecting, 2017, 7, 181-199.	4.3	42
30	Antioxidative Flavan-3-ol Dimers from the Leaves of <i>Camellia fangchengensis</i> Journal of Agricultural and Food Chemistry, 2018, 66, 247-254.	5.2	42
31	Anti-inflammatory compounds of "Qin-Jiaoâ€; the roots of Gentiana dahurica (Gentianaceae). Journal of Ethnopharmacology, 2013, 147, 341-348.	4.1	41
32	Flavonoids from the Resin of Dracaena cochinchinensis. Helvetica Chimica Acta, 2004, 87, 1167-1171.	1.6	40
33	Phenolic Antioxidants from Green Tea Produced from Camellia crassicolumna Var. <i>multiplex</i> Journal of Agricultural and Food Chemistry, 2009, 57, 586-590.	5.2	40
34	Newl±-Tetralone Galloylglucosides from the Fresh Pericarps ofJuglans sigillata. Helvetica Chimica Acta, 2010, 93, 265-271.	1.6	40
35	A New Norisoprenoid and Other Compounds from Fuzhuan Brick Tea. Molecules, 2012, 17, 3539-3546.	3.8	40
36	Phenolic Compounds from the Whole Plants of <i>Gentiana rhodantha</i> (Gentianaceae). Chemistry and Biodiversity, 2011, 8, 1891-1900.	2.1	38

#	Article	IF	CITATIONS
37	Steroidal Saponins from Fresh Stems of <i>Dracaena angustifolia</i> . Journal of Natural Products, 2010, 73, 1524-1528.	3.0	36
38	Pentagalloylglucose downregulates cofilin1 and inhibits HSV-1 infection. Antiviral Research, 2011, 89, 98-108.	4.1	36
39	Cytotoxic Bisbenzylisoquinoline Alkaloids from <i>Stephania epigaea</i> . Journal of Natural Products, 2013, 76, 926-932.	3.0	36
40	Lignans and aromatic glycosides from Piper wallichii and their antithrombotic activities. Journal of Ethnopharmacology, 2015 , 162 , 87 - 96 .	4.1	36
41	Steroidal Saponins from the Genus Smilax and Their Biological Activities. Natural Products and Bioprospecting, 2017, 7, 283-298.	4.3	36
42	Anti-hepatitis B virus activities and absolute configurations of sesquiterpenoid glycosides from Phyllanthus emblica. Organic and Biomolecular Chemistry, 2014, 12, 8764-8774.	2.8	35
43	C-8 <i>N</i> -Ethyl-2-pyrrolidinone-Substituted Flavan-3-ols from the Leaves of <i>Camellia sinensis</i> var. <i>pubilimba</i> . Journal of Agricultural and Food Chemistry, 2018, 66, 7150-7155.	5.2	35
44	Two New Dammarane-Type Bisdesmosides from the Fruit Pedicels ofPanax notoginseng. Helvetica Chimica Acta, 2008, 91, 60-66.	1.6	34
45	Autophagy is involved in anti-viral activity of pentagalloylglucose (PGG) against Herpes simplex virus type 1 infection in vitro. Biochemical and Biophysical Research Communications, 2011, 405, 186-191.	2.1	34
46	Antiviral Triterpenoid Saponins from the Roots of Ilex asprella. Planta Medica, 2012, 78, 1702-1705.	1.3	34
47	Notoginsenoside ST-4 inhibits virus penetration of herpes simplex virus <i>in vitro</i> . Journal of Asian Natural Products Research, 2011, 13, 498-504.	1.4	33
48	7- <i>O</i> -Methylkaempferol and -quercetin Glycosides from the Whole Plant of <i>Nervilia fordii</i> Journal of Natural Products, 2009, 72, 1057-1060.	3.0	32
49	Triterpenoid Saponins from the Genus <i>Camellia</i> . Chemistry and Biodiversity, 2011, 8, 1931-1942.	2.1	32
50	Anti-viral and cytotoxic norbisabolane sesquiterpenoid glycosides from Phyllanthus emblica and their absolute configurations. Phytochemistry, 2015, 117, 123-134.	2.9	32
51	New Acylated Secoiridoid Glucosides from <i>Gentiana straminea</i> (Gentianaceae). Helvetica Chimica Acta, 2009, 92, 321-327.	1.6	31
52	Steroidal saponins from the stem of Yucca elephantipes. Phytochemistry, 2008, 69, 264-270.	2.9	30
53	Phloroglucinol Glycosides from the Fresh Fruits of <i>Eucalyptus maideni</i> . Journal of Natural Products, 2010, 73, 160-163.	3.0	30
54	Carboxymethyl- and Carboxyl-Catechins from Ripe Pu-er Tea. Journal of Agricultural and Food Chemistry, 2014, 62, 12229-12234.	5.2	30

#	Article	IF	CITATIONS
55	Anti-Cancer and Free Radical Scavenging Activity of Some Nigerian Food Plants in vitro. International Journal of Cancer Research, 2014, 11, 41-51.	0.2	29
56	Phenolic Antioxidants from the Leaves of <i>Camellia pachyandra</i> Hu Journal of Agricultural and Food Chemistry, 2010, 58, 8820-8824.	5.2	28
57	Phenolic Antioxidants from the Whole Plant of <i>Phyllanthus urinaria</i> . Chemistry and Biodiversity, 2007, 4, 2246-2252.	2.1	27
58	Identification of new qingyangshengenin and caudatin glycosides from the roots of Cynanchum otophyllum. Steroids, 2011, 76, 1003-1009.	1.8	27
59	Research of Panax spp. in Kunming Institute of Botany, CAS. Natural Products and Bioprospecting, 2018, 8, 245-263.	4.3	27
60	New Dammarane Monodesmosides from the Acidic Deglycosylation of Notoginseng-Leaf Saponins. Helvetica Chimica Acta, 2006, 89, 1442-1448.	1.6	26
61	New Flavoalkaloids with Potent α-Glucosidase and Acetylcholinesterase Inhibitory Activities from Yunnan Black Tea †Jin-Ya'. Journal of Agricultural and Food Chemistry, 2020, 68, 7955-7963.	5.2	26
62	Dracaenogenins A and B, new spirostanols from the red resin of Dracaena cochinchinensis. Steroids, 2006, 71, 160-164.	1.8	25
63	New Phenolic Constituents fromBalanophora polyandra with Radical-Scavenging Activity. Chemistry and Biodiversity, 2006, 3, 1317-1324.	2.1	25
64	Eucalmaidins Aâ^'E, (+)-Oleuropeic Acid Derivatives from the Fresh Leaves of <i>Eucalyptus maideni</i> Journal of Natural Products, 2009, 72, 1608-1611.	3.0	25
65	Iridoidal glucosides from <i>Gentiana rhodantha</i> . Journal of Asian Natural Products Research, 2008, 10, 491-498.	1.4	24
66	Chemical and morphological variations of Panax notoginseng and their relationship. Phytochemistry, 2013, 93, 88-95.	2.9	24
67	A carbon–carbon-coupled dimeric bergenin derivative biotransformed by Pleurotus ostreatus. Bioorganic and Medicinal Chemistry Letters, 2005, 15, 4073-4075.	2.2	23
68	New Flavan-3-ol Dimer from Green Tea Produced from <i>Camellia taliensis</i> in the Ai-Lao Mountains of Southwest China. Journal of Agricultural and Food Chemistry, 2012, 60, 12170-12176.	5.2	23
69	Two New Highly Oxygenated and Rearranged Limonoids from <i>Phyllanthus cochinchinensis</i> Organic Letters, 2013, 15, 2414-2417.	4.6	23
70	Eucalmaidials A and B, phloroglucinol-coupled sesquiterpenoids from the juvenile leaves of Eucalyptus maideni. RSC Advances, 2014, 4, 21373-21378.	3.6	23
71	Biotransformation of gentiopicroside by asexual mycelia of Cordyceps sinensis. Bioorganic and Medicinal Chemistry Letters, 2007, 17, 3195-3197.	2.2	22
72	Phyllanflexoid C: first example of phenylacetylene-bearing 18-nor-diterpenoid glycoside from the roots of Phyllanthus flexuosus. Tetrahedron Letters, 2013, 54, 4670-4674.	1.4	22

#	Article	IF	CITATIONS
73	Steroidal Saponins fromDisporopsis pernyi. Helvetica Chimica Acta, 2004, 87, 1248-1253.	1.6	21
74	Chemical constituents from <i>Piper wallichii </i> Natural Product Research, 2015, 29, 1372-1375.	1.8	21
75	Two New Alkaloids from Fusarium tricinctum SYPF 7082, an Endophyte from the Root of Panax notoginseng. Natural Products and Bioprospecting, 2018, 8, 391-396.	4.3	21
76	Phenolic Constituents from <i>Balanophora laxiflora</i> with DPPH Radicalâ€Scavenging Activity. Chemistry and Biodiversity, 2009, 6, 875-880.	2.1	20
77	Flavonoid oligomers from Chinese dragon's blood, the red resins of Dracaena cochinchinensis. Natural Products and Bioprospecting, 2012, 2, 111-116.	4.3	20
78	The chemical constituents from the roots of Gentiana crassicaulis and their inhibitory effects on inflammatory mediators NO and TNF-1±. Natural Products and Bioprospecting, 2012, 2, 217-221.	4.3	19
79	Minor dehydrogenated and cleavaged dammarane-type saponins from the steamed roots of Panax notoginseng. FA¬toterapìâ, 2015, 103, 97-105.	2.2	19
80	Antifungal Amide Alkaloids from the Aerial Parts of Piper flaviflorum and Piper sarmentosum. Planta Medica, 2017, 83, 143-150.	1.3	19
81	Phenolic Compounds from the Rhizomes of Smilax china L. and Their Anti-Inflammatory Activity. Molecules, 2017, 22, 515.	3.8	19
82	Phenolic Compounds from the Branches of <i>Eucalyptus maideni</i> . Chemistry and Biodiversity, 2012, 9, 123-130.	2.1	18
83	Antioxidant and hyaluronidase inhibitory activities of diverse phenolics in <i>Phyllanthus emblica</i> Natural Product Research, 2016, 30, 2726-2729.	1.8	18
84	Methylenebisnicotiflorin: a rare methylene-bridged bisflavonoid glycoside from ripe Pu-er tea. Natural Product Research, 2016, 30, 776-782.	1.8	18
85	Phenolic constituents fromRhopalocnemis phalloideswith DPPH radical scavenging activity. Pharmaceutical Biology, 2010, 48, 116-119.	2.9	17
86	Dammarane-type saponins from steamed leaves of Panax Notoginseng. Natural Products and Bioprospecting, 2011, 1, 124-128.	4.3	17
87	Phyllaciduloids A–D: Four new cleistanthane diterpenoids from Phyllanthus acidus (L.) Skeels. Fìtoterapìâ, 2018, 125, 89-93.	2.2	17
88	Allelochemicals of Panax notoginseng and their effects on various plants and rhizosphere microorganisms. Plant Diversity, 2020, 42, 323-333.	3.7	17
89	New degradation mechanism of black tea pigment theaflavin involving condensation with epigallocatechin-3-O-gallate. Food Chemistry, 2022, 370, 131326.	8.2	17
90	The genus Rumex (Polygonaceae): an ethnobotanical, phytochemical and pharmacological review. Natural Products and Bioprospecting, 2022, 12, .	4.3	17

#	Article	IF	CITATIONS
91	Review on "Long-Danâ€; one of the traditional Chinese medicinal herbs recorded in Chinese pharmacopoeia. Natural Products and Bioprospecting, 2012, 2, 1-10.	4.3	16
92	New cytotoxic lignan glycosides from <i>Phyllanthus glaucus</i> . Natural Product Research, 2016, 30, 419-425.	1.8	16
93	A New Hydrolyzable Tannin from <i>Balanophora harlandii</i> with Radicalâ€Scavenging Activity. Helvetica Chimica Acta, 2009, 92, 1817-1822.	1.6	15
94	New Patchoulolâ€Type Sesquiterpenoids from <i>Pogostemon cablin</i> . Helvetica Chimica Acta, 2011, 94, 218-223.	1.6	15
95	Comparative Study on "Long-Danâ€, "Qin-Jiao―and Their Adulterants by HPLC Analysis. Natural Products and Bioprospecting, 2014, 4, 297-308.	4.3	15
96	6′- <i>O</i> Caffeoylarbutin inhibits melanogenesis in zebrafish. Natural Product Research, 2014, 28, 932-934.	1.8	15
97	Biodiversity in cultivated <i>Panax notoginseng </i> populations ¹ . Acta Pharmacologica Sinica, 2008, 29, 1137-1140.	6.1	14
98	Phenolic Compounds from the Fresh Leaves of <i>Eucalyptus maideni</i> . Helvetica Chimica Acta, 2010, 93, 2194-2202.	1.6	14
99	HPLC simultaneous determination of arbutin, chlorogenic acid and 6′- <i>O</i> -caffeoylarbutin in different parts of <i>Vaccinium dunalianum</i> -Wight. Natural Product Research, 2015, 29, 1963-1965.	1.8	14
100	A new arbutin derivative from the leaves of <i>Vaccinium dunalianum</i> wight. Natural Product Research, 2018, 32, 65-70.	1.8	14
101	Anti-inflammatory furostanol saponins from the rhizomes of Smilax china L. Steroids, 2018, 140, 70-76.	1.8	14
102	A New Phenolic Constituent and a Cyanogenic Glycoside from <i>Balanophora involucrata</i> (Balanophoraceae). Chemistry and Biodiversity, 2013, 10, 1081-1087.	2.1	13
103	Highly Oxygenated Limonoids and Lignans from Phyllanthus flexuosus. Natural Products and Bioprospecting, 2014, 4, 233-242.	4.3	13
104	Anti-inflammatory and antioxidant activities of fractions and compound from Ricinodendron heudelotii (Baill.). Heliyon, 2019, 5, e02779.	3.2	13
105	New Dammaraneâ€Type Saponins from the Rhizomes of <i>Panax japonicus</i> . Helvetica Chimica Acta, 2011, 94, 2010-2019.	1.6	12
106	New triterpenoid saponins from the steaming treated roots of <i>Panax notoginseng </i> Panax notoginseng	1.8	12
107	Cytotoxic Effects of Compounds Isolated from Ricinodendron heudelotii. Molecules, 2019, 24, 145.	3.8	12
108	Phenylpropanoid glycosides from the seeds of Michelia hedyosperma. Food Chemistry, 2011, 126, 1039-1043.	8.2	11

#	Article	IF	Citations
109	Sphingofungins G and H: new five-membered lactones from <i>Aspergillus penicilliodes</i> Speg Natural Product Research, 2019, 33, 1284-1291.	1.8	11
110	New hydroperoxylated and 20,24-epoxylated dammarane triterpenes from the rot roots of Panax notoginseng. Journal of Ginseng Research, 2020, 44, 405-412.	5.7	11
111	Five New Flavonol Glycosides from the Fresh Flowers of <i>Camellia reticulata</i> . Helvetica Chimica Acta, 2008, 91, 1305-1312.	1.6	10
112	Phenolic constituents from the leaves of Syzygium forrestii Merr. and Perry. Biochemical Systematics and Ecology, 2011, 39, 156-158.	1.3	9
113	A new methylene bisflavan-3-ol from the branches and leaves of <i>Potentilla fruticosa</i> Product Research, 2020, 34, 1238-1245.	1.8	9
114	Multiple in vitro biological effects of phenolic compounds from Terminalia chebula var. tomentella. Journal of Ethnopharmacology, 2021, 275, 114135.	4.1	9
115	New cytotoxic dichapetalins in the leaves of Phyllanthus acidus: Identification, quantitative analysis, and preliminary toxicity assessment. Bioorganic Chemistry, 2021, 114, 105125.	4.1	9
116	New phenylpropanoid-substituted flavan-3-ols from Pu-er ripe tea. Natural Product Communications, 2014, 9, 1167-70.	0.5	9
117	New C ₂₇ Steroidal Bisdesmosides from the Fresh Stems of <i>Dracaena cambodiana</i> Helvetica Chimica Acta, 2010, 93, 302-308.	1.6	8
118	New Phenylpropanoid-Substituted Flavan-3-ols from Pu-er Ripe Tea. Natural Product Communications, 2014, 9, 1934578X1400900.	0.5	8
119	Stereochemistry of cleistanthane diterpenoid glucosides from Phyllanthus emblica. RSC Advances, 2015, 5, 29098-29107.	3.6	8
120	Two New Phenolic Constituents from the Stems of Euphorbia griffithii. Natural Products and Bioprospecting, 2019, 9, 405-410.	4.3	8
121	Albocycline-type Macrolides with Antibacterial Activities fromStreptomycessp. 4205. Chemistry and Biodiversity, 2019, 16, e1800344.	2.1	8
122	The Mechanism of Poly-Galloyl-Glucoses Preventing Influenza A Virus Entry into Host Cells. PLoS ONE, 2014, 9, e94392.	2.5	8
123	New spinosin derivatives from the seeds of Ziziphus mauritiana. Natural Products and Bioprospecting, 2013, 3, 93-98.	4.3	7
124	A Survey of the Chemical Compounds of <i>Piper</i> spp. (Piperaceae) and Their Biological Activities. Natural Product Communications, 2016, 11, 1934578X1601100.	0.5	7
125	Steroidal saponins from the rhizomes of <i>Polygonatum prattii < /i>Iournal of Asian Natural Products Research, 2016, 18, 268-273.</i>	1.4	7
126	DV21 decreases excitability of cortical pyramidal neurons and acts in epilepsy. Scientific Reports, 2017, 7, 1701.	3.3	7

#	Article	IF	Citations
127	Termitomenins A–E: Five new lignans from Terminalia chebula var. tomentella (Kurz) C. B. Clarke. Fìtoterapìâ, 2020, 143, 104571.	2.2	7
128	A new catechin derivative from the fruits of Rosa sterilis S. D. Shi. Natural Product Research, 2017, 31, 2239-2244.	1.8	6
129	GC-MS-based identification and statistical analysis of liposoluble components in the rhizosphere soils of <i>Panax notoginseng</i> . RSC Advances, 2019, 9, 20557-20564.	3.6	6
130	Two new 23S,26R-hydroxylated spirostanoid saponins from the fruits of Solanum indicum var. recurvatum. Steroids, 2020, 153, 108506.	1.8	6
131	Ten new glycosides, carissaedulosides A–J from the root barks of Carissa edulis and their cytotoxicities. Bioorganic Chemistry, 2020, 102, 104097.	4.1	6
132	Previously undescribed pyridyl-steroidal glycoalkaloids and 23S,26R-hydroxylated spirostanoid saponin from the fruits of Solanum violaceum ortega and their bioactivities. Phytochemistry, 2021, 184, 112656.	2.9	6
133	New Steroidal Saponins from the Leaves of <i>Yucca elephantipes</i> . Helvetica Chimica Acta, 2013, 96, 1807-1813.	1.6	5
134	Anti-inflammatory and Cytotoxic Triterpenes from the Rot Roots of Panax notoginseng. Natural Products and Bioprospecting, 2019, 9, 287-295.	4.3	5
135	Optimization of extraction process and antioxidant activities of saponins from Camellia fascicularis leaves. Journal of Food Measurement and Characterization, 2021, 15, 1889-1898.	3.2	5
136	Chemical Compositions and Antioxidant Activity of Essential Oil from Green Tea Produced from Camellia taliensis (Theaceae) in Yuanjiang, Southwestern China. Plant Diversity and Resources, 2012, 34, 409.	0.2	5
137	A chemotaxonomic study of Lethariella zahlbruckneri and L. smithii (lichenized Ascomycota:) Tj ETQq $1\ 1\ 0.7843$	14 rgBT /C)ve ₄ lock 10T
138	Acroscyphus sphaerophoroides (lichenized Ascomycota, Caliciaceae) in Hengduanshan Mountains. Biochemical Systematics and Ecology, 2008, 36, 423-429.	1.3	4
139	Five new sucrose esters from the whole plants of Phyllanthus cochinchinensis. Natural Products and Bioprospecting, 2013, 3, 61-65.	4.3	4
140	Chemical constituents from <i>Piper hainanense</i> and their cytotoxicities. Journal of Asian Natural Products Research, 2016, 18, 730-736.	1.4	4
141	Phyllanthacidoid U: a new <i>N</i> -glycosyl norbisabolane sesquiterpene from <i>Phyllanthus acidus</i> (L.) skeels. Natural Product Research, 2021, 35, 3540-3547.	1.8	4
142	Phenolic compounds and triterpenes from the roots of Vaccinium dunalianum Wight and their chemotaxonomic significance. Biochemical Systematics and Ecology, 2021, 95, 104228.	1.3	4
143	Co-administration of artemisinin and Ricinodendron heudelotii leaf extractâ€"effects on selected antioxidants and liver parameters in male Wistar rats. Comparative Clinical Pathology, 2018, 27, 765-772.	0.7	3
144	Triterpenoid Acids from Eriobotrya japonica. Chemistry of Natural Compounds, 2019, 55, 169-171.	0.8	3

#	Article	IF	CITATIONS
145	Triterpenoid saponins with hepatoprotective effects from the fresh leaves of <i>Metapanax delavayi</i> . Natural Product Research, 2020, 34, 1373-1379.	1.8	3
146	Chemical constituents from the fruits of Solanum incanum L. Biochemical Systematics and Ecology, 2020, 90, 104031.	1.3	3
147	New ent-Kaurane and cleistanthane diterpenoids with potential cytotoxicity from Phyllanthus acidus (L.) Skeels. Fìtoterapìâ, 2022, 157, 105133.	2.2	3
148	Two New Oleanane-type Triterpenoids from Methanolyzed Saponins of Momordica cochinchinensis. Natural Product Communications, 2016, 11, 1934578X1601100.	0.5	2
149	Theagalloflavic Acid, a New Pigment Derived from Hexahydroxydiphenoyl Group, and Lignan Oxidation Products Produced by Aerobic Microbial Fermentation of Green Tea. Chemical and Pharmaceutical Bulletin, 2016, 64, 918-923.	1.3	2
150	Two New Indolyl Diketopiperazines, Trypostatins C and D from Aspergillus penicilliodes Speg Natural Products and Bioprospecting, 2018, 8, 107-111.	4.3	2
151	Phyllanacidins A–C, three new cleistanthane diterpenoids from Phyllanthus acidus and their cytotoxicities. Fìtoterapìâ, 2021, 148, 104793.	2.2	2
152	Termitomenins F and G, Two New Lignan Glucosides from Terminalia chebula var. tomentella (Kurz) C. B. Clarke. Natural Products and Bioprospecting, 2021, 11, 565-572.	4.3	1
153	A new ingol diterpenoid from the seeds of Euphorbia marginata Pursh. Natural Product Research, 2021, , 1-5.	1.8	1
154	Chemical Analysis of Old Tea Trees in Bai-Ying-Shan Mountain and the Origin of Cultivated Tea. Acta Botanica Yunnanica, 2010, 32, 77-82.	0.1	1
155	Phyllaciduloids E and F, two new cleistanthane diterpenoids from the leaves of Phyllanthus acidus. Natural Product Research, 2021, , 1-6.	1.8	0
156	Notoginsenoids, a new class of hexa-nortriterpenoids from biotransformation of Panax notoginseng saponins. Journal of Molecular Structure, 2022, 1252, 132096.	3.6	0