

Peter Odermatt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2536338/publications.pdf>

Version: 2024-02-01

135
papers

6,270
citations

61984

43
h-index

79698

73
g-index

138
all docs

138
docs citations

138
times ranked

5518
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | <i>Opisthorchis felinus</i> Infection is a Risk Factor for Cholangiocarcinoma in Western Siberia: A Hospital-based Case-control Study. <i>Clinical Infectious Diseases</i> , 2023, 76, e1392-e1398. | 5.8 | 12 |
| 2 | Preparing liberia for rabies control: Human-dog relationship and practices, and vaccination scenarios. <i>Acta Tropica</i> , 2022, 229, 106331. | 2.0 | 0 |
| 3 | <i>Toxocara canis</i> and <i>Toxocara cati</i> in Stray Dogs and Cats in Bangkok, Thailand: Molecular Prevalence and Risk Factors. <i>Parasitologia</i> , 2022, 2, 88-94. | 1.3 | 2 |
| 4 | Performance of a rapid immuno-chromatographic test (<i>Schistosoma</i> ICT IgG-IgM) for detecting <i>Schistosoma</i> -specific antibodies in sera of endemic and non-endemic populations. <i>PLoS Neglected Tropical Diseases</i> , 2022, 16, e0010463. | 3.0 | 6 |
| 5 | Low Sensitivity of Real Time PCRs Targeting Retrotransposon Sequences for the Detection of <i>Schistosoma japonicum</i> Complex DNA in Human Serum. <i>Pathogens</i> , 2021, 10, 1067. | 2.8 | 5 |
| 6 | Risk profiling and efficacy of albendazole against the hookworms <i>Necator americanus</i> and <i>Ancylostoma ceylanicum</i> in Cambodia to support control programs in Southeast Asia and the Western Pacific. <i>The Lancet Regional Health - Western Pacific</i> , 2021, 16, 100258. | 2.9 | 11 |
| 7 | Morbidity associated with <i>Schistosoma mansoni</i> infection in north-eastern Democratic Republic of the Congo. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0009375. | 3.0 | 3 |
| 8 | Epidemiology of <i>Schistosoma mansoni</i> infection in Ituri Province, north-eastern Democratic Republic of the Congo. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0009486. | 3.0 | 3 |
| 9 | Patients with severe schistosomiasis mekongi morbidity demonstrating ongoing transmission in Southern Lao People's Democratic Republic. <i>Acta Tropica</i> , 2020, 204, 105323. | 2.0 | 5 |
| 10 | <i>Strongyloides stercoralis</i> prevalence and diagnostics in Vientiane, Lao People's Democratic Republic. <i>Infectious Diseases of Poverty</i> , 2020, 9, 133. | 3.7 | 12 |
| 11 | Cross-reaction of POC-CCA urine test for detection of <i>Schistosoma mekongi</i> in Lao PDR: a cross-sectional study. <i>Infectious Diseases of Poverty</i> , 2020, 9, 114. | 3.7 | 13 |
| 12 | Community-based management of epilepsy in Southeast Asia: Two intervention strategies in Lao PDR and Cambodia. <i>The Lancet Regional Health - Western Pacific</i> , 2020, 4, 100042. | 2.9 | 7 |
| 13 | The Global Prevalence of <i>Strongyloides stercoralis</i> Infection. <i>Pathogens</i> , 2020, 9, 468. | 2.8 | 187 |
| 14 | <i>Opisthorchis felinus</i> infection, risks, and morbidity in rural Western Siberia, Russian Federation. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0008421. | 3.0 | 42 |
| 15 | Nutritional and health status of children 15 months after integrated school garden, nutrition, and water, sanitation and hygiene interventions: a cluster-randomised controlled trial in Nepal. <i>BMC Public Health</i> , 2020, 20, 158. | 2.9 | 21 |
| 16 | Morbidity associated with <i>Schistosoma mekongi</i> and concurrent helminth infection in Lao People's Democratic Republic. <i>Acta Tropica</i> , 2020, 204, 105324. | 2.0 | 1 |
| 17 | Schistosomiasis: from established diagnostic assays to emerging micro/nanotechnology-based rapid field testing for clinical management and epidemiology. <i>Precision Nanomedicine</i> , 2020, 3, 439-458. | 0.8 | 7 |
| 18 | Mortality of neurological disorders in Tanzania: analysis of baseline data from sample vital registration with verbal autopsy (SAVVY). <i>Global Health Action</i> , 2019, 12, 1596378. | 1.9 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Strongyloides stercoralis: Spatial distribution of a highly prevalent and ubiquitous soil-transmitted helminth in Cambodia. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0006943. | 3.0 | 20 |
| 20 | Food-borne Trematodiasis in East Asia: Epidemiology and Burden. <i>Neglected Tropical Diseases</i> , 2019, , 13-38. | 0.4 | 1 |
| 21 | Is <i>Opisthorchis viverrini</i> Emerging in Cambodia?. <i>Advances in Parasitology</i> , 2019, 103, 31-73. | 3.2 | 19 |
| 22 | Pooled Population Pharmacokinetic Analysis of Tribendimidine for the Treatment of <i>Opisthorchis viverrini</i> Infections. <i>Antimicrobial Agents and Chemotherapy</i> , 2019, 63, . | 3.2 | 6 |
| 23 | Elimination of Schistosomiasis Mekongi from Endemic Areas in Cambodia and the Lao People's Democratic Republic: Current Status and Plans. <i>Tropical Medicine and Infectious Disease</i> , 2019, 4, 30. | 2.3 | 26 |
| 24 | Mathematical analysis of the transmission dynamics of the liver fluke, <i>Opisthorchis viverrini</i> . <i>Journal of Theoretical Biology</i> , 2018, 439, 181-194. | 1.7 | 39 |
| 25 | <i>Opisthorchis felinus</i> infection prevalence in Western Siberia: A review of Russian literature. <i>Acta Tropica</i> , 2018, 178, 196-204. | 2.0 | 23 |
| 26 | Efficacy and safety of tribendimidine versus praziquantel against <i>Opisthorchis viverrini</i> in Laos: an open-label, randomised, non-inferiority, phase 2 trial. <i>Lancet Infectious Diseases</i> , The, 2018, 18, 155-161. | 9.1 | 26 |
| 27 | Association between helminth infections and diabetes mellitus in adults from the Lao People's Democratic Republic: a cross-sectional study. <i>Infectious Diseases of Poverty</i> , 2018, 7, 105. | 3.7 | 15 |
| 28 | Intestinal parasite infections and associated risk factors among schoolchildren in Dolakha and Ramechhap districts, Nepal: a cross-sectional study. <i>Parasites and Vectors</i> , 2018, 11, 532. | 2.5 | 22 |
| 29 | Life by the river: neglected worm infection in Western Siberia and pitfalls of a one-size-fits-all control approach. <i>Critical Public Health</i> , 2018, 28, 534-545. | 2.4 | 8 |
| 30 | Analysis of interventions against the liver fluke, <i>opisthorchis viverrini</i> . <i>Mathematical Biosciences</i> , 2018, 303, 115-125. | 1.9 | 10 |
| 31 | How elimination of lymphatic filariasis as a public health problem in the Kingdom of Cambodia was achieved. <i>Infectious Diseases of Poverty</i> , 2018, 7, 15. | 3.7 | 16 |
| 32 | <i>Strongyloides stercoralis</i> and hookworm co-infection: spatial distribution and determinants in Preah Vihear Province, Cambodia. <i>Parasites and Vectors</i> , 2018, 11, 33. | 2.5 | 29 |
| 33 | Association between gastrointestinal tract infections and glycated hemoglobin in school children of poor neighborhoods in Port Elizabeth, South Africa. <i>PLoS Neglected Tropical Diseases</i> , 2018, 12, e0006332. | 3.0 | 14 |
| 34 | Development and Evaluation of a Multiplex Quantitative Real-Time Polymerase Chain Reaction for Hookworm Species in Human Stool. <i>American Journal of Tropical Medicine and Hygiene</i> , 2018, 99, 1186-1193. | 1.4 | 34 |
| 35 | Suspected cases of cholangiocarcinoma seen in reference hospitals in Lao People's Democratic Republic. <i>Parasitology International</i> , 2017, 66, 510-514. | 1.3 | 6 |
| 36 | Prevalence and risk factors of undernutrition among schoolchildren in the Plateau Central and Centre-Ouest regions of Burkina Faso. <i>Infectious Diseases of Poverty</i> , 2017, 6, 17. | 3.7 | 32 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | First report of human intestinal sarcocystosis in Cambodia. <i>Parasitology International</i> , 2017, 66, 560-562. | 1.3 | 6 |
| 38 | Efficacy of Moxidectin Versus Ivermectin Against <i>Strongyloides stercoralis</i> Infections: A Randomized, Controlled Noninferiority Trial. <i>Clinical Infectious Diseases</i> , 2017, 65, 276-281. | 5.8 | 44 |
| 39 | Premature mortality of epilepsy in low- and middle-income countries: A systematic review from the Mortality Task Force of the International League Against Epilepsy. <i>Epilepsia</i> , 2017, 58, 6-16. | 5.1 | 120 |
| 40 | Magnitude and factors associated with nonadherence to antiepileptic drug treatment in Africa: A cross-sectional multisite study. <i>Epilepsia Open</i> , 2017, 2, 226-235. | 2.4 | 22 |
| 41 | <i>Opisthorchis felineus</i> infection and cholangiocarcinoma in the Russian Federation: A review of medical statistics. <i>Parasitology International</i> , 2017, 66, 365-371. | 1.3 | 46 |
| 42 | Water Quality, Sanitation, and Hygiene Conditions in Schools and Households in Dolakha and Ramechhap Districts, Nepal: Results from A Cross-Sectional Survey. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 89. | 2.6 | 31 |
| 43 | Different but overlapping populations of <i>Strongyloides stercoralis</i> in dogs and humans—Dogs as a possible source for zoonotic strongyloidiasis. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005752. | 3.0 | 117 |
| 44 | Comparison of novel and standard diagnostic tools for the detection of <i>Schistosoma mekongi</i> infection in Lao People's Democratic Republic and Cambodia. <i>Infectious Diseases of Poverty</i> , 2017, 6, 127. | 3.7 | 36 |
| 45 | Transmission of <i>Opisthorchis viverrini</i> , <i>Schistosoma mekongi</i> and soil-transmitted helminthes on the Mekong Islands, Southern Lao PDR. <i>Infectious Diseases of Poverty</i> , 2017, 6, 131. | 3.7 | 43 |
| 46 | School Children's Intestinal Parasite and Nutritional Status One Year after Complementary School Garden, Nutrition, Water, Sanitation, and Hygiene Interventions in Burkina Faso. <i>American Journal of Tropical Medicine and Hygiene</i> , 2017, 97, 904-913. | 1.4 | 23 |
| 47 | <i>Strongyloides stercoralis</i> is associated with significant morbidity in rural Cambodia, including stunting in children. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005685. | 3.0 | 46 |
| 48 | Ivermectin Treatment and Sanitation Effectively Reduce <i>Strongyloides stercoralis</i> Infection Risk in Rural Communities in Cambodia. <i>PLoS Neglected Tropical Diseases</i> , 2016, 10, e0004909. | 3.0 | 28 |
| 49 | Pharmacokinetic Study of Praziquantel Enantiomers and Its Main Metabolite R-trans-4-OH-PZQ in Plasma, Blood and Dried Blood Spots in <i>Opisthorchis viverrini</i> -Infected Patients. <i>PLoS Neglected Tropical Diseases</i> , 2016, 10, e0004700. | 3.0 | 17 |
| 50 | StrongNet: An International Network to Improve Diagnostics and Access to Treatment for Strongyloidiasis Control. <i>PLoS Neglected Tropical Diseases</i> , 2016, 10, e0004898. | 3.0 | 32 |
| 51 | Single-Ascending-Dose Pharmacokinetic Study of Tribendimidine in <i>Opisthorchis viverrini</i> -Infected Patients. <i>Antimicrobial Agents and Chemotherapy</i> , 2016, 60, 5705-5715. | 3.2 | 9 |
| 52 | Prevalence of intestinal parasitic infections and associated risk factors among schoolchildren in the Plateau Central and Centre-Ouest regions of Burkina Faso. <i>Parasites and Vectors</i> , 2016, 9, 554. | 2.5 | 58 |
| 53 | Diagnosis of <i>Opisthorchis viverrini</i> Infection with Handheld Microscopy in Lao People's Democratic Republic. <i>American Journal of Tropical Medicine and Hygiene</i> , 2016, 94, 158-160. | 1.4 | 5 |
| 54 | Efficacy and safety of tribendimidine against <i>Opisthorchis viverrini</i> : two randomised, parallel-group, single-blind, dose-ranging, phase 2 trials. <i>Lancet Infectious Diseases</i> , The, 2016, 16, 1145-1153. | 9.1 | 24 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Population Pharmacokinetic Modeling of Tribendimidine Metabolites in <i>Opisthorchis viverrini</i> -Infected Adults. <i>Antimicrobial Agents and Chemotherapy</i> , 2016, 60, 5695-5704. | 3.2 | 9 |
| 56 | Complementary school garden, nutrition, water, sanitation and hygiene interventions to improve children's nutrition and health status in Burkina Faso and Nepal: a study protocol. <i>BMC Public Health</i> , 2016, 16, 244. | 2.9 | 15 |
| 57 | Occurrence of and risk factors for <i>Strongyloides stercoralis</i> infection in South-East Asia. <i>Acta Tropica</i> , 2016, 159, 227-238. | 2.0 | 45 |
| 58 | Evaluation of banked urine samples for the detection of circulating anodic and cathodic antigens in <i>Schistosoma mekongi</i> and <i>S. japonicum</i> infections: A proof-of-concept study. <i>Acta Tropica</i> , 2015, 141, 198-203. | 2.0 | 46 |
| 59 | Multiparasitism and intensity of helminth infections in relation to symptoms and nutritional status among children: A cross-sectional study in southern Lao People's Democratic Republic. <i>Acta Tropica</i> , 2015, 141, 322-331. | 2.0 | 43 |
| 60 | Epidemiology of <i>Strongyloides stercoralis</i> on Mekong islands in southern Laos. <i>Acta Tropica</i> , 2015, 141, 289-294. | 2.0 | 31 |
| 61 | <i>Schistosoma mansoni</i> antigen detects <i>Schistosoma mekongi</i> infection. <i>Acta Tropica</i> , 2015, 141, 310-314. | 2.0 | 18 |
| 62 | Repeated stool sampling and use of multiple techniques enhance the sensitivity of helminth diagnosis: A cross-sectional survey in southern Lao People's Democratic Republic. <i>Acta Tropica</i> , 2015, 141, 315-321. | 2.0 | 52 |
| 63 | Subtle to severe hepatobiliary morbidity in <i>Opisthorchis viverrini</i> endemic settings in southern Laos. <i>Acta Tropica</i> , 2015, 141, 303-309. | 2.0 | 24 |
| 64 | Risk Profiling of Hookworm Infection and Intensity in Southern Lao People's Democratic Republic Using Bayesian Models. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0003486. | 3.0 | 22 |
| 65 | Opisthorchiasis: An Overlooked Danger. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0003563. | 3.0 | 36 |
| 66 | Is Diabetes a Risk Factor for a Severe Clinical Presentation of Dengue? - Review and Meta-analysis. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0003741. | 3.0 | 69 |
| 67 | High prevalence of large trematode eggs in schoolchildren in Cambodia. <i>Acta Tropica</i> , 2015, 141, 295-302. | 2.0 | 21 |
| 68 | Undue regulatory control on phenobarbital—an important yet overlooked reason for the epilepsy treatment gap. <i>Epilepsia</i> , 2015, 56, 659-662. | 5.1 | 18 |
| 69 | Perceived illness drives participation in mass deworming campaigns in Laos. <i>Acta Tropica</i> , 2015, 141, 281-288. | 2.0 | 12 |
| 70 | Geostatistical modelling of soil-transmitted helminth infection in Cambodia: Do socioeconomic factors improve predictions?. <i>Acta Tropica</i> , 2015, 141, 204-212. | 2.0 | 24 |
| 71 | Incidence, Remission and Mortality of Convulsive Epilepsy in Rural Northeast South Africa. <i>PLoS ONE</i> , 2015, 10, e0129097. | 2.5 | 22 |
| 72 | High Prevalence of <i>Ancylostoma ceylanicum</i> Hookworm Infections in Humans, Cambodia, 2012. <i>Emerging Infectious Diseases</i> , 2014, 20, 976-82. | 4.3 | 125 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Methodological Difficulties in the Conduct of Neuroepidemiological Studies in Low- and Middle-Income Countries. <i>Neuroepidemiology</i> , 2014, 42, 7-15. | 2.3 | 16 |
| 74 | Diarrhoeal diseases among adult population in an agricultural community Hanam province, Vietnam, with high wastewater and excreta re-use. <i>BMC Public Health</i> , 2014, 14, 978. | 2.9 | 31 |
| 75 | High Prevalence and Spatial Distribution of <i>Strongyloides stercoralis</i> in Rural Cambodia. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e2854. | 3.0 | 63 |
| 76 | Prevalence of Trachoma at Sub-District Level in Ethiopia: Determining When to Stop Mass Azithromycin Distribution. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e2732. | 3.0 | 21 |
| 77 | Exposure to Multiple Parasites Is Associated with the Prevalence of Active Convulsive Epilepsy in Sub-Saharan Africa. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e2908. | 3.0 | 73 |
| 78 | Simple Fecal Flotation Is a Superior Alternative to Quadruple Kato Katz Smear Examination for the Detection of Hookworm Eggs in Human Stool. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e3313. | 3.0 | 33 |
| 79 | Impact of Human Immunodeficiency Virus on the Severity of Buruli Ulcer Disease: Results of a Retrospective Study in Cameroon. <i>Open Forum Infectious Diseases</i> , 2014, 1, ofu021. | 0.9 | 36 |
| 80 | Low risk for transmission of zoonotic <i>Giardia duodenalis</i> from dogs to humans in rural Cambodia. <i>Parasites and Vectors</i> , 2014, 7, 412. | 2.5 | 25 |
| 81 | Clinical features, proximate causes, and consequences of active convulsive epilepsy in Africa. <i>Epilepsia</i> , 2014, 55, 76-85. | 5.1 | 64 |
| 82 | Paragonimiasis as an Important Alternative Misdiagnosed Disease for Suspected Acid-fast Bacilli Sputum Smear—Negative Tuberculosis. <i>American Journal of Tropical Medicine and Hygiene</i> , 2014, 90, 384-385. | 1.4 | 11 |
| 83 | <i>Strongyloides stercoralis</i> infection and re-infection in a cohort of children in Cambodia. <i>Parasitology International</i> , 2014, 63, 708-712. | 1.3 | 19 |
| 84 | Prevalence and risk factors of <i>Strongyloides stercoralis</i> in Takeo Province, Cambodia. <i>Parasites and Vectors</i> , 2014, 7, 221. | 2.5 | 53 |
| 85 | <i>Strongyloides stercoralis</i> genotypes in humans in Cambodia. <i>Parasitology International</i> , 2014, 63, 533-536. | 1.3 | 23 |
| 86 | The prevalence and diversity of intestinal parasitic infections in humans and domestic animals in a rural Cambodian village. <i>Parasitology International</i> , 2014, 63, 597-603. | 1.3 | 95 |
| 87 | Intestinal Parasitic Infections in HIV-Infected Patients, Lao People's Democratic Republic. <i>PLoS ONE</i> , 2014, 9, e91452. | 2.5 | 44 |
| 88 | <i>Strongyloides stercoralis</i> is a cause of abdominal pain, diarrhea and urticaria in rural Cambodia. <i>BMC Research Notes</i> , 2013, 6, 200. | 1.4 | 41 |
| 89 | <i>Ascaris lumbricoides</i> and <i>Trichuris trichiura</i> infections associated with wastewater and human excreta use in agriculture in Vietnam. <i>Parasitology International</i> , 2013, 62, 172-180. | 1.3 | 66 |
| 90 | Helminth infection in southern Laos: high prevalence and low awareness. <i>Parasites and Vectors</i> , 2013, 6, 328. | 2.5 | 44 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Raw fish consumption in liver fluke endemic areas in rural southern Laos. <i>Acta Tropica</i> , 2013, 127, 105-111. | 2.0 | 34 |
| 92 | Evaluation of real-time PCR for <i>Strongyloides stercoralis</i> and hookworm as diagnostic tool in asymptomatic schoolchildren in Cambodia. <i>Acta Tropica</i> , 2013, 126, 89-92. | 2.0 | 86 |
| 93 | Intestinal Parasite Prevalence in an Area of Ethiopia after Implementing the SAFE Strategy, Enhanced Outreach Services, and Health Extension Program. <i>PLoS Neglected Tropical Diseases</i> , 2013, 7, e2223. | 3.0 | 61 |
| 94 | <i>Strongyloides stercoralis</i> : Global Distribution and Risk Factors. <i>PLoS Neglected Tropical Diseases</i> , 2013, 7, e2288. | 3.0 | 561 |
| 95 | Trachoma among children in community surveys from four African countries and implications of using school surveys for evaluating prevalence. <i>International Health</i> , 2013, 5, 280-287. | 2.0 | 18 |
| 96 | Water quality and health in a Sahelian semi-arid urban context: an integrated geographical approach in Nouakchott, Mauritania. <i>Geospatial Health</i> , 2013, 8, 53. | 0.8 | 9 |
| 97 | A Novel Electronic Data Collection System for Large-Scale Surveys of Neglected Tropical Diseases. <i>PLoS ONE</i> , 2013, 8, e74570. | 2.5 | 86 |
| 98 | Diagnosis, Treatment and Risk Factors of <i>Strongyloides stercoralis</i> in Schoolchildren in Cambodia. <i>PLoS Neglected Tropical Diseases</i> , 2013, 7, e2035. | 3.0 | 91 |
| 99 | <i>Paragonimus paishuihoensis</i> Metacercariae in Freshwater Crabs, <i>Potamon lipkei</i> , in Vientiane Province, Lao PDR. <i>Korean Journal of Parasitology</i> , 2013, 51, 683-687. | 1.3 | 4 |
| 100 | Spatial Distribution of, and Risk Factors for, <i>Opisthorchis viverrini</i> Infection in Southern Lao PDR. <i>PLoS Neglected Tropical Diseases</i> , 2012, 6, e1481. | 3.0 | 92 |
| 101 | Efficacy of Praziquantel against <i>Schistosoma mekongi</i> and <i>Opisthorchis viverrini</i> : A Randomized, Single-Blinded Dose-Comparison Trial. <i>PLoS Neglected Tropical Diseases</i> , 2012, 6, e1726. | 3.0 | 51 |
| 102 | Low Efficacy of Single-Dose Albendazole and Mebendazole against Hookworm and Effect on Concomitant Helminth Infection in Lao PDR. <i>PLoS Neglected Tropical Diseases</i> , 2012, 6, e1417. | 3.0 | 111 |
| 103 | Severe Morbidity Due to <i>Opisthorchis viverrini</i> and <i>Schistosoma mekongi</i> Infection in Lao People's Democratic Republic. <i>Clinical Infectious Diseases</i> , 2012, 55, e54-e57. | 5.8 | 26 |
| 104 | Risk factors associated with the epilepsy treatment gap in Kilifi, Kenya: a cross-sectional study. <i>Lancet Neurology</i> , The, 2012, 11, 688-696. | 10.2 | 102 |
| 105 | Exposure to toxic waste containing high concentrations of hydrogen sulphide illegally dumped in Abidjan, Côte d'Ivoire. <i>Environmental Science and Pollution Research</i> , 2012, 19, 3192-3199. | 5.3 | 12 |
| 106 | Development and validation of the Kilifi Stigma Scale for Epilepsy in Kenya. <i>Epilepsy and Behavior</i> , 2012, 24, 81-85. | 1.7 | 62 |
| 107 | Development and validation of the Kilifi Epilepsy Beliefs and Attitude Scale. <i>Epilepsy and Behavior</i> , 2012, 24, 480-487. | 1.7 | 15 |
| 108 | Manifestation, diagnosis, and management of foodborne trematodiasis. <i>BMJ</i> , The, 2012, 344, e4093-e4093. | 6.0 | 50 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | The current status of opisthorchiasis and clonorchiasis in the Mekong Basin. <i>Parasitology International</i> , 2012, 61, 10-16. | 1.3 | 328 |
| 110 | SMS for disease control in developing countries: a systematic review of mobile health applications. <i>Journal of Telemedicine and Telecare</i> , 2012, 18, 273-281. | 2.7 | 199 |
| 111 | Short Message Service (SMS) Applications for Disease Prevention in Developing Countries. <i>Journal of Medical Internet Research</i> , 2012, 14, e3. | 4.3 | 163 |
| 112 | Efficacy and safety of mefloquine, artesunate, mefloquine+artesunate, tribendimidine, and praziquantel in patients with <i>Opisthorchis viverrini</i> : a randomised, exploratory, open-label, phase 2 trial. <i>Lancet Infectious Diseases</i> , The, 2011, 11, 110-118. | 9.1 | 77 |
| 113 | Risk factors for <i>Entamoeba histolytica</i> infection in an agricultural community in Hanam province, Vietnam. <i>Parasites and Vectors</i> , 2011, 4, 102. | 2.5 | 66 |
| 114 | Soil-transmitted helminth infections and risk factors in preschool children in southern rural Lao People's Democratic Republic. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2011, 105, 160-166. | 1.8 | 29 |
| 115 | Ziehl-Neelsen Staining Technique Can Diagnose Paragonimiasis. <i>PLoS Neglected Tropical Diseases</i> , 2011, 5, e1048. | 3.0 | 24 |
| 116 | Helminth and Intestinal Protozoa Infections, Multiparasitism and Risk Factors in Champasack Province, Lao People's Democratic Republic. <i>PLoS Neglected Tropical Diseases</i> , 2011, 5, e1037. | 3.0 | 101 |
| 117 | Sociocultural and psychological features of perceived stigma reported by people with epilepsy in Benin. <i>Epilepsia</i> , 2010, 51, 1061-1068. | 5.1 | 78 |
| 118 | <i>Schistosoma mekongi</i> in Cambodia and Lao People's Democratic Republic. <i>Advances in Parasitology</i> , 2010, 72, 179-203. | 3.2 | 77 |
| 119 | Less Common Parasitic Infections in Southeast Asia that can Produce Outbreaks. <i>Advances in Parasitology</i> , 2010, 72, 409-435. | 3.2 | 20 |
| 120 | PCR Diagnosis of <i>Opisthorchis viverrini</i> and <i>Haplorchis taichui</i> Infections in a Lao Community in an Area of Endemicity and Comparison of Diagnostic Methods for Parasitological Field Surveys. <i>Journal of Clinical Microbiology</i> , 2009, 47, 1517-1523. | 3.9 | 80 |
| 121 | Rapid Identification of Paragonimiasis Foci by Lay Informants in Lao People's Democratic Republic. <i>PLoS Neglected Tropical Diseases</i> , 2009, 3, e521. | 3.0 | 14 |
| 122 | Diversity of human intestinal helminthiasis in Lao PDR. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2009, 103, 247-254. | 1.8 | 102 |
| 123 | Rare human infection with the trematode <i>Echinochasmus japonicus</i> in Lao PDR. <i>Parasitology International</i> , 2009, 58, 106-109. | 1.3 | 26 |
| 124 | The challenge of epilepsy control in deprived settings: Low compliance and high fatality rates during a community-based phenobarbital program in rural Laos. <i>Epilepsia</i> , 2008, 49, 539-540. | 5.1 | 32 |
| 125 | Programs for people with epilepsy—exploring innovative control options. <i>Epilepsia</i> , 2008, 49, 1643-1644. | 5.1 | 1 |
| 126 | Challenges of Epidemiological Research on Epilepsy in Resource-Poor Countries. <i>Neuroepidemiology</i> , 2008, 30, 3-5. | 2.3 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 127 | Availability and Costs of Antiepileptic Drugs and Quality of Phenobarbital in Vientiane Municipality, Lao PDR. Neuroepidemiology, 2007, 28, 169-174. | 2.3 | 26 |
| 128 | Epilepsy in Laos: Knowledge, attitudes, and practices in the community. Epilepsy and Behavior, 2007, 10, 565-570. | 1.7 | 76 |
| 129 | Epidemiology of Opisthorchis viverrini in a rural district of southern Lao PDR. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2007, 101, 40-47. | 1.8 | 120 |
| 130 | Epidemiology, aetiology, and clinical management of epilepsy in Asia: a systematic review. Lancet Neurology, The, 2007, 6, 533-543. | 10.2 | 257 |
| 131 | The challenge of epilepsy control in deprived settings: Low compliance and high fatality rates during a community-based phenobarbital program in rural Laos. Epilepsia, 2007, . | 5.1 | 0 |
| 132 | Prevalence of Epilepsy in a Rural District of Central Lao PDR. Neuroepidemiology, 2006, 26, 199-206. | 2.3 | 59 |
| 133 | Intestinal parasites in school-aged children in villages bordering Tonle Sap Lake, Cambodia. Southeast Asian Journal of Tropical Medicine and Public Health, 2006, 37, 859-64. | 1.0 | 23 |
| 134 | Assessment of disease and infection of lymphatic filariasis in Northeastern Cambodia. Tropical Medicine and International Health, 2004, 9, 1115-1120. | 2.3 | 15 |
| 135 | The Challenge of Epilepsy in Low-Income Countries: Insights from Laos. , 0, , 110-116. | | 0 |