

Lekun Fang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2536360/publications.pdf>

Version: 2024-02-01

26
papers

1,051
citations

471371

17
h-index

642610

23
g-index

28
all docs

28
docs citations

28
times ranked

1871
citing authors

#	ARTICLE	IF	CITATIONS
1	Laparoscopic Proximally Extended Colorectal Resection With Two-Stage Turnbull-Cutait Pull-Through Coloanal Anastomosis for Late Complications of Chronic Radiation Proctopathy. <i>Frontiers in Surgery</i> , 2022, 9, 845148.	0.6	0
2	3,3â€²-Diindolylmethane Enhances Fluorouracil Sensitivity via Inhibition of Pyrimidine Metabolism in Colorectal Cancer. <i>Metabolites</i> , 2022, 12, 410.	1.3	4
3	Platelet-derived growth factor C signaling is a potential therapeutic target for radiation proctopathy. <i>Science Translational Medicine</i> , 2021, 13, .	5.8	8
4	Clinical characteristics and survival analysis of colorectal cancer in China: a retrospective cohort study with 13,328 patients from southern China. <i>Gastroenterology Report</i> , 2021, 9, 571-582.	0.6	21
5	ILF3 is a substrate of SPOP for regulating serine biosynthesis in colorectal cancer. <i>Cell Research</i> , 2020, 30, 163-178.	5.7	48
6	EGF Relays Signals to COP1 and Facilitates FOXO4 Degradation to Promote Tumorigenesis. <i>Advanced Science</i> , 2020, 7, 2000681.	5.6	25
7	Tuning Pushâ€“Pull Electronic Effects of AIEgens to Boost the Theranostic Efficacy for Colon Cancer. <i>Journal of the American Chemical Society</i> , 2020, 142, 11442-11450.	6.6	63
8	CSN6â€“TRIM21 axis instigates cancer stemness during tumorigenesis. <i>British Journal of Cancer</i> , 2020, 122, 1673-1685.	2.9	19
9	ACTL6A to drive gastric cancer progression through induction of glutathione synthesis.. <i>Journal of Clinical Oncology</i> , 2020, 38, e16521-e16521.	0.8	0
10	PDGFC signaling is a potential therapeutic target for radiation proctopathy.. <i>Journal of Clinical Oncology</i> , 2020, 38, e24105-e24105.	0.8	0
11	Dysbiosis of gut microbiota in promoting the development of colorectal cancer. <i>Gastroenterology Report</i> , 2018, 6, 1-12.	0.6	192
12	Rho <sc>GDP</sc>â€“dissociation inhibitor Î± is a potential prognostic biomarker and controls telomere regulation in colorectal cancer. <i>Cancer Science</i> , 2017, 108, 1293-1302.	1.7	10
13	AQP9-induced cell cycle arrest is associated with RAS activation and improves chemotherapy treatment efficacy in colorectal cancer. <i>Cell Death and Disease</i> , 2017, 8, e2894-e2894.	2.7	37
14	COP9 signalosome subunit 6 (CSN6) regulates E6AP/UBE3A in cervical cancer. <i>Oncotarget</i> , 2015, 6, 28026-28041.	0.8	19
15	Epigenetic Inactivation and Tumor-Suppressor Behavior of NGFR in Human Colorectal Cancer. <i>Molecular Cancer Research</i> , 2015, 13, 107-119.	1.5	24
16	Circadian Clock Gene CRY2 Degradation Is Involved in Chemoresistance of Colorectal Cancer. <i>Molecular Cancer Therapeutics</i> , 2015, 14, 1476-1487.	1.9	60
17	Actl6a Protects Embryonic Stem Cells From Differentiating Into Primitive Endoderm. <i>Stem Cells</i> , 2015, 33, 1782-1793.	1.4	35
18	ERK2-Dependent Phosphorylation of CSN6 Is Critical in Colorectal Cancer Development. <i>Cancer Cell</i> , 2015, 28, 183-197.	7.7	67

#	ARTICLE	IF	CITATIONS
19	Regulating the stability and localization of CDK inhibitor p27 ^{Kip1} via CSN6-COP1 axis. <i>Cell Cycle</i> , 2015, 14, 2265-2273.	1.3	29
20	CSN6 deregulation impairs genome integrity in a COP1-dependent pathway. <i>Oncotarget</i> , 2015, 6, 11779-11793.	0.8	16
21	ALDH1 is an independent prognostic factor for patients with stages II-III rectal cancer after receiving radiochemotherapy. <i>British Journal of Cancer</i> , 2014, 110, 430-434.	2.9	50
22	Levels of human replication factor C4, a clamp loader, correlate with tumor progression and predict the prognosis for colorectal cancer. <i>Journal of Translational Medicine</i> , 2014, 12, 320.	1.8	39
23	MicroRNA-17-5p promotes chemotherapeutic drug resistance and tumour metastasis of colorectal cancer by repressing PTEN expression. <i>Oncotarget</i> , 2014, 5, 2974-2987.	0.8	195
24	Multi-microarray identifies lower AQP9 expression in adjuvant chemotherapy nonresponders with stage III colorectal cancer. <i>Cancer Letters</i> , 2013, 336, 106-113.	3.2	16
25	CDK inhibitor p57 ^{Kip2} is downregulated by Akt during HER2-mediated tumorigenicity. <i>Cell Cycle</i> , 2013, 12, 935-943.	1.3	34
26	CDK inhibitor p57 ^{Kip2} is negatively regulated by COP9 signalosome subunit 6. <i>Cell Cycle</i> , 2012, 11, 4633-4641.	1.3	38