

So Yeon Park

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2537995/so-yeon-park-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161 papers	5,685 citations	41 h-index	71 g-index
171 ext. papers	6,577 ext. citations	5 avg, IF	5.41 L-index

#	Paper	IF	Citations
161	Clinicopathological indicators for TERT promoter mutation in papillary thyroid carcinoma.. <i>Clinical Endocrinology</i> , 2022 ,	3.4	1
160	miR-145, miR-205 and miR-451: potential tumor suppressors involved in the progression of in situ to invasive carcinoma of the breast.. <i>Breast Cancer</i> , 2022 , 1	3.4	0
159	Genomic Alterations during the to Invasive Ductal Breast Carcinoma Transition Shaped by the Immune System. <i>Molecular Cancer Research</i> , 2021 , 19, 623-635	6.6	4
158	A multicenter study of interobserver variability in pathologic diagnosis of papillary breast lesions on core needle biopsy with WHO classification. <i>Journal of Pathology and Translational Medicine</i> , 2021 , 55, 380-387	2.9	1
157	Cancer-associated fibroblasts induce an aggressive phenotypic shift in non-malignant breast epithelial cells via interleukin-8 and S100A8. <i>Journal of Cellular Physiology</i> , 2021 , 236, 7014-7032	7	2
156	CCL8 mediates crosstalk between endothelial colony forming cells and triple-negative breast cancer cells through IL-8, aggravating invasion and tumorigenicity. <i>Oncogene</i> , 2021 , 40, 3245-3259	9.2	3
155	Prognostic implications of regression of metastatic axillary lymph nodes after neoadjuvant chemotherapy in patients with breast cancer. <i>Scientific Reports</i> , 2021 , 11, 12128	4.9	0
154	Prognostic significance of S100A8-positive immune cells in relation to other immune cell infiltration in pre-invasive and invasive breast cancers. <i>Cancer Immunology, Immunotherapy</i> , 2021 , 70, 1365-1378	7.4	0
153	Application of the Bethesda System for Reporting Thyroid Cytopathology in the Pediatric Population. <i>American Journal of Clinical Pathology</i> , 2021 , 155, 680-689	1.9	3
152	Cytologic diagnosis of medullary thyroid carcinoma in the Asia-Pacific region. <i>Diagnostic Cytopathology</i> , 2021 , 49, 60-69	1.4	3
151	False-negative results on computer-aided detection software in preoperative automated breast ultrasonography of breast cancer patients. <i>Ultrasonography</i> , 2021 , 40, 83-92	4.3	2
150	Standardized Pathology Report for Breast Cancer. <i>Journal of Breast Cancer</i> , 2021 , 24, 1-21	3	4
149	Standardized pathology report for breast cancer. <i>Journal of Pathology and Translational Medicine</i> , 2021 , 55, 1-15	2.9	1
148	A Real-world Efficacy of Nab-paclitaxel Monotherapy in Metastatic Breast Cancer. <i>Cancer Research and Treatment</i> , 2021 ,	5.2	2
147	Role of CXCL10 in the progression of in situ to invasive carcinoma of the breast. <i>Scientific Reports</i> , 2021 , 11, 18007	4.9	4
146	Ultrasonography and ultrasound-guided fine-needle aspiration biopsy can predict a heavy nodal metastatic burden in early-stage breast cancer. <i>Ultrasonography</i> , 2021 , 40, 520-529	4.3	0
145	Programmed Death Ligand 1 Immunohistochemistry in Triple-Negative Breast Cancer: Evaluation of Inter-Pathologist Concordance and Inter-Assay Variability. <i>Journal of Breast Cancer</i> , 2021 , 24, 266-279	3	1

144	Changes and prognostic values of tumor-infiltrating lymphocyte subsets after primary systemic therapy in breast cancer. <i>PLoS ONE</i> , 2020 , 15, e0233037	3.7	5
143	External validation and modification of nomogram for predicting positive resection margins before breast conserving surgery. <i>Breast Cancer Research and Treatment</i> , 2020 , 183, 373-380	4.4	1
142	The updated 2018 American Society of Clinical Oncology/College of American Pathologists guideline on human epidermal growth factor receptor 2 interpretation in breast cancer: comparison with previous guidelines and clinical significance of the proposed in situ hybridization groups. <i>Human Pathology</i> , 2020 , 98, 10-21	3.7	9
141	Roles of C-C motif chemokine ligand (CCL) 2 in aggressive phenotypic change of non-neoplastic breast cells by tumor-associated macrophages. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
140	Preoperative diagnostic categories of fine needle aspiration cytology for histologically proven thyroid follicular adenoma and carcinoma, and Hurthle cell adenoma and carcinoma: Analysis of cause of under- or misdiagnoses. <i>PLoS ONE</i> , 2020 , 15, e0241597	3.7	1
139	HER2 status in breast cancer: changes in guidelines and complicating factors for interpretation. <i>Journal of Pathology and Translational Medicine</i> , 2020 , 54, 34-44	2.9	36
138	Clinicopathological characteristics of BRCA-associated breast cancer in Asian patients. <i>Journal of Pathology and Translational Medicine</i> , 2020 , 54, 265-275	2.9	5
137	Effectiveness of transfer learning for enhancing tumor classification with a convolutional neural network on frozen sections. <i>Scientific Reports</i> , 2020 , 10, 21899	4.9	12
136	Genomic profiling of multiple breast cancer reveals inter-lesional heterogeneity. <i>British Journal of Cancer</i> , 2020 , 122, 697-704	8.7	2
135	In vitro Evaluation of Carbon-Based Nanospheres as Drug Delivery Vesicles in Breast Cancer Cell. <i>Bulletin of the Korean Chemical Society</i> , 2020 , 41, 112-116	1.2	1
134	Identifying germline APOBEC3B deletion and immune phenotype in Korean patients with operable breast cancer. <i>Breast Cancer Research and Treatment</i> , 2020 , 183, 697-704	4.4	0
133	Application of magnetic resonance computer-aided diagnosis for preoperatively determining invasive disease in ultrasonography-guided core needle biopsy-proven ductal carcinoma in situ. <i>Medicine (United States)</i> , 2020 , 99, e21257	1.8	2
132	Immune microenvironment in ductal carcinoma in situ: a comparison with invasive carcinoma of the breast. <i>Breast Cancer Research</i> , 2020 , 22, 32	8.3	17
131	Perturbed myoepithelial cell differentiation in BRCA mutation carriers and in ductal carcinoma in situ. <i>Nature Communications</i> , 2019 , 10, 4182	17.4	17
130	An oncogenic activity of PDGF-C and its splice variant in human breast cancer. <i>Growth Factors</i> , 2019 , 37, 131-145	1.6	6
129	Comparison of the Diagnostic Performance of Synthetic Versus Acquired High b-Value (1500 s/mm ²) Diffusion-Weighted MRI in Women With Breast Cancers. <i>Journal of Magnetic Resonance Imaging</i> , 2019 , 49, 857-863	5.6	12
128	Benign Breast Papilloma without Atypia: Outcomes of Surgical Excision versus US-guided Directional Vacuum-assisted Removal or US Follow-up. <i>Radiology</i> , 2019 , 293, 72-80	20.5	14
127	Computed Tomography for Detecting Cervical Lymph Node Metastasis in Patients Who Have Papillary Thyroid Microcarcinoma with Tumor Characteristics Appropriate for Active Surveillance. <i>Thyroid</i> , 2019 , 29, 1653-1659	6.2	16

126	Changes in Biomarker Status in Metastatic Breast Cancer and Their Prognostic Value. <i>Journal of Breast Cancer</i> , 2019 , 22, 439-452	3	12
125	Preoperative Diagnostic Categories of Noninvasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features in Thyroid Core Needle Biopsy and Its Impact on Risk of Malignancy. <i>Endocrine Pathology</i> , 2019 , 30, 329-339	4.2	4
124	Contralateral Breast Cancer and Ipsilateral Breast Tumor Recurrence in Carriers and Non-Carriers at High-Risk of Hereditary Breast Cancer. <i>Journal of Breast Cancer</i> , 2019 , 22, 587-598	3	7
123	Prognostic Role of mRNA Expression in Breast Cancer. <i>Journal of Breast Cancer</i> , 2019 , 22, 548-561	3	7
122	A Multi-institutional Study of Prevalence and Clinicopathologic Features of Non-invasive Follicular Thyroid Neoplasm with Papillary-like Nuclear Features (NIFTP) in Korea. <i>Journal of Pathology and Translational Medicine</i> , 2019 , 53, 378-385	2.9	7
121	Centromere 17 copy number gain reflects chromosomal instability in breast cancer. <i>Scientific Reports</i> , 2019 , 9, 17968	4.9	9
120	Utility of a formatted pathologic reporting system in thyroid core needle biopsy: A validation study of 1998 consecutive cases. <i>Clinical Endocrinology</i> , 2018 , 88, 96-104	3.4	7
119	Microinvasive Carcinoma versus Ductal Carcinoma : A Comparison of Clinicopathological Features and Clinical Outcomes. <i>Journal of Breast Cancer</i> , 2018 , 21, 197-205	3	24
118	Benign Intraductal Papilloma without Atypia on Core Needle Biopsy Has a Low Rate of Upgrading to Malignancy after Excision. <i>Journal of Breast Cancer</i> , 2018 , 21, 80-86	3	26
117	Cytologic Diagnosis of Noninvasive Follicular Thyroid Neoplasm with Papillary-like Nuclear Features and Its Impact on the Risk of Malignancy in the Bethesda System for Reporting Thyroid Cytopathology: An Institutional Experience. <i>Journal of Pathology and Translational Medicine</i> , 2018 , 52, 171-178	2.9	19
116	Negative Conversion of Progesterone Receptor Status after Primary Systemic Therapy Is Associated with Poor Clinical Outcome in Patients with Breast Cancer. <i>Cancer Research and Treatment</i> , 2018 , 50, 1418-1432	5.2	8
115	A Novel Prognostic Nomogram for Predicting Risks of Distant Failure in Patients with Invasive Breast Cancer Following Postoperative Adjuvant Radiotherapy. <i>Cancer Research and Treatment</i> , 2018 , 50, 1140-1148	5.2	8
114	Clinical implications of changes in the diversity of c-MYC copy number variation after neoadjuvant chemotherapy in breast cancer. <i>Scientific Reports</i> , 2018 , 8, 16668	4.9	2
113	Tumor-associated macrophages secrete CCL2 and induce the invasive phenotype of human breast epithelial cells through upregulation of ERO1- α and MMP-9. <i>Cancer Letters</i> , 2018 , 437, 25-34	9.9	36
112	Development of a Management Algorithm for the Diagnosis of Cellular Fibroepithelial Lesions From Core Needle Biopsies. <i>International Journal of Surgical Pathology</i> , 2018 , 26, 684-692	1.2	7
111	Prognostic significance of centromere 17 copy number gain in breast cancer depends on breast cancer subtype. <i>Human Pathology</i> , 2017 , 61, 111-120	3.7	9
110	Prognostic value of tumor infiltrating lymphocyte subsets in breast cancer depends on hormone receptor status. <i>Breast Cancer Research and Treatment</i> , 2017 , 161, 409-420	4.4	48
109	The Management Strategy of Benign Solitary Intraductal Papilloma on Breast Core Biopsy. <i>Clinical Breast Cancer</i> , 2017 , 17, 367-372	3	27

108	Failure patterns according to molecular subtype in patients with invasive breast cancer following postoperative adjuvant radiotherapy: long-term outcomes in contemporary clinical practice. <i>Breast Cancer Research and Treatment</i> , 2017 , 163, 555-563	4.4	15
107	A Prognostic Model for Patients with Triple-Negative Breast Cancer: Importance of the Modified Nottingham Prognostic Index and Age. <i>Journal of Breast Cancer</i> , 2017 , 20, 65-73	3	19
106	A comparison of Ki-67 counting methods in luminal Breast Cancer: The Average Method vs. the Hot Spot Method. <i>PLoS ONE</i> , 2017 , 12, e0172031	3.7	25
105	Ultrasound-guided cable-free 13-gauge vacuum-assisted biopsy of non-mass breast lesions. <i>PLoS ONE</i> , 2017 , 12, e0179182	3.7	9
104	MicroRNA-222 Expression as a Predictive Marker for Tumor Progression in Hormone Receptor-Positive Breast Cancer. <i>Journal of Breast Cancer</i> , 2017 , 20, 35-44	3	28
103	Prognostic value of microRNA-9 and microRNA-155 expression in triple-negative breast cancer. <i>Human Pathology</i> , 2017 , 68, 69-78	3.7	43
102	Immune Escape in Breast Cancer During to Invasive Carcinoma Transition. <i>Cancer Discovery</i> , 2017 , 7, 1098-1115	4.1	113
101	Clinicopathological and Imaging Features of Breast Cancer in Korean Women under 40 Years of Age. <i>Journal of the Korean Society of Radiology</i> , 2017 , 76, 375	0.2	4
100	Expression of embryonal stem cell transcription factors in breast cancer: Oct4 as an indicator for poor clinical outcome and tamoxifen resistance. <i>Oncotarget</i> , 2017 , 8, 36305-36318	3.3	56
99	Diversity index as a novel prognostic factor in breast cancer. <i>Oncotarget</i> , 2017 , 8, 97114-97126	3.3	5
98	Mammary Carcinoma Arising in Microglandular Adenosis: A Report of Five Cases. <i>Journal of Pathology and Translational Medicine</i> , 2017 , 51, 422-427	2.9	4
97	The Use of the Bethesda System for Reporting Thyroid Cytopathology in Korea: A Nationwide Multicenter Survey by the Korean Society of Endocrine Pathologists. <i>Journal of Pathology and Translational Medicine</i> , 2017 , 51, 410-417	2.9	23
96	A novel role for flotillin-1 in H-Ras-regulated breast cancer aggressiveness. <i>International Journal of Cancer</i> , 2016 , 138, 1232-45	7.5	21
95	2016 Revised Korean Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. <i>International Journal of Thyroidology</i> , 2016 , 9, 59	0.2	54
94	Interobserver Variability of Ki-67 Measurement in Breast Cancer. <i>Journal of Pathology and Translational Medicine</i> , 2016 , 50, 129-37	2.9	14
93	The Expression of Carbonic Anhydrase (CA) IX/XII and Lymph Node Metastasis in Early Breast Cancer. <i>Cancer Research and Treatment</i> , 2016 , 48, 125-32	5.2	8
92	F-18 Sodium Fluoride Positron Emission Tomography/Computed Tomography for Detection of Thyroid Cancer Bone Metastasis Compared with Bone Scintigraphy. <i>Korean Journal of Radiology</i> , 2016 , 17, 281-8	6.9	12
91	Diagnosis of Columnar Cell Lesions and Atypical Ductal Hyperplasia by Ultrasound-Guided Core Biopsy: Findings Associated with Underestimation of Breast Carcinoma. <i>Ultrasound in Medicine and Biology</i> , 2016 , 42, 1457-63	3.5	6

90	Expression of breast cancer stem cell markers as predictors of prognosis and response to trastuzumab in HER2-positive breast cancer. <i>British Journal of Cancer</i> , 2016 , 114, 1109-16	8.7	29
89	Heterogeneity of triple-negative breast cancer: mammographic, US, and MR imaging features according to androgen receptor expression. <i>European Radiology</i> , 2015 , 25, 419-27	8	21
88	Outcomes and recurrence patterns according to breast cancer subtypes in Korean women. <i>Breast Cancer Research and Treatment</i> , 2015 , 151, 183-90	4.4	17
87	Reappraisal of conventional risk stratification for local recurrence based on clinical outcomes in 285 resected phyllodes tumors of the breast. <i>Annals of Surgical Oncology</i> , 2015 , 22, 2912-8	3.1	45
86	Discoidin domain receptor 1 is a novel transcriptional target of ZEB1 in breast epithelial cells undergoing H-Ras-induced epithelial to mesenchymal transition. <i>International Journal of Cancer</i> , 2015 , 136, E508-20	7.5	41
85	Assessment of HER2 status in invasive breast cancers with increased centromere 17 copy number. <i>Breast Cancer Research and Treatment</i> , 2015 , 153, 67-77	4.4	20
84	Clinicopathologic Significance of the Intratumoral Heterogeneity of HER2 Gene Amplification in HER2-Positive Breast Cancer Patients Treated With Adjuvant Trastuzumab. <i>American Journal of Clinical Pathology</i> , 2015 , 144, 570-8	1.9	39
83	In situ single-cell analysis identifies heterogeneity for PIK3CA mutation and HER2 amplification in HER2-positive breast cancer. <i>Nature Genetics</i> , 2015 , 47, 1212-9	36.3	117
82	Potential Prognostic Value of Histone Deacetylase 6 and Acetylated Heat-Shock Protein 90 in Early-Stage Breast Cancer. <i>Journal of Breast Cancer</i> , 2015 , 18, 249-55	3	10
81	Prognostic value of tumor-associated macrophages according to histologic locations and hormone receptor status in breast cancer. <i>PLoS ONE</i> , 2015 , 10, e0125728	3.7	73
80	Pathology Reporting of Thyroid Core Needle Biopsy: A Proposal of the Korean Endocrine Pathology Thyroid Core Needle Biopsy Study Group. <i>Journal of Pathology and Translational Medicine</i> , 2015 , 49, 288-99	2.9	89
79	Expression of epithelial-mesenchymal transition-related markers in triple-negative breast cancer: ZEB1 as a potential biomarker for poor clinical outcome. <i>Human Pathology</i> , 2015 , 46, 1267-74	3.7	86
78	Thyroid "atypia of undetermined significance" with nuclear atypia has high rates of malignancy and BRAF mutation. <i>Cancer Cytopathology</i> , 2014 , 122, 512-20	3.9	48
77	Two histopathologically different diseases: hormone receptor-positive and hormone receptor-negative tumors in HER2-positive breast cancer. <i>Breast Cancer Research and Treatment</i> , 2014 , 145, 615-23	4.4	39
76	High EGFR gene copy number predicts poor outcome in triple-negative breast cancer. <i>Modern Pathology</i> , 2014 , 27, 1212-22	9.8	163
75	Clinical and radiologic features of neuroendocrine breast carcinomas. <i>Journal of Ultrasound in Medicine</i> , 2014 , 33, 1511-8	2.9	11
74	MicroRNA-9 is associated with epithelial-mesenchymal transition, breast cancer stem cell phenotype, and tumor progression in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2014 , 147, 39-49	4.4	112
73	Expression of indoleamine 2,3-dioxygenase and infiltration of FOXP3+ regulatory T cells are associated with aggressive features of papillary thyroid microcarcinoma. <i>Thyroid</i> , 2014 , 24, 1232-40	6.2	15

72	Intratumoral heterogeneity of breast cancer xenograft models: texture analysis of diffusion-weighted MR imaging. <i>Korean Journal of Radiology</i> , 2014 , 15, 591-604	6.9	23
71	Napsin A is a useful marker for metastatic adenocarcinomas of pulmonary origin. <i>Histopathology</i> , 2014 , 65, 195-206	7.3	22
70	The role of ultrasound findings in the management of thyroid nodules with atypia or follicular lesions of undetermined significance. <i>Clinical Endocrinology</i> , 2014 , 80, 735-42	3.4	67
69	HER2 heterogeneity affects trastuzumab responses and survival in patients with HER2-positive metastatic breast cancer. <i>American Journal of Clinical Pathology</i> , 2014 , 142, 755-66	1.9	86
68	CXC motif ligand 12 as a novel diagnostic marker for papillary thyroid carcinoma. <i>Head and Neck</i> , 2014 , 36, 1005-12	4.2	19
67	Low prognostic implication of fibroblast growth factor family activation in triple-negative breast cancer subsets. <i>Annals of Surgical Oncology</i> , 2014 , 21, 1561-8	3.1	47
66	Axillary ultrasonographic criteria to predict chemotherapy response in breast cancer patients receiving neoadjuvant chemotherapy.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 48-48	2.2	1
65	Alu and LINE-1 hypomethylation is associated with HER2 enriched subtype of breast cancer. <i>PLoS ONE</i> , 2014 , 9, e100429	3.7	50
64	Magnetic Resonance Imaging Factors Predicting Re-excision in Breast Cancer Patients Having Undergone Conserving Therapy. <i>Journal of the Korean Society of Magnetic Resonance in Medicine</i> , 2014 , 18, 133		2
63	Mammographic features of calcifications in DCIS: correlation with oestrogen receptor and human epidermal growth factor receptor 2 status. <i>European Radiology</i> , 2013 , 23, 2072-8	8	21
62	A pilot study evaluating liquid-based fine needle aspiration cytology of breast lesions: a cytomorphological comparison of SurePath [®] liquid-based preparations and conventional smears. <i>Acta Cytologica</i> , 2013 , 57, 391-9	3	20
61	Comparison of sonography with sonographically guided fine-needle aspiration biopsy and core-needle biopsy for initial axillary staging of breast cancer. <i>Journal of Ultrasound in Medicine</i> , 2013 , 32, 2177-84	2.9	16
60	Epithelial-mesenchymal transition increases during the progression of in situ to invasive basal-like breast cancer. <i>Human Pathology</i> , 2013 , 44, 2581-9	3.7	65
59	Characteristic tumor growth patterns as novel histomorphologic predictors for lymph node metastasis in papillary thyroid carcinoma. <i>Human Pathology</i> , 2013 , 44, 2620-7	3.7	9
58	Reply to Intratumoral heterogeneity of HER2 gene amplification in breast cancer: its clinicopathological significance. <i>Modern Pathology</i> , 2013 , 26, 610-1	9.8	5
57	Substance P autocrine signaling contributes to persistent HER2 activation that drives malignant progression and drug resistance in breast cancer. <i>Cancer Research</i> , 2013 , 73, 6424-34	10.1	50
56	Identification of annexin II as a novel secretory biomarker for breast cancer. <i>Proteomics</i> , 2013 , 13, 3145-56	5.8	31
55	The unusual ultrasound features of a breast cholesterol granuloma manifesting as an intracystic mass: case report and literature review. <i>Korean Journal of Radiology</i> , 2013 , 14, 179-82	6.9	12

54	MRI-guided intervention for breast lesions using the freehand technique in a 3.0-T closed-bore MRI scanner: feasibility and initial results. <i>Korean Journal of Radiology</i> , 2013 , 14, 171-8	6.9	6
53	BRAF V600E mutation is associated with tumor aggressiveness in papillary thyroid cancer. <i>World Journal of Surgery</i> , 2012 , 36, 310-7	3.3	113
52	FGFR1 is amplified during the progression of in situ to invasive breast carcinoma. <i>Breast Cancer Research</i> , 2012 , 14, R115	8.3	60
51	The hormone receptor, human epidermal growth factor receptor 2, and molecular subtype status of individual tumor foci in multifocal/multicentric invasive ductal carcinoma of breast. <i>Human Pathology</i> , 2012 , 43, 48-55	3.7	43
50	Distinct patterns of promoter CpG island methylation of breast cancer subtypes are associated with stem cell phenotypes. <i>Modern Pathology</i> , 2012 , 25, 185-96	9.8	44
49	Intratumoral heterogeneity of HER2 gene amplification in breast cancer: its clinicopathological significance. <i>Modern Pathology</i> , 2012 , 25, 938-48	9.8	205
48	Diffusion-weighted imaging of a prostate cancer xenograft model seen on a 7 Tesla animal MR scanner: comparison of ADC values and pathologic findings. <i>Korean Journal of Radiology</i> , 2012 , 13, 82-9	6.9	22
47	A Case of Ectopic ACTH Syndrome Associated with Metastatic Prostate Cancer. <i>Endocrinology and Metabolism</i> , 2012 , 27, 237	3.5	
46	Invasive cribriform carcinoma arising in malignant phyllodes tumor of breast: a case report. <i>Korean Journal of Pathology</i> , 2012 , 46, 205-9		1
45	Evolutionary pathways in BRCA1-associated breast tumors. <i>Cancer Discovery</i> , 2012 , 2, 503-11	24.4	95
44	Liquid-based cytology of villoglandular adenocarcinoma of the cervix: a report of 3 cases. <i>Korean Journal of Pathology</i> , 2012 , 46, 215-20		4
43	Feasibility of sentinel lymph node biopsy in breast cancer patients with initial axillary lymph node metastasis after primary systemic therapy. <i>Journal of Breast Cancer</i> , 2011 , 14, 147-52	3	14
42	Promoter CpG island hypermethylation during breast cancer progression. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011 , 458, 73-84	5.1	120
41	The prognostic value of the nodal ratio in N1 breast cancer. <i>Radiation Oncology</i> , 2011 , 6, 131	4.2	11
40	Elevated risk of papillary thyroid cancer in Korean patients with Hashimoto's thyroiditis. <i>Head and Neck</i> , 2011 , 33, 691-5	4.2	92
39	The JAK2/STAT3 signaling pathway is required for growth of CD44 ⁺ CD24 ⁺ stem cell-like breast cancer cells in human tumors. <i>Journal of Clinical Investigation</i> , 2011 , 121, 2723-35	15.9	654
38	Revised Korean Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2011 , 54, 8	0.2	17
37	Revised Korean Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. <i>Journal of the Korean Society of Radiology</i> , 2011 , 64, 389	0.2	8

36	Revised Korean Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2010 , 25, 270	3.5	30
35	Heterogeneity for stem cell-related markers according to tumor subtype and histologic stage in breast cancer. <i>Clinical Cancer Research</i> , 2010 , 16, 876-87	12.9	321
34	PIK3CA mutations in in situ and invasive breast carcinomas. <i>Cancer Research</i> , 2010 , 70, 5674-8	10.1	101
33	Cellular and genetic diversity in the progression of in situ human breast carcinomas to an invasive phenotype. <i>Journal of Clinical Investigation</i> , 2010 , 120, 636-44	15.9	258
32	Potential prognostic value of heat-shock protein 90 in the presence of phosphatidylinositol-3-kinase overexpression or loss of PTEN, in invasive breast cancers. <i>Breast Cancer Research</i> , 2010 , 12, R20	8.3	37
31	Papillary microcarcinoma in comparison with larger papillary thyroid carcinoma in BRAF(V600E) mutation, clinicopathological features, and immunohistochemical findings. <i>Head and Neck</i> , 2010 , 32, 38-45	4.2	48
30	Triple negativity and young age as prognostic factors in lymph node-negative invasive ductal carcinoma of 1 cm or less. <i>BMC Cancer</i> , 2010 , 10, 557	4.8	40
29	Anaplastic thyroid carcinoma initially presented with abdominal cutaneous mass and hyperthyroidism. <i>Korean Journal of Internal Medicine</i> , 2010 , 25, 450-3	2.5	5
28	Mesenchymal Stem Cells Ameliorate Adriamycin Induced Proteinuric Nephropathy. <i>Journal of the Korean Society of Pediatric Nephrology</i> , 2010 , 14, 32		
27	Five-years of Breast Cancer Management in a New Hospital: Analysis Using Clinical Data Warehouse. <i>Journal of Breast Cancer</i> , 2010 , 13, 96	3	1
26	Weekly paclitaxel and trastuzumab as a first-line therapy in patients with HER2-overexpressing metastatic breast cancer: magnitude of HER2/neu amplification as a predictive factor for efficacy. <i>Journal of Korean Medical Science</i> , 2009 , 24, 910-7	4.7	17
25	Gonadotropin-releasing hormone receptor expression in endometrial cancer. <i>International Journal of Gynecological Pathology</i> , 2009 , 28, 19-22	3.2	3
24	Expressions of glucose transporter Types 1 and 3 and hexokinase-II in diffuse large B-cell lymphoma and other B-cell non-Hodgkin's lymphomas. <i>Nuclear Medicine and Biology</i> , 2009 , 36, 191-7	2.1	30
23	The accuracy of preoperative core biopsy in determining histologic grade, hormone receptors, and human epidermal growth factor receptor 2 status in invasive breast cancer. <i>American Journal of Surgery</i> , 2009 , 197, 266-9	2.7	50
22	Breast tumor heterogeneity: causes and consequences. <i>Breast Cancer Research</i> , 2009 , 11,	8.3	20
21	Adenoma of the Nipple. <i>[Chapchi] Journal Taehan Oekwa Hakhoe</i> , 2009 , 77, 134		
20	Immunohistochemical and Molecular Characteristics of Follicular Patterned Thyroid Nodules with Incomplete Nuclear Features of Papillary Thyroid Carcinoma. <i>Korean Journal of Pathology</i> , 2009 , 43, 495		2
19	S100A4 expression is associated with lymph node metastasis in papillary microcarcinoma of the thyroid. <i>Modern Pathology</i> , 2008 , 21, 748-55	9.8	57

18	CK20/CK7 protein expression in colorectal cancer: a marker for progression of colorectal cancerReply. <i>Human Pathology</i> , 2008 , 39, 1715	3.7	
17	DegosDisease (malignant atrophic papulosis) as a fatal cause of acute abdomen: report of a case. <i>Surgery Today</i> , 2008 , 38, 866-70	3	14
16	Diagnostic value of galectin-3, HBME-1, cytokeratin 19, high molecular weight cytokeratin, cyclin D1 and p27(kip1) in the differential diagnosis of thyroid nodules. <i>Journal of Korean Medical Science</i> , 2007 , 22, 621-8	4.7	71
15	Aromatase expression was not detected by immunohistochemistry in endometrial cancer. <i>Annals of the New York Academy of Sciences</i> , 2007 , 1095, 70-5	6.5	6
14	Adrenal cortical adenoma in adrenohepatic fusion tissue: a mimic of malignant hepatic tumor at CT. <i>American Journal of Roentgenology</i> , 2007 , 188, W246-8	5.4	22
13	Epidermal growth factor receptor status in anaplastic thyroid carcinoma. <i>Journal of Clinical Pathology</i> , 2007 , 60, 881-4	3.9	31
12	Mediastinal Uptake Misinterpreted as Metastasis in Papillary Thyroid Cancer. <i>Journal of Korean Endocrine Society</i> , 2007 , 22, 460		1
11	A simple inflation method for frozen diagnosis of lung tissue. <i>FASEB Journal</i> , 2007 , 21, A775	0.9	
10	Analysis of differential BRAF(V600E) mutational status in multifocal papillary thyroid carcinoma: evidence of independent clonal origin in distinct tumor foci. <i>Cancer</i> , 2006 , 107, 1831-8	6.4	107
9	Sebaceous lymphadenocarcinoma of parotid gland. <i>European Archives of Oto-Rhino-Laryngology</i> , 2006 , 263, 940-2	3.5	16
8	Clinicopathological characteristics, microsatellite instability, and expression of mucin core proteins and p53 in colorectal mucinous adenocarcinomas in relation to location. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2006 , 449, 40-7	5.1	48
7	Tumor budding as an indicator of isolated tumor cells in lymph nodes from patients with node-negative colorectal cancer. <i>Diseases of the Colon and Rectum</i> , 2005 , 48, 292-302	3.1	23
6	Histological grading of IgA nephropathy predicting renal outcome: revisiting H. S. Lee's glomerular grading system. <i>Nephrology Dialysis Transplantation</i> , 2005 , 20, 342-8	4.3	112
5	Decreased pyruvate kinase M2 activity linked to cisplatin resistance in human gastric carcinoma cell lines. <i>International Journal of Cancer</i> , 2004 , 108, 532-9	7.5	70
4	Expression of cytokeratins 7 and 20 in primary carcinomas of the stomach and colorectum and their value in the differential diagnosis of metastatic carcinomas to the ovary. <i>Human Pathology</i> , 2002 , 33, 1078-85	3.7	169
3	Congenital monoblastic leukemia with 9;11 translocation in monozygotic twins : a case report. <i>Journal of Korean Medical Science</i> , 2001 , 16, 366-70	4.7	7
2	mRNA expression of intercellular adhesion molecule-1 and vascular cell adhesion molecule-1 in acute renal allograft rejection. <i>Transplantation</i> , 2000 , 69, 2554-60	1.8	18
1	Papillary adenocarcinoma of the stomach with psammoma bodies: report of two cases. <i>Journal of Korean Medical Science</i> , 1999 , 14, 213-6	4.7	5

