

Kyungjoon Lim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2538449/publications.pdf>

Version: 2024-02-01

30
papers

736
citations

687363

13
h-index

526287

27
g-index

30
all docs

30
docs citations

30
times ranked

1053
citing authors

#	ARTICLE	IF	CITATIONS
1	Rapid Onset of Renal Sympathetic Nerve Activation in Rabbits Fed a High-Fat Diet. <i>Hypertension</i> , 2012, 60, 163-171.	2.7	103
2	Obesity-Related Hypertension and the Role of Insulin and Leptin in High-Fat-Fed Rabbits. <i>Hypertension</i> , 2013, 61, 628-634.	2.7	86
3	Developmental Programming of Cardiovascular Disease Following Intrauterine Growth Restriction: Findings Utilising A Rat Model of Maternal Protein Restriction. <i>Nutrients</i> , 2015, 7, 119-152.	4.1	70
4	Exposure to a High-Fat Diet During Development Alters Leptin and Ghrelin Sensitivity and Elevates Renal Sympathetic Nerve Activity and Arterial Pressure in Rabbits. <i>Hypertension</i> , 2014, 63, 338-345.	2.7	63
5	Effect of Maternal Protein Restriction in Rats on Cardiac Fibrosis and Capillarization in Adulthood. <i>Pediatric Research</i> , 2006, 60, 83-87.	2.3	55
6	Sugar-Sweetened Beverage Consumption in Relation to Obesity and Metabolic Syndrome among Korean Adults: A Cross-Sectional Study from the 2012-2016 Korean National Health and Nutrition Examination Survey (KNHANES). <i>Nutrients</i> , 2018, 10, 1467.	4.1	43
7	The Vascular Consequences of Metabolic Syndrome: Rodent Models, Endothelial Dysfunction, and Current Therapies. <i>Frontiers in Pharmacology</i> , 2020, 11, 148.	3.5	43
8	IUGR in the Absence of Postnatal "Catch-Up" Growth Leads to Improved Whole Body Insulin Sensitivity in Rat Offspring. <i>Pediatric Research</i> , 2011, 70, 339-344.	2.3	40
9	Origin of Aberrant Blood Pressure and Sympathetic Regulation in Diet-Induced Obesity. <i>Hypertension</i> , 2016, 68, 491-500.	2.7	37
10	Factors Responsible for Obesity-Related Hypertension. <i>Current Hypertension Reports</i> , 2017, 19, 53.	3.5	30
11	Empagliflozin modulates renal sympathetic and heart rate baroreflexes in a rabbit model of diabetes. <i>Diabetologia</i> , 2020, 63, 1424-1434.	6.3	24
12	The association of potassium intake with bone mineral density and the prevalence of osteoporosis among older Korean adults. <i>Nutrition Research and Practice</i> , 2020, 14, 55.	1.9	15
13	Intrauterine growth restriction coupled with hyperglycemia: effects on cardiac structure in adult rats. <i>Pediatric Research</i> , 2012, 72, 344-351.	2.3	14
14	Comparison of blood pressure and sympathetic activity of rabbits in their home cage and the laboratory environment. <i>Experimental Physiology</i> , 2012, 97, 1263-1271.	2.0	13
15	Differential activation of renal sympathetic burst amplitude and frequency during hypoxia, stress and baroreflexes with chronic angiotensin treatment. <i>Experimental Physiology</i> , 2015, 100, 1132-1144.	2.0	13
16	Reduced preprandial dipping accounts for rapid elevation of blood pressure and renal sympathetic nerve activity in rabbits fed a high-fat diet. <i>Chronobiology International</i> , 2013, 30, 726-738.	2.0	12
17	Metabolically healthy obesity and the risk of all-cause and cardiovascular disease mortality in a Korean population: a prospective cohort study. <i>BMJ Open</i> , 2021, 11, e049063.	1.9	12
18	Neural suppression of miRNA-181a in the kidney elevates renin expression and exacerbates hypertension in Schlager mice. <i>Hypertension Research</i> , 2020, 43, 1152-1164.	2.7	11

#	ARTICLE	IF	CITATIONS
19	Contribution of the Renal Nerves to Hypertension in a Rabbit Model of Chronic Kidney Disease. <i>Hypertension</i> , 2020, 76, 1470-1479.	2.7	8
20	Circadian Differences in the Contribution of the Brain Renin-Angiotensin System in Genetically Hypertensive Mice. <i>Frontiers in Physiology</i> , 2018, 9, 231.	2.8	7
21	Associations between Low-Carbohydrate Diets from Animal and Plant Sources and Dyslipidemia among Korean Adults. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2019, 119, 2041-2054.	0.8	7
22	Association of Coffee Consumption and Its Types According to Addition of Sugar and Creamer with Metabolic Syndrome Incidence in a Korean Population from the Health Examinees (HEXA) Study. <i>Nutrients</i> , 2021, 13, 920.	4.1	7
23	The Effects of Rilmenidine and Perindopril on Arousal Blood Pressure during 24 Hour Recordings in SHR. <i>PLoS ONE</i> , 2016, 11, e0168425.	2.5	6
24	Specific role of dietary fat in modifying cardiovascular and locomotor activity 24-h rhythms. <i>Chronobiology International</i> , 2015, 32, 668-676.	2.0	4
25	Effect of Endothelin-1 on Baroreflexes and the Cardiovascular Action of Clonidine in Conscious Rabbits. <i>Frontiers in Physiology</i> , 2016, 7, 321.	2.8	3
26	Editorial: Function of Renal Sympathetic Nerves. <i>Frontiers in Physiology</i> , 2017, 8, 642.	2.8	3
27	Differential sympathetic response to lesion-induced chronic kidney disease in rabbits. <i>Kidney International</i> , 2020, 98, 906-917.	5.2	3
28	Comparison in Conscious Rabbits of the Baroreceptor-Heart Rate Reflex Effects of Chronic Treatment with Rilmenidine, Moxonidine, and Clonidine. <i>Frontiers in Physiology</i> , 2016, 7, 522.	2.8	2
29	Renal Deafferentation Prevents Progression of Hypertension and Changes to Sympathetic Reflexes in a Rabbit Model of Chronic Kidney Disease. <i>Hypertension</i> , 2021, 78, 1310-1321.	2.7	2
30	Acute Effect of Central Administration of Urotensin II on Baroreflex and Blood Pressure in Conscious Normotensive Rabbits. <i>Frontiers in Physiology</i> , 2017, 8, 110.	2.8	0