Benoit H Mulsant

List of Publications by Citations

Source: https://exaly.com/author-pdf/2539867/benoit-h-mulsant-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

19,677 69 470 121 h-index g-index citations papers 6.67 22,908 540 5.1 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
470	Rating chronic medical illness burden in geropsychiatric practice and research: application of the Cumulative Illness Rating Scale. <i>Psychiatry Research</i> , 1992 , 41, 237-48	9.9	1448
469	Reducing suicidal ideation and depressive symptoms in depressed older primary care patients: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 291, 1081-91	27.4	710
468	The nature and determinants of neuropsychological functioning in late-life depression. <i>Archives of General Psychiatry</i> , 2004 , 61, 587-95		451
467	Continuation pharmacotherapy in the prevention of relapse following electroconvulsive therapy: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2001 , 285, 1299-307	27.4	445
466	Post stroke depression: epidemiology, pathophysiology, and biological treatment. <i>Biological Psychiatry</i> , 2002 , 52, 253-64	7.9	338
465	Anticholinergic activity of 107 medications commonly used by older adults. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 1333-41	5.6	330
464	Maintenance treatment of major depression in old age. <i>New England Journal of Medicine</i> , 2006 , 354, 1130-8	59.2	323
463	Allelic variation in the serotonin transporter promoter affects onset of paroxetine treatment response in late-life depression. <i>Neuropsychopharmacology</i> , 2000 , 23, 587-90	8.7	318
462	Changes in cognitive functioning following treatment of late-life depression. <i>American Journal of Psychiatry</i> , 2000 , 157, 1949-54	11.9	272
461	Reducing suicidal ideation and depression in older primary care patients: 24-month outcomes of the PROSPECT study. <i>American Journal of Psychiatry</i> , 2009 , 166, 882-90	11.9	258
460	Comparison of citalopram, perphenazine, and placebo for the acute treatment of psychosis and behavioral disturbances in hospitalized, demented patients. <i>American Journal of Psychiatry</i> , 2002 , 159, 460-5	11.9	244
459	Serum anticholinergic activity in a community-based sample of older adults: relationship with cognitive performance. <i>Archives of General Psychiatry</i> , 2003 , 60, 198-203		236
458	Anticipating and Mitigating the Impact of the COVID-19 Pandemic on Alzheimer® Disease and Related Dementias. <i>American Journal of Geriatric Psychiatry</i> , 2020 , 28, 712-721	6.5	229
457	Persistence of cognitive impairment in geriatric patients following antidepressant treatment: a randomized, double-blind clinical trial with nortriptyline and paroxetine. <i>Journal of Psychiatric Research</i> , 2003 , 37, 99-108	5.2	223
456	Age-related decline in white matter tract integrity and cognitive performance: a DTI tractography and structural equation modeling study. <i>Neurobiology of Aging</i> , 2012 , 33, 21-34	5.6	222
455	Persistence of neuropsychologic deficits in the remitted state of late-life depression. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 419-27	6.5	199
454	A double-blind comparison of citalopram and risperidone for the treatment of behavioral and psychotic symptoms associated with dementia. <i>American Journal of Geriatric Psychiatry</i> , 2007 , 15, 942-5	52 ^{6.5}	174

(2001-2005)

453	Remission in depressed geriatric primary care patients: a report from the PROSPECT study. <i>American Journal of Psychiatry</i> , 2005 , 162, 718-24	11.9	157
452	Adverse effects of depression and cognitive impairment on rehabilitation participation and recovery from hip fracture. <i>International Journal of Geriatric Psychiatry</i> , 2004 , 19, 472-8	3.9	155
451	The COVID-19 Global Pandemic: Implications for People With Schizophrenia and Related Disorders. <i>Schizophrenia Bulletin</i> , 2020 , 46, 752-757	1.3	153
450	Serotonin 1A receptor binding and treatment response in late-life depression. Neuropsychopharmacology, 2004 , 29, 2258-65	8.7	153
449	Efficacy, safety, and tolerability of augmentation pharmacotherapy with aripiprazole for treatment-resistant depression in late life: a randomised, double-blind, placebo-controlled trial. <i>Lancet, The,</i> 2015 , 386, 2404-12	40	151
448	The relationship between self-rated health and depressive symptoms in an epidemiological sample of community-dwelling older adults. <i>Journal of the American Geriatrics Society</i> , 1997 , 45, 954-8	5.6	150
447	A double-blind randomized controlled trial of olanzapine plus sertraline vs olanzapine plus placebo for psychotic depression: the study of pharmacotherapy of psychotic depression (STOP-PD). <i>Archives of General Psychiatry</i> , 2009 , 66, 838-47		146
446	Cognitive impairment in late-life generalized anxiety disorder. <i>American Journal of Geriatric Psychiatry</i> , 2007 , 15, 673-9	6.5	134
445	Effect of comorbid anxiety on treatment response and relapse risk in late-life depression: controlled study. <i>British Journal of Psychiatry</i> , 2007 , 190, 344-9	5.4	128
444	Safety, tolerability, and clinical effect of low-dose buprenorphine for treatment-resistant depression in midlife and older adults. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, e785-93	4.6	127
443	The potential role of dopamine Direceptor neurotransmission in cognition. <i>European Neuropsychopharmacology</i> , 2013 , 23, 799-813	1.2	125
442	Depression after stroke: a prospective epidemiological study. <i>Journal of the American Geriatrics Society</i> , 2004 , 52, 774-8	5.6	125
441	Defining treatment-resistant schizophrenia and response to antipsychotics: a review and recommendation. <i>Psychiatry Research</i> , 2012 , 197, 1-6	9.9	124
440	Diffusion tensor tractography findings in schizophrenia across the adult lifespan. <i>Brain</i> , 2010 , 133, 1494	1- <u>504</u>	123
439	Comorbidity of depression and anxiety disorders in later life. <i>Depression and Anxiety</i> , 2001 , 14, 86-93	8.4	118
438	Translocator protein (18 kDa) polymorphism (rs6971) explains in-vivo brain binding affinity of the PET radioligand [(18)F]-FEPPA. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012 , 32, 968-72	7.3	113
437	Assessment of late life depression. <i>Biological Psychiatry</i> , 2002 , 52, 164-74	7.9	113
436	Pharmacological treatment of depression in older primary care patients: the PROSPECT algorithm. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 585-92	3.9	112

435	Identification of suicidal ideation and prevention of suicidal behaviour in the elderly. <i>Drugs and Aging</i> , 2002 , 19, 11-24	4.7	109
434	Neuroimaging evidence for the deficit subtype of schizophrenia. <i>JAMA Psychiatry</i> , 2013 , 70, 472-80	14.5	108
433	Social emotion recognition, social functioning, and attempted suicide in late-life depression. <i>American Journal of Geriatric Psychiatry</i> , 2012 , 20, 257-65	6.5	105
432	A model of anticholinergic activity of atypical antipsychotic medications. <i>Schizophrenia Research</i> , 2006 , 88, 63-72	3.6	105
431	Residual symptoms and recurrence during maintenance treatment of late-life depression. <i>Journal of Affective Disorders</i> , 2007 , 103, 77-82	6.6	104
430	Detection and management of cognitive impairment in primary care: The Steel Valley Seniors Survey. <i>Journal of the American Geriatrics Society</i> , 2004 , 52, 1668-75	5.6	101
429	Nature and course of cognitive function in late-life schizophrenia: a systematic review. <i>Schizophrenia Research</i> , 2008 , 102, 122-40	3.6	99
428	Cognitive functioning in late-life bipolar disorder. American Journal of Psychiatry, 2004, 161, 736-8	11.9	98
427	Predictors of remission after electroconvulsive therapy in unipolar major depression. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 1043-9	4.6	93
426	The 5-HTTPR polymorphism confers liability to a combined phenotype of psychotic and aggressive behavior in Alzheimer disease. <i>International Psychogeriatrics</i> , 2001 , 13, 401-9	3.4	91
425	GERI-BD: A Randomized Double-Blind Controlled Trial of Lithium and Divalproex in the Treatment of Mania in Older Patients With Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2017 , 174, 1086-1093	11.9	90
424	Determinants of seizure threshold in ECT: benzodiazepine use, anesthetic dosage, and other factors. <i>Journal of ECT</i> , 2000 , 16, 3-18	2	90
423	Cardiovascular changes associated with venlafaxine in the treatment of late-life depression. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 796-802	6.5	88
422	Efficacy and tolerability of citalopram in the treatment of late-life anxiety disorders: results from an 8-week randomized, placebo-controlled trial. <i>American Journal of Psychiatry</i> , 2005 , 162, 146-50	11.9	88
421	Cognition, function, and disability in patients with schizophrenia: a review of longitudinal studies. <i>Canadian Journal of Psychiatry</i> , 2014 , 59, 13-7	4.8	87
420	The longitudinal course of cognition in older adults with bipolar disorder. <i>Bipolar Disorders</i> , 2009 , 11, 744-52	3.8	87
419	Coping, fostering resilience, and driving care innovation for autistic people and their families during the COVID-19 pandemic and beyond. <i>Molecular Autism</i> , 2020 , 11, 61	6.5	86
418	Treatment resistant schizophrenia and response to antipsychotics: a review. <i>Schizophrenia Research</i> , 2011 , 133, 54-62	3.6	85

(2008-2010)

417	The role of the corpus callosum in transcranial magnetic stimulation induced interhemispheric signal propagation. <i>Biological Psychiatry</i> , 2010 , 68, 825-31	7.9	85
416	An adaptationist perspective on the etiology of depression. <i>Journal of Affective Disorders</i> , 2015 , 172, 315-23	6.6	84
415	Neuropathologic correlates of late-onset major depression. <i>Neuropsychopharmacology</i> , 2004 , 29, 2242	2-5 8 .7	83
414	Increased antipsychotic sensitivity in elderly patients: evidence and mechanisms. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 397-405	4.6	81
413	A meta-analysis of the effects of aging on motor cortex neurophysiology assessed by transcranial magnetic stimulation. <i>Clinical Neurophysiology</i> , 2016 , 127, 2834-2845	4.3	80
412	The 5-HTTPR*S/*L polymorphism and aggressive behavior in Alzheimer disease. <i>Archives of Neurology</i> , 2001 , 58, 1425-8		80
411	Alterations of superficial white matter in schizophrenia and relationship to cognitive performance. <i>Neuropsychopharmacology</i> , 2013 , 38, 1954-62	8.7	79
410	Which symptoms predict recurrence of depression in women treated with maintenance interpersonal psychotherapy?. <i>Depression and Anxiety</i> , 2008 , 25, 1060-6	8.4	78
409	Cognitive functioning and instrumental activities of daily living in late-life bipolar disorder. <i>American Journal of Geriatric Psychiatry</i> , 2007 , 15, 174-9	6.5	77
408	Characteristics and course of major depression in older primary care patients. <i>International Journal of Psychiatry in Medicine</i> , 1998 , 28, 421-36	1	75
407	Indicators for Remission of Suicidal Ideation Following Magnetic Seizure Therapy in Patients With Treatment-Resistant Depression. <i>JAMA Psychiatry</i> , 2016 , 73, 337-45	14.5	72
406	PAS-induced potentiation of cortical-evoked activity in the dorsolateral prefrontal cortex. <i>Neuropsychopharmacology</i> , 2013 , 38, 2545-52	8.7	72
405	Medical burden in late-life bipolar and major depressive disorders. <i>American Journal of Geriatric Psychiatry</i> , 2008 , 16, 194-200	6.5	72
404	Recovery from major depression in older adults receiving augmentation of antidepressant pharmacotherapy. <i>American Journal of Psychiatry</i> , 2007 , 164, 892-9	11.9	72
403	A randomized double-blind sham-controlled comparison of unilateral and bilateral repetitive transcranial magnetic stimulation for treatment-resistant major depression. <i>World Journal of Biological Psychiatry</i> , 2012 , 13, 423-35	3.8	71
402	Clinical outcome of ECT in patients with major depression and comorbid borderline personality disorder. <i>American Journal of Psychiatry</i> , 2004 , 161, 2073-80	11.9	69
401	Hippocampal (subfield) volume and shape in relation to cognitive performance across the adult lifespan. <i>Human Brain Mapping</i> , 2015 , 36, 3020-37	5.9	67
400	Twelve-year depressive symptom trajectories and their predictors in a community sample of older adults. <i>International Psychogeriatrics</i> , 2008 , 20, 221-36	3.4	67

399	Endogenous concentrations of DHEA and DHEA-S decrease with remission of depression in older adults. <i>Biological Psychiatry</i> , 2001 , 50, 767-74	7.9	67
398	Is delirium different when it occurs in dementia? A study using the delirium rating scale. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 1998 , 10, 199-204	2.7	67
397	Extent of Dorsolateral Prefrontal Cortex Plasticity and Its Association With Working Memory in Patients With Alzheimer Disease. <i>JAMA Psychiatry</i> , 2017 , 74, 1266-1274	14.5	66
396	Action at a Distance: Geriatric Research during a Pandemic. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 922-925	5.6	66
395	Comorbid anxiety disorders in late-life depression. <i>Anxiety</i> , 1996 , 2, 242-7		65
394	Influence of serotonin-transporter-linked promoter region polymorphism on platelet activation in geriatric depression. <i>American Journal of Psychiatry</i> , 2001 , 158, 2074-6	11.9	64
393	Experiences of American Older Adults with Pre-existing Depression During the Beginnings of the COVID-19 Pandemic: A Multicity, Mixed-Methods Study. <i>American Journal of Geriatric Psychiatry</i> , 2020 , 28, 924-932	6.5	63
392	Suicide in Elderly Depressed Patients: Is Active vs. Passive Suicidal Ideation a Clinically Valid Distinction?. <i>American Journal of Geriatric Psychiatry</i> , 1996 , 4, 197-207	6.5	63
391	Heterogeneity of Treatment Response to Citalopram for Patients With Alzheimer@ Disease With Aggression or Agitation: The CitAD Randomized Clinical Trial. <i>American Journal of Psychiatry</i> , 2016 , 173, 465-72	11.9	60
390	Selective serotonin reuptake inhibitors for late-life depression: a comparative review. <i>Drugs and Aging</i> , 2001 , 18, 355-68	4.7	60
389	Geriatric depression treatment in nonresponders to selective serotonin reuptake inhibitors. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 1634-41	4.6	60
388	Efficacy, tolerability, and cognitive effects of deep transcranial magnetic stimulation for late-life depression: a prospective randomized controlled trial. <i>Neuropsychopharmacology</i> , 2018 , 43, 2231-2238	8.7	60
387	A systematic approach to pharmacotherapy for geriatric major depression. <i>Clinics in Geriatric Medicine</i> , 2014 , 30, 517-34	3.8	58
386	Empirically derived decision trees for the treatment of late-life depression. <i>American Journal of Psychiatry</i> , 2008 , 165, 855-62	11.9	58
385	Cognitive performance of individuals with schizophrenia across seven decades: a study using the MATRICS consensus cognitive battery. <i>American Journal of Geriatric Psychiatry</i> , 2013 , 21, 108-18	6.5	57
384	Further neuroimaging evidence for the deficit subtype of schizophrenia: a cortical connectomics analysis. <i>JAMA Psychiatry</i> , 2015 , 72, 446-55	14.5	56
383	Methodological challenges in determining longitudinal associations between anticholinergic drug use and incident cognitive decline. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 336-41	5.6	56
382	Pharmacological strategies in the prevention of relapse after electroconvulsive therapy. <i>Journal of ECT</i> , 2013 , 29, 3-12	2	55

(2001-2015)

381	Evaluation of Antipsychotic Dose Reduction in Late-Life Schizophrenia: A Prospective Dopamine D2/3 Receptor Occupancy Study. <i>JAMA Psychiatry</i> , 2015 , 72, 927-34	14.5	54	
380	Cognition in older adults with bipolar disorder versus major depressive disorder. <i>Bipolar Disorders</i> , 2012 , 14, 198-205	3.8	54	
379	Elevation in plasma Abeta42 in geriatric depression: a pilot study. <i>Neurochemical Research</i> , 2006 , 31, 341-9	4.6	54	
378	Time course of response to antidepressants in late-life major depression: therapeutic implications. <i>Drugs and Aging</i> , 2004 , 21, 531-54	4.7	54	
377	Serum anticholinergicity in elderly depressed patients treated with paroxetine or nortriptyline. <i>American Journal of Psychiatry</i> , 1998 , 155, 1110-2	11.9	54	
376	The Mortality and Myocardial Effects of Antidepressants Are Moderated by Preexisting Cardiovascular Disease: A Meta-Analysis. <i>Psychotherapy and Psychosomatics</i> , 2017 , 86, 268-282	9.4	53	
375	The ZNF804A gene: characterization of a novel neural risk mechanism for the major psychoses. <i>Neuropsychopharmacology</i> , 2011 , 36, 1871-8	8.7	53	
374	Good treatment outcomes in late-life depression with comorbid anxiety. <i>Journal of Affective Disorders</i> , 2003 , 77, 247-54	6.6	53	
373	Neurexin-1 and frontal lobe white matter: an overlapping intermediate phenotype for schizophrenia and autism spectrum disorders. <i>PLoS ONE</i> , 2011 , 6, e20982	3.7	53	
372	Minocycline and celecoxib as adjunctive treatments for bipolar depression: a multicentre, factorial design randomised controlled trial. <i>Lancet Psychiatry,the</i> , 2020 , 7, 515-527	23.3	53	
371	Sequential drug treatment algorithm for agitation and aggression in Alzheimer@ and mixed dementia. <i>Journal of Psychopharmacology</i> , 2018 , 32, 509-523	4.6	52	
370	Prediction of working memory performance in schizophrenia by plasma ratio of clozapine to N-desmethylclozapine. <i>American Journal of Psychiatry</i> , 2015 , 172, 579-85	11.9	51	
369	Dual-task performance in depressed geriatric patients. <i>Psychiatry Research</i> , 2001 , 102, 139-51	9.9	51	
368	Missed diagnosis of psychotic depression at 4 academic medical centers. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1293-6	4.6	51	
367	Sensitivity of older patients to antipsychotic motor side effects: a PET study examining potential mechanisms. <i>American Journal of Geriatric Psychiatry</i> , 2009 , 17, 255-63	6.5	50	
366	An open-label pilot study of acetylcholinesterase inhibitors to promote functional recovery in elderly cognitively impaired stroke patients. <i>Cerebrovascular Diseases</i> , 2008 , 26, 317-21	3.2	50	
365	Executive functioning, illness course, and relapse/recurrence in continuation and maintenance treatment of late-life depression: is there a relationship?. <i>American Journal of Geriatric Psychiatry</i> , 2004 , 12, 387-94	6.5	49	
364	A double-blind randomized comparison of nortriptyline plus perphenazine versus nortriptyline plus placebo in the treatment of psychotic depression in late life. <i>Journal of Clinical Psychiatry</i> , 2001 , 62, 597	-664	49	

363	Gray Matter Neuritic Microstructure Deficits in Schizophrenia and Bipolar Disorder. <i>Biological Psychiatry</i> , 2017 , 82, 726-736	7.9	48
362	Longer lithium exposure is associated with better white matter integrity in older adults with bipolar disorder. <i>Bipolar Disorders</i> , 2015 , 17, 248-56	3.8	48
361	Theta-Gamma Coupling and Working Memory in Alzheimer® Dementia and Mild Cognitive Impairment. <i>Frontiers in Aging Neuroscience</i> , 2018 , 10, 101	5.3	48
360	Complementary and alternative medicine in the treatment of bipolar disordera review of the evidence. <i>Journal of Affective Disorders</i> , 2008 , 110, 16-26	6.6	48
359	Estimating treatment effects from longitudinal clinical trial data with missing values: comparative analyses using different methods. <i>Psychiatry Research</i> , 2004 , 129, 209-15	9.9	48
358	Trajectories of treatment response in late-life depression: psychosocial and clinical correlates. <i>Journal of Clinical Psychopharmacology</i> , 2005 , 25, S8-13	1.7	48
357	COVID-19 and persons with substance use disorders: Inequities and mitigation strategies. <i>Substance Abuse</i> , 2020 , 41, 286-291	3.8	48
356	NEUROBIOLOGICAL PREDICTORS OF RESPONSE TO DORSOLATERAL PREFRONTAL CORTEX REPETITIVE TRANSCRANIAL MAGNETIC STIMULATION IN DEPRESSION: A SYSTEMATIC REVIEW. <i>Depression and Anxiety</i> , 2015 , 32, 871-91	8.4	47
355	Superficial white matter as a novel substrate of age-related cognitive decline. <i>Neurobiology of Aging</i> , 2015 , 36, 2094-106	5.6	45
354	The impact of aging, cognition, and symptoms on functional competence in individuals with schizophrenia across the lifespan. <i>Schizophrenia Bulletin</i> , 2015 , 41, 374-81	1.3	45
353	Neuroimaging of delusions in Alzheimer disease. <i>Psychiatry Research - Neuroimaging</i> , 2012 , 202, 89-95	2.9	45
352	Clozapine exposure and the impact of smoking and gender: a population pharmacokinetic study. <i>Therapeutic Drug Monitoring</i> , 2009 , 31, 360-6	3.2	45
351	Brain structure, cognition, and brain age in schizophrenia, bipolar disorder, and healthy controls. <i>Neuropsychopharmacology</i> , 2019 , 44, 898-906	8.7	45
350	APOE is associated with age-of-onset, but not cognitive functioning, in late-life depression. <i>International Journal of Geriatric Psychiatry</i> , 2003 , 18, 1075-81	3.9	44
349	Treatment-resistant depression in late life. Journal of Geriatric Psychiatry and Neurology, 1998, 11, 186-9	93 .8	44
348	The Use of the Hamilton Rating Scale for Depression in Elderly Patients With Cognitive Impairment and Physical Illness. <i>American Journal of Geriatric Psychiatry</i> , 1994 , 2, 220-229	6.5	44
347	Unilateral and bilateral MRI-targeted repetitive transcranial magnetic stimulation for treatment-resistant depression: a randomized controlled study. <i>Journal of Psychiatry and Neuroscience</i> , 2016 , 41, E58-66	4.5	44
346	Quantitative examination of a novel clustering method using magnetic resonance diffusion tensor tractography. <i>NeuroImage</i> , 2009 , 45, 370-6	7.9	43

(2015-2015)

345	Lifetime History of Depression Predicts Increased Amyloid-Accumulation in Patients with Mild Cognitive Impairment. <i>Journal of Alzheimeris Disease</i> , 2015 , 45, 907-19	4.3	42
344	Emergence, persistence, and resolution of suicidal ideation during treatment of depression in old age. <i>Journal of Affective Disorders</i> , 2007 , 98, 153-61	6.6	42
343	What is the optimal duration of a short-term antidepressant trial when treating geriatric depression?. <i>Journal of Clinical Psychopharmacology</i> , 2006 , 26, 113-20	1.7	42
342	Course and rate of antidepressant response in the very old. <i>Journal of Affective Disorders</i> , 2002 , 69, 177	'-8 :6	42
341	Pilot study of augmentation with aripiprazole for incomplete response in late-life depression: getting to remission. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 208-13	4.6	42
340	Risk factors for falls during treatment of late-life depression. <i>Journal of Clinical Psychiatry</i> , 2002 , 63, 936-41	4.6	42
339	Somatic symptoms in late-life anxiety: treatment issues. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2005 , 18, 89-96	3.8	41
338	R- and S-citalopram concentrations have differential effects on neuropsychiatric scores in elders with dementia and agitation. <i>British Journal of Clinical Pharmacology</i> , 2016 , 82, 784-92	3.8	41
337	Neurobiology of delusions in Alzheimer disease. Current Psychiatry Reports, 2011, 13, 211-8	9.1	40
336	Managing late-life depression in primary care practice: a case study of the Health Specialist@role. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 577-84	3.9	40
335	CYP2D6 genotyping with oligonucleotide microarrays and nortriptyline concentrations in geriatric depression. <i>Neuropsychopharmacology</i> , 2001 , 25, 737-43	8.7	40
334	Effect of sertraline on plasma nortriptyline levels in depressed elderly. <i>Journal of Clinical Psychiatry</i> , 1997 , 58, 440-3	4.6	40
333	D2 receptor blockade by risperidone correlates with attention deficits in late-life schizophrenia. Journal of Clinical Psychopharmacology, 2009 , 29, 571-5	1.7	38
332	Depression, antidepressants, and bone health in older adults: a systematic review. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1434-41	5.6	37
331	Medical comorbidity in elderly psychiatric inpatients. <i>Biological Psychiatry</i> , 1997 , 41, 724-36	7.9	37
330	Relapse during continuation pharmacotherapy after acute response to ECT: a comparison of usual care versus protocolized treatment. <i>Annals of Clinical Psychiatry</i> , 2007 , 19, 1-4	1.4	37
329	Correlates of anticholinergic activity in patients with dementia and psychosis treated with risperidone or olanzapine. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 1708-14	4.6	37
328	Antidepressant Response Trajectories and Associated Clinical Prognostic Factors Among Older Adults. <i>JAMA Psychiatry</i> , 2015 , 72, 1021-8	14.5	36

327	Systematic Review of Cognitive Effects of Electroconvulsive Therapy in Late-Life Depression. American Journal of Geriatric Psychiatry, 2016 , 24, 547-65	6.5	36
326	Maintenance treatment for old-age depression preserves health-related quality of life: a randomized, controlled trial of paroxetine and interpersonal psychotherapy. <i>Journal of the American Geriatrics Society</i> , 2007 , 55, 1325-32	5.6	36
325	Interrater reliability in clinical trials of depressive disorders. <i>American Journal of Psychiatry</i> , 2002 , 159, 1598-600	11.9	36
324	The role of medical comorbidity in outcome of major depression in primary care: the PROSPECT study. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 861-8	6.5	36
323	Universal coverage without universal access: a study of psychiatrist supply and practice patterns in Ontario. <i>Open Medicine</i> , 2014 , 8, e87-99		36
322	Paroxetine versus nortriptyline in the continuation and maintenance treatment of depression in the elderly. <i>Depression and Anxiety</i> , 2001 , 13, 38-44	8.4	35
321	Initial recovery patterns may predict which maintenance therapies for depression will keep older adults well. <i>Journal of Affective Disorders</i> , 2001 , 65, 155-66	6.6	34
320	Benzodiazepine and antidepressant use in elderly patients with anxiety disorders: a survey of 796 outpatients in Japan. <i>Journal of Anxiety Disorders</i> , 2009 , 23, 477-81	10.9	33
319	Treating depression to remission in older adults: a controlled evaluation of combined escitalopram with interpersonal psychotherapy versus escitalopram with depression care management. <i>International Journal of Geriatric Psychiatry</i> , 2010 , 25, 1134-41	3.9	33
318	Use of antidepressants in late-life depression. <i>Drugs and Aging</i> , 2008 , 25, 841-53	4.7	33
317	Effects of age and age of onset on prescribed antipsychotic dose in schizophrenia spectrum disorders: a survey of 1,418 patients in Japan. <i>American Journal of Geriatric Psychiatry</i> , 2008 , 16, 584-93	6.5	33
316	Treatment as usual (TAU) control practices in the PROSPECT Study: managing the interaction and tension between research design and ethics. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 602-8	3 ^{3.9}	33
315	Personality Disorders in Elderly Inpatients With Major Depression. <i>American Journal of Geriatric Psychiatry</i> , 1993 , 1, 38-45	6.5	33
314	A prospective naturalistic study of electroconvulsive therapy in late-life depression. <i>Topics in Geriatrics</i> , 1991 , 4, 3-13		33
313	Pharmacotherapy of bipolar disorder in old age: review and recommendations. <i>American Journal of Geriatric Psychiatry</i> , 2004 , 12, 342-57	6.5	33
312	Multisite, open-label, prospective trial of lamotrigine for geriatric bipolar depression: a preliminary report. <i>Bipolar Disorders</i> , 2011 , 13, 294-302	3.8	32
311	Statistical analysis of longitudinal psychiatric data with dropouts. <i>Journal of Psychiatric Research</i> , 2007 , 41, 1032-41	5.2	32
310	Apathy and executive function in depressed elderly. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2003 , 16, 112-6	3.8	32

(2015-2005)

309	Generalized anxiety disorder in late life: lifetime course and comorbidity with major depressive disorder. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 77-80	6.5	32	
308	Magnetic seizure therapy (MST) for major depressive disorder. <i>Neuropsychopharmacology</i> , 2020 , 45, 27	76 &\$ 2	32	
307	Magnetic seizure therapy reduces suicidal ideation and produces neuroplasticity in treatment-resistant depression. <i>Translational Psychiatry</i> , 2018 , 8, 253	8.6	32	
306	Effects of Antipsychotic Medication on Brain Structure in Patients With Major Depressive Disorder and Psychotic Features: Neuroimaging Findings in the Context of a Randomized Placebo-Controlled Clinical Trial. <i>JAMA Psychiatry</i> , 2020 , 77, 674-683	14.5	31	
305	Social inequalities in depression and suicidal ideation among older primary care patients. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 59-69	4.5	31	
304	The VAGUS insight into psychosis scaleself-report and clinician-rated versions. <i>Psychiatry Research</i> , 2014 , 220, 1084-9	9.9	31	
303	A delusion assessment scale for psychotic major depression: Reliability, validity, and utility. <i>Biological Psychiatry</i> , 2006 , 60, 1336-42	7.9	31	
302	Body pain and treatment response in late-life depression. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 188-94	6.5	31	
301	Dynamic prediction of treatment response in late-life depression. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 167-76	6.5	30	
300	Age and sex impact clozapine plasma concentrations in inpatients and outpatients with schizophrenia. <i>American Journal of Geriatric Psychiatry</i> , 2012 , 20, 53-60	6.5	30	
299	Exploring the effect of inducing long-term potentiation in the human motor cortex on motor learning. <i>Brain Stimulation</i> , 2011 , 4, 137-44	5.1	30	
298	Narrowing the gap in treatment of depression. <i>International Journal of Psychiatry in Medicine</i> , 2001 , 31, 239-53	1	30	
297	The systematic assessment of depressed elderly primary care patients. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 560-9	3.9	30	
296	Subjective health measures and acute treatment outcomes in geriatric depression. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 1149-55	3.9	30	
295	Persisting low use of antipsychotics in the treatment of major depressive disorder with psychotic features. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 194-200	4.6	30	
294	Norepinephrine Transporter Gene Variants and Remission From Depression With Venlafaxine Treatment in Older Adults. <i>American Journal of Psychiatry</i> , 2017 , 174, 468-475	11.9	29	
293	Brain-Behavior Participant Similarity Networks Among Youth and Emerging Adults with Schizophrenia Spectrum, Autism Spectrum, or Bipolar Disorder and Matched Controls. <i>Neuropsychopharmacology</i> , 2018 , 43, 1180-1188	8.7	29	
292	Oxidative stress in older patients with bipolar disorder. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 314-9	6.5	28	

291	Depressive Symptoms and Small Hippocampal Volume Accelerate the Progression to Dementia from Mild Cognitive Impairment. <i>Journal of Alzheimeris Disease</i> , 2016 , 49, 743-54	4.3	28
290	Conceptual and methodological issues in designing a randomized, controlled treatment trial for geriatric bipolar disorder: GERI-BD. <i>Bipolar Disorders</i> , 2010 , 12, 56-67	3.8	28
289	The MMSE is not an adequate screening cognitive instrument in studies of late-life depression. Journal of Psychiatric Research, 2009 , 43, 464-70	5.2	28
288	Ability, incentives, and management feedback: organizational change to reduce pressure ulcers in a nursing home. <i>Journal of the American Medical Directors Association</i> , 2006 , 7, 141-6	5.9	28
287	Pressure ulcer prevention in black and white nursing home residents: A QI initiative of enhanced ability, incentives, and management feedback. <i>Advances in Skin and Wound Care</i> , 2006 , 19, 262-8	1.5	28
286	Predictors and Moderators of Remission With Aripiprazole Augmentation in Treatment-Resistant Late-Life Depression: An Analysis of the IRL-GRey Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2016 , 73, 329-36	14.5	27
285	The relationship of bipolar disorder lifetime duration and vascular burden to cognition in older adults. <i>Bipolar Disorders</i> , 2010 , 12, 851-8	3.8	27
284	Control-relevant intervention in the treatment of minor and major depression in a long-term care facility. <i>American Journal of Geriatric Psychiatry</i> , 1997 , 5, 247-57	6.5	27
283	Brain-Derived Neurotrophic Factor Expression in Individuals With Schizophrenia and Healthy Aging: Testing the Accelerated Aging Hypothesis of Schizophrenia. <i>Current Psychiatry Reports</i> , 2017 , 19, 36	9.1	26
282	Disrupted prefrontal interhemispheric structural coupling in schizophrenia related to working memory performance. <i>Schizophrenia Bulletin</i> , 2014 , 40, 914-24	1.3	26
281	Clozapine and global cognition in schizophrenia. Journal of Clinical Psychopharmacology, 2010, 30, 431-	61.7	26
2 80	Acupuncture for the treatment of major depressive disorder: a randomized controlled trial. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 1129-35	4.6	26
279	Effectively Caring for Individuals With Behavioral and Psychological Symptoms of Dementia During the COVID-19 Pandemic. <i>Frontiers in Psychiatry</i> , 2020 , 11, 573367	5	26
278	Minimal evidence that untreated psychosis damages brain structures: a systematic review. <i>Schizophrenia Research</i> , 2015 , 162, 222-33	3.6	25
277	Sertraline in the treatment of minor depression in nursing home residents: a pilot study. <i>International Journal of Geriatric Psychiatry</i> , 2000 , 15, 177-80	3.9	25
276	A pilot study of standardized treatment in geriatric bipolar disorder. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 319-23	6.5	25
275	Bipolar Disorder in the Elderly. <i>Psychiatric Annals</i> , 2000 , 30, 473-480	0.5	25
274	Using Rapid Design Thinking to Overcome COVID-19 Challenges in Medical Education. <i>Academic Medicine</i> , 2021 , 96, 56-61	3.9	25

(2015-2017)

273	Immunological biomarkers associated with brain structure and executive function in late-life depression: exploratory pilot study. <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, 692-699	3.9	24	
272	Effect of Continuing Olanzapine vs Placebo on Relapse Among Patients With Psychotic Depression in Remission: The STOP-PD II Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 322, 622-631	27.4	24	
271	Neuroimaging and neurocognitive abnormalities associated with bipolar disorder in old age. <i>International Journal of Geriatric Psychiatry</i> , 2014 , 29, 421-7	3.9	24	
270	Differentiating the cognitive profile of schizophrenia from that of Alzheimer disease and depression in late life. <i>PLoS ONE</i> , 2010 , 5, e10151	3.7	24	
269	Serum anticholinergic activity and cognition in patients with moderate-to-severe dementia. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 535-8	6.5	24	
268	Reduced GABAergic cortical inhibition in aging and depression. <i>Neuropsychopharmacology</i> , 2018 , 43, 2277-2284	8.7	24	
267	Measuring treatment response in psychotic depression: the Psychotic Depression Assessment Scale (PDAS) takes both depressive and psychotic symptoms into account. <i>Journal of Affective Disorders</i> , 2014 , 160, 68-73	6.6	23	
266	The role of untreated psychosis in neurodegeneration: a review of hypothesized mechanisms of neurotoxicity in first-episode psychosis. <i>Canadian Journal of Psychiatry</i> , 2014 , 59, 513-7	4.8	23	
265	Use of lithium in the treatment of bipolar disorder in late-life. Current Psychiatry Reports, 2011, 13, 488-	-93/1	23	
264	Effects of aging on 5-HT(2A) R binding: a HRRT PET study with and without partial volume corrections. <i>International Journal of Geriatric Psychiatry</i> , 2011 , 26, 1300-8	3.9	23	
263	Predictors of adequacy of depression management in the primary care setting. <i>Psychiatric Services</i> , 2005 , 56, 1524-8	3.3	23	
262	Bilateral Repetitive Transcranial Magnetic Stimulation Decreases Suicidal Ideation in Depression. Journal of Clinical Psychiatry, 2018 , 79,	4.6	23	
261	Prefrontal White Matter Structure Mediates the Influence of GAD1 on Working Memory. <i>Neuropsychopharmacology</i> , 2016 , 41, 2224-31	8.7	22	
260	A comparison of the E-BEHAVE-AD, NBRS, and NPI in quantifying clinical improvement in the treatment of agitation and psychosis associated with dementia. <i>American Journal of Geriatric Psychiatry</i> , 2013 , 21, 78-87	6.5	22	
259	Myelin-associated glycoprotein gene and brain morphometry in schizophrenia. <i>Frontiers in Psychiatry</i> , 2012 , 3, 40	5	22	
258	High worry severity is associated with poorer acute and maintenance efficacy of antidepressants in late-life depression. <i>Depression and Anxiety</i> , 2009 , 26, 266-72	8.4	22	
257	Combining moderators to identify clinical profiles of patients who will, and will not, benefit from aripiprazole augmentation for treatment resistant late-life major depressive disorder. <i>Journal of Psychiatric Research</i> , 2016 , 81, 112-8	5.2	22	
256	Comparative efficacy between clozapine and other atypical antipsychotics on depressive symptoms in patients with schizophrenia: analysis of the CATIE phase 2E data. <i>Schizophrenia Research</i> , 2015 , 161, 429-33	3.6	21	

255	Effect of age on the frequency of anxiety disorders in major depression with psychotic features. American Journal of Geriatric Psychiatry, 2010 , 18, 404-12	6.5	21
254	Repetitive transcranial magnetic stimulation for refractory symptoms in schizophrenia. <i>Current Opinion in Psychiatry</i> , 2010 , 23, 85-90	4.9	21
253	Speed of improvement in sleep disturbance and anxiety compared with core mood symptoms during acute treatment of depression in old age. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 550-	. 6 .5	21
252	Concurrent psychiatric diagnoses by age and race among persons with bipolar disorder. <i>Psychiatric Services</i> , 2004 , 55, 931-3	3.3	21
251	Paroxetine-induced hyponatremia in the elderly due to the syndrome of inappropriate secretion of antidiuretic hormone (SIADH). <i>Journal of Geriatric Psychiatry and Neurology</i> , 2003 , 16, 160-4	3.8	21
250	Anxiety symptoms in elderly patients with depression: what is the best approach to treatment?. <i>Drugs and Aging</i> , 2002 , 19, 753-60	4.7	21
249	A naturalistic study of trazodone in the treatment of behavioral complications of dementia. <i>American Journal of Geriatric Psychiatry</i> , 1994 , 2, 78-85	6.5	21
248	Outcomes of late-life anxiety disorders during 32 weeks of citalopram treatment. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 468-72	4.6	21
247	Inflammation as a treatment target in mood disorders: review. BJPsych Open, 2020, 6, e60	5	20
246	Individual Differences in Response to Antidepressants: A Meta-analysis of Placebo-Controlled Randomized Clinical Trials. <i>JAMA Psychiatry</i> , 2020 , 77, 607-617	14.5	20
245	Brain stimulation in the treatment of late-life severe mental illness other than unipolar nonpsychotic depression. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 216-40	6.5	20
244	Antidepressant use over time in a rural older adult population: the MoVIES Project. <i>Journal of the American Geriatrics Society</i> , 1997 , 45, 1501-3	5.6	20
243	Preventing depression after stroke. <i>International Review of Psychiatry</i> , 2006 , 18, 471-81	3.6	20
242	Impact of prior treatment exposure on response to antidepressant treatment in late life. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 957-65	6.5	20
241	Effect of continuation treatment on residual symptoms in late-life depression: how well is "well"?. <i>Depression and Anxiety</i> , 1996 , 4, 312-9	8.4	20
240	Trajectories of suicidal ideation in depressed older adults undergoing antidepressant treatment. Journal of Psychiatric Research, 2016 , 73, 96-101	5.2	19
239	An improved radiosynthesis of the muscarinic M2 radiopharmaceutical, [18F]FP-TZTP. <i>Applied Radiation and Isotopes</i> , 2009 , 67, 611-6	1.7	19
238	Association of plasma homovanillic acid with behavioral symptoms in patients diagnosed with dementia: a preliminary report. <i>Biological Psychiatry</i> , 1997 , 42, 1016-23	7.9	19

237	METHODOLOGICAL ISSUES IN CHARACTERIZING TREATMENT RESPONSE IN DEMENTED PATIENTS WITH BEHAVIORAL DISTURBANCES 1997 , 12, 537-547		19	
236	Antipsychotics in older patients. A safety perspective. <i>Drugs and Aging</i> , 1995 , 6, 312-23	4.7	19	
235	MRI changes in schizophrenia in late life: a preliminary controlled study. <i>Psychiatry Research</i> , 1996 , 60, 117-23	9.9	19	
234	Neuroleptics in the treatment of psychosis in late life: A rational approach. <i>International Journal of Geriatric Psychiatry</i> , 1993 , 8, 979-992	3.9	19	
233	Canadian academy of geriatric psychiatry survey of brief cognitive screening instruments. <i>Canadian Geriatrics Journal</i> , 2013 , 16, 54-60	2.8	19	
232	Optimizing Outcomes of Treatment-Resistant Depression in Older Adults (OPTIMUM): Study Design and Treatment Characteristics of the First 396 Participants Randomized. <i>American Journal of Geriatric Psychiatry</i> , 2019 , 27, 1138-1152	6.5	18	
231	Unilateral and bilateral repetitive transcranial magnetic stimulation for treatment-resistant late-life depression. <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 822-827	3.9	18	
230	Electroconvulsive therapy for depression with comorbid borderline personality disorder or post-traumatic stress disorder: A matched retrospective cohort study. <i>Brain Stimulation</i> , 2018 , 11, 204-2	272 ¹	18	
229	Using Evolutionary Theory to Guide Mental Health Research. <i>Canadian Journal of Psychiatry</i> , 2016 , 61, 159-65	4.8	18	
228	Effect of Metabolic Syndrome on Late-Life Depression: Associations with Disease Severity and Treatment Resistance. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 2651-2658	5.6	18	
227	Aging changes and medical complexity in late-life bipolar disorder: emerging research findings that may help advance care. <i>Neuropsychiatry</i> , 2013 , 3, 621-633	1.8	18	
226	The evidence for electroconvulsive therapy (ECT) in the treatment of severe late-life depression. ECT: the preferred treatment for severe depression in late life. <i>International Psychogeriatrics</i> , 2007 , 19, 10-4, 27-35; discussion 24-6	3.4	18	
225	Organizational change and quality improvement in nursing homes: approaching success. <i>Journal for Healthcare Quality: Official Publication of the National Association for Healthcare Quality,</i> 2005 , 27, 6-14, 21, 44	1	18	
224	The effects of perphenazine on the concentration of nortriptyline and its hydroxymetabolites in older patients. <i>Journal of Clinical Psychopharmacology</i> , 1997 , 17, 318-21	1.7	18	
223	Pharmacologic profile of perphenazine@metabolites. <i>Journal of Clinical Psychopharmacology</i> , 2000 , 20, 181-7	1.7	18	
222	Survey of benzodiazepine and antidepressant use in outpatients with mood disorders in Japan. <i>Psychiatry and Clinical Neurosciences</i> , 2009 , 63, 244-6	6.2	17	
221	Serotonin transporter triallelic genotype and response to citalopram and risperidone in dementia with behavioral symptoms. <i>International Clinical Psychopharmacology</i> , 2010 , 25, 37-45	2.2	17	
220	Clinically relevant behaviors in elderly hip fracture inpatients. <i>International Journal of Psychiatry in Medicine</i> , 2002 , 32, 249-59	1	17	

219	Fluoxetine-induced syndrome of inappropriate antidiuretic hormone secretion: a geriatric case report and a review of the literature. <i>Journal of Geriatric Psychiatry and Neurology</i> , 1994 , 7, 254-6	3.8	17
218	Anticholinergic Burden and Cognition in Older Patients With Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, e1284-e1290	4.6	17
217	Glucose metabolic response to total sleep deprivation, recovery sleep, and acute antidepressant treatment as functional neuroanatomic correlates of treatment outcome in geriatric depression. <i>American Journal of Geriatric Psychiatry</i> , 2002 , 10, 561-7	6.5	17
216	Impact of Physician Follow-Up Care on Psychiatric Readmission Rates in a Population-Based Sample of Patients With Schizophrenia. <i>Psychiatric Services</i> , 2018 , 69, 61-68	3.3	16
215	Therapeutic window for striatal dopamine D(2/3) receptor occupancy in older patients with schizophrenia: a pilot PET study. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 1007-16	6.5	16
214	Developing physician consensus on the reporting of patients with mild cognitive impairment and mild dementia to transportation authorities in a region with mandatory reporting legislation. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 1530-43	6.5	16
213	Developing a community-academic partnership to improve recognition and treatment of depression in underserved African American and white elders. <i>American Journal of Geriatric Psychiatry</i> , 2009 , 17, 953-64	6.5	16
212	Separable and Replicable Neural Strategies During Social Brain Function in People With and Without Severe Mental Illness. <i>American Journal of Psychiatry</i> , 2019 , 176, 521-530	11.9	16
211	Dopamine D/II receptor availability in the striatum of antipsychotic-free older patients with schizophrenia-A [IIIC]-raclopride PET study. <i>Schizophrenia Research</i> , 2015 , 164, 263-7	3.6	15
210	Feasibility of remotely supervised transcranial direct current stimulation and cognitive remediation: A systematic review. <i>PLoS ONE</i> , 2020 , 15, e0223029	3.7	15
209	Genetic variation in the serotonin transporter and HTR1B receptor predicts reduced bone formation during serotonin reuptake inhibitor treatment in older adults. <i>World Journal of Biological Psychiatry</i> , 2014 , 15, 404-10	3.8	15
208	The Mood Disorder Burden Index: a scale for assessing the burden of caregivers to adults with unipolar or bipolar disorder. <i>Psychiatry Research</i> , 2009 , 168, 67-77	9.9	15
207	Perception gap in quality-of-life ratings: an empirical investigation of nursing home residents and caregivers. <i>Gerontologist, The</i> , 2007 , 47, 159-68	5	15
206	Decreased Brain-Derived Neurotrophic Factor in Older Adults with Bipolar Disorder. <i>American Journal of Geriatric Psychiatry</i> , 2016 , 24, 596-601	6.5	15
205	The influence of medical burden severity and cognition on functional competence in older community-dwelling individuals with schizophrenia. <i>Schizophrenia Research</i> , 2016 , 170, 330-5	3.6	14
204	Discrepancies in information provided to primary care physicians by patients with and without dementia: the Steel Valley Seniors Survey. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 446-55	6.5	14
203	Assessment of behavioral and psychological symptoms of dementia. CNS Spectrums, 2002, 7, 797-802	1.8	14
202	Fluvoxamine pharmacotherapy of anxiety disorders in later life: preliminary open-trial data. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2000 , 13, 43-8	3.8	14

Mental health training for nursing home staff using computer-based interactive video: a 6-month randomized trial. <i>Journal of the American Medical Directors Association</i> , 2002 , 3, 291-6	5.9	14	
Economic Burden of Depression and Associated Resource Use in Manitoba, Canada. <i>Canadian Journal of Psychiatry</i> , 2020 , 65, 338-346	4.8	14	
Pharmacotherapy of major depression in late life: what is the role of new agents?. <i>Expert Opinion on Pharmacotherapy</i> , 2017 , 18, 599-609	4	13	
Effects of antipsychotic D2 antagonists on long-term potentiation in animals and implications for human studies. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014 , 54, 83-91	5.5	13	
Changes in Characteristics and Practice Patterns of Ontario Psychiatrists. <i>Canadian Journal of Psychiatry</i> , 2017 , 62, 40-47	4.8	13	
Correlates of treatment response in depressed older adults with bipolar disorder. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2012 , 25, 37-42	3.8	13	
Long-term stability of measuring D(2) receptors in schizophrenia patients treated with antipsychotics. <i>Schizophrenia Research</i> , 2009 , 109, 130-3	3.6	13	
Achieving long-term optimal outcomes in geriatric depression and anxiety. CNS Spectrums, 2003, 8, 27-	34 .8	13	
Behavioral disturbances of dementia. <i>Journal of Geriatric Psychiatry and Neurology</i> , 1998 , 11, 206-12	3.8	13	
Dopamine D2/3 Receptor Occupancy Following Dose Reduction Is Predictable With Minimal Plasma Antipsychotic Concentrations: An Open-Label Clinical Trial. <i>Schizophrenia Bulletin</i> , 2016 , 42, 212-9	1.3	12	
Cognition and Dopamine D Receptor Availability in the Striatum in Older Patients with Schizophrenia. <i>American Journal of Geriatric Psychiatry</i> , 2017 , 25, 1-10	6.5	12	
Impact of prior pharmacotherapy on remission of psychotic depression in a randomized controlled trial. <i>Journal of Psychiatric Research</i> , 2011 , 45, 896-901	5.2	12	
Cerebral glucose metabolic response to combined total sleep deprivation and antidepressant treatment in geriatric depression: a randomized, placebo-controlled study. <i>Psychiatry Research - Neuroimaging</i> , 2009 , 171, 1-9	2.9	12	
Does age at onset have clinical significance in older adults with bipolar disorder?. <i>International Journal of Geriatric Psychiatry</i> , 2010 , 25, 1266-71	3.9	12	
Actors Cortrayals of depression to test interrater reliability in clinical trials. <i>American Journal of Psychiatry</i> , 2004 , 161, 1909-11	11.9	12	
Effect of nortriptyline and paroxetine on CYP2D6 activity in depressed elderly patients. <i>Journal of Clinical Psychopharmacology</i> , 2002 , 22, 481-6	1.7	12	
Gender Differences in Research Productivity among Academic Psychiatrists in Canada. <i>Canadian Journal of Psychiatry</i> , 2019 , 64, 415-422	4.8	12	
Bone Turnover with Venlafaxine Treatment in Older Adults with Depression. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 2057-2063	5.6	11	
	Economic Burden of Depression and Associated Resource Use in Manitoba, Canada. Canadian Journal of Psychiatry, 2020, 65, 338-346 Pharmacotherapy of major depression in late life: what is the role of new agents?. Expert Opinion on Pharmacotherapy, 2017, 18, 599-609 Effects of antipsychotic O2 antagonists on long-term potentiation in animals and implications for human studies. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2014, 54, 83-91 Changes in Characteristics and Practice Patterns of Ontario Psychiatrists. Canadian Journal of Psychiatry, 2017, 62, 40-47 Correlates of treatment response in depressed older adults with bipolar disorder. Journal of Geriatric Psychiatry and Neurology, 2012, 25, 37-42 Long-term stability of measuring D(2) receptors in schizophrenia patients treated with antipsychotics. Schizophrenia Research, 2009, 109, 130-3 Achieving long-term optimal outcomes in geriatric depression and anxiety. CNS Spectrums, 2003, 8, 27- Behavioral disturbances of dementia. Journal of Geriatric Psychiatry and Neurology, 1998, 11, 206-12 Dopamine D2/3 Receptor Occupancy Following Dose Reduction Is Predictable With Minimal Plasma Antipsychotic Concentrations: An Open-Label Clinical Trial. Schizophrenia Bulletin, 2016, 42, 212-9 Cognition and Dopamine D Receptor Availability in the Striatum in Older Patients with Schizophrenia. American Journal of Geriatric Psychiatry, 2017, 25, 1-10 Impact of prior pharmacotherapy on remission of psychotic depression in a randomized controlled trial. Journal of Psychiatric Research, 2011, 45, 896-901 Cerebral glucose metabolic response to combined total sleep deprivation and antidepressant treatment in geriatric depression: a randomized, placebo-controlled study. Psychiatry Research Neuroimaging, 2009, 171, 1-9 Does age at onset have clinical significance in older adults with bipolar disorder?. International Journal of Geriatric Psychiatry, 2010, 25, 1266-71 Actors Cportrayals of depression to test interrater reliability in clinical trials. Americ	Economic Burden of Depression and Associated Resource Use in Manitoba, Canada. Canadian Journal of Psychiatry, 2020, 65, 338-346 Pharmacotherapy of major depression in late life: what is the role of new agents?. Expert Opinion on Pharmacotherapy, 2017, 18, 599-609 Effects of antipsychotic D2 antagonists on long-term potentiation in animals and implications for human studies. Progress In Neuro-Psychopharmacology and Biological Psychiatry, 2014, 54, 83-91 Changes in Characteristics and Practice Patterns of Ontario Psychiatrists. Canadian Journal of Psychiatry, 2017, 62, 40-47 Correlates of treatment response in depressed older adults with bipolar disorder. Journal of Geriatric Psychiatry and Neurology, 2012, 25, 37-42 Long-term stability of measuring D(2) receptors in schizophrenia patients treated with antipsychotics. Schizophrenia Research, 2009, 109, 130-3 Achieving long-term optimal outcomes in geriatric depression and anxiety. CNS Spectrums, 2003, 8, 27-34.8 Behavioral disturbances of dementia. Journal of Geriatric Psychiatry and Neurology, 1998, 11, 206-12 3.8 Dopamine D2/3 Receptor Occupancy Following Dose Reduction is Predictable With Minimal Plasma Antipsychotic Concentrations: An Open-Label Clinical Trial. Schizophrenia Bulletin, 2016, 42, 212-9 Cognition and Dopamine D Receptor Availability in the Striatum in Older Patients with Schizophrenia. American Journal of Geriatric Psychiatry, 2017, 25, 1-10 Impact of prior pharmacotherapy on remission of psychotic depression in a randomized controlled trial. Journal of Psychiatric Research, 2011, 45, 896-901 Ecrebral glucose metabolic response to combined total sleep deprivation and antidepressant treatment in geriatric depression: a randomized, placebo-controlled study. Psychiatry Research - Neuroimaging, 2009, 171, 1-9 Does age at onset have clinical significance in older adults with bipolar disorder? International Journal of Geriatric Psychiatry, 2010, 25, 1266-71 Actors Cportrayals of depression to test interrater reliability in clinical tria	Economic Burden of Depression and Associated Resource Use in Manitoba, Canada. Canadian Journal of Psychiatry, 2020, 65, 338-346 Pharmacotherapy of major depression in late life: what is the role of new agents?. Expert Opinion on Pharmacotherapy, 2017, 18, 599-609 Effects of antipsychotic D2 antagonists on long-term potentiation in animals and implications for human studies. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2014, 54, 83-91 Changes in Characteristics and Practice Patterns of Ontario Psychiatrists. Canadian Journal of Psychiatry, 2017, 62, 40-47 Correlates of treatment response in depressed older adults with bipolar disorder. Journal of Geriatric Psychiatry and Neurology, 2012, 25, 37-42 Long-term stability of measuring D(2) receptors in schizophrenia patients treated with antipsychotics. Schizophrenia Research, 2009, 109, 130-3 Achieving long-term optimal outcomes in geriatric depression and anxiety. CNS Spectrums, 2003, 8, 27-34-8 Behavioral disturbances of dementia. Journal of Geriatric Psychiatry and Neurology, 1998, 11, 206-12 3.8 13 Dopamine D2/3 Receptor Occupancy Following Dose Reduction Is Predictable With Minimal Plasma Antipsychotic Concentrations. An Open-Label Clinical Trial. Schizophrenia Bulletin, 2016, 42, 212-9 Cognition and Dopamine D Receptor Availability in the Striatum in Older Patients with Schizophrenia. American Journal of Geriatric Psychiatry, 2017, 25, 1-10 Impact of prior pharmacotherapy on remission of psychotic depression in a randomized controlled 120 posage at onset have clinical significance in older adults with bipolar disorder?. International Journal of Psychiatry, 2009, 171, 1-9 Does age at onset have clinical significance in older adults with bipolar disorder?. International Journal of Geriatric Psychiatry, 2019, 64, 415-422 Bone Turnover with Veniafaxine Treatment in Older Adults with Depressed elderly patients. Journal of Cender Differences in Research Productivity among Academic Psychiatrists in Canada. Canadian Journal of Psych

183	Self-reported obstructive sleep apnea is associated with nonresponse to antidepressant pharmacotherapy in late-life depression. <i>Depression and Anxiety</i> , 2016 , 33, 1107-1113	8.4	11
182	Establishing the cut-off score for remission and severity-ranges on the Psychotic Depression Assessment Scale (PDAS). <i>Journal of Affective Disorders</i> , 2016 , 190, 111-114	6.6	11
181	Dopamine D/II bccupancy of ziprasidone across a day: a within-subject PET study. <i>Psychopharmacology</i> , 2013 , 228, 43-51	4.7	11
180	The Impact of Sertraline Co-Administration on the Pharmacokinetics of Olanzapine: A Population Pharmacokinetic Analysis of the STOP-PD. <i>Clinical Pharmacokinetics</i> , 2015 , 54, 1161-8	6.2	11
179	Factors associated with non-completion in a double-blind randomized controlled trial of olanzapine plus sertraline versus olanzapine plus placebo for psychotic depression. <i>Psychiatry Research</i> , 2012 , 197, 221-6	9.9	11
178	DISC1 and Striatal Volume: A Potential Risk Phenotype For mental Illness. <i>Frontiers in Psychiatry</i> , 2012 , 3, 57	5	11
177	Characteristics associated with inpatient versus outpatient status in older adults with bipolar disorder. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2012 , 25, 62-8	3.8	11
176	Characteristics of ictal EEG in Magnetic Seizure Therapy at various stimulation frequencies. <i>Clinical Neurophysiology</i> , 2018 , 129, 1770-1779	4.3	11
175	Improvement in Depression is Associated with Improvement in Cognition in Late-Life Psychotic Depression. <i>American Journal of Geriatric Psychiatry</i> , 2017 , 25, 672-679	6.5	10
174	Clinical, Demographic, and Criminal Behavior Characteristics of Patients With Intellectual Disabilities in a Canadian Forensic Program. <i>Frontiers in Psychiatry</i> , 2019 , 10, 760	5	10
173	Design and Rationale of the PACt-MD Randomized Clinical Trial: Prevention of Alzheimer@ dementia with Cognitive remediation plus transcranial direct current stimulation in Mild cognitive impairment and Depression. <i>Journal of Alzheimeris Disease</i> , 2020 , 76, 733-751	4.3	10
172	Insight into illness in late-life schizophrenia: a function of illness severity and premorbid intellectual function. <i>Schizophrenia Research</i> , 2013 , 150, 217-22	3.6	10
171	Should Benzodiazepines and Anticonvulsants Be Used During Electroconvulsive Therapy?: A Case Study and Literature Review. <i>Journal of ECT</i> , 2017 , 33, 237-242	2	10
170	Determinants of spontaneous extrapyramidal symptoms in elderly psychiatric inpatients diagnosed with Alzheimer® disease, major depressive disorder, or psychotic disorders. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 1998 , 10, 68-77	2.7	10
169	Morbidity of homebound versus inpatient elderly psychiatric patients. <i>International Psychogeriatrics</i> , 1998 , 10, 117-25	3.4	10
168	Accelerating antidepressant response in geriatric depression: a post hoc comparison of combined sleep deprivation and paroxetine versus monotherapy with paroxetine, nortriptyline, or placebo. <i>Journal of Geriatric Psychiatry and Neurology</i> , 1999 , 12, 67-71	3.8	10
167	Accelerating symptom-reduction in late-life depression: a double-blind, randomized, placebo-controlled trial of sleep deprivation. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 353-8	6.5	10
166	Agitation in Severely Demented Patients. Annals of Clinical Psychiatry, 1992, 4, 207-215	1.4	10

(2020-1996)

165	Premorbid History of Major Depression and the Depressive Syndrome of Alzheimer Disease. <i>American Journal of Geriatric Psychiatry</i> , 1996 , 4, 85-90	6.5	10
164	Lack of association between dopaminergic antagonism and negative symptoms in schizophrenia: a positron emission tomography dopamine D2/3 receptor occupancy study. <i>Psychopharmacology</i> , 2016 , 233, 3803-3813	4.7	10
163	Mental and physical comorbidity in an Arab primary health care setting. <i>BMC Psychiatry</i> , 2018 , 18, 313	4.2	10
162	Response speed and rate of remission in primary and specialty care of elderly patients with depression. <i>American Journal of Geriatric Psychiatry</i> , 2002 , 10, 583-91	6.5	10
161	Associations of medical comorbidity, psychosis, pain, and capacity with psychiatric hospital length of stay in geriatric inpatients with and without dementia. <i>International Psychogeriatrics</i> , 2014 , 1-9	3.4	9
160	Cognitive remediation for older community-dwelling individuals with schizophrenia: a pilot and feasibility study. <i>International Journal of Geriatric Psychiatry</i> , 2015 , 30, 1129-34	3.9	9
159	Social support in late life mania: GERI-BD. International Journal of Geriatric Psychiatry, 2014, 29, 1028-32	2 3.9	9
158	Web-based training and interrater reliability testing for scoring the Hamilton Depression Rating Scale. <i>Psychiatry Research</i> , 2008 , 161, 126-30	9.9	9
157	Weight gain during olanzapine treatment for psychotic depression: effects of dose and age. <i>International Clinical Psychopharmacology</i> , 2008 , 23, 130-7	2.2	9
156	Neuroleptic-Induced Parkinsonism in Elderly Patients Diagnosed With Psychotic Major Depression and Dementia of the Alzheimer Type. <i>American Journal of Geriatric Psychiatry</i> , 1996 , 4, 311-319	6.5	9
155	Early detection of neuroleptic-induced parkinsonism in elderly patients with dementia. <i>Journal of Geriatric Psychiatry and Neurology</i> , 1994 , 7, 251-3	3.8	9
154	Dyskinesia and neuroleptic exposure in elderly psychiatric inpatients. <i>Topics in Geriatrics</i> , 1992 , 5, 156-6	1	9
153	A pilot study of interictal cognitive changes in elderly patients during ECT. <i>International Journal of Geriatric Psychiatry</i> , 1992 , 7, 407-410	3.9	9
152	Educating the families of nursing home residents: a pilot study using a computer-based system. Journal of the American Medical Directors Association, 2003, 4, 128-34	5.9	9
151	An optimal combination of MCCB and CANTAB to assess functional capacity in older individuals with schizophrenia. <i>International Journal of Geriatric Psychiatry</i> , 2016 , 31, 1116-23	3.9	9
150	Cognitive and behavioral correlates of low vitamin B12 levels in elderly patients with progressive dementia. <i>American Journal of Geriatric Psychiatry</i> , 2002 , 10, 321-7	6.5	9
149	Changes in Theta but not Alpha Modulation Are Associated with Impairment in Working Memory in Alzheimer® Disease and Mild Cognitive Impairment. <i>Journal of Alzheimeris Disease</i> , 2019 , 68, 1085-1094	4.3	8
148	Pharmacogenetic Implications for Antidepressant Pharmacotherapy in Late-Life Depression: A Systematic Review of the Literature for Response, Pharmacokinetics and Adverse Drug Reactions. <i>American Journal of Geriatric Psychiatry</i> , 2020 , 28, 609-629	6.5	8

147	A Systematic Review of the Measurement of Function in Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2018 , 26, 54-72	6.5	8
146	SSRI-antipsychotic combination in psychotic depression: sertraline pharmacokinetics in the presence of olanzapine, a brief report from the STOP-PD study. <i>Human Psychopharmacology</i> , 2016 , 31, 252-5	2.3	8
145	Does the redesign of a psychiatric inpatient unit change the treatment process and outcomes?. <i>Psychiatric Services</i> , 2013 , 64, 804-7	3.3	8
144	Use of OSWALD for analyzing longitudinal data with informative dropout. <i>Computer Methods and Programs in Biomedicine</i> , 2007 , 85, 109-14	6.9	8
143	Intent-to-treat analysis for clinical trials: use of data collected after termination of treatment protocol. <i>Journal of Psychiatric Research</i> , 2002 , 36, 153-64	5.2	8
142	Executive Function Predicts Antidepressant Treatment Noncompletion in Late-Life Depression. Journal of Clinical Psychiatry, 2018 , 79,	4.6	8
141	The effect of atorvastatin on cognition and mood in bipolar disorder and unipolar depression patients: A secondary analysis of a randomized controlled trial. <i>Journal of Affective Disorders</i> , 2020 , 262, 149-154	6.6	8
140	Individual Differences in Response to Antidepressants: A Meta-analysis of Placebo-Controlled Randomized Clinical Trials. <i>JAMA Psychiatry</i> , 2021 , 78, 490-497	14.5	8
139	Assessment and treatment of major depression in older adults. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2019 , 167, 429-435	3	8
138	Allostatic load but not medical burden predicts memory performance in late-life bipolar disorder. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, 546-552	3.9	8
137	Pharmacogenetic guidelines and decision support tools for depression treatment: application to late-life. <i>Pharmacogenomics</i> , 2018 , 19, 1269-1284	2.6	8
136	Magnitude of the Placebo Response Across Treatment Modalities Used for Treatment-Resistant Depression in Adults: A Systematic Review and Meta-analysis. <i>JAMA Network Open</i> , 2021 , 4, e2125531	10.4	8
135	Challenges in conducting research on collaborative mental health care: a qualitative study. <i>CMAJ Open</i> , 2019 , 7, E405-E414	2.5	7
134	The benefits and costs of changing treatment technique in electroconvulsive therapy due to insufficient improvement of a major depressive episode. <i>Brain Stimulation</i> , 2020 , 13, 1284-1295	5.1	7
133	Cholinergic pathways and cognition in patients with schizophrenia: a pilot study. <i>Schizophrenia Research</i> , 2012 , 139, 46-52	3.6	7
132	The incidence of tardive dyskinesia in the study of pharmacotherapy for psychotic depression. Journal of Clinical Psychopharmacology, 2013 , 33, 391-7	1.7	7
131	Population pharmacokinetics as a method to detect variable risperidone exposure in patients suffering from dementia with behavioral disturbances. <i>American Journal of Geriatric Pharmacotherapy</i> , 2005 , 3, 87-91		7
130	Primary care physicians attitude toward diagnosis and treatment of late-life depression. <i>CNS Spectrums</i> , 2002 , 7, 784-90	1.8	7

129	Effect of paroxetine on plasma vasopressin and water load testing in elderly individuals. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2000 , 13, 212-6	3.8	7
128	The clinical response to total sleep deprivation and recovery sleep in geriatric depression: potential indicators of antidepressant treatment outcome. <i>Psychiatry Research</i> , 2000 , 97, 41-9	9.9	7
127	A Study of Elderly Suicide Attempters Admitted to an Inpatient Psychiatric Unit. <i>American Journal of Geriatric Psychiatry</i> , 1993 , 1, 126-135	6.5	7
126	COVID-19: Implications for bipolar disorder clinical care and research. SAGE Open Medicine, 2020, 8, 20)50 <u>3</u> 42	12 9 98117
125	Theta-gamma coupling and ordering information: a stable brain-behavior relationship across cognitive tasks and clinical conditions. <i>Neuropsychopharmacology</i> , 2020 , 45, 2038-2047	8.7	7
124	Impact of COVID-19 on motor vehicle injuries and fatalities in older adults in Ontario, Canada. <i>Accident Analysis and Prevention</i> , 2021 , 157, 106195	6.1	7
123	Amyloid deposition in semantic dementia: a positron emission tomography study. <i>International Journal of Geriatric Psychiatry</i> , 2016 , 31, 1064-74	3.9	7
122	Effects of nortriptyline and paroxetine on postural sway in depressed elderly patients. <i>American Journal of Geriatric Psychiatry</i> , 2002 , 10, 199-205	6.5	7
121	Association between Sleep Disturbances and Medial Temporal Lobe Volume in Older Adults with Mild Cognitive Impairment Free of Lifetime History of Depression. <i>Journal of Alzheimeris Disease</i> , 2019 , 69, 413-421	4.3	6
120	Examining the Link Between Cardiovascular Risk Factors and Neuropsychiatric Symptoms in Mild Cognitive Impairment and Major Depressive Disorder in Remission. <i>Journal of Alzheimeris Disease</i> , 2019 , 67, 1305-1311	4.3	6
119	Physician-based availability of psychotherapy in Ontario: a population-based retrospective cohort study. <i>CMAJ Open</i> , 2020 , 8, E105-E115	2.5	6
118	Atorvastatin in the treatment of Lithium-induced nephrogenic diabetes insipidus: the protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2018 , 18, 227	4.2	6
117	Statins and cognition in late-life bipolar disorder. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, 1355-1360	3.9	6
116	Management of Late-Life Depression in the Context of Cognitive Impairment: a Review of the Recent Literature. <i>Current Psychiatry Reports</i> , 2019 , 21, 74	9.1	6
115	Comorbid anxiety in late-life depression: Relationship with remission and suicidal ideation on venlafaxine treatment. <i>Depression and Anxiety</i> , 2019 , 36, 1125-1134	8.4	6
114	Relationship Between Cerebrovascular Risk, Cognition, and Treatment Outcome in Late-Life Psychotic Depression. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 1270-1275	6.5	6
113	Depression symptom ratings in geriatric patients with bipolar mania. <i>International Journal of Geriatric Psychiatry</i> , 2011 , 26, 1201-8	3.9	6
112	Does major depressive disorder with somatic delusions constitute a distinct subtype of major depressive disorder with psychotic features?. <i>Journal of Affective Disorders</i> , 2009 , 112, 250-5	6.6	6

111	Risperidone and 9-hydroxyrisperidone concentrations are not dependent on age or creatinine clearance among elderly subjects. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2002 , 15, 77-81	3.8	6
110	Phenomenology and Prevalence of Neuroleptic-Induced Akathisia in Late Life. <i>American Journal of Geriatric Psychiatry</i> , 1993 , 1, 136-142	6.5	6
109	Depression in late life. Current Opinion in Psychiatry, 1994, 7, 18-21	4.9	6
108	Bipolar disorder center for Pennsylvanians: implementing an effectiveness trial to improve treatment for at-risk patients. <i>Psychiatric Services</i> , 2009 , 60, 888-97	3.3	6
107	Computer-Aided Telephone Support for Primary Care Patients with Common Mental Health Conditions: Randomized Controlled Trial. <i>JMIR Mental Health</i> , 2018 , 5, e10224	6	6
106	Threshold of Dopamine D2/3 Receptor Occupancy for Hyperprolactinemia in Older Patients With Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, e1557-e1563	4.6	6
105	Impact of Prior Treatment on Remission of Late-Life Depression with Venlafaxine and Subsequent Aripiprazole or Placebo Augmentation. <i>American Journal of Geriatric Psychiatry</i> , 2016 , 24, 918-22	6.5	6
104	Amotivation is associated with smaller ventral striatum volumes in older patients with schizophrenia. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, 523-530	3.9	6
103	Low-dose augmentation with buprenorphine increases emotional reactivity but not reward activity in treatment resistant mid- and late-life depression. <i>NeuroImage: Clinical</i> , 2019 , 21, 101679	5.3	5
102	Frontal-executive and corticolimbic structural brain circuitry in older people with remitted depression, mild cognitive impairment, Alzheimer@dementia, and normal cognition. Neuropsychopharmacology, 2020, 45, 1567-1578	8.7	5
101	Effect of sertraline on risk of falling in older adults with psychotic depression on olanzapine: results of a randomized placebo-controlled trial. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 332-6	6.5	5
100	Gray matter regions statistically mediating the cross-sectional association of eotaxin and set-shifting among older adults with major depressive disorder. <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, 1226-1232	3.9	5
99	Depression Remission Rates Among Older Black and White Adults: Analyses From the IRL-GREY Trial. <i>Psychiatric Services</i> , 2015 , 66, 1303-11	3.3	5
98	Towards the development of new subtype-specific muscarinic receptor radiopharmaceuticals [] Radiosynthesis and ex vivo biodistribution of [18F]3-(4-(2-(2-fluoroethoxy)ethoxy)ethylthio)-1,2,5-thiadiazol-3-yl)-1-methyl-1,2,5,6-tetrahydropyrid	0.9 dine.	5
97	Biomarkers in geriatric psychiatry: searching for the holy grail?. <i>Current Opinion in Psychiatry</i> , 2008 , 21, 533-9	4.9	5
96	alpha1-acid glycoprotein in late-life depression: relationship to medical burden and genetics. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2003 , 16, 235-9	3.8	5
95	Predicting Remission in Late-Life Major Depression: A Clinical Algorithm Based Upon Past Treatment History. <i>Journal of Clinical Psychiatry</i> , 2019 , 80,	4.6	5
94	Magnetic Seizure Therapy for Suicidality in Treatment-Resistant Depression. <i>JAMA Network Open</i> , 2020 , 3, e207434	10.4	5

(2015-2021)

93	Reduced heart rate variability is associated with higher illness burden in bipolar disorder. <i>Journal of Psychosomatic Research</i> , 2021 , 145, 110478	4.1	5	
92	Older Adults Perspectives on Clinical Research: A Focus Group and Survey Study. <i>American Journal of Geriatric Psychiatry</i> , 2016 , 24, 893-902	6.5	5	
91	Genome-wide analysis suggests the importance of vascular processes and neuroinflammation in late-life antidepressant response. <i>Translational Psychiatry</i> , 2021 , 11, 127	8.6	5	
90	Resting state functional connectivity in patients with remitted psychotic depression: A multi-centre STOP-PD study. <i>EBioMedicine</i> , 2018 , 36, 446-453	8.8	5	
89	Validation study of microRNAs previously associated with antidepressant response in older adults treated for late-life depression with venlafaxine. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 100, 109867	5.5	4	
88	Occupancy of Dopamine D3 Receptors by Aripiprazole in Treatment Resistant Late-Life Depressed Patients Depends on Length of Treatment as Evidenced by in vivo Imaging with [11C]-(+)-PHNO. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, S83-S84	6.5	4	
87	Predicting hospital length of stay for geriatric and adult patients with schizophrenia. <i>Journal of Hospital Administration</i> , 2015 , 4, 15	0.3	4	
86	The establishment of a brain bank for the study of late-life depression: a feasibility study of factors facilitating consent. <i>CNS Spectrums</i> , 2002 , 7, 816-21	1.8	4	
85	The Association of Baseline Suicidality With Treatment Outcome in Psychotic Depression. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, 1149-1154	4.6	4	
84	Technology-enabled collaborative care for youth with early psychosis: A protocol for a feasibility study to improve physical health behaviours. <i>Microbial Biotechnology</i> , 2021 , 15, 828-836	3.3	4	
83	Prolactin and Estrogen Levels in Postmenopausal Women Receiving Aripiprazole Augmentation Treatment for Depression. <i>Journal of Clinical Psychopharmacology</i> , 2021 , 41, 31-35	1.7	4	
82	Evolutionary theory and the treatment of depression: It is all about the squids and the sea bass. <i>Behaviour Research and Therapy</i> , 2021 , 143, 103849	5.2	4	
81	Treatment Emergent Suicidal Ideation in depressed older adults. <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, 596-604	3.9	3	
80	Health-related quality of life in remitted psychotic depression. <i>Journal of Affective Disorders</i> , 2019 , 256, 373-379	6.6	3	
79	An inverse relationship between cortical plasticity and cognitive inhibition in late-life depression. <i>Neuropsychopharmacology</i> , 2019 , 44, 1659-1666	8.7	3	
78	The Global Aging & Geriatric Experiments in Bipolar Disorder Database (GAGE-BD) project: Understanding older-age bipolar disorder by combining multiple datasets. <i>Bipolar Disorders</i> , 2019 , 21, 642-649	3.8	3	
77	Specific depressive symptoms predict remission to aripiprazole augmentation in late-life treatment resistant depression. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, e330-e335	3.9	3	
76	Small longitudinal study of serum anticholinergic activity and cognitive change in community-dwelling older adults. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 326-9	6.5	3	

75	Incorporating temporal features of repeatedly measured covariates into tree-structured survival models. <i>Biometrical Journal</i> , 2012 , 54, 181-96	1.5	3
74	Anxiety disorders in late life: an evolving picture. CNS Spectrums, 2002, 7, 805-10	1.8	3
73	Premorbid History of Major Depression and the Depressive Syndrome of Alzheimer@ Disease. <i>American Journal of Geriatric Psychiatry</i> , 1996 , 4, 85-90	6.5	3
72	Magnetic seizure therapy is efficacious and well tolerated for treatment-resistant bipolar depression: an open-label clinical trial. <i>Journal of Psychiatry and Neuroscience</i> , 2020 , 45, 313-321	4.5	3
71	Relationships Between a New Cultured Cell-Based Serum Anticholinergic Activity Assay and Anticholinergic Burden Scales or Cognitive Performance in Older Adults. <i>American Journal of Geriatric Psychiatry</i> , 2021 , 29, 1239-1252	6.5	3
70	The Impact of COVID-19 on Psychiatric Emergency and Inpatient Services in the First Month of the Pandemic in a Large Urban Mental Health Hospital in Ontario, Canada. <i>Frontiers in Psychiatry</i> , 2021 , 12, 563906	5	3
69	A double-blind, randomized, placebo-controlled pilot trial of atorvastatin for nephrogenic diabetes insipidus in lithium users. <i>Bipolar Disorders</i> , 2021 , 23, 66-75	3.8	3
68	Contributions of cholinergic receptor muscarinic 1 and CYP1A2 gene variants on the effects of plasma ratio of clozapine/N-desmethylclozapine on working memory in schizophrenia. <i>Journal of Psychopharmacology</i> , 2021 , 35, 31-39	4.6	3
67	The role of late life depressive symptoms on the trajectories of insomnia symptoms during antidepressant treatment. <i>Journal of Psychiatric Research</i> , 2018 , 96, 162-166	5.2	3
66	Relationship between childhood trauma, personality, social support and depression in women attending general medical clinics in a low and middle-income country. <i>Journal of Affective Disorders</i> , 2021 , 292, 526-533	6.6	3
65	Comorbid anxiety disorders in late-life depression 1996 , 2, 242		3
64	Effects of bilateral transcranial direct current stimulation on working memory and global cognition in older patients with remitted major depression: A pilot randomized clinical trial. <i>International Journal of Geriatric Psychiatry</i> , 2020 , 35, 1233-1242	3.9	2
63	Structural brain networks in remitted psychotic depression. <i>Neuropsychopharmacology</i> , 2020 , 45, 1223-	18.3-1	2
62	Assessing bipolar disorder in the older adult: the GERI-BD toolbox. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, e150-e157	3.9	2
61	Brain Amyloid PET Tracer Delivery is Related to White Matter Integrity in Patients with Mild Cognitive Impairment. <i>Journal of Neuroimaging</i> , 2019 , 29, 721-729	2.8	2
60	Differential impact of anxiety symptoms and anxiety disorders on treatment outcome for psychotic depression in the STOP-PD study. <i>Comprehensive Psychiatry</i> , 2014 , 55, 1069-76	7.3	2
59	Review: pharmacotherapy provides minimal improvements in the neuropsychiatric symptoms of dementia. <i>Evidence-Based Mental Health</i> , 2005 , 8, 83	11.1	2
58	Neuroleptic-Induced Parkinsonism in Alzheimer@ Disease. <i>Psychiatric Annals</i> , 2002 , 32, 249-252	0.5	2

(2002-2020)

57	Why Do Some Older Adults Treated With Antidepressants Progress to Dementia?. <i>Journal of Clinical Psychiatry</i> , 2020 , 81,	4.6	2
56	Continuation Magnetic Seizure Therapy for Treatment-Resistant Unipolar or Bipolar Depression. Journal of Clinical Psychiatry, 2021 , 82,	4.6	2
55	Enhancing Cognition in Older Persons with Depression or Anxiety with a Combination of Mindfulness-Based Stress Reduction (MBSR) and Transcranial Direct Current Stimulation (tDCS): Results of a Pilot Randomized Clinical Trial. <i>Mindfulness</i> , 2021 , 12, 1-13	2.9	2
54	Hypertension and orthostatic hypotension with venlafaxine treatment in depressed older adults. <i>Journal of Psychopharmacology</i> , 2020 , 34, 1112-1118	4.6	2
53	An update on antidepressant pharmacotherapy in late-life depression. <i>Expert Opinion on Pharmacotherapy</i> , 2021 , 22, 1909-1917	4	2
52	Immunological Markers Associated with Brain Health and Treatment Response in Late-Life Depression: Pilot Study. <i>American Journal of Geriatric Psychiatry</i> , 2016 , 24, S106-S107	6.5	2
51	Relationships Among History of Psychosis, Cognition and Functioning in Later-Life Remitted Major Depression. <i>American Journal of Geriatric Psychiatry</i> , 2021 , 29, 144-155	6.5	2
50	Predictors of change in suicidal ideation across treatment phases of major depressive disorder: analysis of the STAR*D data. <i>Neuropsychopharmacology</i> , 2021 , 46, 1293-1299	8.7	2
49	Assessment of neuroplasticity in late-life depression with transcranial magnetic stimulation. <i>Journal of Psychiatric Research</i> , 2018 , 105, 63-70	5.2	2
48	Bipolar symptoms, somatic burden, and functioning in older-age bipolar disorder: Analyses from the Global Aging & Geriatric Experiments in Bipolar Disorder Database project. <i>Bipolar Disorders</i> , 2021 ,	3.8	2
47	Dorsolateral prefrontal cortex excitability abnormalities in Alzheimer® Dementia: Findings from transcranial magnetic stimulation and electroencephalography study. <i>International Journal of Psychophysiology</i> , 2021 , 169, 55-62	2.9	2
46	Apps and gaps in bipolar disorder: A systematic review on electronic monitoring for episode prediction. <i>Journal of Affective Disorders</i> , 2021 , 295, 1190-1200	6.6	2
45	Verification of scale sub-domains in elderly patients with dementia: a confirmatory factor-analytic approach. <i>American Journal of Geriatric Psychiatry</i> , 2002 , 10, 706-14	6.5	2
44	The Effect of Venlafaxine on Electrocardiogram Intervals During Treatment for Depression in Older Adults. <i>Journal of Clinical Psychopharmacology</i> , 2020 , 40, 553-559	1.7	1
43	Assessing adjunctive treatments for bipolar depression. Lancet Psychiatry, the, 2020, 7, 478-479	23.3	1
42	Functional Competence and Cognition in Individuals With Amnestic Mild Cognitive Impairment. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 1787-1795	5.6	1
41	Impact of brief education on healthy seniors Cattitudes and healthcare choices about Alzheimer Odisease and associated symptoms. <i>International Psychogeriatrics</i> , 2018 , 30, 1889-1897	3.4	1
40	Geriatric Psychiatry: Challenges and Opportunities. CNS Spectrums, 2002, 7, 780-780	1.8	1

39	Time setting errors in the Clock Drawing Test are associated with both semantic and executive deficits <i>Applied Neuropsychology Adult</i> , 2022 , 1-10	1.9	1
38	Problem-solving therapy reduces disability more than supportive therapy in older adults with major depression and executive dysfunction. <i>Evidence-Based Mental Health</i> , 2011 , 14, 77	11.1	1
37	THE NATURE OF DEPRESSIVE RUMINATION AND ITS CONNECTION WITH DEPRESSIVE SYMPTOMS. Journal of Social and Clinical Psychology, 2020 , 39, 761-787	1.6	1
36	Onset of confusion in the context of late-life depression. <i>Journal of Psychiatry and Neuroscience</i> , 2007 , 32, 152	4.5	1
35	Metabolic function in patients with bipolar depression receiving anti-inflammatory agents: Findings from the MINDCARE study, a multicentre, randomised controlled trial. <i>Journal of Affective Disorders</i> , 2021 , 299, 135-141	6.6	1
34	Coprescribed Benzodiazepines in Older Adults Receiving Antidepressants for Anxiety and Depressive Disorders: Association With Treatment Outcomes. <i>Journal of Clinical Psychiatry</i> , 2020 , 81,	4.6	1
33	Delusional and Psychotic Depression in Late Life Clinical Research Needs. <i>American Journal of Geriatric Psychiatry</i> , 1996 , 4, 77-84	6.5	1
32	Brain Volume Changes Under Treatment With Antipsychotics-Reply. <i>JAMA Psychiatry</i> , 2020 , 77, 877-878	14.5	1
31	Association between psychomotor disturbance and treatment outcome in psychotic depression: a STOP-PD II report. <i>Psychological Medicine</i> , 2021 , 1-7	6.9	1
30	Comparing cardiovascular risk factors in older persons with mild cognitive impairment and lifetime history of major depressive disorder. <i>International Psychogeriatrics</i> , 2021 , 1-7	3.4	1
29	The primary care assessment and research of a telephone intervention for neuropsychiatric conditions with education and resources study: Design, rationale, and sample of the PARTNERs randomized controlled trial. <i>Contemporary Clinical Trials</i> , 2021 , 103, 106284	2.3	1
28	Suicidality in patients with bipolar depression: Findings from a lower middle-income country. Journal of Affective Disorders, 2021 , 289, 1-6	6.6	1
27	Sahaj Samadhi Meditation versus a Health Enhancement Program for depression in chronic pain: protocol for a randomized controlled trial and implementation evaluation. <i>Trials</i> , 2020 , 21, 319	2.8	1
26	A pilot study of magnetic seizure therapy for treatment-resistant obsessive-compulsive disorder. <i>Depression and Anxiety</i> , 2021 , 38, 161-171	8.4	1
25	The use of sequential pharmacotherapy for the treatment of acute major depression: a scoping review. <i>Expert Opinion on Pharmacotherapy</i> , 2021 , 22, 1005-1014	4	1
24	Cortical inhibition, facilitation and plasticity in late-life depression: effects of venlafaxine pharmacotherapy. <i>Journal of Psychiatry and Neuroscience</i> , 2021 , 46, E88-E96	4.5	1
23	The futility of long-term predictions in bipolar disorder: mood fluctuations are the result of deterministic chaotic processes. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 30	5.4	1
22	Antidepressant treatment outcomes in patients with and without comorbid physical or psychiatric disorders: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2021 , 295, 225-234	6.6	1

21	Impact of standardizing care for agitation in dementia using an integrated care pathway on an inpatient geriatric psychiatry unit <i>International Psychogeriatrics</i> , 2022 , 1-10	3.4	1
20	Magnetic Seizure Therapy for the Treatment of Suicidality in Bipolar Depression. <i>Biological Psychiatry</i> , 2021 , 90, e51-e53	7.9	Ο
19	Predicting Hospital Length of Stay for Geriatric Patients with Mood Disorders. <i>Canadian Journal of Psychiatry</i> , 2012 , 57, 627-634	4.8	О
18	From challenge to opportunity: COVID-19 and the evolution of virtual mental health care <i>Families, Systems and Health</i> , 2021 , 39, 659-661	0.7	Ο
17	Cognitive-Behavioral Social Skills Training for patients with late-life schizophrenia and the moderating effect of executive dysfunction <i>Schizophrenia Research</i> , 2021 , 239, 160-167	3.6	О
16	Decision tree classification of cognitive functions with D receptor occupancy and illness severity in late-life schizophrenia <i>Schizophrenia Research</i> , 2022 , 241, 113-115	3.6	Ο
15	Increased sympathetic tone is associated with illness burden in bipolar disorder. <i>Journal of Affective Disorders</i> , 2022 , 297, 471-476	6.6	О
14	Coordinate-Based Network Mapping of Brain Structure in Major Depressive Disorder in Younger and Older Adults: A Systematic Review and Meta-Analysis. <i>American Journal of Psychiatry</i> , 2021 , 178, 1119-1128	11.9	О
13	Effect of Older vs Younger Age on Anthropometric and Metabolic Variables During Treatment of Psychotic Depression With Sertraline Plus Olanzapine: The STOP-PD II Study. <i>American Journal of Geriatric Psychiatry</i> , 2021 , 29, 645-654	6.5	0
12	Trial failures of anti-inflammatory drugs in depression - Authors Oreply. <i>Lancet Psychiatry, the</i> , 2020 , 7, 837-838	23.3	Ο
11	Effects of Repetitive Transcranial Magnetic Stimulation on Working Memory Performance and Brain Structure in People With Schizophrenia Spectrum Disorders: A Double-Blind, Randomized, Sham-Controlled Trial. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021 , 6, 449-458	3.4	О
10	Pharmacotherapy Prescriptions for Relapse Prevention of Psychotic Depression After Electroconvulsive Therapy. <i>Journal of Clinical Psychopharmacology</i> , 2021 , 41, 196-199	1.7	О
9	Identifying patient-specific behaviors to understand illness trajectories and predict relapses in bipolar disorder using passive sensing and deep anomaly detection: protocol for a contactless cohort study <i>BMC Psychiatry</i> , 2022 , 22, 288	4.2	0
8	Reappraising the variability of effects of antipsychotic medication in schizophrenia: a meta-analysis <i>World Psychiatry</i> , 2022 , 21, 287-294	14.4	О
7	Factor analysis of the CORE measure of psychomotor disturbance in psychotic depression: Findings from the STOP-PD II study. <i>Psychiatry Research</i> , 2022 , 314, 114648	9.9	О
6	Plus El change? Benzodiazepine prescription in older patients with schizophrenia is common but best avoided. <i>International Psychogeriatrics</i> , 2020 , 32, 419-422	3.4	
5	Reply. Psychotherapy and Psychosomatics, 2018 , 87, 180	9.4	
4	Dr. Lenze and Colleagues Reply. <i>American Journal of Psychiatry</i> , 2005 , 162, 2196-2197	11.9	

Placebo response in treatment resistant depression: a systematic review and meta-analysis of multiple treatment modalities. *BJPsych Open*, **2021**, 7, S261-S262

5

- GERI-BD: A Randomized Double-Blind Controlled Trial of Lithium and Divalproex in the Treatment of Mania in Older Patients With Bipolar Disorder. *Focus (American Psychiatric Publishing)*, **2019**, 17, 314-321
- Relationship of Hair Cortisol with History of Psychosis, Neuropsychological Performance and Functioning in Remitted Later-Life Major Depression. *Neuropsychobiology*, **2021**, 80, 313-320