

Benoit H Mulsant

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2539867/benoit-h-mulsant-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

470 papers	19,677 citations	69 h-index	121 g-index
540 ext. papers	22,908 ext. citations	5.1 avg, IF	6.67 L-index

#	Paper	IF	Citations
470	Time setting errors in the Clock Drawing Test are associated with both semantic and executive deficits.. <i>Applied Neuropsychology Adult</i> , 2022 , 1-10	1.9	1
469	Decision tree classification of cognitive functions with D receptor occupancy and illness severity in late-life schizophrenia.. <i>Schizophrenia Research</i> , 2022 , 241, 113-115	3.6	0
468	Increased sympathetic tone is associated with illness burden in bipolar disorder. <i>Journal of Affective Disorders</i> , 2022 , 297, 471-476	6.6	0
467	Identifying patient-specific behaviors to understand illness trajectories and predict relapses in bipolar disorder using passive sensing and deep anomaly detection: protocol for a contactless cohort study.. <i>BMC Psychiatry</i> , 2022 , 22, 288	4.2	0
466	Reappraising the variability of effects of antipsychotic medication in schizophrenia: a meta-analysis.. <i>World Psychiatry</i> , 2022 , 21, 287-294	14.4	0
465	Impact of standardizing care for agitation in dementia using an integrated care pathway on an inpatient geriatric psychiatry unit.. <i>International Psychogeriatrics</i> , 2022 , 1-10	3.4	1
464	Factor analysis of the CORE measure of psychomotor disturbance in psychotic depression: Findings from the STOP-PD II study. <i>Psychiatry Research</i> , 2022 , 314, 114648	9.9	0
463	Magnetic Seizure Therapy for the Treatment of Suicidality in Bipolar Depression. <i>Biological Psychiatry</i> , 2021 , 90, e51-e53	7.9	0
462	From challenge to opportunity: COVID-19 and the evolution of virtual mental health care.. <i>Families, Systems and Health</i> , 2021 , 39, 659-661	0.7	0
461	Cognitive-Behavioral Social Skills Training for patients with late-life schizophrenia and the moderating effect of executive dysfunction.. <i>Schizophrenia Research</i> , 2021 , 239, 160-167	3.6	0
460	Metabolic function in patients with bipolar depression receiving anti-inflammatory agents: Findings from the MINDCARE study, a multicentre, randomised controlled trial. <i>Journal of Affective Disorders</i> , 2021 , 299, 135-141	6.6	1
459	Continuation Magnetic Seizure Therapy for Treatment-Resistant Unipolar or Bipolar Depression. <i>Journal of Clinical Psychiatry</i> , 2021 , 82,	4.6	2
458	Coordinate-Based Network Mapping of Brain Structure in Major Depressive Disorder in Younger and Older Adults: A Systematic Review and Meta-Analysis. <i>American Journal of Psychiatry</i> , 2021 , 178, 1119-1128	11.9	0
457	Enhancing Cognition in Older Persons with Depression or Anxiety with a Combination of Mindfulness-Based Stress Reduction (MBSR) and Transcranial Direct Current Stimulation (tDCS): Results of a Pilot Randomized Clinical Trial. <i>Mindfulness</i> , 2021 , 12, 1-13	2.9	2
456	Using Rapid Design Thinking to Overcome COVID-19 Challenges in Medical Education. <i>Academic Medicine</i> , 2021 , 96, 56-61	3.9	25
455	Effect of Older vs Younger Age on Anthropometric and Metabolic Variables During Treatment of Psychotic Depression With Sertraline Plus Olanzapine: The STOP-PD II Study. <i>American Journal of Geriatric Psychiatry</i> , 2021 , 29, 645-654	6.5	0
454	Technology-enabled collaborative care for youth with early psychosis: A protocol for a feasibility study to improve physical health behaviours. <i>Microbial Biotechnology</i> , 2021 , 15, 828-836	3.3	4

453	Relationships Between a New Cultured Cell-Based Serum Anticholinergic Activity Assay and Anticholinergic Burden Scales or Cognitive Performance in Older Adults. <i>American Journal of Geriatric Psychiatry</i> , 2021 , 29, 1239-1252	6.5	3
452	Association between psychomotor disturbance and treatment outcome in psychotic depression: a STOP-PD II report. <i>Psychological Medicine</i> , 2021 , 1-7	6.9	1
451	Comparing cardiovascular risk factors in older persons with mild cognitive impairment and lifetime history of major depressive disorder. <i>International Psychogeriatrics</i> , 2021 , 1-7	3.4	1
450	The Impact of COVID-19 on Psychiatric Emergency and Inpatient Services in the First Month of the Pandemic in a Large Urban Mental Health Hospital in Ontario, Canada. <i>Frontiers in Psychiatry</i> , 2021 , 12, 563906	5	3
449	The primary care assessment and research of a telephone intervention for neuropsychiatric conditions with education and resources study: Design, rationale, and sample of the PARTNERS randomized controlled trial. <i>Contemporary Clinical Trials</i> , 2021 , 103, 106284	2.3	1
448	Individual Differences in Response to Antidepressants: A Meta-analysis of Placebo-Controlled Randomized Clinical Trials. <i>JAMA Psychiatry</i> , 2021 , 78, 490-497	14.5	8
447	Reduced heart rate variability is associated with higher illness burden in bipolar disorder. <i>Journal of Psychosomatic Research</i> , 2021 , 145, 110478	4.1	5
446	Placebo response in treatment resistant depression: a systematic review and meta-analysis of multiple treatment modalities. <i>BJPsych Open</i> , 2021 , 7, S261-S262	5	
445	Suicidality in patients with bipolar depression: Findings from a lower middle-income country. <i>Journal of Affective Disorders</i> , 2021 , 289, 1-6	6.6	1
444	An update on antidepressant pharmacotherapy in late-life depression. <i>Expert Opinion on Pharmacotherapy</i> , 2021 , 22, 1909-1917	4	2
443	Impact of COVID-19 on motor vehicle injuries and fatalities in older adults in Ontario, Canada. <i>Accident Analysis and Prevention</i> , 2021 , 157, 106195	6.1	7
442	Relationships Among History of Psychosis, Cognition and Functioning in Later-Life Remitted Major Depression. <i>American Journal of Geriatric Psychiatry</i> , 2021 , 29, 144-155	6.5	2
441	A double-blind, randomized, placebo-controlled pilot trial of atorvastatin for nephrogenic diabetes insipidus in lithium users. <i>Bipolar Disorders</i> , 2021 , 23, 66-75	3.8	3
440	Effects of Repetitive Transcranial Magnetic Stimulation on Working Memory Performance and Brain Structure in People With Schizophrenia Spectrum Disorders: A Double-Blind, Randomized, Sham-Controlled Trial. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021 , 6, 449-458	3.4	0
439	Contributions of cholinergic receptor muscarinic 1 and CYP1A2 gene variants on the effects of plasma ratio of clozapine/N-desmethylozapine on working memory in schizophrenia. <i>Journal of Psychopharmacology</i> , 2021 , 35, 31-39	4.6	3
438	A pilot study of magnetic seizure therapy for treatment-resistant obsessive-compulsive disorder. <i>Depression and Anxiety</i> , 2021 , 38, 161-171	8.4	1
437	Prolactin and Estrogen Levels in Postmenopausal Women Receiving Aripiprazole Augmentation Treatment for Depression. <i>Journal of Clinical Psychopharmacology</i> , 2021 , 41, 31-35	1.7	4
436	Predictors of change in suicidal ideation across treatment phases of major depressive disorder: analysis of the STAR*D data. <i>Neuropsychopharmacology</i> , 2021 , 46, 1293-1299	8.7	2

435	Relationship of Hair Cortisol with History of Psychosis, Neuropsychological Performance and Functioning in Remitted Later-Life Major Depression. <i>Neuropsychobiology</i> , 2021 , 80, 313-320	4	
434	The use of sequential pharmacotherapy for the treatment of acute major depression: a scoping review. <i>Expert Opinion on Pharmacotherapy</i> , 2021 , 22, 1005-1014	4	1
433	Genome-wide analysis suggests the importance of vascular processes and neuroinflammation in late-life antidepressant response. <i>Translational Psychiatry</i> , 2021 , 11, 127	8.6	5
432	Cortical inhibition, facilitation and plasticity in late-life depression: effects of venlafaxine pharmacotherapy. <i>Journal of Psychiatry and Neuroscience</i> , 2021 , 46, E88-E96	4.5	1
431	Pharmacotherapy Prescriptions for Relapse Prevention of Psychotic Depression After Electroconvulsive Therapy. <i>Journal of Clinical Psychopharmacology</i> , 2021 , 41, 196-199	1.7	0
430	Evolutionary theory and the treatment of depression: It is all about the squids and the sea bass. <i>Behaviour Research and Therapy</i> , 2021 , 143, 103849	5.2	4
429	Bipolar symptoms, somatic burden, and functioning in older-age bipolar disorder: Analyses from the Global Aging & Geriatric Experiments in Bipolar Disorder Database project. <i>Bipolar Disorders</i> , 2021 ,	3.8	2
428	Relationship between childhood trauma, personality, social support and depression in women attending general medical clinics in a low and middle-income country. <i>Journal of Affective Disorders</i> , 2021 , 292, 526-533	6.6	3
427	Magnitude of the Placebo Response Across Treatment Modalities Used for Treatment-Resistant Depression in Adults: A Systematic Review and Meta-analysis. <i>JAMA Network Open</i> , 2021 , 4, e2125531	10.4	8
426	The futility of long-term predictions in bipolar disorder: mood fluctuations are the result of deterministic chaotic processes. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 30	5.4	1
425	Dorsolateral prefrontal cortex excitability abnormalities in Alzheimer® Dementia: Findings from transcranial magnetic stimulation and electroencephalography study. <i>International Journal of Psychophysiology</i> , 2021 , 169, 55-62	2.9	2
424	Antidepressant treatment outcomes in patients with and without comorbid physical or psychiatric disorders: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2021 , 295, 225-234	6.6	1
423	Apps and gaps in bipolar disorder: A systematic review on electronic monitoring for episode prediction. <i>Journal of Affective Disorders</i> , 2021 , 295, 1190-1200	6.6	2
422	The Effect of Venlafaxine on Electrocardiogram Intervals During Treatment for Depression in Older Adults. <i>Journal of Clinical Psychopharmacology</i> , 2020 , 40, 553-559	1.7	1
421	Frontal-executive and corticolimbic structural brain circuitry in older people with remitted depression, mild cognitive impairment, Alzheimer® dementia, and normal cognition. <i>Neuropsychopharmacology</i> , 2020 , 45, 1567-1578	8.7	5
420	Plus ça change? Benzodiazepine prescription in older patients with schizophrenia is common but best avoided. <i>International Psychogeriatrics</i> , 2020 , 32, 419-422	3.4	
419	Assessing adjunctive treatments for bipolar depression. <i>Lancet Psychiatry</i> , 2020 , 7, 478-479	23.3	1
418	The benefits and costs of changing treatment technique in electroconvulsive therapy due to insufficient improvement of a major depressive episode. <i>Brain Stimulation</i> , 2020 , 13, 1284-1295	5.1	7

417	Inflammation as a treatment target in mood disorders: review. <i>BJPsych Open</i> , 2020 , 6, e60	5	20
416	Effects of bilateral transcranial direct current stimulation on working memory and global cognition in older patients with remitted major depression: A pilot randomized clinical trial. <i>International Journal of Geriatric Psychiatry</i> , 2020 , 35, 1233-1242	3.9	2
415	Experiences of American Older Adults with Pre-existing Depression During the Beginnings of the COVID-19 Pandemic: A Multicity, Mixed-Methods Study. <i>American Journal of Geriatric Psychiatry</i> , 2020 , 28, 924-932	6.5	63
414	Physician-based availability of psychotherapy in Ontario: a population-based retrospective cohort study. <i>CMAJ Open</i> , 2020 , 8, E105-E115	2.5	6
413	Action at a Distance: Geriatric Research during a Pandemic. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 922-925	5.6	66
412	Structural brain networks in remitted psychotic depression. <i>Neuropsychopharmacology</i> , 2020 , 45, 1223-1231	12.3	2
411	Design and Rationale of the PACt-MD Randomized Clinical Trial: Prevention of Alzheimer® dementia with Cognitive remediation plus transcranial direct current stimulation in Mild cognitive impairment and Depression. <i>Journal of Alzheimer's Disease</i> , 2020 , 76, 733-751	4.3	10
410	Effects of Antipsychotic Medication on Brain Structure in Patients With Major Depressive Disorder and Psychotic Features: Neuroimaging Findings in the Context of a Randomized Placebo-Controlled Clinical Trial. <i>JAMA Psychiatry</i> , 2020 , 77, 674-683	14.5	31
409	Feasibility of remotely supervised transcranial direct current stimulation and cognitive remediation: A systematic review. <i>PLoS ONE</i> , 2020 , 15, e0223029	3.7	15
408	Individual Differences in Response to Antidepressants: A Meta-analysis of Placebo-Controlled Randomized Clinical Trials. <i>JAMA Psychiatry</i> , 2020 , 77, 607-617	14.5	20
407	Validation study of microRNAs previously associated with antidepressant response in older adults treated for late-life depression with venlafaxine. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 100, 109867	5.5	4
406	Pharmacogenetic Implications for Antidepressant Pharmacotherapy in Late-Life Depression: A Systematic Review of the Literature for Response, Pharmacokinetics and Adverse Drug Reactions. <i>American Journal of Geriatric Psychiatry</i> , 2020 , 28, 609-629	6.5	8
405	The COVID-19 Global Pandemic: Implications for People With Schizophrenia and Related Disorders. <i>Schizophrenia Bulletin</i> , 2020 , 46, 752-757	1.3	153
404	Functional Competence and Cognition in Individuals With Amnesic Mild Cognitive Impairment. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 1787-1795	5.6	1
403	Anticipating and Mitigating the Impact of the COVID-19 Pandemic on Alzheimer® Disease and Related Dementias. <i>American Journal of Geriatric Psychiatry</i> , 2020 , 28, 712-721	6.5	229
402	COVID-19: Implications for bipolar disorder clinical care and research. <i>SAGE Open Medicine</i> , 2020 , 8, 205031212098117	3.1	17
401	Magnetic seizure therapy is efficacious and well tolerated for treatment-resistant bipolar depression: an open-label clinical trial. <i>Journal of Psychiatry and Neuroscience</i> , 2020 , 45, 313-321	4.5	3
400	THE NATURE OF DEPRESSIVE RUMINATION AND ITS CONNECTION WITH DEPRESSIVE SYMPTOMS. <i>Journal of Social and Clinical Psychology</i> , 2020 , 39, 761-787	1.6	1

399	Why Do Some Older Adults Treated With Antidepressants Progress to Dementia?. <i>Journal of Clinical Psychiatry</i> , 2020 , 81,	4.6	2
398	Coprescribed Benzodiazepines in Older Adults Receiving Antidepressants for Anxiety and Depressive Disorders: Association With Treatment Outcomes. <i>Journal of Clinical Psychiatry</i> , 2020 , 81,	4.6	1
397	Minocycline and celecoxib as adjunctive treatments for bipolar depression: a multicentre, factorial design randomised controlled trial. <i>Lancet Psychiatry</i> , 2020 , 7, 515-527	23.3	53
396	The effect of atorvastatin on cognition and mood in bipolar disorder and unipolar depression patients: A secondary analysis of a randomized controlled trial. <i>Journal of Affective Disorders</i> , 2020 , 262, 149-154	6.6	8
395	Economic Burden of Depression and Associated Resource Use in Manitoba, Canada. <i>Canadian Journal of Psychiatry</i> , 2020 , 65, 338-346	4.8	14
394	Effectively Caring for Individuals With Behavioral and Psychological Symptoms of Dementia During the COVID-19 Pandemic. <i>Frontiers in Psychiatry</i> , 2020 , 11, 573367	5	26
393	Theta-gamma coupling and ordering information: a stable brain-behavior relationship across cognitive tasks and clinical conditions. <i>Neuropsychopharmacology</i> , 2020 , 45, 2038-2047	8.7	7
392	COVID-19 and persons with substance use disorders: Inequities and mitigation strategies. <i>Substance Abuse</i> , 2020 , 41, 286-291	3.8	48
391	Coping, fostering resilience, and driving care innovation for autistic people and their families during the COVID-19 pandemic and beyond. <i>Molecular Autism</i> , 2020 , 11, 61	6.5	86
390	Magnetic Seizure Therapy for Suicidality in Treatment-Resistant Depression. <i>JAMA Network Open</i> , 2020 , 3, e207434	10.4	5
389	Hypertension and orthostatic hypotension with venlafaxine treatment in depressed older adults. <i>Journal of Psychopharmacology</i> , 2020 , 34, 1112-1118	4.6	2
388	Trial failures of anti-inflammatory drugs in depression - Authors' Reply. <i>Lancet Psychiatry</i> , 2020 , 7, 837-838	23.3	0
387	Brain Volume Changes Under Treatment With Antipsychotics-Reply. <i>JAMA Psychiatry</i> , 2020 , 77, 877-878	14.5	1
386	Magnetic seizure therapy (MST) for major depressive disorder. <i>Neuropsychopharmacology</i> , 2020 , 45, 2768-2772	23.2	32
385	Sahaj Samadhi Meditation versus a Health Enhancement Program for depression in chronic pain: protocol for a randomized controlled trial and implementation evaluation. <i>Trials</i> , 2020 , 21, 319	2.8	1
384	Clinical, Demographic, and Criminal Behavior Characteristics of Patients With Intellectual Disabilities in a Canadian Forensic Program. <i>Frontiers in Psychiatry</i> , 2019 , 10, 760	5	10
383	Low-dose augmentation with buprenorphine increases emotional reactivity but not reward activity in treatment resistant mid- and late-life depression. <i>NeuroImage: Clinical</i> , 2019 , 21, 101679	5.3	5
382	Challenges in conducting research on collaborative mental health care: a qualitative study. <i>CMAJ Open</i> , 2019 , 7, E405-E414	2.5	7

381	Health-related quality of life in remitted psychotic depression. <i>Journal of Affective Disorders</i> , 2019 , 256, 373-379	6.6	3
380	An inverse relationship between cortical plasticity and cognitive inhibition in late-life depression. <i>Neuropsychopharmacology</i> , 2019 , 44, 1659-1666	8.7	3
379	Association between Sleep Disturbances and Medial Temporal Lobe Volume in Older Adults with Mild Cognitive Impairment Free of Lifetime History of Depression. <i>Journal of Alzheimer's Disease</i> , 2019 , 69, 413-421	4.3	6
378	The Global Aging & Geriatric Experiments in Bipolar Disorder Database (GAGE-BD) project: Understanding older-age bipolar disorder by combining multiple datasets. <i>Bipolar Disorders</i> , 2019 , 21, 642-649	3.8	3
377	Optimizing Outcomes of Treatment-Resistant Depression in Older Adults (OPTIMUM): Study Design and Treatment Characteristics of the First 396 Participants Randomized. <i>American Journal of Geriatric Psychiatry</i> , 2019 , 27, 1138-1152	6.5	18
376	Changes in Theta but not Alpha Modulation Are Associated with Impairment in Working Memory in Alzheimer's Disease and Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2019 , 68, 1085-1094	4.3	8
375	Unilateral and bilateral repetitive transcranial magnetic stimulation for treatment-resistant late-life depression. <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 822-827	3.9	18
374	Examining the Link Between Cardiovascular Risk Factors and Neuropsychiatric Symptoms in Mild Cognitive Impairment and Major Depressive Disorder in Remission. <i>Journal of Alzheimer's Disease</i> , 2019 , 67, 1305-1311	4.3	6
373	Effect of Continuing Olanzapine vs Placebo on Relapse Among Patients With Psychotic Depression in Remission: The STOP-PD II Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 322, 622-631	27.4	24
372	Brain Amyloid PET Tracer Delivery is Related to White Matter Integrity in Patients with Mild Cognitive Impairment. <i>Journal of Neuroimaging</i> , 2019 , 29, 721-729	2.8	2
371	Management of Late-Life Depression in the Context of Cognitive Impairment: a Review of the Recent Literature. <i>Current Psychiatry Reports</i> , 2019 , 21, 74	9.1	6
370	Comorbid anxiety in late-life depression: Relationship with remission and suicidal ideation on venlafaxine treatment. <i>Depression and Anxiety</i> , 2019 , 36, 1125-1134	8.4	6
369	Predicting Remission in Late-Life Major Depression: A Clinical Algorithm Based Upon Past Treatment History. <i>Journal of Clinical Psychiatry</i> , 2019 , 80,	4.6	5
368	GERI-BD: A Randomized Double-Blind Controlled Trial of Lithium and Divalproex in the Treatment of Mania in Older Patients With Bipolar Disorder. <i>Focus (American Psychiatric Publishing)</i> , 2019 , 17, 314-321	3.1	1
367	Assessment and treatment of major depression in older adults. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2019 , 167, 429-435	3	8
366	Separable and Replicable Neural Strategies During Social Brain Function in People With and Without Severe Mental Illness. <i>American Journal of Psychiatry</i> , 2019 , 176, 521-530	11.9	16
365	Brain structure, cognition, and brain age in schizophrenia, bipolar disorder, and healthy controls. <i>Neuropsychopharmacology</i> , 2019 , 44, 898-906	8.7	45
364	Gender Differences in Research Productivity among Academic Psychiatrists in Canada. <i>Canadian Journal of Psychiatry</i> , 2019 , 64, 415-422	4.8	12

363	Reply. <i>Psychotherapy and Psychosomatics</i> , 2018 , 87, 180	9.4	
362	Sequential drug treatment algorithm for agitation and aggression in Alzheimer® and mixed dementia. <i>Journal of Psychopharmacology</i> , 2018 , 32, 509-523	4.6	52
361	Impact of brief education on healthy seniors' attitudes and healthcare choices about Alzheimer® disease and associated symptoms. <i>International Psychogeriatrics</i> , 2018 , 30, 1889-1897	3.4	1
360	Assessing bipolar disorder in the older adult: the GERI-BD toolbox. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, e150-e157	3.9	2
359	Electroconvulsive therapy for depression with comorbid borderline personality disorder or post-traumatic stress disorder: A matched retrospective cohort study. <i>Brain Stimulation</i> , 2018 , 11, 204-212	5.1	18
358	Specific depressive symptoms predict remission to aripiprazole augmentation in late-life treatment resistant depression. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, e330-e335	3.9	3
357	A Systematic Review of the Measurement of Function in Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2018 , 26, 54-72	6.5	8
356	Impact of Physician Follow-Up Care on Psychiatric Readmission Rates in a Population-Based Sample of Patients With Schizophrenia. <i>Psychiatric Services</i> , 2018 , 69, 61-68	3.3	16
355	Theta-Gamma Coupling and Working Memory in Alzheimer® Dementia and Mild Cognitive Impairment. <i>Frontiers in Aging Neuroscience</i> , 2018 , 10, 101	5.3	48
354	Atorvastatin in the treatment of Lithium-induced nephrogenic diabetes insipidus: the protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2018 , 18, 227	4.2	6
353	Statins and cognition in late-life bipolar disorder. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, 1355-1360	3.9	6
352	Computer-Aided Telephone Support for Primary Care Patients with Common Mental Health Conditions: Randomized Controlled Trial. <i>JMIR Mental Health</i> , 2018 , 5, e10224	6	6
351	Executive Function Predicts Antidepressant Treatment Noncompletion in Late-Life Depression. <i>Journal of Clinical Psychiatry</i> , 2018 , 79,	4.6	8
350	Bilateral Repetitive Transcranial Magnetic Stimulation Decreases Suicidal Ideation in Depression. <i>Journal of Clinical Psychiatry</i> , 2018 , 79,	4.6	23
349	Allostatic load but not medical burden predicts memory performance in late-life bipolar disorder. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, 546-552	3.9	8
348	Brain-Behavior Participant Similarity Networks Among Youth and Emerging Adults with Schizophrenia Spectrum, Autism Spectrum, or Bipolar Disorder and Matched Controls. <i>Neuropsychopharmacology</i> , 2018 , 43, 1180-1188	8.7	29
347	Amotivation is associated with smaller ventral striatum volumes in older patients with schizophrenia. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, 523-530	3.9	6
346	The role of late life depressive symptoms on the trajectories of insomnia symptoms during antidepressant treatment. <i>Journal of Psychiatric Research</i> , 2018 , 96, 162-166	5.2	3

345	Mental and physical comorbidity in an Arab primary health care setting. <i>BMC Psychiatry</i> , 2018 , 18, 313	4.2	10
344	Magnetic seizure therapy reduces suicidal ideation and produces neuroplasticity in treatment-resistant depression. <i>Translational Psychiatry</i> , 2018 , 8, 253	8.6	32
343	Pharmacogenetic guidelines and decision support tools for depression treatment: application to late-life. <i>Pharmacogenomics</i> , 2018 , 19, 1269-1284	2.6	8
342	Resting state functional connectivity in patients with remitted psychotic depression: A multi-centre STOP-PD study. <i>EBioMedicine</i> , 2018 , 36, 446-453	8.8	5
341	Assessment of neuroplasticity in late-life depression with transcranial magnetic stimulation. <i>Journal of Psychiatric Research</i> , 2018 , 105, 63-70	5.2	2
340	Reduced GABAergic cortical inhibition in aging and depression. <i>Neuropsychopharmacology</i> , 2018 , 43, 2277-2284	8.7	24
339	Characteristics of ictal EEG in Magnetic Seizure Therapy at various stimulation frequencies. <i>Clinical Neurophysiology</i> , 2018 , 129, 1770-1779	4.3	11
338	Efficacy, tolerability, and cognitive effects of deep transcranial magnetic stimulation for late-life depression: a prospective randomized controlled trial. <i>Neuropsychopharmacology</i> , 2018 , 43, 2231-2238	8.7	60
337	Treatment Emergent Suicidal Ideation in depressed older adults. <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, 596-604	3.9	3
336	Immunological biomarkers associated with brain structure and executive function in late-life depression: exploratory pilot study. <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, 692-699	3.9	24
335	Norepinephrine Transporter Gene Variants and Remission From Depression With Venlafaxine Treatment in Older Adults. <i>American Journal of Psychiatry</i> , 2017 , 174, 468-475	11.9	29
334	Improvement in Depression is Associated with Improvement in Cognition in Late-Life Psychotic Depression. <i>American Journal of Geriatric Psychiatry</i> , 2017 , 25, 672-679	6.5	10
333	Brain-Derived Neurotrophic Factor Expression in Individuals With Schizophrenia and Healthy Aging: Testing the Accelerated Aging Hypothesis of Schizophrenia. <i>Current Psychiatry Reports</i> , 2017 , 19, 36	9.1	26
332	Bone Turnover with Venlafaxine Treatment in Older Adults with Depression. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 2057-2063	5.6	11
331	Pharmacotherapy of major depression in late life: what is the role of new agents?. <i>Expert Opinion on Pharmacotherapy</i> , 2017 , 18, 599-609	4	13
330	Gray Matter Neuritic Microstructure Deficits in Schizophrenia and Bipolar Disorder. <i>Biological Psychiatry</i> , 2017 , 82, 726-736	7.9	48
329	Extent of Dorsolateral Prefrontal Cortex Plasticity and Its Association With Working Memory in Patients With Alzheimer Disease. <i>JAMA Psychiatry</i> , 2017 , 74, 1266-1274	14.5	66
328	The Mortality and Myocardial Effects of Antidepressants Are Moderated by Preexisting Cardiovascular Disease: A Meta-Analysis. <i>Psychotherapy and Psychosomatics</i> , 2017 , 86, 268-282	9.4	53

327	Should Benzodiazepines and Anticonvulsants Be Used During Electroconvulsive Therapy?: A Case Study and Literature Review. <i>Journal of ECT</i> , 2017 , 33, 237-242	2	10
326	GERI-BD: A Randomized Double-Blind Controlled Trial of Lithium and Divalproex in the Treatment of Mania in Older Patients With Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2017 , 174, 1086-1093	11.9	90
325	Effect of Metabolic Syndrome on Late-Life Depression: Associations with Disease Severity and Treatment Resistance. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 2651-2658	5.6	18
324	Changes in Characteristics and Practice Patterns of Ontario Psychiatrists. <i>Canadian Journal of Psychiatry</i> , 2017 , 62, 40-47	4.8	13
323	Cognition and Dopamine D Receptor Availability in the Striatum in Older Patients with Schizophrenia. <i>American Journal of Geriatric Psychiatry</i> , 2017 , 25, 1-10	6.5	12
322	Gray matter regions statistically mediating the cross-sectional association of eotaxin and set-shifting among older adults with major depressive disorder. <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, 1226-1232	3.9	5
321	The Association of Baseline Suicidality With Treatment Outcome in Psychotic Depression. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, 1149-1154	4.6	4
320	Anticholinergic Burden and Cognition in Older Patients With Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, e1284-e1290	4.6	17
319	Dopamine D2/3 Receptor Occupancy Following Dose Reduction Is Predictable With Minimal Plasma Antipsychotic Concentrations: An Open-Label Clinical Trial. <i>Schizophrenia Bulletin</i> , 2016 , 42, 212-9	1.3	12
318	A meta-analysis of the effects of aging on motor cortex neurophysiology assessed by transcranial magnetic stimulation. <i>Clinical Neurophysiology</i> , 2016 , 127, 2834-2845	4.3	80
317	Self-reported obstructive sleep apnea is associated with nonresponse to antidepressant pharmacotherapy in late-life depression. <i>Depression and Anxiety</i> , 2016 , 33, 1107-1113	8.4	11
316	SSRI-antipsychotic combination in psychotic depression: sertraline pharmacokinetics in the presence of olanzapine, a brief report from the STOP-PD study. <i>Human Psychopharmacology</i> , 2016 , 31, 252-5	2.3	8
315	Heterogeneity of Treatment Response to Citalopram for Patients With Alzheimer's Disease With Aggression or Agitation: The CitAD Randomized Clinical Trial. <i>American Journal of Psychiatry</i> , 2016 , 173, 465-72	11.9	60
314	Indicators for Remission of Suicidal Ideation Following Magnetic Seizure Therapy in Patients With Treatment-Resistant Depression. <i>JAMA Psychiatry</i> , 2016 , 73, 337-45	14.5	72
313	The influence of medical burden severity and cognition on functional competence in older community-dwelling individuals with schizophrenia. <i>Schizophrenia Research</i> , 2016 , 170, 330-5	3.6	14
312	Using Evolutionary Theory to Guide Mental Health Research. <i>Canadian Journal of Psychiatry</i> , 2016 , 61, 159-65	4.8	18
311	Prefrontal White Matter Structure Mediates the Influence of GAD1 on Working Memory. <i>Neuropsychopharmacology</i> , 2016 , 41, 2224-31	8.7	22
310	Predictors and Moderators of Remission With Aripiprazole Augmentation in Treatment-Resistant Late-Life Depression: An Analysis of the IRL-Grey Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2016 , 73, 329-36	14.5	27

309	Systematic Review of Cognitive Effects of Electroconvulsive Therapy in Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2016 , 24, 547-65	6.5	36
308	Establishing the cut-off score for remission and severity-ranges on the Psychotic Depression Assessment Scale (PDAS). <i>Journal of Affective Disorders</i> , 2016 , 190, 111-114	6.6	11
307	Trajectories of suicidal ideation in depressed older adults undergoing antidepressant treatment. <i>Journal of Psychiatric Research</i> , 2016 , 73, 96-101	5.2	19
306	Depressive Symptoms and Small Hippocampal Volume Accelerate the Progression to Dementia from Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2016 , 49, 743-54	4.3	28
305	Threshold of Dopamine D2/3 Receptor Occupancy for Hyperprolactinemia in Older Patients With Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, e1557-e1563	4.6	6
304	Unilateral and bilateral MRI-targeted repetitive transcranial magnetic stimulation for treatment-resistant depression: a randomized controlled study. <i>Journal of Psychiatry and Neuroscience</i> , 2016 , 41, E58-66	4.5	44
303	R- and S-citalopram concentrations have differential effects on neuropsychiatric scores in elders with dementia and agitation. <i>British Journal of Clinical Pharmacology</i> , 2016 , 82, 784-92	3.8	41
302	Immunological Markers Associated with Brain Health and Treatment Response in Late-Life Depression: Pilot Study. <i>American Journal of Geriatric Psychiatry</i> , 2016 , 24, S106-S107	6.5	2
301	Decreased Brain-Derived Neurotrophic Factor in Older Adults with Bipolar Disorder. <i>American Journal of Geriatric Psychiatry</i> , 2016 , 24, 596-601	6.5	15
300	Impact of Prior Treatment on Remission of Late-Life Depression with Venlafaxine and Subsequent Aripiprazole or Placebo Augmentation. <i>American Journal of Geriatric Psychiatry</i> , 2016 , 24, 918-22	6.5	6
299	Lack of association between dopaminergic antagonism and negative symptoms in schizophrenia: a positron emission tomography dopamine D2/3 receptor occupancy study. <i>Psychopharmacology</i> , 2016 , 233, 3803-3813	4.7	10
298	Older Adults' Perspectives on Clinical Research: A Focus Group and Survey Study. <i>American Journal of Geriatric Psychiatry</i> , 2016 , 24, 893-902	6.5	5
297	An optimal combination of MCCB and CANTAB to assess functional capacity in older individuals with schizophrenia. <i>International Journal of Geriatric Psychiatry</i> , 2016 , 31, 1116-23	3.9	9
296	Combining moderators to identify clinical profiles of patients who will, and will not, benefit from aripiprazole augmentation for treatment resistant late-life major depressive disorder. <i>Journal of Psychiatric Research</i> , 2016 , 81, 112-8	5.2	22
295	Amyloid deposition in semantic dementia: a positron emission tomography study. <i>International Journal of Geriatric Psychiatry</i> , 2016 , 31, 1064-74	3.9	7
294	Dopamine D2 Receptor availability in the striatum of antipsychotic-free older patients with schizophrenia-A [¹¹ C]-raclopride PET study. <i>Schizophrenia Research</i> , 2015 , 164, 263-7	3.6	15
293	Superficial white matter as a novel substrate of age-related cognitive decline. <i>Neurobiology of Aging</i> , 2015 , 36, 2094-106	5.6	45
292	Evaluation of Antipsychotic Dose Reduction in Late-Life Schizophrenia: A Prospective Dopamine D2/3 Receptor Occupancy Study. <i>JAMA Psychiatry</i> , 2015 , 72, 927-34	14.5	54

291	Prediction of working memory performance in schizophrenia by plasma ratio of clozapine to N-desmethylozapine. <i>American Journal of Psychiatry</i> , 2015 , 172, 579-85	11.9	51
290	Hippocampal (subfield) volume and shape in relation to cognitive performance across the adult lifespan. <i>Human Brain Mapping</i> , 2015 , 36, 3020-37	5.9	67
289	Further neuroimaging evidence for the deficit subtype of schizophrenia: a cortical connectomics analysis. <i>JAMA Psychiatry</i> , 2015 , 72, 446-55	14.5	56
288	Efficacy, safety, and tolerability of augmentation pharmacotherapy with aripiprazole for treatment-resistant depression in late life: a randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2015 , 386, 2404-12	40	151
287	Antidepressant Response Trajectories and Associated Clinical Prognostic Factors Among Older Adults. <i>JAMA Psychiatry</i> , 2015 , 72, 1021-8	14.5	36
286	Oxidative stress in older patients with bipolar disorder. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 314-9	6.5	28
285	An adaptationist perspective on the etiology of depression. <i>Journal of Affective Disorders</i> , 2015 , 172, 315-23	6.6	84
284	The impact of aging, cognition, and symptoms on functional competence in individuals with schizophrenia across the lifespan. <i>Schizophrenia Bulletin</i> , 2015 , 41, 374-81	1.3	45
283	Longer lithium exposure is associated with better white matter integrity in older adults with bipolar disorder. <i>Bipolar Disorders</i> , 2015 , 17, 248-56	3.8	48
282	NEUROBIOLOGICAL PREDICTORS OF RESPONSE TO DORSOLATERAL PREFRONTAL CORTEX REPETITIVE TRANSCRANIAL MAGNETIC STIMULATION IN DEPRESSION: A SYSTEMATIC REVIEW. <i>Depression and Anxiety</i> , 2015 , 32, 871-91	8.4	47
281	Cognitive remediation for older community-dwelling individuals with schizophrenia: a pilot and feasibility study. <i>International Journal of Geriatric Psychiatry</i> , 2015 , 30, 1129-34	3.9	9
280	Predicting hospital length of stay for geriatric and adult patients with schizophrenia. <i>Journal of Hospital Administration</i> , 2015 , 4, 15	0.3	4
279	The Impact of Sertraline Co-Administration on the Pharmacokinetics of Olanzapine: A Population Pharmacokinetic Analysis of the STOP-PD. <i>Clinical Pharmacokinetics</i> , 2015 , 54, 1161-8	6.2	11
278	Depression Remission Rates Among Older Black and White Adults: Analyses From the IRL-GREY Trial. <i>Psychiatric Services</i> , 2015 , 66, 1303-11	3.3	5
277	Relationship Between Cerebrovascular Risk, Cognition, and Treatment Outcome in Late-Life Psychotic Depression. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 1270-1275	6.5	6
276	Small longitudinal study of serum anticholinergic activity and cognitive change in community-dwelling older adults. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 326-9	6.5	3
275	Lifetime History of Depression Predicts Increased Amyloid- β Accumulation in Patients with Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2015 , 45, 907-19	4.3	42
274	Comparative efficacy between clozapine and other atypical antipsychotics on depressive symptoms in patients with schizophrenia: analysis of the CATIE phase 2E data. <i>Schizophrenia Research</i> , 2015 , 161, 429-33	3.6	21

273	Minimal evidence that untreated psychosis damages brain structures: a systematic review. <i>Schizophrenia Research</i> , 2015 , 162, 222-33	3.6	25
272	Associations of medical comorbidity, psychosis, pain, and capacity with psychiatric hospital length of stay in geriatric inpatients with and without dementia. <i>International Psychogeriatrics</i> , 2014 , 1-9	3.4	9
271	Measuring treatment response in psychotic depression: the Psychotic Depression Assessment Scale (PDAS) takes both depressive and psychotic symptoms into account. <i>Journal of Affective Disorders</i> , 2014 , 160, 68-73	6.6	23
270	Differential impact of anxiety symptoms and anxiety disorders on treatment outcome for psychotic depression in the STOP-PD study. <i>Comprehensive Psychiatry</i> , 2014 , 55, 1069-76	7.3	2
269	Brain stimulation in the treatment of late-life severe mental illness other than unipolar nonpsychotic depression. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 216-40	6.5	20
268	Genetic variation in the serotonin transporter and HTR1B receptor predicts reduced bone formation during serotonin reuptake inhibitor treatment in older adults. <i>World Journal of Biological Psychiatry</i> , 2014 , 15, 404-10	3.8	15
267	Neuroimaging and neurocognitive abnormalities associated with bipolar disorder in old age. <i>International Journal of Geriatric Psychiatry</i> , 2014 , 29, 421-7	3.9	24
266	A systematic approach to pharmacotherapy for geriatric major depression. <i>Clinics in Geriatric Medicine</i> , 2014 , 30, 517-34	3.8	58
265	Depression, antidepressants, and bone health in older adults: a systematic review. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1434-41	5.6	37
264	Therapeutic window for striatal dopamine D(2/3) receptor occupancy in older patients with schizophrenia: a pilot PET study. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 1007-16	6.5	16
263	Developing physician consensus on the reporting of patients with mild cognitive impairment and mild dementia to transportation authorities in a region with mandatory reporting legislation. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 1530-43	6.5	16
262	Effects of antipsychotic D2 antagonists on long-term potentiation in animals and implications for human studies. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014 , 54, 83-91	5.5	13
261	Dynamic prediction of treatment response in late-life depression. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 167-76	6.5	30
260	Occupancy of Dopamine D3 Receptors by Aripiprazole in Treatment Resistant Late-Life Depressed Patients Depends on Length of Treatment as Evidenced by in vivo Imaging with [11C]-(+)-PHNO. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, S83-S84	6.5	4
259	Effect of sertraline on risk of falling in older adults with psychotic depression on olanzapine: results of a randomized placebo-controlled trial. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 332-6	6.5	5
258	The role of untreated psychosis in neurodegeneration: a review of hypothesized mechanisms of neurotoxicity in first-episode psychosis. <i>Canadian Journal of Psychiatry</i> , 2014 , 59, 513-7	4.8	23
257	Cognition, function, and disability in patients with schizophrenia: a review of longitudinal studies. <i>Canadian Journal of Psychiatry</i> , 2014 , 59, 13-7	4.8	87
256	Disrupted prefrontal interhemispheric structural coupling in schizophrenia related to working memory performance. <i>Schizophrenia Bulletin</i> , 2014 , 40, 914-24	1.3	26

255	Safety, tolerability, and clinical effect of low-dose buprenorphine for treatment-resistant depression in midlife and older adults. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, e785-93	4.6	127
254	Methodological challenges in determining longitudinal associations between anticholinergic drug use and incident cognitive decline. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 336-41	5.6	56
253	Social support in late life mania: GERI-BD. <i>International Journal of Geriatric Psychiatry</i> , 2014 , 29, 1028-32	3.9	9
252	The VAGUS insight into psychosis scale--self-report and clinician-rated versions. <i>Psychiatry Research</i> , 2014 , 220, 1084-9	9.9	31
251	Universal coverage without universal access: a study of psychiatrist supply and practice patterns in Ontario. <i>Open Medicine</i> , 2014 , 8, e87-99		36
250	Dopamine D ₂ occupancy of ziprasidone across a day: a within-subject PET study. <i>Psychopharmacology</i> , 2013 , 228, 43-51	4.7	11
249	Alterations of superficial white matter in schizophrenia and relationship to cognitive performance. <i>Neuropsychopharmacology</i> , 2013 , 38, 1954-62	8.7	79
248	Social inequalities in depression and suicidal ideation among older primary care patients. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 59-69	4.5	31
247	The potential role of dopamine D ₁ receptor neurotransmission in cognition. <i>European Neuropsychopharmacology</i> , 2013 , 23, 799-813	1.2	125
246	Cognitive performance of individuals with schizophrenia across seven decades: a study using the MATRICS consensus cognitive battery. <i>American Journal of Geriatric Psychiatry</i> , 2013 , 21, 108-18	6.5	57
245	A comparison of the E-BEHAVE-AD, NBRs, and NPI in quantifying clinical improvement in the treatment of agitation and psychosis associated with dementia. <i>American Journal of Geriatric Psychiatry</i> , 2013 , 21, 78-87	6.5	22
244	Insight into illness in late-life schizophrenia: a function of illness severity and premorbid intellectual function. <i>Schizophrenia Research</i> , 2013 , 150, 217-22	3.6	10
243	Neuroimaging evidence for the deficit subtype of schizophrenia. <i>JAMA Psychiatry</i> , 2013 , 70, 472-80	14.5	108
242	Does the redesign of a psychiatric inpatient unit change the treatment process and outcomes?. <i>Psychiatric Services</i> , 2013 , 64, 804-7	3.3	8
241	PAS-induced potentiation of cortical-evoked activity in the dorsolateral prefrontal cortex. <i>Neuropsychopharmacology</i> , 2013 , 38, 2545-52	8.7	72
240	The incidence of tardive dyskinesia in the study of pharmacotherapy for psychotic depression. <i>Journal of Clinical Psychopharmacology</i> , 2013 , 33, 391-7	1.7	7
239	Pharmacological strategies in the prevention of relapse after electroconvulsive therapy. <i>Journal of ECT</i> , 2013 , 29, 3-12	2	55
238	Aging changes and medical complexity in late-life bipolar disorder: emerging research findings that may help advance care. <i>Neuropsychiatry</i> , 2013 , 3, 621-633	1.8	18

237	Canadian academy of geriatric psychiatry survey of brief cognitive screening instruments. <i>Canadian Geriatrics Journal</i> , 2013 , 16, 54-60	2.8	19
236	Neuroimaging of delusions in Alzheimer® disease. <i>Psychiatry Research - Neuroimaging</i> , 2012 , 202, 89-95	2.9	45
235	Cognition in older adults with bipolar disorder versus major depressive disorder. <i>Bipolar Disorders</i> , 2012 , 14, 198-205	3.8	54
234	Predicting Hospital Length of Stay for Geriatric Patients with Mood Disorders. <i>Canadian Journal of Psychiatry</i> , 2012 , 57, 627-634	4.8	0
233	Factors associated with non-completion in a double-blind randomized controlled trial of olanzapine plus sertraline versus olanzapine plus placebo for psychotic depression. <i>Psychiatry Research</i> , 2012 , 197, 221-6	9.9	11
232	Age and sex impact clozapine plasma concentrations in inpatients and outpatients with schizophrenia. <i>American Journal of Geriatric Psychiatry</i> , 2012 , 20, 53-60	6.5	30
231	Social emotion recognition, social functioning, and attempted suicide in late-life depression. <i>American Journal of Geriatric Psychiatry</i> , 2012 , 20, 257-65	6.5	105
230	A randomized double-blind sham-controlled comparison of unilateral and bilateral repetitive transcranial magnetic stimulation for treatment-resistant major depression. <i>World Journal of Biological Psychiatry</i> , 2012 , 13, 423-35	3.8	71
229	Defining treatment-resistant schizophrenia and response to antipsychotics: a review and recommendation. <i>Psychiatry Research</i> , 2012 , 197, 1-6	9.9	124
228	Age-related decline in white matter tract integrity and cognitive performance: a DTI tractography and structural equation modeling study. <i>Neurobiology of Aging</i> , 2012 , 33, 21-34	5.6	222
227	Cholinergic pathways and cognition in patients with schizophrenia: a pilot study. <i>Schizophrenia Research</i> , 2012 , 139, 46-52	3.6	7
226	Myelin-associated glycoprotein gene and brain morphometry in schizophrenia. <i>Frontiers in Psychiatry</i> , 2012 , 3, 40	5	22
225	DISC1 and Striatal Volume: A Potential Risk Phenotype For mental Illness. <i>Frontiers in Psychiatry</i> , 2012 , 3, 57	5	11
224	Incorporating temporal features of repeatedly measured covariates into tree-structured survival models. <i>Biometrical Journal</i> , 2012 , 54, 181-96	1.5	3
223	Translocator protein (18 kDa) polymorphism (rs6971) explains in-vivo brain binding affinity of the PET radioligand [(18)F]-FEPPA. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012 , 32, 968-72	7.3	113
222	Correlates of treatment response in depressed older adults with bipolar disorder. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2012 , 25, 37-42	3.8	13
221	Characteristics associated with inpatient versus outpatient status in older adults with bipolar disorder. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2012 , 25, 62-8	3.8	11
220	Treatment resistant schizophrenia and response to antipsychotics: a review. <i>Schizophrenia Research</i> , 2011 , 133, 54-62	3.6	85

219	Multisite, open-label, prospective trial of lamotrigine for geriatric bipolar depression: a preliminary report. <i>Bipolar Disorders</i> , 2011 , 13, 294-302	3.8	32
218	The ZNF804A gene: characterization of a novel neural risk mechanism for the major psychoses. <i>Neuropsychopharmacology</i> , 2011 , 36, 1871-8	8.7	53
217	Impact of prior pharmacotherapy on remission of psychotic depression in a randomized controlled trial. <i>Journal of Psychiatric Research</i> , 2011 , 45, 896-901	5.2	12
216	Exploring the effect of inducing long-term potentiation in the human motor cortex on motor learning. <i>Brain Stimulation</i> , 2011 , 4, 137-44	5.1	30
215	Neurobiology of delusions in Alzheimer's disease. <i>Current Psychiatry Reports</i> , 2011 , 13, 211-8	9.1	40
214	Use of lithium in the treatment of bipolar disorder in late-life. <i>Current Psychiatry Reports</i> , 2011 , 13, 488-92	9.1	23
213	Depression symptom ratings in geriatric patients with bipolar mania. <i>International Journal of Geriatric Psychiatry</i> , 2011 , 26, 1201-8	3.9	6
212	Effects of aging on 5-HT(2A) R binding: a HRRT PET study with and without partial volume corrections. <i>International Journal of Geriatric Psychiatry</i> , 2011 , 26, 1300-8	3.9	23
211	Problem-solving therapy reduces disability more than supportive therapy in older adults with major depression and executive dysfunction. <i>Evidence-Based Mental Health</i> , 2011 , 14, 77	11.1	1
210	Neurexin-1 and frontal lobe white matter: an overlapping intermediate phenotype for schizophrenia and autism spectrum disorders. <i>PLoS ONE</i> , 2011 , 6, e20982	3.7	53
209	Acupuncture for the treatment of major depressive disorder: a randomized controlled trial. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 1129-35	4.6	26
208	Conceptual and methodological issues in designing a randomized, controlled treatment trial for geriatric bipolar disorder: GERI-BD. <i>Bipolar Disorders</i> , 2010 , 12, 56-67	3.8	28
207	The relationship of bipolar disorder lifetime duration and vascular burden to cognition in older adults. <i>Bipolar Disorders</i> , 2010 , 12, 851-8	3.8	27
206	Differentiating the cognitive profile of schizophrenia from that of Alzheimer disease and depression in late life. <i>PLoS ONE</i> , 2010 , 5, e10151	3.7	24
205	Towards the development of new subtype-specific muscarinic receptor radiopharmaceuticals I: Radiosynthesis and ex vivo biodistribution of [18F]3-(4-(2-(2-(2-fluoroethoxy)ethoxy)ethylthio)-1,2,5-thiadiazol-3-yl)-1-methyl-1,2,5,6-tetrahydropyridine. <i>Canadian Journal of Chemistry</i> , 2010 , 88, 1222-1232	0.9	5
204	Diffusion tensor tractography findings in schizophrenia across the adult lifespan. <i>Brain</i> , 2010 , 133, 1494-504	5.4	123
203	Effect of age on the frequency of anxiety disorders in major depression with psychotic features. <i>American Journal of Geriatric Psychiatry</i> , 2010 , 18, 404-12	6.5	21
202	The role of the corpus callosum in transcranial magnetic stimulation induced interhemispheric signal propagation. <i>Biological Psychiatry</i> , 2010 , 68, 825-31	7.9	85

201	Clozapine and global cognition in schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2010 , 30, 431-6	1.7	26
200	Serotonin transporter triallelic genotype and response to citalopram and risperidone in dementia with behavioral symptoms. <i>International Clinical Psychopharmacology</i> , 2010 , 25, 37-45	2.2	17
199	Repetitive transcranial magnetic stimulation for refractory symptoms in schizophrenia. <i>Current Opinion in Psychiatry</i> , 2010 , 23, 85-90	4.9	21
198	Treating depression to remission in older adults: a controlled evaluation of combined escitalopram with interpersonal psychotherapy versus escitalopram with depression care management. <i>International Journal of Geriatric Psychiatry</i> , 2010 , 25, 1134-41	3.9	33
197	Does age at onset have clinical significance in older adults with bipolar disorder?. <i>International Journal of Geriatric Psychiatry</i> , 2010 , 25, 1266-71	3.9	12
196	Reducing suicidal ideation and depression in older primary care patients: 24-month outcomes of the PROSPECT study. <i>American Journal of Psychiatry</i> , 2009 , 166, 882-90	11.9	258
195	Cerebral glucose metabolic response to combined total sleep deprivation and antidepressant treatment in geriatric depression: a randomized, placebo-controlled study. <i>Psychiatry Research - Neuroimaging</i> , 2009 , 171, 1-9	2.9	12
194	The MMSE is not an adequate screening cognitive instrument in studies of late-life depression. <i>Journal of Psychiatric Research</i> , 2009 , 43, 464-70	5.2	28
193	Does major depressive disorder with somatic delusions constitute a distinct subtype of major depressive disorder with psychotic features?. <i>Journal of Affective Disorders</i> , 2009 , 112, 250-5	6.6	6
192	High worry severity is associated with poorer acute and maintenance efficacy of antidepressants in late-life depression. <i>Depression and Anxiety</i> , 2009 , 26, 266-72	8.4	22
191	Survey of benzodiazepine and antidepressant use in outpatients with mood disorders in Japan. <i>Psychiatry and Clinical Neurosciences</i> , 2009 , 63, 244-6	6.2	17
190	The longitudinal course of cognition in older adults with bipolar disorder. <i>Bipolar Disorders</i> , 2009 , 11, 744-52	3.8	87
189	An improved radiosynthesis of the muscarinic M2 radiopharmaceutical, [18F]FP-TZTP. <i>Applied Radiation and Isotopes</i> , 2009 , 67, 611-6	1.7	19
188	The Mood Disorder Burden Index: a scale for assessing the burden of caregivers to adults with unipolar or bipolar disorder. <i>Psychiatry Research</i> , 2009 , 168, 67-77	9.9	15
187	Benzodiazepine and antidepressant use in elderly patients with anxiety disorders: a survey of 796 outpatients in Japan. <i>Journal of Anxiety Disorders</i> , 2009 , 23, 477-81	10.9	33
186	Long-term stability of measuring D(2) receptors in schizophrenia patients treated with antipsychotics. <i>Schizophrenia Research</i> , 2009 , 109, 130-3	3.6	13
185	Developing a community-academic partnership to improve recognition and treatment of depression in underserved African American and white elders. <i>American Journal of Geriatric Psychiatry</i> , 2009 , 17, 953-64	6.5	16
184	Quantitative examination of a novel clustering method using magnetic resonance diffusion tensor tractography. <i>NeuroImage</i> , 2009 , 45, 370-6	7.9	43

183	Sensitivity of older patients to antipsychotic motor side effects: a PET study examining potential mechanisms. <i>American Journal of Geriatric Psychiatry</i> , 2009 , 17, 255-63	6.5	50
182	Clozapine exposure and the impact of smoking and gender: a population pharmacokinetic study. <i>Therapeutic Drug Monitoring</i> , 2009 , 31, 360-6	3.2	45
181	D2 receptor blockade by risperidone correlates with attention deficits in late-life schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2009 , 29, 571-5	1.7	38
180	A double-blind randomized controlled trial of olanzapine plus sertraline vs olanzapine plus placebo for psychotic depression: the study of pharmacotherapy of psychotic depression (STOP-PD). <i>Archives of General Psychiatry</i> , 2009 , 66, 838-47		146
179	Bipolar disorder center for Pennsylvanians: implementing an effectiveness trial to improve treatment for at-risk patients. <i>Psychiatric Services</i> , 2009 , 60, 888-97	3.3	6
178	Pilot study of augmentation with aripiprazole for incomplete response in late-life depression: getting to remission. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 208-13	4.6	42
177	Increased antipsychotic sensitivity in elderly patients: evidence and mechanisms. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 397-405	4.6	81
176	Anticholinergic activity of 107 medications commonly used by older adults. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 1333-41	5.6	330
175	Complementary and alternative medicine in the treatment of bipolar disorder--a review of the evidence. <i>Journal of Affective Disorders</i> , 2008 , 110, 16-26	6.6	48
174	Use of antidepressants in late-life depression. <i>Drugs and Aging</i> , 2008 , 25, 841-53	4.7	33
173	Web-based training and interrater reliability testing for scoring the Hamilton Depression Rating Scale. <i>Psychiatry Research</i> , 2008 , 161, 126-30	9.9	9
172	Effects of age and age of onset on prescribed antipsychotic dose in schizophrenia spectrum disorders: a survey of 1,418 patients in Japan. <i>American Journal of Geriatric Psychiatry</i> , 2008 , 16, 584-93	6.5	33
171	Medical burden in late-life bipolar and major depressive disorders. <i>American Journal of Geriatric Psychiatry</i> , 2008 , 16, 194-200	6.5	72
170	Nature and course of cognitive function in late-life schizophrenia: a systematic review. <i>Schizophrenia Research</i> , 2008 , 102, 122-40	3.6	99
169	An open-label pilot study of acetylcholinesterase inhibitors to promote functional recovery in elderly cognitively impaired stroke patients. <i>Cerebrovascular Diseases</i> , 2008 , 26, 317-21	3.2	50
168	Empirically derived decision trees for the treatment of late-life depression. <i>American Journal of Psychiatry</i> , 2008 , 165, 855-62	11.9	58
167	Twelve-year depressive symptom trajectories and their predictors in a community sample of older adults. <i>International Psychogeriatrics</i> , 2008 , 20, 221-36	3.4	67
166	Weight gain during olanzapine treatment for psychotic depression: effects of dose and age. <i>International Clinical Psychopharmacology</i> , 2008 , 23, 130-7	2.2	9

165	Biomarkers in geriatric psychiatry: searching for the holy grail?. <i>Current Opinion in Psychiatry</i> , 2008 , 21, 533-9	4.9	5
164	Which symptoms predict recurrence of depression in women treated with maintenance interpersonal psychotherapy?. <i>Depression and Anxiety</i> , 2008 , 25, 1060-6	8.4	78
163	Missed diagnosis of psychotic depression at 4 academic medical centers. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1293-6	4.6	51
162	Cognitive impairment in late-life generalized anxiety disorder. <i>American Journal of Geriatric Psychiatry</i> , 2007 , 15, 673-9	6.5	134
161	A double-blind comparison of citalopram and risperidone for the treatment of behavioral and psychotic symptoms associated with dementia. <i>American Journal of Geriatric Psychiatry</i> , 2007 , 15, 942-52	6.5	174
160	Cognitive functioning and instrumental activities of daily living in late-life bipolar disorder. <i>American Journal of Geriatric Psychiatry</i> , 2007 , 15, 174-9	6.5	77
159	The evidence for electroconvulsive therapy (ECT) in the treatment of severe late-life depression. ECT: the preferred treatment for severe depression in late life. <i>International Psychogeriatrics</i> , 2007 , 19, 10-4, 27-35; discussion 24-6	3.4	18
158	Maintenance treatment for old-age depression preserves health-related quality of life: a randomized, controlled trial of paroxetine and interpersonal psychotherapy. <i>Journal of the American Geriatrics Society</i> , 2007 , 55, 1325-32	5.6	36
157	Emergence, persistence, and resolution of suicidal ideation during treatment of depression in old age. <i>Journal of Affective Disorders</i> , 2007 , 98, 153-61	6.6	42
156	Residual symptoms and recurrence during maintenance treatment of late-life depression. <i>Journal of Affective Disorders</i> , 2007 , 103, 77-82	6.6	104
155	Use of OSWALD for analyzing longitudinal data with informative dropout. <i>Computer Methods and Programs in Biomedicine</i> , 2007 , 85, 109-14	6.9	8
154	Statistical analysis of longitudinal psychiatric data with dropouts. <i>Journal of Psychiatric Research</i> , 2007 , 41, 1032-41	5.2	32
153	Recovery from major depression in older adults receiving augmentation of antidepressant pharmacotherapy. <i>American Journal of Psychiatry</i> , 2007 , 164, 892-9	11.9	72
152	Perception gap in quality-of-life ratings: an empirical investigation of nursing home residents and caregivers. <i>Gerontologist</i> , 2007 , 47, 159-68	5	15
151	Relapse during continuation pharmacotherapy after acute response to ECT: a comparison of usual care versus protocolized treatment. <i>Annals of Clinical Psychiatry</i> , 2007 , 19, 1-4	1.4	37
150	Effect of comorbid anxiety on treatment response and relapse risk in late-life depression: controlled study. <i>British Journal of Psychiatry</i> , 2007 , 190, 344-9	5.4	128
149	Onset of confusion in the context of late-life depression. <i>Journal of Psychiatry and Neuroscience</i> , 2007 , 32, 152	4.5	1
148	Persisting low use of antipsychotics in the treatment of major depressive disorder with psychotic features. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 194-200	4.6	30

147	Preventing depression after stroke. <i>International Review of Psychiatry</i> , 2006 , 18, 471-81	3.6	20
146	Maintenance treatment of major depression in old age. <i>New England Journal of Medicine</i> , 2006 , 354, 1130-8	59.2	323
145	Discrepancies in information provided to primary care physicians by patients with and without dementia: the Steel Valley Seniors Survey. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 446-55	6.5	14
144	Ability, incentives, and management feedback: organizational change to reduce pressure ulcers in a nursing home. <i>Journal of the American Medical Directors Association</i> , 2006 , 7, 141-6	5.9	28
143	Speed of improvement in sleep disturbance and anxiety compared with core mood symptoms during acute treatment of depression in old age. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 550-4	6.5	21
142	Cardiovascular changes associated with venlafaxine in the treatment of late-life depression. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 796-802	6.5	88
141	Persistence of neuropsychologic deficits in the remitted state of late-life depression. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 419-27	6.5	199
140	Impact of prior treatment exposure on response to antidepressant treatment in late life. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 957-65	6.5	20
139	A delusion assessment scale for psychotic major depression: Reliability, validity, and utility. <i>Biological Psychiatry</i> , 2006 , 60, 1336-42	7.9	31
138	A model of anticholinergic activity of atypical antipsychotic medications. <i>Schizophrenia Research</i> , 2006 , 88, 63-72	3.6	105
137	Pressure ulcer prevention in black and white nursing home residents: A QI initiative of enhanced ability, incentives, and management feedback. <i>Advances in Skin and Wound Care</i> , 2006 , 19, 262-8	1.5	28
136	What is the optimal duration of a short-term antidepressant trial when treating geriatric depression?. <i>Journal of Clinical Psychopharmacology</i> , 2006 , 26, 113-20	1.7	42
135	Elevation in plasma Abeta42 in geriatric depression: a pilot study. <i>Neurochemical Research</i> , 2006 , 31, 341-9	4.6	54
134	Outcomes of late-life anxiety disorders during 32 weeks of citalopram treatment. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 468-72	4.6	21
133	Organizational change and quality improvement in nursing homes: approaching success. <i>Journal for Healthcare Quality: Official Publication of the National Association for Healthcare Quality</i> , 2005 , 27, 6-14, 21, 44	1	18
132	Population pharmacokinetics as a method to detect variable risperidone exposure in patients suffering from dementia with behavioral disturbances. <i>American Journal of Geriatric Pharmacotherapy</i> , 2005 , 3, 87-91		7
131	Trajectories of treatment response in late-life depression: psychosocial and clinical correlates. <i>Journal of Clinical Psychopharmacology</i> , 2005 , 25, S8-13	1.7	48
130	Dr. Lenze and Colleagues Reply. <i>American Journal of Psychiatry</i> , 2005 , 162, 2196-2197	11.9	

129	Remission in depressed geriatric primary care patients: a report from the PROSPECT study. <i>American Journal of Psychiatry</i> , 2005 , 162, 718-24	11.9	157
128	Somatic symptoms in late-life anxiety: treatment issues. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2005 , 18, 89-96	3.8	41
127	Efficacy and tolerability of citalopram in the treatment of late-life anxiety disorders: results from an 8-week randomized, placebo-controlled trial. <i>American Journal of Psychiatry</i> , 2005 , 162, 146-50	11.9	88
126	Predictors of adequacy of depression management in the primary care setting. <i>Psychiatric Services</i> , 2005 , 56, 1524-8	3.3	23
125	Review: pharmacotherapy provides minimal improvements in the neuropsychiatric symptoms of dementia. <i>Evidence-Based Mental Health</i> , 2005 , 8, 83	11.1	2
124	Generalized anxiety disorder in late life: lifetime course and comorbidity with major depressive disorder. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 77-80	6.5	32
123	The role of medical comorbidity in outcome of major depression in primary care: the PROSPECT study. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 861-8	6.5	36
122	Body pain and treatment response in late-life depression. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 188-94	6.5	31
121	A pilot study of standardized treatment in geriatric bipolar disorder. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 319-23	6.5	25
120	Accelerating symptom-reduction in late-life depression: a double-blind, randomized, placebo-controlled trial of sleep deprivation. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 353-8	6.5	10
119	Serum anticholinergic activity and cognition in patients with moderate-to-severe dementia. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 535-8	6.5	24
118	Predictors of remission after electroconvulsive therapy in unipolar major depression. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 1043-9	4.6	93
117	Serotonin 1A receptor binding and treatment response in late-life depression. <i>Neuropsychopharmacology</i> , 2004 , 29, 2258-65	8.7	153
116	Clinical outcome of ECT in patients with major depression and comorbid borderline personality disorder. <i>American Journal of Psychiatry</i> , 2004 , 161, 2073-80	11.9	69
115	Neuropathologic correlates of late-onset major depression. <i>Neuropsychopharmacology</i> , 2004 , 29, 2242-50	5.7	83
114	Concurrent psychiatric diagnoses by age and race among persons with bipolar disorder. <i>Psychiatric Services</i> , 2004 , 55, 931-3	3.3	21
113	Reducing suicidal ideation and depressive symptoms in depressed older primary care patients: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 291, 1081-91	27.4	710
112	The nature and determinants of neuropsychological functioning in late-life depression. <i>Archives of General Psychiatry</i> , 2004 , 61, 587-95		451

111	Depression after stroke: a prospective epidemiological study. <i>Journal of the American Geriatrics Society</i> , 2004 , 52, 774-8	5.6	125
110	Detection and management of cognitive impairment in primary care: The Steel Valley Seniors Survey. <i>Journal of the American Geriatrics Society</i> , 2004 , 52, 1668-75	5.6	101
109	Adverse effects of depression and cognitive impairment on rehabilitation participation and recovery from hip fracture. <i>International Journal of Geriatric Psychiatry</i> , 2004 , 19, 472-8	3.9	155
108	Time course of response to antidepressants in late-life major depression: therapeutic implications. <i>Drugs and Aging</i> , 2004 , 21, 531-54	4.7	54
107	Estimating treatment effects from longitudinal clinical trial data with missing values: comparative analyses using different methods. <i>Psychiatry Research</i> , 2004 , 129, 209-15	9.9	48
106	Cognitive functioning in late-life bipolar disorder. <i>American Journal of Psychiatry</i> , 2004 , 161, 736-8	11.9	98
105	Actors' portrayals of depression to test interrater reliability in clinical trials. <i>American Journal of Psychiatry</i> , 2004 , 161, 1909-11	11.9	12
104	Pharmacotherapy of bipolar disorder in old age: review and recommendations. <i>American Journal of Geriatric Psychiatry</i> , 2004 , 12, 342-57	6.5	33
103	Executive functioning, illness course, and relapse/recurrence in continuation and maintenance treatment of late-life depression: is there a relationship?. <i>American Journal of Geriatric Psychiatry</i> , 2004 , 12, 387-94	6.5	49
102	Geriatric depression treatment in nonresponders to selective serotonin reuptake inhibitors. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 1634-41	4.6	60
101	Correlates of anticholinergic activity in patients with dementia and psychosis treated with risperidone or olanzapine. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 1708-14	4.6	37
100	Apathy and executive function in depressed elderly. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2003 , 16, 112-6	3.8	32
99	Serum anticholinergic activity in a community-based sample of older adults: relationship with cognitive performance. <i>Archives of General Psychiatry</i> , 2003 , 60, 198-203		236
98	Achieving long-term optimal outcomes in geriatric depression and anxiety. <i>CNS Spectrums</i> , 2003 , 8, 27-34.8		13
97	Good treatment outcomes in late-life depression with comorbid anxiety. <i>Journal of Affective Disorders</i> , 2003 , 77, 247-54	6.6	53
96	Persistence of cognitive impairment in geriatric patients following antidepressant treatment: a randomized, double-blind clinical trial with nortriptyline and paroxetine. <i>Journal of Psychiatric Research</i> , 2003 , 37, 99-108	5.2	223
95	APOE is associated with age-of-onset, but not cognitive functioning, in late-life depression. <i>International Journal of Geriatric Psychiatry</i> , 2003 , 18, 1075-81	3.9	44
94	alpha1-acid glycoprotein in late-life depression: relationship to medical burden and genetics. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2003 , 16, 235-9	3.8	5

93	Paroxetine-induced hyponatremia in the elderly due to the syndrome of inappropriate secretion of antidiuretic hormone (SIADH). <i>Journal of Geriatric Psychiatry and Neurology</i> , 2003 , 16, 160-4	3.8	21
92	Educating the families of nursing home residents: a pilot study using a computer-based system. <i>Journal of the American Medical Directors Association</i> , 2003 , 4, 128-34	5.9	9
91	Primary care physicians attitude toward diagnosis and treatment of late-life depression. <i>CNS Spectrums</i> , 2002 , 7, 784-90	1.8	7
90	Geriatric Psychiatry: Challenges and Opportunities. <i>CNS Spectrums</i> , 2002 , 7, 780-780	1.8	1
89	Course and rate of antidepressant response in the very old. <i>Journal of Affective Disorders</i> , 2002 , 69, 177-84	4.6	42
88	Intent-to-treat analysis for clinical trials: use of data collected after termination of treatment protocol. <i>Journal of Psychiatric Research</i> , 2002 , 36, 153-64	5.2	8
87	Comparison of citalopram, perphenazine, and placebo for the acute treatment of psychosis and behavioral disturbances in hospitalized, demented patients. <i>American Journal of Psychiatry</i> , 2002 , 159, 460-5	11.9	244
86	Risperidone and 9-hydroxyrisperidone concentrations are not dependent on age or creatinine clearance among elderly subjects. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2002 , 15, 77-81	3.8	6
85	Anxiety disorders in late life: an evolving picture. <i>CNS Spectrums</i> , 2002 , 7, 805-10	1.8	3
84	Effect of nortriptyline and paroxetine on CYP2D6 activity in depressed elderly patients. <i>Journal of Clinical Psychopharmacology</i> , 2002 , 22, 481-6	1.7	12
83	Interrater reliability in clinical trials of depressive disorders. <i>American Journal of Psychiatry</i> , 2002 , 159, 1598-600	11.9	36
82	Assessment of behavioral and psychological symptoms of dementia. <i>CNS Spectrums</i> , 2002 , 7, 797-802	1.8	14
81	The establishment of a brain bank for the study of late-life depression: a feasibility study of factors facilitating consent. <i>CNS Spectrums</i> , 2002 , 7, 816-21	1.8	4
80	Clinically relevant behaviors in elderly hip fracture inpatients. <i>International Journal of Psychiatry in Medicine</i> , 2002 , 32, 249-59	1	17
79	Assessment of late life depression. <i>Biological Psychiatry</i> , 2002 , 52, 164-74	7.9	113
78	Post stroke depression: epidemiology, pathophysiology, and biological treatment. <i>Biological Psychiatry</i> , 2002 , 52, 253-64	7.9	338
77	Anxiety symptoms in elderly patients with depression: what is the best approach to treatment?. <i>Drugs and Aging</i> , 2002 , 19, 753-60	4.7	21
76	Identification of suicidal ideation and prevention of suicidal behaviour in the elderly. <i>Drugs and Aging</i> , 2002 , 19, 11-24	4.7	109

75	Neuroleptic-Induced Parkinsonism in Alzheimer's Disease. <i>Psychiatric Annals</i> , 2002 , 32, 249-252	0.5	2
74	Risk factors for falls during treatment of late-life depression. <i>Journal of Clinical Psychiatry</i> , 2002 , 63, 936-41	4.6	42
73	Mental health training for nursing home staff using computer-based interactive video: a 6-month randomized trial. <i>Journal of the American Medical Directors Association</i> , 2002 , 3, 291-6	5.9	14
72	Effects of nortriptyline and paroxetine on postural sway in depressed elderly patients. <i>American Journal of Geriatric Psychiatry</i> , 2002 , 10, 199-205	6.5	7
71	Cognitive and behavioral correlates of low vitamin B12 levels in elderly patients with progressive dementia. <i>American Journal of Geriatric Psychiatry</i> , 2002 , 10, 321-7	6.5	9
70	Glucose metabolic response to total sleep deprivation, recovery sleep, and acute antidepressant treatment as functional neuroanatomic correlates of treatment outcome in geriatric depression. <i>American Journal of Geriatric Psychiatry</i> , 2002 , 10, 561-7	6.5	17
69	Response speed and rate of remission in primary and specialty care of elderly patients with depression. <i>American Journal of Geriatric Psychiatry</i> , 2002 , 10, 583-91	6.5	10
68	Verification of scale sub-domains in elderly patients with dementia: a confirmatory factor-analytic approach. <i>American Journal of Geriatric Psychiatry</i> , 2002 , 10, 706-14	6.5	2
67	The 5-HTTPR*S/*L polymorphism and aggressive behavior in Alzheimer disease. <i>Archives of Neurology</i> , 2001 , 58, 1425-8		80
66	Narrowing the gap in treatment of depression. <i>International Journal of Psychiatry in Medicine</i> , 2001 , 31, 239-53	1	30
65	Comorbidity of depression and anxiety disorders in later life. <i>Depression and Anxiety</i> , 2001 , 14, 86-93	8.4	118
64	Pharmacological treatment of depression in older primary care patients: the PROSPECT algorithm. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 585-92	3.9	112
63	Treatment as usual (TAU) control practices in the PROSPECT Study: managing the interaction and tension between research design and ethics. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 602-8	3.9	33
62	The systematic assessment of depressed elderly primary care patients. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 560-9	3.9	30
61	Managing late-life depression in primary care practice: a case study of the Health Specialist's role. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 577-84	3.9	40
60	Subjective health measures and acute treatment outcomes in geriatric depression. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 1149-55	3.9	30
59	Paroxetine versus nortriptyline in the continuation and maintenance treatment of depression in the elderly. <i>Depression and Anxiety</i> , 2001 , 13, 38-44	8.4	35
58	Initial recovery patterns may predict which maintenance therapies for depression will keep older adults well. <i>Journal of Affective Disorders</i> , 2001 , 65, 155-66	6.6	34

57	CYP2D6 genotyping with oligonucleotide microarrays and nortriptyline concentrations in geriatric depression. <i>Neuropsychopharmacology</i> , 2001 , 25, 737-43	8.7	40
56	Continuation pharmacotherapy in the prevention of relapse following electroconvulsive therapy: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2001 , 285, 1299-307	27.4	445
55	Influence of serotonin-transporter-linked promoter region polymorphism on platelet activation in geriatric depression. <i>American Journal of Psychiatry</i> , 2001 , 158, 2074-6	11.9	64
54	Endogenous concentrations of DHEA and DHEA-S decrease with remission of depression in older adults. <i>Biological Psychiatry</i> , 2001 , 50, 767-74	7.9	67
53	Selective serotonin reuptake inhibitors for late-life depression: a comparative review. <i>Drugs and Aging</i> , 2001 , 18, 355-68	4.7	60
52	Dual-task performance in depressed geriatric patients. <i>Psychiatry Research</i> , 2001 , 102, 139-51	9.9	51
51	The 5-HTTPR polymorphism confers liability to a combined phenotype of psychotic and aggressive behavior in Alzheimer disease. <i>International Psychogeriatrics</i> , 2001 , 13, 401-9	3.4	91
50	A double-blind randomized comparison of nortriptyline plus perphenazine versus nortriptyline plus placebo in the treatment of psychotic depression in late life. <i>Journal of Clinical Psychiatry</i> , 2001 , 62, 597-604	4.6	49
49	Sertraline in the treatment of minor depression in nursing home residents: a pilot study. <i>International Journal of Geriatric Psychiatry</i> , 2000 , 15, 177-80	3.9	25
48	Allelic variation in the serotonin transporter promoter affects onset of paroxetine treatment response in late-life depression. <i>Neuropsychopharmacology</i> , 2000 , 23, 587-90	8.7	318
47	Changes in cognitive functioning following treatment of late-life depression. <i>American Journal of Psychiatry</i> , 2000 , 157, 1949-54	11.9	272
46	Effect of paroxetine on plasma vasopressin and water load testing in elderly individuals. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2000 , 13, 212-6	3.8	7
45	Fluvoxamine pharmacotherapy of anxiety disorders in later life: preliminary open-trial data. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2000 , 13, 43-8	3.8	14
44	The clinical response to total sleep deprivation and recovery sleep in geriatric depression: potential indicators of antidepressant treatment outcome. <i>Psychiatry Research</i> , 2000 , 97, 41-9	9.9	7
43	Bipolar Disorder in the Elderly. <i>Psychiatric Annals</i> , 2000 , 30, 473-480	0.5	25
42	Pharmacologic profile of perphenazine metabolites. <i>Journal of Clinical Psychopharmacology</i> , 2000 , 20, 181-7	1.7	18
41	Determinants of seizure threshold in ECT: benzodiazepine use, anesthetic dosage, and other factors. <i>Journal of ECT</i> , 2000 , 16, 3-18	2	90
40	Accelerating antidepressant response in geriatric depression: a post hoc comparison of combined sleep deprivation and paroxetine versus monotherapy with paroxetine, nortriptyline, or placebo. <i>Journal of Geriatric Psychiatry and Neurology</i> , 1999 , 12, 67-71	3.8	10

39	Behavioral disturbances of dementia. <i>Journal of Geriatric Psychiatry and Neurology</i> , 1998 , 11, 206-12	3.8	13
38	Treatment-resistant depression in late life. <i>Journal of Geriatric Psychiatry and Neurology</i> , 1998 , 11, 186-93	3.8	44
37	Is delirium different when it occurs in dementia? A study using the delirium rating scale. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 1998 , 10, 199-204	2.7	67
36	Characteristics and course of major depression in older primary care patients. <i>International Journal of Psychiatry in Medicine</i> , 1998 , 28, 421-36	1	75
35	Serum anticholinergic activity in elderly depressed patients treated with paroxetine or nortriptyline. <i>American Journal of Psychiatry</i> , 1998 , 155, 1110-2	11.9	54
34	Determinants of spontaneous extrapyramidal symptoms in elderly psychiatric inpatients diagnosed with Alzheimer's disease, major depressive disorder, or psychotic disorders. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 1998 , 10, 68-77	2.7	10
33	Morbidity of homebound versus inpatient elderly psychiatric patients. <i>International Psychogeriatrics</i> , 1998 , 10, 117-25	3.4	10
32	Antidepressant use over time in a rural older adult population: the MoVIES Project. <i>Journal of the American Geriatrics Society</i> , 1997 , 45, 1501-3	5.6	20
31	The relationship between self-rated health and depressive symptoms in an epidemiological sample of community-dwelling older adults. <i>Journal of the American Geriatrics Society</i> , 1997 , 45, 954-8	5.6	150
30	Control-relevant intervention in the treatment of minor and major depression in a long-term care facility. <i>American Journal of Geriatric Psychiatry</i> , 1997 , 5, 247-57	6.5	27
29	Medical comorbidity in elderly psychiatric inpatients. <i>Biological Psychiatry</i> , 1997 , 41, 724-36	7.9	37
28	Association of plasma homovanillic acid with behavioral symptoms in patients diagnosed with dementia: a preliminary report. <i>Biological Psychiatry</i> , 1997 , 42, 1016-23	7.9	19
27	METHODOLOGICAL ISSUES IN CHARACTERIZING TREATMENT RESPONSE IN DEMENTED PATIENTS WITH BEHAVIORAL DISTURBANCES 1997 , 12, 537-547		19
26	Effect of sertraline on plasma nortriptyline levels in depressed elderly. <i>Journal of Clinical Psychiatry</i> , 1997 , 58, 440-3	4.6	40
25	The effects of perphenazine on the concentration of nortriptyline and its hydroxymetabolites in older patients. <i>Journal of Clinical Psychopharmacology</i> , 1997 , 17, 318-21	1.7	18
24	Suicide in Elderly Depressed Patients: Is Active vs. Passive Suicidal Ideation a Clinically Valid Distinction?. <i>American Journal of Geriatric Psychiatry</i> , 1996 , 4, 197-207	6.5	63
23	MRI changes in schizophrenia in late life: a preliminary controlled study. <i>Psychiatry Research</i> , 1996 , 60, 117-23	9.9	19
22	Neuroleptic-Induced Parkinsonism in Elderly Patients Diagnosed With Psychotic Major Depression and Dementia of the Alzheimer Type. <i>American Journal of Geriatric Psychiatry</i> , 1996 , 4, 311-319	6.5	9

21	Premorbid History of Major Depression and the Depressive Syndrome of Alzheimer's Disease. <i>American Journal of Geriatric Psychiatry</i> , 1996 , 4, 85-90	6.5	3
20	Effect of continuation treatment on residual symptoms in late-life depression: how well is "well"? <i>Depression and Anxiety</i> , 1996 , 4, 312-9	8.4	20
19	Comorbid anxiety disorders in late-life depression. <i>Anxiety</i> , 1996 , 2, 242-7		65
18	Delusional and Psychotic Depression in Late Life Clinical Research Needs. <i>American Journal of Geriatric Psychiatry</i> , 1996 , 4, 77-84	6.5	1
17	Premorbid History of Major Depression and the Depressive Syndrome of Alzheimer's Disease. <i>American Journal of Geriatric Psychiatry</i> , 1996 , 4, 85-90	6.5	10
16	Comorbid anxiety disorders in late-life depression 1996 , 2, 242		3
15	Antipsychotics in older patients. A safety perspective. <i>Drugs and Aging</i> , 1995 , 6, 312-23	4.7	19
14	Fluoxetine-induced syndrome of inappropriate antidiuretic hormone secretion: a geriatric case report and a review of the literature. <i>Journal of Geriatric Psychiatry and Neurology</i> , 1994 , 7, 254-6	3.8	17
13	Early detection of neuroleptic-induced parkinsonism in elderly patients with dementia. <i>Journal of Geriatric Psychiatry and Neurology</i> , 1994 , 7, 251-3	3.8	9
12	A naturalistic study of trazodone in the treatment of behavioral complications of dementia. <i>American Journal of Geriatric Psychiatry</i> , 1994 , 2, 78-85	6.5	21
11	The Use of the Hamilton Rating Scale for Depression in Elderly Patients With Cognitive Impairment and Physical Illness. <i>American Journal of Geriatric Psychiatry</i> , 1994 , 2, 220-229	6.5	44
10	Depression in late life. <i>Current Opinion in Psychiatry</i> , 1994 , 7, 18-21	4.9	6
9	Personality Disorders in Elderly Inpatients With Major Depression. <i>American Journal of Geriatric Psychiatry</i> , 1993 , 1, 38-45	6.5	33
8	Phenomenology and Prevalence of Neuroleptic-Induced Akathisia in Late Life. <i>American Journal of Geriatric Psychiatry</i> , 1993 , 1, 136-142	6.5	6
7	A Study of Elderly Suicide Attempters Admitted to an Inpatient Psychiatric Unit. <i>American Journal of Geriatric Psychiatry</i> , 1993 , 1, 126-135	6.5	7
6	Neuroleptics in the treatment of psychosis in late life: A rational approach. <i>International Journal of Geriatric Psychiatry</i> , 1993 , 8, 979-992	3.9	19
5	Dyskinesia and neuroleptic exposure in elderly psychiatric inpatients. <i>Topics in Geriatrics</i> , 1992 , 5, 156-61		9
4	Rating chronic medical illness burden in geropsychiatric practice and research: application of the Cumulative Illness Rating Scale. <i>Psychiatry Research</i> , 1992 , 41, 237-48	9.9	144 ⁸

3	A pilot study of interictal cognitive changes in elderly patients during ECT. <i>International Journal of Geriatric Psychiatry</i> , 1992 , 7, 407-410	3.9	9
2	Agitation in Severely Demented Patients. <i>Annals of Clinical Psychiatry</i> , 1992 , 4, 207-215	1.4	10
1	A prospective naturalistic study of electroconvulsive therapy in late-life depression. <i>Topics in Geriatrics</i> , 1991 , 4, 3-13		33