

Marie Gernigon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2539906/publications.pdf>

Version: 2024-02-01

18
papers

192
citations

1163117

8
h-index

1058476

14
g-index

18
all docs

18
docs citations

18
times ranked

285
citing authors

#	ARTICLE	IF	CITATIONS
1	Feasibility and validity of self-reported walking capacity in patients with intermittent claudication. <i>Journal of Vascular Surgery</i> , 2013, 57, 1227-1234.	1.1	32
2	The effects of exercise modality on the incidence of plateau at. <i>Clinical Physiology and Functional Imaging</i> , 2012, 32, 394-399.	1.2	29
3	Applicability of global positioning system for the assessment of walking ability in patients with arterial claudication. <i>Journal of Vascular Surgery</i> , 2014, 60, 973-981.e1.	1.1	22
4	Influence of blood donation on the incidence of plateau at $\dot{V}_{O_2\max}$. <i>European Journal of Applied Physiology</i> , 2014, 114, 21-27.	2.5	19
5	The Inter- and Intra-Unit Variability of a Low-Cost GPS Data Logger/Receiver to Study Human Outdoor Walking in View of Health and Clinical Studies. <i>PLoS ONE</i> , 2012, 7, e31338.	2.5	18
6	The incidence of plateau at $\dot{V}_{O_2\max}$ is affected by a bout of prior priming exercise. <i>Clinical Physiology and Functional Imaging</i> , 2012, 32, 39-44.	1.2	13
7	Test-retest Reliability of GPS derived Measurements in Patients with Claudication. <i>European Journal of Vascular and Endovascular Surgery</i> , 2015, 50, 623-629.	1.5	13
8	Global Positioning System Use in the Community to Evaluate Improvements in Walking After Revascularization. <i>Medicine (United States)</i> , 2015, 94, e838.	1.0	8
9	Using GPS, accelerometry and heart rate to predict outdoor graded walking energy expenditure. <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 166-172.	1.3	8
10	Prior Knowledge of Trial Number Influences the Incidence of Plateau at $\dot{V}_{O_2\max}$. <i>Journal of Sports Science and Medicine</i> , 2015, 14, 47-53.	1.6	7
11	Predicting metabolic rate during level and uphill outdoor walking using a low-cost GPS receiver. <i>Journal of Applied Physiology</i> , 2016, 121, 577-588.	2.5	5
12	Relevant Strength Parameters to Allow Return to Running after Primary Anterior Cruciate Ligament Reconstruction with Hamstring Tendon Autograft. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 8245.	2.6	5
13	Intra- and Inter-Day Reliability of the NIRS Portamon Device after Three Induced Muscle Ischemias. <i>Sensors</i> , 2022, 22, 5165.	3.8	4
14	Accuracy of a low-cost global positioning system receiver for estimating grade during outdoor walking. <i>Physiological Measurement</i> , 2016, 37, 1741-1756.	2.1	3
15	Real-life adaptations in walking patterns in patients with established peripheral arterial disease assessed using a global positioning system in the community: a cohort study. <i>Clinical Physiology and Functional Imaging</i> , 2018, 38, 889-894.	1.2	3
16	Quantifying the effects of four weeks of low-volume high-intensity sprint interval training on $\dot{V}_{O_2\max}$ through assessment of hemodynamics. <i>Journal of Sports Medicine and Physical Fitness</i> , 2020, 60, 53-61.	0.7	3
17	The impact of therapeutic patient education and physical activity programs on the fall risk of elderly people. <i>Movement and Sports Sciences - Science Et Motricite</i> , 2019, , 3-10.	0.3	0
18	The Effects of Non-Contingent Feedback on the Incidence of Plateau at \dot{V}_{O_2} . <i>Journal of Sports Science and Medicine</i> , 2017, 16, 105-111.	1.6	0