

Harun Kundi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2540003/publications.pdf>

Version: 2024-02-01

72
papers

1,534
citations

394421

19
h-index

330143

37
g-index

73
all docs

73
docs citations

73
times ranked

2318
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of Survival With Femoropopliteal Artery Revascularization With Drug-Coated Devices. <i>JAMA Cardiology</i> , 2019, 4, 332.	6.1	178
2	A novel oxidative stress marker in acute myocardial infarction; thiol/disulphide homeostasis. <i>American Journal of Emergency Medicine</i> , 2015, 33, 1567-1571.	1.6	164
3	Association of Frailty With 30-Day Outcomes for Acute Myocardial Infarction, Heart Failure, and Pneumonia Among Elderly Adults. <i>JAMA Cardiology</i> , 2019, 4, 1084.	6.1	124
4	Frailty and related outcomes in patients undergoing transcatheter valve therapies in a nationwide cohort. <i>European Heart Journal</i> , 2019, 40, 2231-2239.	2.2	81
5	Association of monocyte/HDL-C ratio with SYNTAX scores in patients with stable coronary artery disease. <i>Herz</i> , 2016, 41, 523-529.	1.1	73
6	Trends in Isolated Surgical Aortic Valve Replacement According to Hospital-Based Transcatheter Aortic Valve Replacement Volumes. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 2148-2156.	2.9	63
7	Relation Between Monocyte to High-Density Lipoprotein Cholesterol Ratio With Presence and Severity of Isolated Coronary Artery Ectasia. <i>American Journal of Cardiology</i> , 2015, 116, 1685-1689.	1.6	62
8	The role of Frailty on Adverse Outcomes Among Older Patients with COVID-19. <i>Journal of Infection</i> , 2020, 81, 944-951.	3.3	61
9	Drug-Eluting Stent Implantation and Long-Term Survival Following Peripheral Artery Revascularization. <i>Journal of the American College of Cardiology</i> , 2019, 73, 2636-2638.	2.8	59
10	Association of thiol/disulfide ratio with syntax score in patients with NSTEMI. <i>Scandinavian Cardiovascular Journal</i> , 2015, 49, 95-100.	1.2	50
11	Prevalence and Outcomes of Isolated Tricuspid Valve Surgery Among Medicare Beneficiaries. <i>American Journal of Cardiology</i> , 2019, 123, 132-138.	1.6	44
12	The relationship between admission monocyte HDL-C ratio with short-term and long-term mortality among STEMI patients treated with successful primary PCI. <i>Coronary Artery Disease</i> , 2016, 27, 176-184.	0.7	43
13	The relation between platelet-to-lymphocyte ratio and Pulmonary Embolism Severity Index in acute pulmonary embolism. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2015, 44, 340-343.	1.6	39
14	Admission Endocan Level may be a Useful Predictor for In-Hospital Mortality and Coronary Severity Index in Patients With ST-Segment Elevation Myocardial Infarction. <i>Angiology</i> , 2017, 68, 46-51.	1.8	38
15	Impact of a Claims-Based Frailty Indicator on the Prediction of Long-Term Mortality After Transcatheter Aortic Valve Replacement in Medicare Beneficiaries. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2018, 11, e005048.	2.2	32
16	White blood cell count to mean platelet volume ratio: A novel and promising prognostic marker for ST-segment elevation myocardial infarction. <i>Cardiology Journal</i> , 2016, 23, 225-235.	1.2	27
17	Plasma thiols and thiol-disulfide homeostasis in patients with isolated coronary artery ectasia. <i>Atherosclerosis</i> , 2016, 253, 209-213.	0.8	24
18	Association between plasma homocysteine levels and end-organ damage in newly diagnosed type 2 diabetes mellitus patients. <i>Endocrine Research</i> , 2017, 42, 36-41.	1.2	20

#	ARTICLE	IF	CITATIONS
19	Diagnostic validity of hematologic parameters in evaluation of massive pulmonary embolism. <i>Journal of Clinical Laboratory Analysis</i> , 2017, 31, e22072.	2.1	20
20	Relation of Frailty to Outcomes After Catheter Ablation of Atrial Fibrillation. <i>American Journal of Cardiology</i> , 2020, 125, 1317-1323.	1.6	20
21	Development and validation of clinical prediction model to estimate the probability of death in hospitalized patients with COVID-19: Insights from a nationwide database. <i>Journal of Medical Virology</i> , 2021, 93, 3015-3022.	5.0	20
22	Relationship between platelet-to-lymphocyte ratio and the presence and severity of coronary artery ectasia. <i>Anatolian Journal of Cardiology</i> , 2016, 16, 857-862.	0.9	18
23	The Relationship Between Serum Endocan Levels With the Presence of Slow Coronary Flow: A Cross-Sectional Study. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2017, 23, 472-477.	1.7	18
24	Association of Hospital Surgical Aortic Valve Replacement Quality With 30-Day and 1-Year Mortality After Transcatheter Aortic Valve Replacement. <i>JAMA Cardiology</i> , 2019, 4, 16.	6.1	15
25	The prognostic role of cardiac troponin in hospitalized COVID-19 patients. <i>Atherosclerosis</i> , 2021, 325, 83-88.	0.8	14
26	Endocan Levels and Coronary Collateral Circulation in Stable Angina Pectoris: A Pilot Study. <i>Angiology</i> , 2018, 69, 43-48.	1.8	13
27	Magnesium as a predictor of acute stent thrombosis in patients with ST-segment elevation myocardial infarction who underwent primary angioplasty. <i>Coronary Artery Disease</i> , 2016, 27, 47-51.	0.7	12
28	Is In-Stent Restenosis After a Successful Coronary Stent Implantation Due to Stable Angina Associated With TG/HDL-C Ratio?. <i>Angiology</i> , 2017, 68, 816-822.	1.8	12
29	Serum Sirtuin 1, 3 and 6 Levels in Acute Myocardial Infarction Patients. <i>Arquivos Brasileiros De Cardiologia</i> , 2019, 113, 33-39.	0.8	12
30	Are increased oxidative stress and asymmetric dimethylarginine levels associated with masked hypertension?. <i>Clinical and Experimental Hypertension</i> , 2016, 38, 294-298.	1.3	11
31	Relationship Between Plasma Levels of Soluble CD40 Ligand and the Presence and Severity of Isolated Coronary Artery Ectasia. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2018, 24, 379-386.	1.7	11
32	Geographic Patterns of Growth for Transcatheter Aortic Valve Replacement in the United States. <i>Circulation</i> , 2019, 140, 969-971.	1.6	11
33	The Value of Left Ventricular Support in Patients With Reduced Left Ventricular Function Undergoing Extensive Revascularization. <i>JACC: Cardiovascular Interventions</i> , 2019, 12, 1985-1987.	2.9	10
34	Trends in isolated aortic valve replacement in the United States in the early phase of expansion of TAVR. <i>International Journal of Cardiology</i> , 2019, 292, 68-72.	1.7	9
35	Clinical characteristics and prognosis of cardiac tamponade patients: 5-year experience at a tertiary center. <i>Herz</i> , 2020, 45, 676-683.	1.1	9
36	The relationship between ischaemia-modified albumin and good coronary collateral circulation. <i>Kardiologia Polska</i> , 2018, 76, 370-375.	0.6	9

#	ARTICLE	IF	CITATIONS
37	Association between platelet to lymphocyte ratio and saphenous vein graft disease in patients with stable angina pectoris. <i>Anatolian Journal of Cardiology</i> , 2015, 16, 349-53.	0.9	9
38	Association of thiol disulfide homeostasis with slow coronary flow. <i>Scandinavian Cardiovascular Journal</i> , 2016, 50, 213-217.	1.2	8
39	Association of entirely claims-based frailty indices with long-term outcomes in patients with acute myocardial infarction, heart failure, or pneumonia: a nationwide cohort study in Turkey. <i>Lancet Regional Health - Europe</i> , The, 2021, 10, 100183.	5.6	8
40	Treatment of Iatrogenic Aortocoronary Arteriovenous Fistula with Coronary Covered Stent. <i>Case Reports in Cardiology</i> , 2016, 2016, 1-3.	0.2	6
41	Serum Sphingosine 1 Phosphate Levels in Patients with and without Coronary Collateral Circulation. <i>Acta Cardiologica Sinica</i> , 2018, 34, 379-385.	0.2	6
42	A novel clinical index for the assessment of RVD in acute pulmonary embolism: Blood pressure index. <i>American Journal of Emergency Medicine</i> , 2017, 35, 1400-1403.	1.6	5
43	Pleiotrophin levels are associated with improved coronary collateral circulation. <i>Coronary Artery Disease</i> , 2018, 29, 68-73.	0.7	5
44	Relationship Between Prodromal Angina Pectoris and Neutrophil-to Lymphocyte Ratio in Patients With ST Elevation Myocardial Infarction. <i>Heart Lung and Circulation</i> , 2019, 28, 901-907.	0.4	5
45	Association of serglycin levels with isolated coronary artery ectasia. <i>Kardiologia Polska</i> , 2017, 75, 990-996.	0.6	5
46	Admission Value of Serum Cathepsin D Level Can be Useful for Predicting In-Hospital Mortality in Patients with NSTEMI. <i>Acta Cardiologica Sinica</i> , 2017, 33, 393-400.	0.2	5
47	Choice of marker for assessment of RV dysfunction in acute pulmonary embolism. <i>Herz</i> , 2017, 42, 758-765.	1.1	4
48	Association of IGF-1 with coronary collateral circulation in stable coronary artery disease. <i>Biomarkers in Medicine</i> , 2017, 11, 527-534.	1.4	4
49	The relationship between serum endocan levels and the presence/severity of isolated coronary artery ectasia. <i>Cardiovascular Endocrinology</i> , 2018, 7, 42-46.	0.8	4
50	The Value of Claims-Based Nontraditional Risk Factors in Predicting Long-term Mortality After MitraClip Procedure. <i>Canadian Journal of Cardiology</i> , 2018, 34, 1648-1654.	1.7	4
51	A Practical Method for No-Reflow Treatment. <i>Case Reports in Cardiology</i> , 2016, 2016, 1-5.	0.2	3
52	Syntax score and inflammation. <i>Herz</i> , 2016, 41, 535-536.	1.1	3
53	Association of Novel Inflammatory and Oxidative Stress Biomarkers With In-Stent Restenosis. <i>Angiology</i> , 2017, 68, 832-832.	1.8	3
54	Whole blood viscosity predicts nondipping circadian pattern in essential hypertension. <i>Biomarkers in Medicine</i> , 2020, 14, 1307-1316.	1.4	3

#	ARTICLE	IF	CITATIONS
55	Can hemodialysis change QRS axis in patients without cardiovascular disease?. Turk Kardiyoloji Dernegi Arsivi, 2018, 46, 276-282.	0.5	3
56	Can Triglyceride to High-Density Lipoprotein Cholesterol Ratio Be an Independent Predictor of Cardiovascular Events in Patients With Essential Hypertension?. Journal of Clinical Hypertension, 2017, 19, 103-103.	2.0	2
57	Association of serum procalcitonin level with in-stent restenosis in patients undergoing bare-metal stent implantation. Biomarkers in Medicine, 2018, 12, 455-463.	1.4	2
58	Off-label diagnostic and therapeutic utilization of perforated monorail balloon catheters in the catheterization laboratory. Catheterization and Cardiovascular Interventions, 2018, 92, 828-828.	1.7	2
59	A Novel Risk Scoring System to Predict Cardiovascular Death in Patients With Acute Myocardial Infarction: CHA2DS2-VASc-CF Score. Clinical and Applied Thrombosis/Hemostasis, 2018, 24, 273-278.	1.7	2
60	Sports, energy drinks, and sudden cardiac death: stimulant cardiac syndrome. Anatolian Journal of Cardiology, 2017, 17, 163.	0.9	2
61	The Role of Albumin in Bare Metal In-Stent Restenosis. Angiology, 2017, 68, 178-178.	1.8	1
62	GEOGRAPHIC VARIATION AND TRENDS IN OUTCOMES OF TRANSCATHETER AORTIC VALVE REPLACEMENT IN UNITED STATES. Journal of the American College of Cardiology, 2019, 73, 1092.	2.8	1
63	The role of platelet-lymphocyte ratio in the severity of coronary artery disease assessed by the angiographic Gensini score. Anatolian Journal of Cardiology, 2016, 16, 224.	0.9	1
64	An Unusual Case of Löffler Endomyocarditis after Takotsubo Cardiomyopathy Induced by Deep Neck Infection. Acta Cardiologica Sinica, 2015, 31, 457-60.	0.2	1
65	Relationship between oxidative stress biomarkers and SYNTAX score. Herz, 2017, 42, 794-794.	1.1	0
66	OP-099 [AJC » Preventive cardiology] Serum Thiol-Disulfide Homeostasis and Endocan Levels in Patients Who Underwent Diagnostic Exercise Electrocardiography Test. American Journal of Cardiology, 2017, 119, e27.	1.6	0
67	OP-134 [AJC » Percutaneous coronary interventions in acute coronary syndromes] Coronary Artery Thrombectomy Using Solitaire Stent: A Stent Designed for Intracranial Arteries. American Journal of Cardiology, 2017, 119, e44.	1.6	0
68	Endocan and Hypertension. Angiology, 2017, 68, 86-86.	1.8	0
69	Off-label utilization of monorail balloon catheters. Journal of Interventional Cardiology, 2018, 31, 264-264.	1.2	0
70	The Role of Inflammation in Coronary Collateral Circulation Still Needs to Be Clarified. Angiology, 2018, 69, 88-88.	1.8	0
71	Reply. JACC: Cardiovascular Interventions, 2019, 12, 108-109.	2.9	0
72	Author's Reply. Anatolian Journal of Cardiology, 2016, 16, 226.	0.9	0