

Seung-Hyuk Choi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2540313/publications.pdf>

Version: 2024-02-01

240
papers

6,348
citations

87888

38
h-index

98798

67
g-index

246
all docs

246
docs citations

246
times ranked

6887
citing authors

#	ARTICLE	IF	CITATIONS
1	Moderate-Intensity Statins Plus Ezetimibe vs. High-Intensity Statins After Coronary Revascularization: A Cohort Study. <i>Cardiovascular Drugs and Therapy</i> , 2023, 37, 141-150.	2.6	4
2	Association Between Preexisting Elevated Left Ventricular Filling Pressure and Clinical Outcomes of Future Acute Myocardial Infarction. <i>Circulation Journal</i> , 2022, 86, 660-667.	1.6	1
3	Catheter-based ultrasound renal denervation in patients with resistant hypertension: the randomized, controlled REQUIRE trial. <i>Hypertension Research</i> , 2022, 45, 221-231.	2.7	61
4	Differential Prognostic Impact of Off-Hours for Patients With Acute Myocardial Infarction Complicated by Cardiogenic Shock. , 2022, 1, 7.		0
5	Long-Term Clinical Outcomes of Iliac Artery Endovascular Therapy in the Korean Vascular Intervention Society Endovascular Therapy in Lower Limb Artery Diseases (K-VIS ELLA) Registry. <i>Korean Circulation Journal</i> , 2022, 52, 529.	1.9	2
6	Long-term Clinical Outcomes and Prognostic Factors After Endovascular Treatment in Patients With Chronic Limb Threatening Ischemia. <i>Korean Circulation Journal</i> , 2022, 52, 429.	1.9	10
7	Functional angiography-derived index of microcirculatory resistance validated with microvascular obstruction in cardiac magnetic resonance after STEMI. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2022, 75, 786-796.	0.6	4
8	Use of intravascular ultrasound and long-term cardiac death or myocardial infarction in patients receiving current generation drug-eluting stents. <i>Scientific Reports</i> , 2022, 12, 8237.	3.3	11
9	Optimal strategy for side branch treatment in patients with left main coronary bifurcation lesions. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021, 74, 691-699.	0.6	0
10	Differential effects of dual antiplatelet therapy in patients presented with acute coronary syndrome vs. stable ischaemic heart disease after coronary artery bypass grafting. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 517-526.	3.0	6
11	Practical guidance for P2Y12 inhibitors in acute myocardial infarction undergoing percutaneous coronary intervention. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 112-124.	3.0	13
12	Residual functional SYNTAX score by quantitative flow ratio and improvement of exercise capacity after revascularization. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 97, E454-E466.	1.7	2
13	Clinical relevance and prognostic implications of contrast quantitative flow ratio in patients with coronary artery disease. <i>International Journal of Cardiology</i> , 2021, 325, 23-29.	1.7	17
14	Differential clinical impact of chronic total occlusion revascularization based on left ventricular systolic function. <i>Clinical Research in Cardiology</i> , 2021, 110, 237-248.	3.3	1
15	Korean Multicenter Registry Study of EPIC Stents for the Treatment of Iliac Artery Disease: K-EPIC Registry. <i>Korean Circulation Journal</i> , 2021, 51, 441.	1.9	3
16	Association between Body Mass Index and Clinical Outcomes of Peripheral Artery Disease after Endovascular Therapy: Data from K-VIS ELLA Registry. <i>Korean Circulation Journal</i> , 2021, 51, 696.	1.9	6
17	Differential Prognostic Implications of Vasoactive Inotropic Score for Patients With Acute Myocardial Infarction Complicated by Cardiogenic Shock According to Use of Mechanical Circulatory Support*. <i>Critical Care Medicine</i> , 2021, 49, 770-780.	0.9	19
18	Sex difference in long-term clinical outcomes after percutaneous coronary intervention: A propensity-matched analysis of National Health Insurance data in Republic of Korea. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 98, E171-E180.	1.7	1

#	ARTICLE	IF	CITATIONS
19	Late Survival Benefit of Percutaneous Coronary Intervention Compared With Medical Therapy in Patients With Coronary Chronic Total Occlusion: A 10-Year Follow-Up Study. <i>Journal of the American Heart Association</i> , 2021, 10, e019022.	3.7	23
20	P2Y12 inhibitor monotherapy after coronary stenting according to type of P2Y12 inhibitor. <i>Heart</i> , 2021, 107, 1077-1083.	2.9	5
21	Effects of Prolonged Dual Antiplatelet Therapy in ST-Segment Elevation vs. Non-ST-Segment Elevation Myocardial Infarction. <i>Circulation Journal</i> , 2021, 85, 817-825.	1.6	1
22	Differential Long-Term Effects of First- and Second-Generation DES in Patients With Bifurcation Lesions Undergoing PCI. <i>JACC Asia</i> , 2021, 1, 68-79.	1.5	0
23	Clinical Characteristics and Predictors of In-Hospital Mortality in Patients With Cardiogenic Shock: Results From the RESCUE Registry. <i>Circulation: Heart Failure</i> , 2021, 14, e008141.	3.9	25
24	P2Y12 Inhibitor Monotherapy Versus Conventional Dual Antiplatelet Therapy or Aspirin Monotherapy in Acute Coronary Syndrome: A Pooled Analysis of the SMART-DATE and SMART-CHOICE Trials. <i>American Journal of Cardiology</i> , 2021, 150, 47-54.	1.6	4
25	Mortality after Use of Paclitaxel-Coated Balloons Correlates with Total Cumulative Dosage of Paclitaxel in Real-World Analysis. <i>Journal of Clinical Medicine</i> , 2021, 10, 3747.	2.4	0
26	Physiological Distribution and Local Severity of Coronary Artery Disease and Outcomes After Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 1771-1785.	2.9	26
27	Functional Coronary Angiography-Derived Index of Microcirculatory Resistance in Patients With ST-Segment Elevation Myocardial Infarction. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 1670-1684.	2.9	46
28	Coronary Microcirculatory Dysfunction and Acute Cellular Rejection After Heart Transplantation. <i>Circulation</i> , 2021, 144, 1459-1472.	1.6	16
29	Old Age and Myocardial Injury in ST-Segment Elevation Myocardial Infarction. <i>American Journal of the Medical Sciences</i> , 2021, 362, 592-600.	1.1	1
30	Ten-Year Trends in Coronary Bifurcation Percutaneous Coronary Intervention: Prognostic Effects of Patient and Lesion Characteristics, Devices, and Techniques. <i>Journal of the American Heart Association</i> , 2021, 10, e021632.	3.7	10
31	Clinical and Prognostic Impact From Objective Analysis of Post-Angioplasty Fractional Flow Reserve Pullback. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 1888-1900.	2.9	8
32	Effects of Statin Intensity on Long-Term Outcomes after Coronary Artery Bypass Grafting. <i>Annals of Thoracic Surgery</i> , 2021, . .	1.3	0
33	Long-term Outcomes of Clopidogrel Monotherapy versus Prolonged Dual Antiplatelet Therapy beyond 12 Months after Percutaneous Coronary Intervention in High-risk Patients. <i>Journal of Korean Medical Science</i> , 2021, 36, e106.	2.5	1
34	Current Status and Future Perspectives of Renal Denervation. <i>Korean Circulation Journal</i> , 2021, 51, 717.	1.9	2
35	Clinical Significance of Serum Lactate in Acute Myocardial Infarction: A Cardiac Magnetic Resonance Imaging Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 5278.	2.4	4
36	A comparison of procedural success rate and long-term clinical outcomes between in-stent restenosis chronic total occlusion and de novo chronic total occlusion using multicenter registry data. <i>Clinical Research in Cardiology</i> , 2020, 109, 628-637.	3.3	20

#	ARTICLE	IF	CITATIONS
37	Different association between renal dysfunction and clinical outcomes according to the presence of diabetes in patients undergoing endovascular treatment for peripheral artery disease. <i>Journal of Vascular Surgery</i> , 2020, 71, 132-140.e1.	1.1	3
38	Long-Term Efficacy of Extended Dual Antiplatelet Therapy After Left Main Coronary Artery Bifurcation Stenting. <i>American Journal of Cardiology</i> , 2020, 125, 320-327.	1.6	14
39	Intravascular ultrasound or optical coherence tomography-defined anatomic severity and hemodynamic severity assessed by coronary physiologic indices. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2020, 73, 812-821.	0.6	6
40	Preoperative cardiac troponin below the 99th-percentile upper reference limit and 30-day mortality after noncardiac surgery. <i>Scientific Reports</i> , 2020, 10, 17007.	3.3	8
41	Automated Algorithm Using Pre-Intervention Fractional Flow Reserve Pullback Curve to Predict Post-Intervention Physiological Results. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, 2670-2684.	2.9	26
42	The incidence and clinical features of PEGylated filgrastim-induced acute aortitis in patients with breast cancer. <i>Scientific Reports</i> , 2020, 10, 18647.	3.3	16
43	Clinical Usefulness of PRECISE-DAPT Score for Predicting Bleeding Events in Patients With Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2020, 13, e008530.	3.9	18
44	Long-term β -blocker therapy and clinical outcomes after acute myocardial infarction in patients without heart failure: nationwide cohort study. <i>European Heart Journal</i> , 2020, 41, 3521-3529.	2.2	48
45	Prognostic Effects of Treatment Strategies for Left Main Versus Non-Left Main Bifurcation Percutaneous Coronary Intervention With Current-Generation Drug-Eluting Stent. <i>Circulation: Cardiovascular Interventions</i> , 2020, 13, e008543.	3.9	30
46	The differential neurologic prognosis of low-flow time according to the initial rhythm in patients who undergo extracorporeal cardiopulmonary resuscitation. <i>Resuscitation</i> , 2020, 148, 121-127.	3.0	25
47	Multidisciplinary team approach in acute myocardial infarction patients undergoing veno-arterial extracorporeal membrane oxygenation. <i>Annals of Intensive Care</i> , 2020, 10, 83.	4.6	15
48	Optimal Timing of Venoarterial-Extracorporeal Membrane Oxygenation in Acute Myocardial Infarction Patients Suffering From Refractory Cardiogenic Shock. <i>Circulation Journal</i> , 2020, 84, 1502-1510.	1.6	32
49	Long-Term Outcomes in Patients Undergoing Percutaneous Coronary Intervention with or without Preprocedural Exercise Stress Test. <i>Journal of Korean Medical Science</i> , 2020, 35, e3.	2.5	5
50	Mildly Elevated Cardiac Troponin below the 99th-Percentile Upper Reference Limit after Noncardiac Surgery. <i>Korean Circulation Journal</i> , 2020, 50, 925.	1.9	6
51	Coronary Circulatory Indexes in Non-Infarct-Related Vascular Territories in a Porcine Acute Myocardial Infarction Model. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, 1155-1167.	2.9	9
52	Clinical Implications of Early Exercise Treadmill Testing after Percutaneous Coronary Intervention in the Drug-eluting Stent Era. <i>Journal of Korean Medical Science</i> , 2020, 35, e229.	2.5	1
53	Comparing the Procedural and Clinical Outcomes of Sapien XT and Sapien 3 Valves in Transcatheter Aortic Valve Replacement in Korean Patients. <i>Korean Circulation Journal</i> , 2020, 50, 907.	1.9	3
54	Comparison of Exercise Performance and Clinical Outcome Between Functional Complete and Incomplete Revascularization. <i>Korean Circulation Journal</i> , 2020, 50, 406.	1.9	2

#	ARTICLE	IF	CITATIONS
55	Predictors of Survival to Discharge After Successful Weaning From Venous Arterial Extracorporeal Membrane Oxygenation in Patients With Cardiogenic Shock. <i>Circulation Journal</i> , 2020, 84, 2205-2211.	1.6	6
56	Estrategia Óptima para el tratamiento de lesiones en bifurcación del tronco coronario izquierdo. <i>Revista Española De Cardiología</i> , 2020, 74, 691-691.	1.2	7
57	Comparison of long-term clinical outcomes between revascularization versus medical treatment in patients with silent myocardial ischemia. <i>International Journal of Cardiology</i> , 2019, 277, 47-53.	1.7	9
58	Risk Prediction Model of In-hospital Mortality in Patients With Myocardial Infarction Treated With Venous Arterial Extracorporeal Membrane Oxygenation. <i>Revista Española De Cardiología (English Ed)</i> , 2019, 72, 724-731.	0.6	8
59	La escala de vasoactivos inotrópicos como predictora de mortalidad de adultos con shock cardiogénico tratados con y sin ECMO. <i>Revista Española De Cardiología</i> , 2019, 72, 40-47.	1.2	62
60	Prognostic Implications of Diastolic Dysfunction Change in Patients With Coronary Artery Disease Undergoing Percutaneous Coronary Intervention. <i>Circulation Journal</i> , 2019, 83, 1891-1900.	1.6	6
61	Effect of sarogrelate and high-dose statin on the reduction of coronary spasm in vasospastic angina: A two by two factorial, pilot randomized study. <i>Clinical Cardiology</i> , 2019, 42, 899-907.	1.8	10
62	Prognostic implications of post-percutaneous coronary intervention neutrophil-to-lymphocyte ratio on infarct size and clinical outcomes in patients with acute myocardial infarction. <i>Scientific Reports</i> , 2019, 9, 9646.	3.3	25
63	Neurologic Outcomes in Patients Who Undergo Extracorporeal Cardiopulmonary Resuscitation. <i>Annals of Thoracic Surgery</i> , 2019, 108, 749-755.	1.3	36
64	Impact of Cannula Size on Clinical Outcomes in Peripheral Venous Arterial Extracorporeal Membrane Oxygenation. <i>ASAIO Journal</i> , 2019, 65, 573-579.	1.6	41
65	Prognostic Value of Admission Blood Glucose Level in Critically Ill Patients Admitted to Cardiac Intensive Care Unit according to the Presence or Absence of Diabetes Mellitus. <i>Journal of Korean Medical Science</i> , 2019, 34, e70.	2.5	5
66	Association Between Body Mass Index and Mortality in Patients Requiring Cardiac Critical Care. <i>Circulation Journal</i> , 2019, 83, 743-748.	1.6	2
67	Impact of Intravascular Ultrasound-Guided Percutaneous Coronary Intervention on Long-Term Clinical Outcomes in Patients Undergoing Complex Procedures. <i>JACC: Cardiovascular Interventions</i> , 2019, 12, 607-620.	2.9	120
68	Transcatheter aortic valve replacement in a patient with anomalous origin of the left coronary artery. <i>Journal of Cardiology Cases</i> , 2019, 19, 133-135.	0.5	5
69	Season and myocardial injury in patients with ST-segment elevation myocardial infarction: A cardiac magnetic resonance imaging study. <i>PLoS ONE</i> , 2019, 14, e0211807.	2.5	4
70	Prognostic Impact of β -Blocker Dose After Acute Myocardial Infarction. <i>Circulation Journal</i> , 2019, 83, 410-417.	1.6	32
71	Second-generation drug-eluting stenting versus coronary artery bypass grafting for treatment of coronary chronic total occlusion. <i>Journal of Cardiology</i> , 2019, 73, 432-437.	1.9	6
72	Safety and Efficacy of Biodegradable Polymer-biolimus-eluting Stents (BP-BES) Compared with Durable Polymer-everolimus-eluting Stents (DP-EES) in Patients Undergoing Complex Percutaneous Coronary Intervention. <i>Korean Circulation Journal</i> , 2019, 49, 69.	1.9	7

#	ARTICLE	IF	CITATIONS
73	The clinical impact of sex differences on ischemic postconditioning during primary percutaneous coronary intervention: a POST (the effects of postconditioning on myocardial reperfusion in patients) Tj ETQq1 1 0z784314 rgBT /Ove		
74	Impact of Chronic Total Coronary Occlusion Location on Long-term Survival After Percutaneous Coronary Intervention. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019, 72, 717-723.	0.6	5
75	Vasoactive Inotropic Score as a Predictor of Mortality in Adult Patients With Cardiogenic Shock: Medical Therapy Versus ECMO. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019, 72, 40-47.	0.6	32
76	Clinical Significance of Reciprocal ST-segment Changes in Patients With STEMI: A Cardiac Magnetic Resonance Imaging Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019, 72, 120-129.	0.6	2
77	The Proximal Optimization Technique Improves Clinical Outcomes When Treated without Kissing Ballooning in Patients with a Bifurcation Lesion. <i>Korean Circulation Journal</i> , 2019, 49, 485.	1.9	12
78	Prediction of side branch occlusions in percutaneous coronary interventions by coronary computed tomography: the CT bifurcation score as a novel tool for predicting intraprocedural side branch occlusion. <i>EuroIntervention</i> , 2019, 15, e788-e795.	3.2	19
79	Treatment Strategy for STEMI With Bifurcation Culprit Lesion Undergoing Primary PCI: The COBIS II Registry. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2018, 71, 811-819.	0.6	4
80	Differential Clinical Outcomes Between Angiographic Complete Versus Incomplete Coronary Revascularization, According to the Presence of Chronic Kidney Disease in the Drugâ€Eluting Stent Era. <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	6
81	Effects of Statin Intensity on Clinical Outcome in Acute Myocardial Infarction Patients. <i>Circulation Journal</i> , 2018, 82, 1112-1120.	1.6	18
82	Multivessel Percutaneous Coronary Intervention in Patients With ST-Segment Elevation Myocardial Infarction With Cardiogenic Shock. <i>Journal of the American College of Cardiology</i> , 2018, 71, 844-856.	2.8	77
83	Natural history of spontaneous isolated celiac artery dissection after conservative treatment. <i>Journal of Vascular Surgery</i> , 2018, 68, 55-63.	1.1	21
84	Effects of chronic kidney disease on clinical outcomes in patients with peripheral artery disease undergoing endovascular treatment: Analysis from the K-VIS ELLA registry. <i>International Journal of Cardiology</i> , 2018, 262, 32-37.	1.7	16
85	6-month versus 12-month or longer dual antiplatelet therapy after percutaneous coronary intervention in patients with acute coronary syndrome (SMART-DATE): a randomised, open-label, non-inferiority trial. <i>Lancet, The</i> , 2018, 391, 1274-1284.	13.7	261
86	Impact of different nitrate therapies on long-term clinical outcomes of patients with vasospastic angina: A propensity score-matched analysis. <i>International Journal of Cardiology</i> , 2018, 252, 1-5.	1.7	17
87	Fluoroscopy-guided simultaneous distal perfusion as a preventive strategy of limb ischemia in patients undergoing extracorporeal membrane oxygenation. <i>Annals of Intensive Care</i> , 2018, 8, 101.	4.6	23
88	Long-term Survival Benefit of Statin in Patients with Coronary Chronic Total Occlusion without Revascularization. <i>Journal of Korean Medical Science</i> , 2018, 33, e134.	2.5	1
89	Highâ€Intensity Versus Nonâ€Highâ€Intensity Statins in Patients Achieving Lowâ€Density Lipoprotein Cholesterol Goal After Percutaneous Coronary Intervention. <i>Journal of the American Heart Association</i> , 2018, 7, e009517.	3.7	13
90	Impact of Natural Mild Hypothermia in the Early Phase of ST-Elevation Myocardial Infarction: Cardiac Magnetic Resonance Imaging Study. <i>Journal of Cardiovascular Imaging</i> , 2018, 26, 175.	0.7	3

#	ARTICLE	IF	CITATIONS
91	Fractional Flow Reserve and Instantaneous Wave-Free Ratio for Nonculprit Stenosis in Patients With Acute Myocardial Infarction. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 1848-1858.	2.9	28
92	Medical Resource Consumption and Quality of Life in Peripheral Arterial Disease in Korea: PAD Outcomes (PADO) Research. <i>Korean Circulation Journal</i> , 2018, 48, 813.	1.9	5
93	Trends and Outcomes of Transcatheter Aortic Valve Implantation (TAVI) in Korea: the Results of the First Cohort of Korean TAVI Registry. <i>Korean Circulation Journal</i> , 2018, 48, 382.	1.9	19
94	Long-Term Clinical Outcomes and Optimal Stent Strategy in Left Main Coronary Bifurcation Stenting. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 1247-1258.	2.9	34
95	Risk Scoring System to Assess Outcomes in Patients Treated with Contemporary Guideline-Adherent Optimal Therapies after Acute Myocardial Infarction. <i>Korean Circulation Journal</i> , 2018, 48, 492.	1.9	5
96	Benefit of Prolonged Dual Antiplatelet Therapy After Implantation of Drug-Eluting Stent for Coronary Bifurcation Lesions. <i>Circulation: Cardiovascular Interventions</i> , 2018, 11, e005849.	3.9	30
97	Impact of Balloon Pulmonary Angioplasty on Hemodynamics and Clinical Outcomes in Patients with Chronic Thromboembolic Pulmonary Hypertension: the Initial Korean Experience. <i>Journal of Korean Medical Science</i> , 2018, 33, e24.	2.5	19
98	Effect of Side Branch Predilation in Coronary Bifurcation Stenting With the Provisional Approach—Results From the COBIS (Coronary Bifurcation Stenting) II Registry. <i>Circulation Journal</i> , 2018, 82, 1293-1301.	1.6	5
99	Outcomes in Patients with Diabetes Mellitus According to Insulin Treatment After Percutaneous Coronary Intervention in the Second-Generation Drug-Eluting Stent Era. <i>American Journal of Cardiology</i> , 2018, 121, 1505-1511.	1.6	26
100	Extended Clopidogrel Therapy Beyond 12 Months and Long-Term Outcomes in Patients With Diabetes Mellitus Receiving Coronary Arterial Second-Generation Drug-Eluting Stents. <i>American Journal of Cardiology</i> , 2018, 122, 705-711.	1.6	7
101	Revascularization vs. Medical Therapy for Coronary Chronic Total Occlusions in Patients With Chronic Kidney Disease. <i>Circulation Journal</i> , 2018, 82, 2136-2142.	1.6	5
102	Deferred versus conventional stent implantation in patients with acute ST-segment elevation myocardial infarction: An updated meta-analysis of 10 studies. <i>International Journal of Cardiology</i> , 2017, 230, 509-517.	1.7	8
103	Cardioprotective Effects of Intracoronary Morphine in ST-segment Elevation Myocardial Infarction Patients Undergoing Primary Percutaneous Coronary Intervention: A Prospective, Randomized Trial. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	18
104	Clinical Significance of Postinfarct Fever in ST-segment Elevation Myocardial Infarction: A Cardiac Magnetic Resonance Imaging Study. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	11
105	Gender differences in long-term clinical outcomes and prognostic factors in patients with vasospastic angina. <i>International Journal of Cardiology</i> , 2017, 249, 6-11.	1.7	15
106	Conservative versus aggressive treatment strategy with angiographic guidance alone in patients with intermediate coronary lesions: The SMART-CASE randomized, non-inferiority trial. <i>International Journal of Cardiology</i> , 2017, 240, 114-119.	1.7	4
107	Glycemic Control Status After Percutaneous Coronary Intervention and Long-Term Clinical Outcomes in Patients With Type 2 Diabetes Mellitus. <i>Circulation: Cardiovascular Interventions</i> , 2017, 10, .	3.9	32
108	Response by Hwang et al to Letter Regarding Article, "Glycemic Control Status After Percutaneous Coronary Intervention and Long-Term Clinical Outcomes in Patients With Type 2 Diabetes Mellitus." <i>Circulation: Cardiovascular Interventions</i> , 2017, 10, .	3.9	6

#	ARTICLE	IF	CITATIONS
109	The association of findings on brain computed tomography with neurologic outcomes following extracorporeal cardiopulmonary resuscitation. <i>Critical Care</i> , 2017, 21, 15.	5.8	36
110	Impact of a cardiac intensivist on mortality in patients with cardiogenic shock. <i>International Journal of Cardiology</i> , 2017, 244, 220-225.	1.7	34
111	Uric Acid Level Has a U-shaped Association with Clinical Outcomes in Patients with Vasospastic Angina. <i>Journal of Korean Medical Science</i> , 2017, 32, 1275.	2.5	11
112	Clinical outcomes of biodegradable polymer biolimus-eluting BioMatrix stents versus durable polymer everolimus-eluting Xience stents. <i>PLoS ONE</i> , 2017, 12, e0183079.	2.5	4
113	Morphine Does Not Affect Myocardial Salvage in ST-Segment Elevation Myocardial Infarction. <i>PLoS ONE</i> , 2017, 12, e0170115.	2.5	18
114	Duration of dual antiplatelet therapy in patients treated with percutaneous coronary intervention for coronary chronic total occlusion. <i>PLoS ONE</i> , 2017, 12, e0176737.	2.5	11
115	Clinical Characteristics of Marfan Syndrome in Korea. <i>Korean Circulation Journal</i> , 2016, 46, 841.	1.9	10
116	Frequency of concomitant ischemic heart disease and risk factor analysis for an early postoperative myocardial infarction after elective abdominal aortic aneurysm repair. <i>Annals of Surgical Treatment and Research</i> , 2016, 90, 171.	1.0	6
117	Endovascular Repair Using Suture-Mediated Closure Devices and Balloon Tamponade following Inadvertent Subclavian Artery Catheterization with Large-Caliber Hemodialysis Catheter. <i>Korean Circulation Journal</i> , 2016, 46, 584.	1.9	7
118	The Impact of Renal Dysfunction on the Long Term Clinical Outcomes of Diabetic Patients Undergoing Percutaneous Coronary Intervention in the Drug-Eluting Stent Era. <i>PLoS ONE</i> , 2016, 11, e0141846.	2.5	4
119	D-Dimer Levels Predict Myocardial Injury in ST-Segment Elevation Myocardial Infarction: A Cardiac Magnetic Resonance Imaging Study. <i>PLoS ONE</i> , 2016, 11, e0160955.	2.5	31
120	Clinical implications of low-dose aspirin on vasospastic angina patients without significant coronary artery stenosis; a propensity score-matched analysis. <i>International Journal of Cardiology</i> , 2016, 221, 161-166.	1.7	20
121	Association Between Presence of a Cardiac Intensivist and Mortality in an Adult Cardiac Care Unit. <i>Journal of the American College of Cardiology</i> , 2016, 68, 2637-2648.	2.8	101
122	Borderline ankle-brachial index is associated with poor short-term clinical outcome after coronary artery intervention. <i>Atherosclerosis</i> , 2016, 249, 186-190.	0.8	7
123	Impact of statin therapy on long-term clinical outcomes of vasospastic angina without significant stenosis: A propensity-score matched analysis. <i>International Journal of Cardiology</i> , 2016, 223, 791-796.	1.7	18
124	Shock Index as a Predictor of Myocardial Injury in ST-segment Elevation Myocardial Infarction. <i>American Journal of the Medical Sciences</i> , 2016, 352, 574-581.	1.1	13
125	Differential effect of side branch intervention on long-term clinical outcomes according to side branch stenosis after main vessel stenting: Results from the COBIS (Coronary Bifurcation Stenting) Registry II. <i>International Journal of Cardiology</i> , 2016, 221, 471-477.	1.7	1
126	Association of periprocedural myocardial infarction with long-term survival in patients treated with coronary revascularization therapy of chronic total occlusion. <i>Catheterization and Cardiovascular Interventions</i> , 2016, 87, 1042-1049.	1.7	14

#	ARTICLE	IF	CITATIONS
127	Clinical Outcomes of Vasospastic Angina Patients Presenting With Acute Coronary Syndrome. <i>Journal of the American Heart Association</i> , 2016, 5, .	3.7	23
128	Optimal Medical Therapy vs. Percutaneous Coronary Intervention for Patients With Coronary Chronic Total Occlusion—A Propensity-Matched Analysis. <i>Circulation Journal</i> , 2016, 80, 211-217.	1.6	38
129	Prospective randomized comparison of clinical and angiographic outcomes between everolimus-eluting vs. zotarolimus-eluting stents for treatment of coronary restenosis in drug-eluting stents: intravascular ultrasound volumetric analysis (RESTENT-ISR trial). <i>European Heart Journal</i> , 2016, 37, 3409-3418.	2.2	18
130	Major Predictors of Long-Term Clinical Outcomes After Percutaneous Coronary Intervention for Coronary Bifurcation Lesions With 2-Stent Strategy. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 1879-1886.	2.9	25
131	Association of β -blocker therapy with long-term clinical outcomes in patients with coronary chronic total occlusion. <i>Medicine (United States)</i> , 2016, 95, e4300.	1.0	0
132	Optimal medical therapy may be a better initial strategy in patients with chronic total occlusion of a single coronary artery. <i>International Journal of Cardiology</i> , 2016, 210, 56-62.	1.7	18
133	Clopidogrel Versus Aspirin as an Antiplatelet Monotherapy After 12-Month Dual-Antiplatelet Therapy in the Era of Drug-Eluting Stents. <i>Circulation: Cardiovascular Interventions</i> , 2016, 9, e002816.	3.9	40
134	A protective role of early collateral blood flow in patients with ST-segment elevation myocardial infarction. <i>American Heart Journal</i> , 2016, 171, 56-63.	2.7	37
135	Optimal Strategy for Provisional Side Branch Intervention in Coronary Bifurcation Lesions. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 517-526.	2.9	40
136	Percutaneous removal using Perclose ProGlide closure devices versus surgical removal for weaning after percutaneous cannulation for venoarterial extracorporeal membrane oxygenation. <i>Journal of Vascular Surgery</i> , 2016, 63, 998-1003.e1.	1.1	64
137	Survival After Extracorporeal Cardiopulmonary Resuscitation on Weekends in Comparison With Weekdays. <i>Annals of Thoracic Surgery</i> , 2016, 101, 133-140.	1.3	38
138	First-Generation Versus Second-Generation Drug-Eluting Stents in Coronary Chronic Total Occlusions: Two-Year Results of a Multicenter Registry. <i>PLoS ONE</i> , 2016, 11, e0157549.	2.5	8
139	Impact of non-compliant balloons on long-term clinical outcomes in coronary bifurcation lesions: results from the COBIS (COronary Bifurcation Stent) II registry. <i>EuroIntervention</i> , 2016, 12, 456-464.	3.2	16
140	Comparison of the First- and Second-Generation Limus-Eluting Stents for Bifurcation Lesions From a Korean Multicenter Registry. <i>Circulation Journal</i> , 2015, 79, 544-552.	1.6	9
141	Long-Term Clinical Outcomes of Medical Therapy for Coronary Chronic Total Occlusions in Elderly Patients (≥ 75 Years). <i>Circulation Journal</i> , 2015, 79, 1780-1786.	1.6	12
142	Long-Term Clinical Outcomes of True and Non-True Bifurcation Lesions According to Medina Classification—Results From the COBIS (COronary Bifurcation Stent) II Registry. <i>Circulation Journal</i> , 2015, 79, 1954-1962.	1.6	42
143	Screening for Abdominal Aortic Aneurysm during Transthoracic Echocardiography in Patients with Significant Coronary Artery Disease. <i>Yonsei Medical Journal</i> , 2015, 56, 38.	2.2	21
144	Analysis of Protrusio Acetabuli Using a CT-based Diagnostic Method in Korean Patients with Marfan Syndrome: Prevalence and Association with Other Manifestations. <i>Journal of Korean Medical Science</i> , 2015, 30, 1260.	2.5	5

#	ARTICLE	IF	CITATIONS
145	Effects of High-dose Atorvastatin Pretreatment in Patients with ST-segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention: A Cardiac Magnetic Resonance Study. <i>Journal of Korean Medical Science</i> , 2015, 30, 435.	2.5	4
146	High-dose atorvastatin for preventing contrast-induced nephropathy in primary percutaneous coronary intervention. <i>Journal of Cardiovascular Medicine</i> , 2015, 16, 213-219.	1.5	14
147	Long-term effects of ischemic postconditioning on clinical outcomes: 1-year follow-up of the POST randomized trial. <i>American Heart Journal</i> , 2015, 169, 639-646.	2.7	21
148	Extracorporeal membrane oxygenation for refractory septic shock in adults. <i>European Journal of Cardio-thoracic Surgery</i> , 2015, 47, e68-e74.	1.4	87
149	Biodegradable polymer biolimus-eluting stent versus durable polymer everolimus-eluting stent in patients with acute myocardial infarction. <i>International Journal of Cardiology</i> , 2015, 183, 190-197.	1.7	4
150	Long-Term Survival Benefit of Revascularization Compared With Medical Therapy in Patients With Coronary Chronic Total Occlusion and Well-Developed Collateral Circulation. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 271-279.	2.9	145
151	Clinical outcomes of multiple chronic total occlusions in coronary arteries according to three therapeutic strategies: Bypass surgery, percutaneous intervention and medication. <i>International Journal of Cardiology</i> , 2015, 197, 2-7.	1.7	23
152	Anticoagulation in Ischemic Left Ventricular Aneurysm. <i>Mayo Clinic Proceedings</i> , 2015, 90, 441-449.	3.0	20
153	Effect of ischemic postconditioning on myocardial salvage in patients undergoing primary percutaneous coronary intervention for ST-segment elevation myocardial infarction: cardiac magnetic resonance substudy of the POST randomized trial. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 629-637.	1.5	22
154	Duration of clopidogrel-based dual antiplatelet therapy and clinical outcomes after endeavor sprint zotarolimus-eluting stent implantation in patients presenting with acute coronary syndrome. <i>European Journal of Internal Medicine</i> , 2015, 26, 521-527.	2.2	5
155	Long-Term Clinical Outcomes of Final Kissing Ballooning in Coronary Bifurcation Lesions Treated With the 1-Stent Technique. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 1297-1307.	2.9	56
156	Triple versus dual antiplatelet therapy after percutaneous coronary intervention for coronary bifurcation lesions: results from the COBIS (COronary Bifurcation Stent) II Registry. <i>Heart and Vessels</i> , 2015, 30, 458-468.	1.2	13
157	Clinical Outcomes of Patients with Acute Myocardial Infarction Complicated by Severe Refractory Cardiogenic Shock Assisted with Percutaneous Cardiopulmonary Support. <i>Yonsei Medical Journal</i> , 2014, 55, 920.	2.2	17
158	Clinical Utility of Coronary CT Angiography with Stress Perfusion CT in Preoperative Cardiac Risk Evaluation. <i>Korean Circulation Journal</i> , 2014, 44, 170.	1.9	2
159	Long-Term Outcomes of Complete Versus Incomplete Revascularization for Patients with Multivessel Coronary Artery Disease and Left Ventricular Systolic Dysfunction in Drug-Eluting Stent Era. <i>Journal of Korean Medical Science</i> , 2014, 29, 1501.	2.5	10
160	Developing a risk prediction model for survival to discharge in cardiac arrest patients who undergo extracorporeal membrane oxygenation. <i>International Journal of Cardiology</i> , 2014, 177, 1031-1035.	1.7	76
161	Predictors of Outcomes of Contrast-Induced Acute Kidney Injury After Percutaneous Coronary Intervention in Patients With Chronic Kidney Disease. <i>American Journal of Cardiology</i> , 2014, 114, 1830-1835.	1.6	42
162	Angiotensin receptor blocker in patients with ST segment elevation myocardial infarction with preserved left ventricular systolic function: prospective cohort study. <i>BMJ</i> , The, 2014, 349, g6650-g6650.	6.0	28

#	ARTICLE	IF	CITATIONS
163	Impact of bifurcation stent technique on clinical outcomes in patients with a Medina 0,0,1 coronary bifurcation lesion: Results from the COBIS (COronary Bifurcation Stenting) II registry. <i>Catheterization and Cardiovascular Interventions</i> , 2014, 84, E43-50.	1.7	7
164	Response to Letters Regarding Article, "Ischemic Postconditioning During Primary Percutaneous Coronary Intervention: The Effects of Postconditioning on Myocardial Reperfusion in Patients With ST-Segment Elevation Myocardial Infarction (POST) Randomized Trial." <i>Circulation</i> , 2014, 130, e54-5.	1.6	1
165	Percutaneous Coronary Intervention for Nonculprit Vessels in Cardiogenic Shock Complicating ST-Segment Elevation Acute Myocardial Infarction*. <i>Critical Care Medicine</i> , 2014, 42, 17-25.	0.9	43
166	Differential Prognostic Impact of Treatment Strategy Among Patients With Left Main Versus Non-Left Main Bifurcation Lesions Undergoing Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Interventions</i> , 2014, 7, 255-263.	2.9	64
167	Association of Beta-Blocker Therapy at Discharge With Clinical Outcomes in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Interventions</i> , 2014, 7, 592-601.	2.9	68
168	Impact of overweight on myocardial infarct size in patients undergoing primary percutaneous coronary intervention: A magnetic resonance imaging study. <i>Atherosclerosis</i> , 2014, 235, 570-575.	0.8	14
169	The Impact of Side Branch Predilatation on Procedural and Long-term Clinical Outcomes in Coronary Bifurcation Lesions Treated by the Provisional Approach. <i>Revista Espanola De Cardiologia (English Ed)</i> Tj ETQq1 1 0784314 rgBT /Ove		
170	Impact of white blood cell count on myocardial salvage, infarct size, and clinical outcomes in patients undergoing primary percutaneous coronary intervention for ST-segment elevation myocardial infarction: a magnetic resonance imaging study. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 129-136.	1.5	25
171	Clinical impact of intra-aortic balloon pump during extracorporeal life support in patients with acute myocardial infarction complicated by cardiogenic shock. <i>BMC Anesthesiology</i> , 2014, 14, 27.	1.8	62
172	Spironolactone lowers the rate of repeat revascularization in acute myocardial infarction patients treated with percutaneous coronary intervention. <i>American Heart Journal</i> , 2014, 168, 346-353.e3.	2.7	5
173	Long-Term Outcomes of Drug-Eluting Stent Implantation Versus Coronary Artery Bypass Grafting for Patients With Coronary Artery Disease and Chronic Left Ventricular Systolic Dysfunction. <i>American Journal of Cardiology</i> , 2013, 112, 623-629.	1.6	36
174	Predictors and Outcomes of Side Branch Occlusion After Main Vessel Stenting in Coronary Bifurcation Lesions. <i>Journal of the American College of Cardiology</i> , 2013, 62, 1654-1659.	2.8	188
175	Impact of transmural necrosis on left ventricular remodeling and clinical outcomes in patients undergoing primary percutaneous coronary intervention for ST-segment elevation myocardial infarction. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 835-842.	1.5	17
176	The effect of plaque composition according to preinterventional arterial remodeling pattern on neointimal hyperplasia after drug-eluting stent implantation in patients with stable angina. <i>International Journal of Cardiology</i> , 2013, 168, 4457-4458.	1.7	0
177	Comparison between zotarolimus-eluting stents and first generation drug-eluting stents in the treatment of patients with acute ST-segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2013, 166, 118-125.	1.7	8
178	Periprocedural myocardial infarction is not associated with an increased risk of long-term cardiac mortality after coronary bifurcation stenting. <i>International Journal of Cardiology</i> , 2013, 167, 1251-1256.	1.7	18
179	Ischemic Postconditioning During Primary Percutaneous Coronary Intervention. <i>Circulation</i> , 2013, 128, 1889-1896.	1.6	156
180	Frequency of Myocardial Infarction and Its Relationship to Angiographic Collateral Flow in Territories Supplied by Chronically Occluded Coronary Arteries. <i>Circulation</i> , 2013, 127, 703-709.	1.6	98

#	ARTICLE	IF	CITATIONS
181	Gender Differences in Clinical Outcomes After Percutaneous Coronary Interventions With Zotarolimus-Eluting Stents: Insights From the Korean Endeavor Registry. <i>American Journal of the Medical Sciences</i> , 2013, 346, 479-485.	1.1	1
182	Prognostic value of admission blood glucose level in patients with and without diabetes mellitus who sustain ST segment elevation myocardial infarction complicated by cardiogenic shock. <i>Critical Care</i> , 2013, 17, R218.	5.8	38
183	Peripheral Artery Disease in Korean Patients Undergoing Percutaneous Coronary Intervention: Prevalence and Association with Coronary Artery Disease Severity. <i>Journal of Korean Medical Science</i> , 2013, 28, 87.	2.5	23
184	Adjunctive Cilostazol versus High Maintenance Dose of Clopidogrel in Patients with Hyporesponsiveness to Chronic Clopidogrel Therapy. <i>Yonsei Medical Journal</i> , 2013, 54, 34.	2.2	4
185	Trans-Radial versus Trans-Femoral Intervention for the Treatment of Coronary Bifurcations: Results from Coronary Bifurcation Stenting Registry. <i>Journal of Korean Medical Science</i> , 2013, 28, 388.	2.5	11
186	Percutaneous Renal Sympathetic Denervation for the Treatment of Resistant Hypertension with Heart Failure: First Experience in Korea. <i>Journal of Korean Medical Science</i> , 2013, 28, 951.	2.5	8
187	Relationship between Insulin Resistance and Coronary Artery Calcium in Young Men and Women. <i>PLoS ONE</i> , 2013, 8, e53316.	2.5	13
188	Diagnostic performance of intracoronary gradient-based methods by coronary computed tomography angiography for the evaluation of physiologically significant coronary artery stenoses: a validation study with fractional flow reserve. <i>European Heart Journal Cardiovascular Imaging</i> , 2012, 13, 1001-1007.	1.2	75
189	Final kissing ballooning and long-term clinical outcomes in coronary bifurcation lesions treated with 1-stent technique: results from the COBIS registry. <i>Heart</i> , 2012, 98, 225-231.	2.9	101
190	Carina Shift Versus Plaque Shift for Aggravation of Side Branch Ostial Stenosis in Bifurcation Lesions. <i>Circulation: Cardiovascular Interventions</i> , 2012, 5, 657-662.	3.9	56
191	Impact of Coronary Bifurcation Angle on Clinical Outcomes after Percutaneous Coronary Intervention in Real-World Practice: Results from the COBIS Registry. <i>Cardiology</i> , 2012, 122, 216-224.	1.4	15
192	Six-Month Versus 12-Month Dual Antiplatelet Therapy After Implantation of Drug-Eluting Stents. <i>Circulation</i> , 2012, 125, 505-513.	1.6	555
193	Comparison of magnetic resonance imaging findings in non-ST-segment elevation versus ST-segment elevation myocardial infarction patients undergoing early invasive intervention. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 1487-1497.	1.5	21
194	Comparison of neointimal coverage between zotarolimus-eluting stent and everolimus-eluting stent using Optical Coherence Tomography (COVER OCT). <i>American Heart Journal</i> , 2012, 163, 601-607.	2.7	44
195	A high loading dose of clopidogrel reduces myocardial infarct size in patients undergoing primary percutaneous coronary intervention: A magnetic resonance imaging study. <i>American Heart Journal</i> , 2012, 163, 500-507.	2.7	26
196	Randomized Comparison of Conservative Versus Aggressive Strategy for Provisional Side Branch Intervention in Coronary Bifurcation Lesions. <i>JACC: Cardiovascular Interventions</i> , 2012, 5, 1133-1140.	2.9	48
197	OCT-Verified Peri-Strut Low-Intensity Areas and the Extent of Neointimal Formation After 3 Years Following Stent Implantation. <i>JACC: Cardiovascular Imaging</i> , 2012, 5, 1156-1160.	5.3	9
198	Complete versus incomplete revascularization for treatment of multivessel coronary artery disease in the drug-eluting stent era. <i>Heart and Vessels</i> , 2012, 27, 433-442.	1.2	32

#	ARTICLE	IF	CITATIONS
199	Successful Retrieval of Intravascular Stent Remnants With a Combination of Rotational Atherectomy and a Gooseneck Snare. <i>Korean Circulation Journal</i> , 2012, 42, 492.	1.9	6
200	A Case of Stent Graft Infection Coupled With Aorto-Esophageal Fistula Following Thoracic Endovascular Aortic Repair in a Complex Patient. <i>Korean Circulation Journal</i> , 2012, 42, 366.	1.9	13
201	Effects of 600 mg versus 300 mg Loading Dose of Clopidogrel in Asian Patients with ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention: Long-Term Follow-Up Study. <i>Yonsei Medical Journal</i> , 2012, 53, 906.	2.2	3
202	Hereditary Thrombophilia in Korean Patients with Idiopathic Pulmonary Embolism. <i>Yonsei Medical Journal</i> , 2012, 53, 571.	2.2	7
203	Impact of Acute Coronary Syndrome Classification and Procedural Technique on Clinical Outcomes in Patients With Coronary Bifurcation Lesions Treated With Drug-Eluting Stents. <i>Clinical Cardiology</i> , 2012, 35, 610-618.	1.8	11
204	Evaluation of right ventricular dysfunction and prediction of clinical outcomes in acute pulmonary embolism by chest computed tomography: comparisons with echocardiography. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 979-987.	1.5	55
205	Plasma N-Terminal Pro-B-Type Natriuretic Peptide Is Predictive of Perioperative Cardiac Events in Patients Undergoing Vascular Surgery. <i>Korean Journal of Internal Medicine</i> , 2012, 27, 301.	1.7	14
206	Impact of intravascular ultrasound guidance on long-term clinical outcomes in patients treated with drug-eluting stent for bifurcation lesions: Data from a Korean multicenter bifurcation registry. <i>American Heart Journal</i> , 2011, 161, 180-187.	2.7	96
207	Effects of atorvastatin pretreatment on infarct size in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. <i>American Heart Journal</i> , 2011, 162, 1026-1033.	2.7	46
208	The First Successful Transapical Aortic Valve Implant in Korea. <i>Journal of Korean Medical Science</i> , 2011, 26, 577.	2.5	0
209	Percutaneous Transseptal Left Atrial Drainage for Decompression of the Left Heart in an Adult Patient During Percutaneous Cardiopulmonary Support. <i>Korean Circulation Journal</i> , 2011, 41, 402.	1.9	12
210	Periprocedural Myocardial Infarction After Retrograde Approach for Chronic Total Occlusion of Coronary Artery: Demonstrated by Cardiac Magnetic Resonance Imaging. <i>Korean Circulation Journal</i> , 2011, 41, 747.	1.9	10
211	Three-Dimensional Quantitative Volumetry of Chronic Total Occlusion Plaque Using Coronary Multidetector Computed Tomography. <i>Circulation Journal</i> , 2011, 75, 366-375.	1.6	36
212	Multivessel vs Single-Vessel Revascularization in Patients With Non-ST-Segment Elevation Acute Coronary Syndrome and Multivessel Disease in the Drug-Eluting Stent Era. <i>Clinical Cardiology</i> , 2011, 34, 160-165.	1.8	32
213	Long-Term Outcomes of Sirolimus-Eluting Stents vs Paclitaxel-Eluting Stents in Unprotected Left Main Coronary Artery Bifurcation Lesions. <i>Clinical Cardiology</i> , 2011, 34, 378-383.	1.8	8
214	Presence of simple renal cysts is associated with increased risk of aortic dissection: a common manifestation of connective tissue degeneration?. <i>Heart</i> , 2011, 97, 55-59.	2.9	27
215	Six-Month versus Twelve-Month Dual Antiplatelet Therapy after Implantation of Drug-Eluting Stents. <i>Circulation</i> , 2011, , 1.	1.6	2
216	Indications and Short-term Results of Open Surgical Repair of Abdominal Aortic Aneurysm in an Endovascular Era. [<i>Chapchi</i>] <i>Journal Taehan Oekwa Hakhoe</i> , 2011, 80, 212.	1.1	1

#	ARTICLE	IF	CITATIONS
217	Long-Term Clinical Results and Predictors of Adverse Outcomes After Drug-Eluting Stent Implantation for Bifurcation Lesions in a Real-World Practice - The COBIS (Coronary Bifurcation) Tj ETQq1 1 0.784314 rgBT / Overlock 10	1.6	35
218	Comparison of Angiographic and Other Findings and Mortality in Nonâ€“ST-Segment Elevation versus ST-Segment Elevation Myocardial Infarction in Patients Undergoing Early Invasive Intervention. American Journal of Cardiology, 2010, 106, 1397-1403.	1.6	35
219	Current Management of Peripheral Arterial Disease. Journal of the Korean Medical Association, 2010, 53, 228.	0.3	2
220	Flash Pulmonary Edema in a Patient With Unilateral Renal Artery Stenosis and Bilateral Functioning Kidneys. Korean Circulation Journal, 2010, 40, 42.	1.9	9
221	Sirolimus- Versus Paclitaxel-Eluting Stents for the Treatment of Coronary Bifurcations. Journal of the American College of Cardiology, 2010, 55, 1743-1750.	2.8	58
222	Clinical characteristics, ballooning pattern, and long-term prognosis of transient left ventricular ballooning syndrome. Heart and Lung: Journal of Acute and Critical Care, 2010, 39, 188-195.	1.6	58
223	Intravascular Ultrasound-Guided Troubleshooting in a Large Hematoma Treated With Fenestration Using a Cutting Balloon. Korean Circulation Journal, 2009, 39, 171.	1.9	9
224	Upstream Highâ€“Dose Tirofiban Does Not Reduce Myocardial Infarct Size in Patients Undergoing Primary Percutaneous Coronary Intervention: A Magnetic Resonance Imaging Pilot Study. Clinical Cardiology, 2009, 32, 321-326.	1.8	15
225	Serial Intravascular Ultrasound Analysis of the Main and Side Branches in Bifurcation Lesions Treated With the T-Stenting Technique. Journal of the American College of Cardiology, 2009, 54, 110-117.	2.8	59
226	Relation of Left Ventricular Infarct Transmurality and Infarct Size After Primary Percutaneous Coronary Angioplasty to Time from Symptom Onset to Balloon Inflation. American Journal of Cardiology, 2008, 102, 1163-1169.	1.6	21
227	The Evolution of Thienopyridine Therapy. Journal of the American College of Cardiology, 2008, 51, 2228-2229.	2.8	15
228	Comparison of vessel geometry in bifurcation between normal and diseased segments: Intravascular ultrasound analysis. Atherosclerosis, 2008, 201, 326-331.	0.8	17
229	Targeted Molecular Probes for Imaging Atherosclerotic Lesions With Magnetic Resonance Using Antibodies That Recognize Oxidation-Specific Epitopes. Circulation, 2008, 117, 3206-3215.	1.6	170
230	Catastrophic Coronary Stent Fracture and Coronary Perforation Presenting as Cardiogenic Shock. Circulation: Cardiovascular Imaging, 2008, 1, e7-8.	2.6	12
231	Impact of Chronotropic Effect of Cilostazol After Acute Myocardial Infarction Insights From Change in Left Ventricular Volume and Function. Circulation Journal, 2007, 71, 106-111.	1.6	12
232	The clinical features of transient left ventricular nonapical ballooning syndrome: Comparison with apical ballooning syndrome. American Heart Journal, 2007, 154, 1166-1173.	2.7	58
233	Emerging approaches for imaging vulnerable plaques in patients. Current Opinion in Biotechnology, 2007, 18, 73-82.	6.6	12
234	Determinants of Brain Natriuretic Peptide Levels in Patients With Lone Atrial Fibrillation. Circulation Journal, 2006, 70, 100-104.	1.6	46

#	ARTICLE	IF	CITATIONS
235	Prognostic factors in patients with minor troponin-I elevation but without acute myocardial infarction. <i>Coronary Artery Disease</i> , 2006, 17, 249-253.	0.7	2
236	Self-Expanding Coronary Stent (Radius) Implantation with Cutting Balloon Angioplasty. <i>Cardiology</i> , 2005, 103, 123-127.	1.4	0
237	Exercise Intolerance in Patients with Atrial Fibrillation: Clinical and Echocardiographic Determinants of Exercise Capacity. <i>Journal of the American Society of Echocardiography</i> , 2005, 18, 1349-1354.	2.8	22
238	Mechanical Dyssynchrony Assessed by Tissue Doppler Imaging Is a Powerful Predictor of Mortality in Congestive Heart Failure With Normal QRS Duration. <i>Journal of the American College of Cardiology</i> , 2005, 46, 2237-2243.	2.8	141
239	Myocardial systolic synchrony measured by Doppler tissue imaging as a role of predictor of left ventricular ejection fraction improvement in severe congestive heart failure. <i>Journal of the American Society of Echocardiography</i> , 2004, 17, 1245-1250.	2.8	5
240	Percutaneous Stent-Graft Repair of Mycotic Common Femoral Artery Aneurysm. <i>Journal of Endovascular Therapy</i> , 2002, 9, 690-693.	1.5	20