Giovanni Di Salvo

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2540504/giovanni-di-salvo-publications-by-year.pdf

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80 7,263 258 41 h-index g-index citations papers 9,041 3.5 5.17 304 L-index avg, IF ext. papers ext. citations

#	Paper	IF	Citations
258	Myocardial deformation assessed by CMR in children after multisystem inflammatory syndrome (MIS-C). International Journal of Cardiology, 2022 , 346, 105-106	3.2	1
257	Echocardiographic Normal Reference Ranges for Non-invasive Myocardial Work Parameters in Pediatric Age: Results From an International Multi-Center Study <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 792622	5.4	О
256	Exercise Capacity and Cardiorespiratory Fitness in Children with Congenital Heart Diseases: A Proposal for an Adapted NYHA Classification. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 5907	4.6	1
255	Impact of hard lockdown on interventional cardiology procedures in congenital heart disease: a survey on behalf of the Italian Society of Congenital Heart Disease. <i>Journal of Cardiovascular Medicine</i> , 2021 , 22, 701-705	1.9	О
254	Feasibility and Role of Right Ventricular Stress Echocardiography in Adult Patients. <i>Journal of Cardiovascular Echography</i> , 2021 , 31, 68-72	0.6	
253	3D reconstruction for preoperative planning of partial anomalous pulmonary venous return. Kardiologia Polska, 2021 , 79, 1271-1273	0.9	1
252	High take off left main coronary artery accompanied by multicryptic left ventricle myocardium detected by cardiac computerized tomography in a young male: case report. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 557	2.3	
251	Ventricular outflow tract obstruction: An in-silico model to relate the obstruction to hemodynamic quantities in cardiac paediatric patients. <i>PLoS ONE</i> , 2021 , 16, e0258225	3.7	0
250	Single coronary artery originating from right sinus. Role of MDCT and a review of literature. <i>Monaldi Archives for Chest Disease</i> , 2021 ,	2.7	1
249	Anomalous left coronary artery from pulmonary artery repair: Outcomes from the European Congenital Heart Surgeons Association Database. <i>Journal of Cardiac Surgery</i> , 2021 , 36, 1910-1916	1.3	2
248	Feasibility of semi-recumbent bicycle exercise Doppler echocardiography for the evaluation of the right heart and pulmonary circulation unit in different clinical conditions: the RIGHT heart international NETwork (RIGHT-NET). <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 2151-21	2.5 67	1
247	Detection of residual subclinical myocardial damage by speckle-tracking echocardiography in previous autoimmune myocarditis. <i>European Heart Journal Cardiovascular Imaging</i> , 2021 , 22, e87	4.1	1
246	Severe scoliosis and percutaneous atrial septal defect closure, a word of caution. <i>Cardiology in the Young</i> , 2021 , 31, 870-871	1	
245	Abnormal myocardial work in children with Kawasaki disease. Scientific Reports, 2021, 11, 7974	4.9	3
244	The presence of an additional ventricular chamber does not change the outcome of Fontan circulation: a comparative study. <i>European Journal of Cardio-thoracic Surgery</i> , 2021 , 60, 1074-1081	3	O
243	A case of atrial septal defect associated with anomalous sinoatrial node artery in pulmonary atresia with intact ventricular septum. <i>Echocardiography</i> , 2021 , 38, 1201-1204	1.5	1
242	How to measure left ventricular twist by two-dimensional speckle-tracking analysis. <i>European Heart Journal Cardiovascular Imaging</i> , 2021 , 22, 961-963	4.1	2

241	Vector flow mapping: A review from theory to practice. <i>Echocardiography</i> , 2021 , 38, 1405-1413	1.5	1
240	Early Echocardiographic and Cardiac MRI Findings in Multisystem Inflammatory Syndrome in Children. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	10
239	Feasibility and functional correlates of left atrial volume changes during stress echocardiography in chronic coronary syndromes. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 953-964	2.5	3
238	Bicuspid aortic valve and sports: From the echocardiographic evaluation to the eligibility for sports competition. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021 , 31, 510-520	4.6	3
237	Trans-catheter atrial septal defect closure with the new GORE Cardioform ASD occluder: First European experience. <i>International Journal of Cardiology</i> , 2021 , 327, 68-73	3.2	2
236	Imaging the adult with simple shunt lesions: position paper from the EACVI and the ESC WG on ACHD. Endorsed by AEPC (Association for European Paediatric and Congenital Cardiology). <i>European Heart Journal Cardiovascular Imaging</i> , 2021 , 22, e58-e70	4.1	3
235	2020 ESC Guidelines for the management of adult congenital heart disease. <i>European Heart Journal</i> , 2021 , 42, 563-645	9.5	290
234	Left ventricle longitudinal strain alterations in asymptomatic or mildly symptomatic pediatric patients with recent SARS-CoV-2 infection. <i>European Heart Journal Cardiovascular Imaging</i> , 2021 , 22,	4.1	5
233	The multiple faces of autoimmune/immune-mediated myocarditis in children: a biopsy-proven case series treated with immunosuppressive therapy. <i>ESC Heart Failure</i> , 2021 , 8, 1604-1609	3.7	2
232	Left ventricular longitudinal strain alterations in asymptomatic or mildly symptomatic paediatric patients with SARS-CoV-2 infection. <i>European Heart Journal Cardiovascular Imaging</i> , 2021 ,	4.1	2
231	Inflammatory syndrome in children associated with COVID-19 complicated by acute myocardial infarction. <i>European Heart Journal</i> , 2021 , 42, 2136	9.5	3
230	Level 1 of Entrustable Professional Activities in adult echocardiography: a position statement from the EACVI regarding the training and competence requirements for selecting and interpreting echocardiographic examinations. <i>European Heart Journal Cardiovascular Imaging</i> , 2021 , 22, 1091-1097	4.1	O
229	Prediction of Significant Coronary Artery Disease Through Advanced Echocardiography: Role of Non-invasive Myocardial Work. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 719603	5.4	2
228	Stress Echo 2030: The Novel ABCDE-(FGLPR) Protocol to Define the Future of Imaging. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	3
227	Effectiveness of Repair of Aortic Coarctation in Neonates: A Long-Term experience. <i>Pediatric Cardiology</i> , 2021 , 1	2.1	
226	Adult congenital heart disease: Special considerations for COVID-19 and vaccine allocation/prioritization <i>International Journal of Cardiology Congenital Heart Disease</i> , 2021 , 4, 100186	0.7	2
225	Surgical strategies for the management of end-stage heart failure in infants and children: A 15-year experience with a patient-tailored approach. <i>Artificial Organs</i> , 2021 , 45, 1543-1553	2.6	1
224	In-hospital interstage improves interstage survival after the Norwood stage 1 operation. <i>European Journal of Cardio-thoracic Surgery</i> , 2020 , 57, 1113-1121	3	7

223	Pulmonary Artery Banding for Ventricular Rehabilitation in Infants With Dilated Cardiomyopathy: Early Results in a Single-Center Experience. <i>Frontiers in Pediatrics</i> , 2020 , 8, 347	3.4	3
222	COVID-19 and Congenital Heart Disease: Results from a Nationwide Survey. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	40
221	Global evaluation of echocardiography in patients with COVID-19. <i>European Heart Journal Cardiovascular Imaging</i> , 2020 , 21, 949-958	4.1	176
220	Cardiac imaging in congenital heart disease during the coronavirus disease-2019 pandemic: recommendations from the Working Group on Congenital Heart Disease of the Italian Society of Cardiology. <i>Journal of Cardiovascular Medicine</i> , 2020 , 21, 467-471	1.9	7
219	Non-invasive myocardial work is reduced during transient acute coronary occlusion. <i>PLoS ONE</i> , 2020 , 15, e0244397	3.7	7
218	Beyond the Imagination: An Incredible Upside Down Flip. <i>Circulation: Cardiovascular Imaging</i> , 2020 , 13, e010998	3.9	
217	Feasibility and value of two-dimensional volumetric stress echocardiography. <i>Minerva Cardiology and Angiology</i> , 2020 ,	2.4	3
216	138 Pulmonary valve preservation and transannular patch techniques in children with repaired tetralogy of Fallot; echocardiographic comparison. <i>European Heart Journal Supplements</i> , 2020 , 22, N45-	N ¹ 5 ⁵ 1	O
215	Lung Ultrasound and Pulmonary Congestion During Stress Echocardiography. <i>JACC: Cardiovascular Imaging</i> , 2020 , 13, 2085-2095	8.4	25
214	Surgery for Adult Patients with Congenital Heart Disease: Results from the European Database. Journal of Clinical Medicine, 2020 , 9,	5.1	2
213	Echocardiography and cardiac magnetic resonance in children with repaired tetralogy of Fallot: New insights in cardiac mechanics and exercise capacity. <i>International Journal of Cardiology</i> , 2020 , 321, 144-149	3.2	1
212	The long term results of the Ross procedure: The importance of candidate selection. <i>International Journal of Cardiology</i> , 2020 , 320, 35-41	3.2	3
211	Impact of cardiovascular risk profile on COVID-19 outcome. A meta-analysis. <i>PLoS ONE</i> , 2020 , 15, e0237	133 / 1	36
21 0	ESC Core Curriculum for the Cardiologist. European Heart Journal, 2020, 41, 3605-3692	9.5	12
209	Improved ventilation in premature babies after transcatheter versus surgical closure of patent ductus arteriosus. <i>International Journal of Cardiology</i> , 2020 , 311, 22-27	3.2	17
208	Serial changes in longitudinal strain are associated with outcome in children with hypoplastic left heart syndrome. <i>International Journal of Cardiology</i> , 2020 , 317, 56-62	3.2	3
207	Non-invasive myocardial work is reduced during transient acute coronary occlusion 2020 , 15, e0244397		
206	Non-invasive myocardial work is reduced during transient acute coronary occlusion 2020 , 15, e0244397		

Non-invasive myocardial work is reduced during transient acute coronary occlusion 2020, 15, e0244397 205 Non-invasive myocardial work is reduced during transient acute coronary occlusion 2020, 15, e0244397 204 Non-invasive myocardial work is reduced during transient acute coronary occlusion 2020, 15, e0244397 203 Non-invasive myocardial work is reduced during transient acute coronary occlusion 2020, 15, e0244397 Left Atrial Strain to Identify Diastolic Dysfunction in Children with Cardiomyopathies. Journal of 201 5.1 12 Clinical Medicine, 2019, 8, Pure Aortic Regurgitation in Pediatric Patients. American Journal of Cardiology, 2019, 124, 1731-1735 200 2 Infective endocarditis triangle.. Is it the time to revisit infective endocarditis susceptibility and 199 10 indications for its antibiotic prophylaxis?. European Journal of Preventive Cardiology, **2019**, 26, 1771-177 $\mathring{\phi}^{.9}$ Left Ventricular Twist Mechanics to Identify Left Ventricular Noncompaction in Childhood. 198 18 3.9 Circulation: Cardiovascular Imaging, 2019, 12, e007805 Assessment of Late Thromboembolic Complications Post-Fontan Procedure in Relation to Different 2 197 Antithrombotic Regimens: 30-YearsPFollow-up Experience. Annals of Pharmacotherapy, **2019**, 53, 786-79 $\frac{3}{5}$. Transapical Mitral Melody Valve-in-Valve Implantation in a Child: An Interesting Alternative for 196 Failing Melody Valve. JACC: Cardiovascular Interventions, 2019, 12, e137-e138 Right Ventricular Functional Reserve in Early-Stage Idiopathic Pulmonary Fibrosis: An Exercise 195 12 5.3 Two-Dimensional Speckle Tracking Doppler Echocardiography Study. Chest, 2019, 155, 297-306 Transcatheter closure of a large para-annular leak using a vascular plug following Cone repair of 194 4.1 the tricuspid valve. European Heart Journal Cardiovascular Imaging, 2019, 20, 369 Prognostic value of echocardiographic parameters in pediatric patients with Ebsteinß anomaly. 8 193 3.2 International Journal of Cardiology, 2019, 278, 76-83 The natural history and surgical outcome of patients with scimitar syndrome: a multi-centre 192 9.5 14 European study. European Heart Journal, 2018, 39, 1002-1011 Imaging the adult with congenital heart disease: a multimodality imaging approach-position paper 36 191 4.1 from the EACVI. European Heart Journal Cardiovascular Imaging, 2018, 19, 1077-1098 2018 ESC Guidelines for the management of cardiovascular diseases during pregnancy. European 190 9.5 735 Heart Journal, **2018**, 39, 3165-3241 Ramipril and left ventricular diastolic function in stable patients with pulmonary regurgitation after 189 8 3.2 repair of tetralogy of Fallot. International Journal of Cardiology, 2018, 272, 64-69 Atrial septal defect closure: indications and contra-indications. Journal of Thoracic Disease, 2018, 188 2.6 21 10, S2874-S2881

187	Quality control of B-lines analysis in stress Echo 2020. Cardiovascular Ultrasound, 2018, 16, 20	2.4	5
186	The Right Heart International Network (RIGHT-NET): Rationale, Objectives, Methodology, and Clinical Implications. <i>Heart Failure Clinics</i> , 2018 , 14, 443-465	3.3	12
185	Right Heart-Pulmonary Circulation Unit in Congenital Heart Diseases. <i>Heart Failure Clinics</i> , 2018 , 14, 283	3-32.95	6
184	A rare case of giant congenital left atrial appendage aneurysm in a 4-month-old child. <i>Journal of Cardiovascular Medicine</i> , 2017 , 18, 723-724	1.9	1
183	Metal through metal: pacing lead across a mechanical tricuspid valve. <i>Journal of Cardiovascular Medicine</i> , 2017 , 18, 698-699	1.9	2
182	Stress echo 2020: the international stress echo study in ischemic and non-ischemic heart disease. <i>Cardiovascular Ultrasound</i> , 2017 , 15, 3	2.4	59
181	Left Ventricular Mechanics in Patients with Abnormal Origin of the Left Main Coronary Artery from the Pulmonary Trunk Late after Successful Repair. <i>Cardiology</i> , 2017 , 136, 71-76	1.6	8
180	Gothic aortic arch and cardiac mechanics in young patients after arterial switch operation for d-transposition of the great arteries. <i>International Journal of Cardiology</i> , 2017 , 241, 163-167	3.2	6
179	Quality control of regional wall motion analysis in stress Echo 2020. <i>International Journal of Cardiology</i> , 2017 , 249, 479-485	3.2	25
178	Diagnosis and Imaging 2017 , 67-90		
178 177	Diagnosis and Imaging 2017 , 67-90 Right atrial function and prognosis in idiopathic pulmonary arterial hypertension. <i>International Journal of Cardiology</i> , 2017 , 248, 320-325	3.2	27
	Right atrial function and prognosis in idiopathic pulmonary arterial hypertension. <i>International</i>	3.2	27
177	Right atrial function and prognosis in idiopathic pulmonary arterial hypertension. <i>International Journal of Cardiology</i> , 2017 , 248, 320-325 B-lines with Lung Ultrasound: The Optimal Scan Technique atlRest and During Stress. <i>Ultrasound in Medicine and Biology</i> , 2017 , 43, 2558-2566 Standardization of adult transthoracic echocardiography reporting in agreement with recent chamber quantification, diastolic function, and heart valve disease recommendations: an expert consensus document of the European Association of Cardiovascular Imaging. <i>European Heart</i>		
177 176	Right atrial function and prognosis in idiopathic pulmonary arterial hypertension. <i>International Journal of Cardiology</i> , 2017 , 248, 320-325 B-lines with Lung Ultrasound: The Optimal Scan Technique atlRest and During Stress. <i>Ultrasound in Medicine and Biology</i> , 2017 , 43, 2558-2566 Standardization of adult transthoracic echocardiography reporting in agreement with recent chamber quantification, diastolic function, and heart valve disease recommendations: an expert	3.5	32
177 176 175	Right atrial function and prognosis in idiopathic pulmonary arterial hypertension. <i>International Journal of Cardiology</i> , 2017 , 248, 320-325 B-lines with Lung Ultrasound: The Optimal Scan Technique atlRest and During Stress. <i>Ultrasound in Medicine and Biology</i> , 2017 , 43, 2558-2566 Standardization of adult transthoracic echocardiography reporting in agreement with recent chamber quantification, diastolic function, and heart valve disease recommendations: an expert consensus document of the European Association of Cardiovascular Imaging. <i>European Heart</i> How should I treat a left persistent superior vena cava with unroofed coronary sinus associated with severe stenosis and regurgitation of aortic homograft placed in the tricuspid position?	3.5 4.1	32
177 176 175	Right atrial function and prognosis in idiopathic pulmonary arterial hypertension. <i>International Journal of Cardiology</i> , 2017 , 248, 320-325 B-lines with Lung Ultrasound: The Optimal Scan Technique atlRest and During Stress. <i>Ultrasound in Medicine and Biology</i> , 2017 , 43, 2558-2566 Standardization of adult transthoracic echocardiography reporting in agreement with recent chamber quantification, diastolic function, and heart valve disease recommendations: an expert consensus document of the European Association of Cardiovascular Imaging. <i>European Heart Journal Cardiovascular Imagina</i> 2017 , 18, 1301-1319. How should I treat a left persistent superior vena cava with unroofed coronary sinus associated with severe stenosis and regurgitation of aortic homograft placed in the tricuspid position?. <i>EuroIntervention</i> , 2017 , 13, e1491-e1494 Atenolol vs enalapril in young hypertensive patients after successful repair of aortic coarctation.	3.5 4.1 3.1	32 239
177 176 175 174	Right atrial function and prognosis in idiopathic pulmonary arterial hypertension. <i>International Journal of Cardiology</i> , 2017 , 248, 320-325 B-lines with Lung Ultrasound: The Optimal Scan Technique atlRest and During Stress. <i>Ultrasound in Medicine and Biology</i> , 2017 , 43, 2558-2566 Standardization of adult transthoracic echocardiography reporting in agreement with recent chamber quantification, diastolic function, and heart valve disease recommendations: an expert consensus document of the European Association of Cardiovascular Imaging. <i>European Heart</i> How should I treat a left persistent superior vena cava with unroofed coronary sinus associated with severe stenosis and regurgitation of aortic homograft placed in the tricuspid position?. <i>EuroIntervention</i> , 2017 , 13, e1491-e1494 Atenolol vs enalapril in young hypertensive patients after successful repair of aortic coarctation. <i>Journal of Human Hypertension</i> , 2016 , 30, 363-7	3.5 4.1 3.1 2.6	32 239

(2015-2016)

169	Left ventricular mechanics after arterial switch operation: a speckle-tracking echocardiography study. <i>Journal of Cardiovascular Medicine</i> , 2016 , 17, 217-24	1.9	13
168	The Echocardiographic "Spike and Dome"Obstruction It Is But Where?. <i>Echocardiography</i> , 2016 , 33, 641-3	1.5	
167	Intermittent Malfunction of a Prosthetic Valve-A Diagnostic Challenge. Echocardiography, 2016 , 33, 916	-9 .5	1
166	Multimodality imaging in congenital heart disease-related pulmonary arterial hypertension. <i>Heart</i> , 2016 , 102, 910-8	5.1	20
165	Atrial function in heart transplant recipients operated with the bicaval technique. <i>Scandinavian Cardiovascular Journal</i> , 2016 , 50, 42-51	2	5
164	An unusual cardiac mass: Echocardiography, computed tomography, and magnetic resonance imaging. <i>Journal of Cardiology Cases</i> , 2016 , 13, 143-145	0.6	3
163	Spectral Doppler of the Hepatic Veins in Rate, Rhythm, and Conduction Disorders. <i>Echocardiography</i> , 2016 , 33, 136-40; quiz 135	1.5	3
162	Role of electrocardiography and echocardiography in prevention and predicting outcome of subjects at increased risk of heart failure. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 249-62	3.9	10
161	Respiratory hemodynamics in the hepatic veins-normal pattern. <i>Echocardiography</i> , 2015 , 32, 585-8	1.5	2
160	The various hemodynamic profiles of the patent ductus arteriosus in adults. <i>Echocardiography</i> , 2015 , 32, 1172-8	1.5	9
159	Spectral Doppler of the hepatic veins in tricuspid valve disease. <i>Echocardiography</i> , 2015 , 32, 856-9	1.5	4
158	Echocardiography detects elevated left ventricular filling pressures in heart transplant recipients. <i>Echocardiography</i> , 2015 , 32, 411-9	1.5	5
157	Respiratory hemodynamics in the hepatic veinsabnormal patterns. <i>Echocardiography</i> , 2015 , 32, 705-10	1.5	2
156	Continuing Medical Education Activity in Echocardiography. <i>Echocardiography</i> , 2015 , 32, 584-584	1.5	
155	Continuing Medical Education Activity in Echocardiography. <i>Echocardiography</i> , 2015 , 32, 855-855	1.5	
154	Continuing Medical Education Activity in Echocardiography. <i>Echocardiography</i> , 2015 , 32, 704-704	1.5	
153	Evaluation of right ventricular function in adults with congenital heart defects. <i>Echocardiography</i> , 2015 , 32 Suppl 1, S38-52	1.5	15
152	Spectral Doppler interrogation of the pulmonary veins in atrial septal defect. <i>Echocardiography</i> , 2015 , 32, 1027-9	1.5	2

151	Continuing Medical Education Activity in Echocardiography. <i>Echocardiography</i> , 2015 , 32, 1423-1423	1.5	
150	Continuing Medical Education Activity in Echocardiography. <i>Echocardiography</i> , 2015 , 32, 1171-1171	1.5	
149	Spectral Doppler of the Hepatic Veins in Noncardiac Diseases: What the Echocardiographer Should Know. <i>Echocardiography</i> , 2015 , 32, 1424-7	1.5	5
148	Continuing Medical Education Activity in Echocardiography. <i>Echocardiography</i> , 2015 , 32, 1026-1026	1.5	
147	Spectral Doppler interrogation of mitral regurgitation -spot diagnosis. <i>Echocardiography</i> , 2015 , 32, 1179	9 1 83	1
146	Spectral Doppler interrogation of the patent foramen ovale-a window to left heart hemodynamics. <i>Echocardiography</i> , 2015 , 32, 383-9	1.5	1
145	Pulmonary arterial hypertension: the key role of echocardiography. <i>Echocardiography</i> , 2015 , 32 Suppl 1, S23-37	1.5	41
144	Strain Echocardiography and Myocardial Mechanics: From Basics to Clinical Applications. <i>Journal of Cardiovascular Echography</i> , 2015 , 25, 1-8	0.6	19
143	Normal Range of Left Ventricular Strain, Dimensions and Ejection Fraction Using Three-dimensional Speckle-Tracking Echocardiography in Neonates. <i>Journal of Cardiovascular Echography</i> , 2015 , 25, 67-71	0.6	3
142	Tetralogy of Fallot, Downß Syndrome, Left Ventricular Noncompaction, and Multiples Thrombi. <i>Journal of Cardiovascular Echography</i> , 2015 , 25, 108-110	0.6	2
141	Pulse-wave Doppler interrogation of the abdominal aorta: a window to the left heart and vasculature. <i>Echocardiography</i> , 2014 , 31, 543-7	1.5	6
140	Left atrium by echocardiography in clinical practice: from conventional methods to new echocardiographic techniques. <i>Scientific World Journal, The</i> , 2014 , 2014, 451042	2.2	41
139	Intermittent entrapment of a prosthetic mitral valve disc: what you see is not what you get. <i>Circulation</i> , 2014 , 129, e11-3	16.7	1
138	Elevated right ventricular end-diastolic pressure by Doppler echocardiography-a case report. <i>Echocardiography</i> , 2014 , 31, 117-9	1.5	2
137	Carotid sinus massage in the echocardiography laboratory. <i>Echocardiography</i> , 2014 , 31, 255-9	1.5	
136	Heart failure following creation of an arteriovenous fistula for hemodialysis. <i>Echocardiography</i> , 2014 , 31, 111-6	1.5	4
135	Hemodynamics in Reverse: Paradoxical Increase in Left Ventricular Filling Pressure During the Valsalva Maneuver. <i>Echocardiography</i> , 2014 , 31, 402-405	1.5	
134	Effect of cardiac resynchronization therapy on cardiotrophin-1 circulating levels in patients with heart failure. <i>Internal and Emergency Medicine</i> , 2014 , 9, 43-50	3.7	7

(2013-2014)

133	Early Detection of Anthracycline-Induced Cardiotoxicity in Long-Term Survivors of Acute Lymphoblastic Leukemia Treated with Low Cumulative Dose. <i>Journal of Cardiovascular Echography</i> , 2014 , 24, 25-28	0.6	2
132	Impact of the Amplatzer atrial septal occluder device on left ventricular function in pediatric patients. <i>Pediatric Cardiology</i> , 2013 , 34, 1645-51	2.1	7
131	Range of right heart measurements in top-level athletes: the training impact. <i>International Journal of Cardiology</i> , 2013 , 164, 48-57	3.2	117
130	Two-dimensional atrial systolic strain imaging predicts atrial fibrillation at 4-year follow-up in asymptomatic rheumatic mitral stenosis. <i>Journal of the American Society of Echocardiography</i> , 2013 , 26, 270-7	5.8	44
129	Subclinical hypothyroidism and myocardial function in obese children. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013 , 23, 898-902	4.5	16
128	The fate of the neoaortic valve and root after the modified Ross-Konno procedure. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2013 , 145, 430-437.e1; discussion 436-7	1.5	12
127	A patient with recent chest discomfort-ischemia or no ischemia? Postsystolic shortening comes to the rescue. <i>Echocardiography</i> , 2013 , 30, E285-8	1.5	3
126	Echocardiography can be used to rule in but not rule out elevated right atrial pressure in heart transplant recipients. <i>European Heart Journal</i> , 2013 , 34, P2459-P2459	9.5	
125	The ultimate pulsus paradoxus: failure of aortic valve opening with inspiration. <i>European Heart Journal Cardiovascular Imaging</i> , 2013 , 14, 829	4.1	2
124	Myocardial deformation imaging and rare cardiomyopathies with hypertrophic phenotype: a review focused on Fabry disease, Friedreich ataxia and amyloidosis. <i>Neurology International</i> , 2013 , 3,	O	1
123	The A-dip of aortic regurgitation. <i>Echocardiography</i> , 2013 , 30, 1234-5	1.5	1
122	Echocardiographic assessment in a patient with vasoreactive pulmonary hypertension. <i>Echocardiography</i> , 2013 , 30, 419-25	1.5	2
121	Right heart morphology and function in heart transplantation recipients. <i>Journal of Cardiovascular Medicine</i> , 2013 , 14, 648-58	1.9	22
120	Elevated right atrial pressure by echocardiography significantly increases the likelihood of concomitant elevated pulmonary capillary wedge pressure in heart transplant recipients. <i>European Heart Journal</i> , 2013 , 34, P2443-P2443	9.5	
119	Echocardiography in selecting pediatric and congenital heart disease patients for resynchronization therapy: a 4 years follow up study. <i>European Heart Journal</i> , 2013 , 34, P1131-P1131	9.5	
118	Left ventricular function and right ventricular pacing for isolated congenital heart block. <i>Journal of Cardiovascular Medicine</i> , 2013 ,	1.9	2
117	Assessment of left-ventricular mass and remodeling in obese adolescents: M-mode, 2D or 3D echocardiography?. <i>Journal of Cardiovascular Medicine</i> , 2013 , 14, 144-9	1.9	14
116	Asymptomatic Left Ventricular Dysfunction and Metabolic Syndrome: Results from an Italian Multicenter Study. <i>Journal of Cardiovascular Echography</i> , 2013 , 23, 96-101	0.6	3

115	Rare cardiomyopathies: diagnostic features. <i>Minerva Cardioangiologica</i> , 2013 , 61, 351-65	1.1	
114	Stuck mechanical tricuspid valve prosthesis: the valve that does not move. Circulation, 2012, 126, e335-0	516.7	2
113	Introduction to Health Technology Assessment. Journal of Cardiovascular Echography, 2012, 22, 99-106	0.6	
112	Early left ventricular abnormalities in children with heterozygous familial hypercholesterolemia. Journal of the American Society of Echocardiography, 2012, 25, 1075-82	5.8	22
111	Asymptomatic systolic and diastolic dysfunction in patients with risk factors referred for echocardiography. The DAVES study by the Italian Society of Cardiovascular Echography. <i>Journal of Cardiovascular Echography</i> , 2012 , 22, 29-36	0.6	
110	Strain Imaging of Acute Aortic Regurgitation. <i>Journal of Cardiovascular Echography</i> , 2012 , 22, 174-178	0.6	
109	Aortic and left ventricular remodeling in patients with bicuspid aortic valve without significant valvular dysfunction: a prospective study. <i>International Journal of Cardiology</i> , 2012 , 158, 347-52	3.2	40
108	Usefulness of bidimensional strain imaging for predicting outcome in asymptomatic patients aged [] 6 years with isolated moderate to severe aortic regurgitation. <i>American Journal of Cardiology</i> , 2012 , 110, 1051-5	3	25
107	Aortic stiffness and distensibility in top-level athletes. <i>Journal of the American Society of Echocardiography</i> , 2012 , 25, 561-7	5.8	26
106	Right ventricular morphology and function in top-level athletes: a three-dimensional echocardiographic study. <i>Journal of the American Society of Echocardiography</i> , 2012 , 25, 1268-76	5.8	58
105	LCAT cholesterol esterification is associated with the increase of ApoE/ApoA-I ratio during atherosclerosis progression in rabbit. <i>Journal of Physiology and Biochemistry</i> , 2012 , 68, 541-53	5	4
104	Normal left ventricular twist in patients with non-compaction cardiomyopathy, or in normal subjects with hypertrabeculation? Reply. <i>European Heart Journal Cardiovascular Imaging</i> , 2012 , 13, 801-8	3 62	
103	Elderly patients with acute coronary syndromes admitted to Italian intensive cardiac care units: a Blitz-3 Registry sub-analysis. <i>Journal of Cardiovascular Medicine</i> , 2012 , 13, 165-74	1.9	7
102	Global longitudinal speckle-tracking strain is predictive of left ventricular remodeling after coronary angioplasty in patients with recent non-ST elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2011 , 153, 185-91	3.2	39
101	Association between right ventricular two-dimensional strain and exercise capacity in patients with either idiopathic or ischemic dilated cardiomyopathy. <i>Journal of Cardiovascular Medicine</i> , 2011 , 12, 625-3	3 4 9	11
100	Range in pulmonary artery systolic pressure among highly trained athletes. <i>Chest</i> , 2011 , 139, 788-794	5.3	53
99	Early left ventricular longitudinal systolic dysfunction and cardiovascular risk factors in 1,371 asymptomatic subjects with normal ejection fraction: a tissue Doppler study. <i>Echocardiography</i> , 2011 , 28, 268-75	1.5	5
98	Impact of obesity on left ventricular geometry and function in pediatric patients after successful aortic coarctation repair. <i>Echocardiography</i> , 2011 , 28, 907-12	1.5	4

(2009-2011)

97	The prognostic value of early left ventricular longitudinal systolic dysfunction in asymptomatic subjects with cardiovascular risk factors. <i>Clinical Cardiology</i> , 2011 , 34, 500-6	3.3	8
96	Nuove tecniche ecocardiografiche per la valutazione della funzione miocardica nelle cardiopatie congenite. <i>Journal of Cardiovascular Echography</i> , 2011 , 21, 12-19	0.6	
95	Prolonged left ventricular twist in cardiomyopathies: a potential link between systolic and diastolic dysfunction. <i>European Journal of Echocardiography</i> , 2011 , 12, 841-9		49
94	Masked hypertension in young patients after successful aortic coarctation repair: impact on left ventricular geometry and function. <i>Journal of Human Hypertension</i> , 2011 , 25, 739-45	2.6	39
93	Increased heterogenity of ventricular repolarization in obese nonhypertensive children. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2010 , 33, 1533-9	1.6	24
92	Right ventricular myocardial involvement in either physiological or pathological left ventricular hypertrophy: an ultrasound speckle-tracking two-dimensional strain analysis. <i>European Journal of Echocardiography</i> , 2010 , 11, 492-500		60
91	Association between carotid atherosclerosis and metabolic syndrome: results from the ISMIR study. <i>Angiology</i> , 2010 , 61, 443-8	2.1	13
90	IGF2 gene variants and risk of hypertension in obese children and adolescents. <i>Pediatric Research</i> , 2010 , 67, 340-4	3.2	27
89	Non sustained ventricular tachycardia in hypertrophic cardiomyopathy and new ultrasonic derived parameters. <i>Journal of the American Society of Echocardiography</i> , 2010 , 23, 581-90	5.8	39
88	Transverse strain predicts exercise capacity in systemic right ventricle patients. <i>International Journal of Cardiology</i> , 2010 , 145, 193-196	3.2	28
87	Left atrial volume index in highly trained athletes. American Heart Journal, 2010, 159, 1155-61	4.9	124
86	The incremental prognostic value of echocardiography in asymptomatic stage a heart failure. <i>Journal of the American Society of Echocardiography</i> , 2010 , 23, 1025-34	5.8	27
85	Right ventricular hypertrabeculation associated with double-outlet left ventricle: exaggeration of a normal pattern or right ventricular cardiomyopathy?. <i>Journal of Cardiovascular Medicine</i> , 2010 , 11, 193-	5 ^{1.9}	4
84	Epidemiology and patterns of care of patients admitted to Italian Intensive Cardiac Care units: the BLITZ-3 registry. <i>Journal of Cardiovascular Medicine</i> , 2010 , 11, 450-61	1.9	32
83	Re: Improved T2* assessment in liver iron overload by magnetic resonance imaging. <i>Magnetic Resonance Imaging</i> , 2010 , 28, 301-3	3.3	3
82	Clinical course and risk profile in adolescents with idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 2010 , 105, 716-20	3	3
81	Aortic root dimensions in elite athletes. American Journal of Cardiology, 2010, 105, 1629-34	3	72
80	Disease rescue and increased lifespan in a model of cardiomyopathy and muscular dystrophy by combined AAV treatments. <i>PLoS ONE</i> , 2009 , 4, e5051	3.7	21

79	Arterial stiffness and ventricular stiffness: a couple of diseases or a coupling disease? A review from the cardiologistB point of view. <i>European Journal of Echocardiography</i> , 2009 , 10, 36-43		96
78	Carotid intima-media thickness in asymptomatic patients with arterial hypertension without clinical cardiovascular disease: relation with left ventricular geometry and mass and coexisting risk factors. <i>Angiology</i> , 2009 , 60, 705-13	2.1	15
77	Effects of global longitudinal strain and total scar burden on response to cardiac resynchronization therapy in patients with ischaemic dilated cardiomyopathy. <i>European Journal of Heart Failure</i> , 2009 , 11, 58-67	12.3	52
76	Right atrial size and deformation in patients with dilated cardiomyopathy undergoing cardiac resynchronization therapy. <i>European Journal of Heart Failure</i> , 2009 , 11, 1169-77	12.3	34
75	Cardiovascular involvement in systemic autoimmune diseases. <i>Autoimmunity Reviews</i> , 2009 , 8, 281-6	13.6	90
74	Relation of carotid intima-media thickness and aortic valve sclerosis (from the ISMIR study ["Ispessimento Medio Intimale e Rischio Cardiovascolare"] of the Italian Society of Cardiovascular Echography). <i>American Journal of Cardiology</i> , 2009 , 103, 1556-61	3	12
73	New echocardiographic techniques in the evaluation of left ventricular mechanics in subclinical thyroid dysfunction. <i>Echocardiography</i> , 2009 , 26, 711-9	1.5	7
72	Association between left atrial myocardial function and exercise capacity in patients with either idiopathic or ischemic dilated cardiomyopathy: a two-dimensional speckle strain study. <i>International Journal of Cardiology</i> , 2009 , 132, 354-63	3.2	70
71	Atrial reservoir function by strain rate imaging in asymptomatic mitral stenosis: prognostic value at 3 year follow-up. <i>European Journal of Echocardiography</i> , 2009 , 10, 753-9		49
70	Two-dimensional strain and atrial function: a study on patients after percutaneous closure of atrial septal defect. <i>European Journal of Echocardiography</i> , 2009 , 10, 256-9		27
69	Severe, obstructive biventricular hypertrophy in a patient with Costello syndrome: Clinical impact and management. <i>International Journal of Cardiology</i> , 2008 , 130, e108-10	3.2	7
68	Atrial myocardial deformation properties in obese nonhypertensive children. <i>Journal of the American Society of Echocardiography</i> , 2008 , 21, 151-6	5.8	40
67	Two-dimensional strain to assess regional left and right ventricular longitudinal function in 100 normal foetuses. <i>European Journal of Echocardiography</i> , 2008 , 9, 754-6		75
66	A standard echocardiographic and tissue Doppler study of morphological and functional findings in children with hypertrophic cardiomyopathy compared to those with left ventricular hypertrophy in the setting of Noonan and LEOPARD syndromes. <i>Cardiology in the Young</i> , 2008 , 18, 575-80	1	14
65	Mechanical dyssynchrony and functional mitral regurgitation: pathophysiology and clinical implications. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 461-9	1.9	8
64	Y2 receptor gene variants reduce the risk of hypertension in obese children and adolescents. <i>Journal of Hypertension</i> , 2008 , 26, 1590-4	1.9	15
63	The role of adiposity as a determinant of an inflammatory milieu. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 450-60	1.9	28
62	The challenge of fetal dysrhythmias: echocardiographic diagnosis and clinical management. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 153-60	1.9	15

61	Practical echocardiography in aortic valve stenosis. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 653-65	1.9	3
60	Changing spectrum and outcome of 705 fetal congenital heart disease cases: 12 years, experience in a third-level center. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 910-5	1.9	16
59	Genotype-phenotype analysis and natural history of left ventricular hypertrophy in LEOPARD syndrome. <i>American Journal of Medical Genetics, Part A</i> , 2008 , 146A, 620-8	2.5	40
58	Myocardial strain analysis in a doxorubicin-induced cardiomyopathy model. <i>Ultrasound in Medicine and Biology</i> , 2008 , 34, 370-8	3.5	29
57	Severe, early onset hypertrophic cardiomyopathy in a family with LEOPARD syndrome. <i>Journal of Prenatal Medicine</i> , 2008 , 2, 24-6		4
56	Prevalence and clinical significance of cardiovascular abnormalities in patients with the LEOPARD syndrome. <i>American Journal of Cardiology</i> , 2007 , 100, 736-41	3	121
55	Effect of dynamic myocardial dyssynchrony on mitral regurgitation during supine bicycle exercise stress echocardiography in patients with idiopathic dilated cardiomyopathy and MarrowPQRS. <i>European Heart Journal</i> , 2007 , 28, 1004-11	9.5	50
54	Left ventricular early myocardial dysfunction after chronic misuse of anabolic androgenic steroids: a Doppler myocardial and strain imaging analysis. <i>British Journal of Sports Medicine</i> , 2007 , 41, 149-55	10.3	114
53	Heart rate variability is a weak predictor of sudden death in children and young patients with hypertrophic cardiomyopathy. <i>Heart</i> , 2007 , 93, 117-8	5.1	2
52	Abnormal regional myocardial deformation properties and increased aortic stiffness in normotensive patients with aortic coarctation despite successful correction: an ABPM, standard echocardiography and strain rate imaging study. <i>Clinical Science</i> , 2007 , 113, 259-66	6.5	31
51	Echocardiography in congenital heart disease: usefulness, limits and new techniques. <i>Journal of Cardiovascular Medicine</i> , 2007 , 8, 17-22	1.9	15
50	Left ventricle myocardial mechanics and textural properties in patients with Williams syndrome. Journal of Cardiovascular Medicine, 2007 , 8, 330-6	1.9	3
49	New echocardiographic technologies in the clinical management of hypertensive heart disease. Journal of Cardiovascular Medicine, 2007 , 8, 997-1006	1.9	9
48	Biventricular myocardial adaptation to different training protocols in competitive master athletes. <i>International Journal of Cardiology</i> , 2007 , 115, 342-9	3.2	50
47	Different effects of cardiac resynchronization therapy on left atrial function in patients with either idiopathic or ischaemic dilated cardiomyopathy: a two-dimensional speckle strain study. <i>European Heart Journal</i> , 2007 , 28, 2738-48	9.5	92
46	Abnormal myocardial deformation properties in obese, non-hypertensive children: an ambulatory blood pressure monitoring, standard echocardiographic, and strain rate imaging study: reply. <i>European Heart Journal</i> , 2007 , 28, 1663-1663	9.5	
45	Traditional diet hope for our children: reply. European Heart Journal, 2006, 28, 638-639	9.5	1
44	Abnormal myocardial deformation properties in obese, non-hypertensive children: an ambulatory blood pressure monitoring, standard echocardiographic, and strain rate imaging study. <i>European Heart Journal</i> , 2006 , 27, 2689-95	9.5	131

488 Atrial myocardial deformation properties and arrhythmias in patients after atrial septal defect 43 closure. European Journal of Echocardiography, 2006, 7, S76-S76

	acounter European South at 6, Lenocal alogary, 2000 , 1, 5, 0, 0		
42	497 Abnormal atrial myocardial deformation properties in obese, non-hypertensive, children: an abpm, standard echocardiographic and strain rate imaging study. <i>European Journal of Echocardiography</i> , 2006 , 7, S78-S78		
41	Potential clinical perspectives of Doppler myocardial imaging and strain rate imaging during stress echocardiography. <i>Journal of Cardiovascular Medicine</i> , 2006 , 7, 480-90	1.9	
40	Myocardial systolic activation delay in patients with left bundle branch block and either normal or impaired left ventricular function. <i>Echocardiography</i> , 2006 , 23, 14-23	1.5	17
39	Work capacity and oxygen uptake abnormalities in hyperthyroidism. <i>Minerva Cardioangiologica</i> , 2006 , 54, 355-62	1.1	5
38	Strain rate imaging: data acquisition and postrocessing. <i>Minerva Cardioangiologica</i> , 2006 , 54, 451-9	1.1	3
37	Atrial function after surgical and percutaneous closure of atrial septal defect: a strain rate imaging study. <i>Journal of the American Society of Echocardiography</i> , 2005 , 18, 930-3	5.8	62
36	Strain rate imaging is a superior method for the assessment of regional myocardial function compared with Doppler tissue imaging: a study on patients with transcatheter device closure of atrial septal defect. <i>Journal of the American Society of Echocardiography</i> , 2005 , 18, 398-400	5.8	22
35	Early myocardial abnormalities in asymptomatic patients with severe isolated congenital aortic regurgitation: an ultrasound tissue characterization and strain rate study. <i>Journal of the American Society of Echocardiography</i> , 2005 , 18, 122-7	5.8	13
34	Early cardiac morphologic and functional changes in neurofibromatosis type 1 hypertensives: an echocardiographic and tissue Doppler study. <i>International Journal of Cardiology</i> , 2005 , 101, 243-7	3.2	7
33	Congenital heart disease in a population of dizygotic twins: an echocardiographic study. <i>International Journal of Cardiology</i> , 2005 , 102, 293-6	3.2	11
32	Findings from new echocardiographic techniques concerning ventricular remodelling and function in the functionally univentricular heart. <i>Cardiology in the Young</i> , 2005 , 15 Suppl 3, 45-50	1	1
31	Quantification of regional left and right ventricular longitudinal function in 75 normal fetuses using ultrasound-based strain rate and strain imaging. <i>Ultrasound in Medicine and Biology</i> , 2005 , 31, 1159-62	3.5	50
30	Comparison of strain rate imaging for quantitative evaluation of regional left and right ventricular function after surgical versus percutaneous closure of atrial septal defect. <i>American Journal of Cardiology</i> , 2005 , 96, 299-302	3	43
29	Atrial myocardial deformation properties predict maintenance of sinus rhythm after external cardioversion of recent-onset lone atrial fibrillation: a color Doppler myocardial imaging and transthoracic and transesophageal echocardiographic study. <i>Circulation</i> , 2005 , 112, 387-95	16.7	207
28	Risk of embolism and death in infective endocarditis: prognostic value of echocardiography: a prospective multicenter study. <i>Circulation</i> , 2005 , 112, 69-75	16.7	446
27	Effects of coexisting hypertension and type II diabetes mellitus on arterial stiffness. <i>Journal of Human Hypertension</i> , 2004 , 18, 469-73	2.6	64
26	Late post-repair ventricular function in patients with origin of the left main coronary artery from	3	33

the pulmonary trunk. American Journal of Cardiology, 2004, 93, 506-8

(2001-2004)

25	Backscatter evaluation of myocardial functional and textural findings in children with right ventricular pressure and/or volume overload. <i>American Journal of Cardiology</i> , 2004 , 93, 594-7	3	11
24	Blood pressure and cardiovascular involvement in children with neurofibromatosis type1. <i>Pediatric Nephrology</i> , 2004 , 19, 413-8	3.2	28
23	Strain and strain rate imaging: a new clinical approach to quantifying regional myocardial function. <i>Journal of the American Society of Echocardiography</i> , 2004 , 17, 788-802	5.8	500
22	Endocarditis in the elderly: clinical, echocardiographic, and prognostic features. <i>European Heart Journal</i> , 2003 , 24, 1576-83	9.5	88
21	Idebenone treatment in Friedreichß ataxia: neurological, cardiac, and biochemical monitoring. <i>Neurology</i> , 2003 , 60, 1679-81	6.5	136
20	488 atrial deformation properties during atrial fibrillation and their prognostic value: a strain and strain rate imaging study. <i>European Journal of Echocardiography</i> , 2003 , 4, S53		
19	Prognostic value of pharmacological stress echocardiography in diabetic patients. <i>European Journal of Echocardiography</i> , 2003 , 4, 202-8		12
18	Pulsed Doppler tissue imaging and myocardial function in thalassemia major. <i>Heart and Vessels</i> , 2003 , 18, 1-6	2.1	33
17	Quantification of regional right and left ventricular function by ultrasonic strain rate and strain indexes in Friedreich® ataxia. <i>American Journal of Cardiology</i> , 2003 , 91, 622-6	3	48
16	Can regional strain and strain rate measurement be performed during both dobutamine and exercise echocardiography, and do regional deformation responses differ with different forms of stress testing?. <i>Journal of the American Society of Echocardiography</i> , 2003 , 16, 299-308	5.8	46
15	Restrictive left ventricular filling in hypereosinophilic syndrome as a result of partial cavity obliteration by an apical mass: a strain/strain rate study. <i>Journal of the American Society of Echocardiography</i> , 2003 , 16, 1088-90	5.8	11
14	Feasibility and usefulness of right ventricular ultrasonic tissue characterization with integrated backscatter in patients with unsuccessfully operatively "repaired" tetralogy of Fallot. <i>American Journal of Cardiology</i> , 2002 , 90, 669-71	3	8
13	The hypertension-related organ damage: a poorly perceived danger in subjects with low education. <i>Journal of Human Hypertension</i> , 2002 , 16, 449-51	2.6	
12	Does the angiotensin II receptor antagonist losartan improve cognitive function?. <i>Drugs and Aging</i> , 2002 , 19, 723-32	4.7	25
11	The heart in neurofibromatosis type 1: an echocardiographic study. <i>American Heart Journal</i> , 2002 , 143, 883-8	4.9	41
10	Left atrial size in 164 hypertensive patients: an echocardiographic and ambulatory blood pressure study. <i>Clinical Cardiology</i> , 2001 , 24, 603-7	3.3	18
9	Educational level and hypertension: how socioeconomic differences condition health care. <i>Journal of Human Hypertension</i> , 2001 , 15, 727-31	2.6	28
8	Comparison of clinical and echocardiographic characteristics of Streptococcus bovis endocarditis with that caused by other pathogens. <i>American Journal of Cardiology</i> , 2001 , 88, 871-5	3	84

7	Cardiac abnormalities detected by Doppler imaging in patients with neurofibromatosis type 1. <i>American Journal of Cardiology</i> , 2001 , 88, 1198-200	3	5
6	Echocardiography predicts embolic events in infective endocarditis. <i>Journal of the American College of Cardiology</i> , 2001 , 37, 1069-76	15.1	293
5	Arterial distensibility and ambulatory blood pressure monitoring in young patients with neurofibromatosis type 1. <i>American Journal of Hypertension</i> , 2001 , 14, 559-66	2.3	34
4	Atrial natriuretic factor and mitral valve prolapse syndrome. <i>Minerva Cardioangiologica</i> , 2001 , 49, 317-2	51.1	1
3	Noninvasive evaluation of arterial abnormalities in young patients with neurofibromatosis type 1. <i>Angiology</i> , 2000 , 51, 733-41	2.1	13
2	Effects of losartan on hypertension and left ventricular mass: a long-term study. <i>Journal of Human Hypertension</i> , 1998 , 12, 505-10	2.6	71
1	The effects of muscle-building exercise on forearm bone mineral content and osteoblast activity in drug-free and anabolic steroids self-administering young men. <i>Bone and Mineral</i> , 1991 , 13, 77-83		14