

Gerald Gartlehner

List of Publications by Year in descending order

Source: [//exaly.com/author-pdf/254055/publications.pdf](https://exaly.com/author-pdf/254055/publications.pdf)

Version: 2024-02-01

210
papers

15,157
citations

43741

48
h-index

25609

109
g-index

233
all docs

233
docs citations

233
times ranked

24127
citing authors

#	ARTICLE	IF	CITATIONS
1	Rapid reviews methods series: Guidance on assessing the certainty of evidence. <i>BMJ Evidence-Based Medicine</i> , 2024, 29, 50-54.	3.5	11
2	Psychotherapies for the treatment of borderline personality disorder: A systematic review.. <i>Journal of Consulting and Clinical Psychology</i> , 2024, 92, 275-295.	1.9	2
3	Data extraction for evidence synthesis using a large language model: A proof-of-concept study. <i>Research Synthesis Methods</i> , 2024, 15, 576-589.	8.8	9
4	Pharmacological interventions for the management of children and adolescents living with obesity—An update of a Cochrane systematic review with meta-analyses. <i>Pediatric Obesity</i> , 2024, 19, .	2.8	1
5	Update Alert: Nonpharmacologic and Pharmacologic Treatments of Adult Patients With Major Depressive Disorder: A Systematic Review and Network Meta-analysis for a Clinical Guideline by the American College of Physicians. <i>Annals of Internal Medicine</i> , 2024, 177, .	10.2	3
6	Outpatient Treatment of Confirmed COVID-19: A Living, Rapid Review for the American College of Physicians. <i>Annals of Internal Medicine</i> , 2023, 176, 92-104.	10.2	11
7	Values and Preferences of Patients With Depressive Disorders Regarding Pharmacologic and Nonpharmacologic Treatments. <i>Annals of Internal Medicine</i> , 2023, 176, 217-223.	10.2	5
8	Nonpharmacologic and Pharmacologic Treatments of Adult Patients With Major Depressive Disorder: A Systematic Review and Network Meta-analysis for a Clinical Guideline by the American College of Physicians. <i>Annals of Internal Medicine</i> , 2023, 176, 196-211.	10.2	15
9	Cost-Effectiveness of First- and Second-Step Treatment Strategies for Major Depressive Disorder. <i>Annals of Internal Medicine</i> , 2023, 176, 212-216.	10.2	1
10	WHO-Leitlinie: Leitfaden für die medikamentöse Behandlung von Bluthochdruck bei Erwachsenen. <i>Gesundheitswesen</i> , 2023, 85, 139-142.	0.6	1
11	Rapid reviews methods series: Guidance on team considerations, study selection, data extraction and risk of bias assessment. <i>BMJ Evidence-Based Medicine</i> , 2023, 28, 418-423.	3.5	15
12	Rapid reviews methods series: Guidance on literature search. <i>BMJ Evidence-Based Medicine</i> , 2023, 28, 412-417.	3.5	25
13	Outpatient Treatment of Confirmed COVID-19: A Living, Rapid Evidence Review for the American College of Physicians (Version 2). <i>Annals of Internal Medicine</i> , 2023, 176, 1377-1385.	10.2	7
14	Effectiveness of interventions for the remediation of lead-contaminated soil to prevent or reduce lead exposure - A systematic review. <i>Science of the Total Environment</i> , 2022, 806, 150480.	8.2	14
15	Video Teleconferencing for Disease Prevention, Diagnosis, and Treatment. <i>Annals of Internal Medicine</i> , 2022, 175, 256-266.	10.2	22
16	Assessing the magnitude of reporting bias in trials of homeopathy: a cross-sectional study and meta-analysis. <i>BMJ Evidence-Based Medicine</i> , 2022, 27, 345-351.	3.5	13
17	Crowdsourcing the identification of studies for COVID-related Cochrane Rapid Reviews. <i>Research Synthesis Methods</i> , 2022, 13, 585-594.	8.8	3
18	Searching two or more databases decreased the risk of missing relevant studies: a metaresearch study. <i>Journal of Clinical Epidemiology</i> , 2022, 149, 154-164.	5.0	40

#	ARTICLE	IF	CITATIONS
37	Combining abbreviated literature searches with single-reviewer screening: three case studies of rapid reviews. <i>Systematic Reviews</i> , 2020, 9, 162.	11.6	14
38	The performance of anthropometric tools to determine obesity: a systematic review and meta-analysis. <i>Scientific Reports</i> , 2020, 10, 12699.	3.4	74
39	Abbreviated and comprehensive literature searches led to identical or very similar effect estimates: a meta-epidemiological study. <i>Journal of Clinical Epidemiology</i> , 2020, 128, 1-12.	5.0	16
40	Taxation of the fat content of foods for reducing their consumption and preventing obesity or other adverse health outcomes. <i>The Cochrane Library</i> , 2020, 2020, CD012415.	2.8	25
41	Quarantine alone or in combination with other public health measures to control COVID-19: a rapid review. <i>The Cochrane Library</i> , 2020, 2020, CD013574.	2.8	188
42	Universal screening for SARS-CoV-2 infection: a rapid review. <i>The Cochrane Library</i> , 2020, 2020, CD013718.	2.8	51
43	Screening for Hypertension in Children and Adolescents. <i>JAMA - Journal of the American Medical Association</i> , 2020, 324, 1884.	7.0	42
44	Single-reviewer abstract screening missed 13 percent of relevant studies: a crowd-based, randomized controlled trial. <i>Journal of Clinical Epidemiology</i> , 2020, 121, 20-28.	5.0	97
45	GRADE-Leitlinien: 18. Wie ROBINS-I und andere Instrumente zur Einschätzung des Risikos für Bias von nicht-randomisierten Studien verwendet werden sollten, um die Vertrauenswürdigkeit eines Evidenzkörpers zu bewerten. <i>Zeitschrift Für Evidenz, Fortbildung Und Qualität Im Gesundheitswesen</i> , 2020, 150-152, 124-133.	0.9	7
46	Taxation of unprocessed sugar or sugar-added foods for reducing their consumption and preventing obesity or other adverse health outcomes. <i>The Cochrane Library</i> , 2020, 2020, CD012333.	2.8	45
47	Quarantine alone or in combination with other public health measures to control COVID-19: a rapid review. <i>The Cochrane Library</i> , 2020, 4, CD013574.	2.8	588
48	Reply to letter to the editor "Lessons from COVID-19 to future evidence synthesis efforts: first living search strategy and out of date scientific publishing and indexing industry". <i>Journal of Clinical Epidemiology</i> , 2020, 123, 173-174.	5.0	3
49	Quarantäne alleine oder in Kombination mit weiteren Public-Health-Maßnahmen zur Eindämmung der COVID-19 Pandemie: Ein Cochrane Rapid Review. <i>Gesundheitswesen</i> , 2020, 82, 501-506.	0.6	21
50	The worldwide clinical trial research response to the COVID-19 pandemic - the first 100 days. <i>F1000Research</i> , 2020, 9, 1193.	1.6	44
51	The worldwide clinical trial research response to the COVID-19 pandemic - the first 100 days. <i>F1000Research</i> , 2020, 9, 1193.	1.6	41
52	Surgical and Non-Surgical Interventions in Complete Rotator Cuff Tears. <i>Deutsches Arzteblatt International</i> , 2020, 117, 633-640.	1.5	4
53	WHO-Leitlinie: Prävention und Kontrolle von Tuberkulose-Infektionen. <i>Gesundheitswesen</i> , 2020, 82, 885-889.	0.6	11
54	Prevalence of mental disorders in young refugees and asylum seekers in European Countries: a systematic review. <i>European Child and Adolescent Psychiatry</i> , 2019, 28, 1295-1310.	5.1	199

#	ARTICLE	IF	CITATIONS
55	Comparative Effectiveness of Combining MTX with Biologic Drug Therapy Versus Either MTX or Biologics Alone for Early Rheumatoid Arthritis in Adults: a Systematic Review and Network Meta-analysis. <i>Journal of General Internal Medicine</i> , 2019, 34, 2232-2245.	2.7	20
56	Evidenzbasierte Empfehlungen zur \ddot{A} berarbeitung der \ddot{A} sterreichischen Vorsorgeuntersuchung. <i>Wiener Medizinische Wochenschrift</i> , 2019, 169, 339-349.	1.0	2
57	Continuing education for the prevention of mild cognitive impairment and Alzheimer's-type dementia: a systematic review and overview of systematic reviews. <i>BMJ Open</i> , 2019, 9, e027719.	2.1	41
58	GRADE Evidence-to-Decision-Tabellen f \ddot{U} r die \ddot{A} bernahme, Anpassung und De-novo-Entwicklung von vertrauensw \ddot{U} rdigen Empfehlungen: GRADE-ADOLOPMENT. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2019, 144-145, 90-99.	0.9	0
59	Assessing the accuracy of machine-assisted abstract screening with DistillerAI: a user study. <i>Systematic Reviews</i> , 2019, 8, 277.	11.6	28
60	Second-generation antidepressants for preventing seasonal affective disorder in adults. <i>The Cochrane Library</i> , 2019, 3, CD011268.	2.8	8
61	GRADE-Leitlinien zu Gerechtigkeit 1. Ber \ddot{U} cksichtigung der Gerechtigkeit im Gesundheitswesen bei der Entwicklung von GRADE-Leitlinien: Einf \ddot{U} hrung und Hintergr \ddot{U} nde. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2019, 146, 53-59.	0.9	4
62	Comparison of transcatheter aortic valve implantation with other approaches to treat aortic valve stenosis: a systematic review and meta-analysis. <i>Systematic Reviews</i> , 2019, 8, 44.	11.6	15
63	Psychological therapies for preventing seasonal affective disorder. <i>The Cochrane Library</i> , 2019, 5, CD011270.	2.8	5
64	GRADE-Leitlinien zu Gerechtigkeit 2. Ber \ddot{U} cksichtigung der Gerechtigkeit im Gesundheitswesen \ddot{A} bei der Entwicklung von GRADE-Leitlinien: Erweiterung der Checkliste zur Entwicklung von Leitlinien. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2019, 147-148, 120-126.	0.9	2
65	Melatonin and agomelatine for preventing seasonal affective disorder. <i>The Cochrane Library</i> , 2019, 2019, CD011271.	2.8	8
66	A case report of a 40-year-old woman with endomyocardial fibrosis in a non-tropical area: from initial presentation to high urgent heart transplantation. <i>BMC Cardiovascular Disorders</i> , 2019, 19, 302.	1.7	5
67	The comparative efficacy and risk of harms of the intravenous and subcutaneous formulations of trastuzumab in patients with HER2-positive breast cancer: a rapid review. <i>Systematic Reviews</i> , 2019, 8, 321.	11.6	8
68	Risikokommunikation in gesundheitsbedrohlichen Krisensituationen: Zusammenfassung einer WHO-Leitlinie. <i>Gesundheitswesen</i> , 2019, 81, 846-849.	0.6	12
69	Increased risks for random errors are common in outcomes graded as high certainty of evidence. <i>Journal of Clinical Epidemiology</i> , 2019, 106, 50-59.	5.0	51
70	GRADE guidelines: 18. How ROBINS-I and other tools to assess risk of bias in nonrandomized studies should be used to rate the certainty of a body of evidence. <i>Journal of Clinical Epidemiology</i> , 2019, 111, 105-114.	5.0	477
71	Light therapy for preventing seasonal affective disorder. <i>The Cochrane Library</i> , 2019, 2019, CD011269.	2.8	22
72	GRADE-Leitlinien: 17. Beurteilung des Bias-Risikos durch fehlende Endpunkt-Daten im Evidenzk \ddot{O} rper. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2019, 149, 73-81.	0.9	0

#	ARTICLE	IF	CITATIONS
73	GRADE-Leitlinien: 16. Von der Evidenz zur Empfehlung oder Entscheidung – Vorgehen nach GRADE für Tests in der klinischen Praxis und in Public Health. Zeitschrift Für Evidenz, Fortbildung Und Qualität Im Gesundheitswesen, 2018, 133, 58-66.	0.9	9
74	Efficacy and safety of levomilnacipran, vilazodone and vortioxetine compared with other second-generation antidepressants for major depressive disorder in adults: A systematic review and network meta-analysis. Journal of Affective Disorders, 2018, 228, 1-12.	4.2	46
75	German language questionnaires for assessing implementation constructs and outcomes of psychosocial and health-related interventions: a systematic review. Implementation Science, 2018, 13, 150.	7.4	13
76	Implementing prevention of seasonal affective disorder from patients' and physicians' perspectives – a qualitative study. BMC Psychiatry, 2018, 18, 372.	2.7	12
77	Participants' expectations and experiences with periodic health examinations in Austria - a qualitative study. BMC Health Services Research, 2018, 18, 823.	2.2	9
78	Impact of timing of surgery in elderly hip fracture patients: a systematic review and meta-analysis. Scientific Reports, 2018, 8, 13933.	3.4	257
79	GRADE: Von der Evidenz zur Empfehlung oder Entscheidung - ein systematischer und transparenter Ansatz, um gut informierte Entscheidungen im Gesundheitswesen zu treffen. 1: Einleitung. Zeitschrift Für Evidenz, Fortbildung Und Qualität Im Gesundheitswesen, 2018, 134, 57-66.	0.9	14
80	Pembrolizumab monotherapy versus chemotherapy for treatment of advanced urothelial carcinoma with disease progression during or following platinum-containing chemotherapy. A Cochrane Rapid Review. The Cochrane Library, 2018, 2018, CD012838.	2.8	11
81	Effects of lifestyle changes on adults with prediabetes: A systematic review and meta-analysis. Primary Care Diabetes, 2018, 12, 393-408.	1.8	133
82	Abbreviated literature searches were viable alternatives to comprehensive searches: a meta-epidemiological study. Journal of Clinical Epidemiology, 2018, 102, 1-11.	5.0	53
83	Nivolumab for adults with Hodgkin's lymphoma (a rapid review using the software RobotReviewer). The Cochrane Library, 2018, 2018, CD012556.	2.8	13
84	The GRADE Working Group clarifies the construct of certainty of evidence. Journal of Clinical Epidemiology, 2017, 87, 4-13.	5.0	492
85	Vitamin D deficiency as a risk factor for dementia: a systematic review and meta-analysis. BMC Geriatrics, 2017, 17, 16.	2.8	96
86	Pharmacological and non-pharmacological treatments for major depressive disorder: review of systematic reviews. BMJ Open, 2017, 7, e014912.	2.1	116
87	Community gardening, community farming and other local community-based gardening interventions to prevent overweight and obesity in high-income and middle-income countries: protocol for a systematic review. BMJ Open, 2017, 7, e016237.	2.1	7
88	Comparative Benefits and Harms of Complementary and Alternative Medicine Therapies for Initial Treatment of Major Depressive Disorder: Systematic Review and Meta-Analysis. Journal of Alternative and Complementary Medicine, 2017, 23, 907-919.	2.2	23
89	Hormone Therapy for the Primary Prevention of Chronic Conditions in Postmenopausal Women. JAMA - Journal of the American Medical Association, 2017, 318, 2234.	7.0	117
90	Pembrolizumab monotherapy versus chemotherapy for treatment of advanced urothelial carcinoma with disease progression during or following platinum-containing chemotherapy. A Cochrane Rapid Review. The Cochrane Library, 2017, , .	2.8	1

#	ARTICLE	IF	CITATIONS
91	Trading certainty for speed - how much uncertainty are decisionmakers and guideline developers willing to accept when using rapid reviews: an international survey. BMC Medical Research Methodology, 2017, 17, 121.	3.2	36
92	User testing of an adaptation of fishbone diagrams to depict results of systematic reviews. BMC Medical Research Methodology, 2017, 17, 169.	3.2	8
93	Ezetimibe-Statin Combination Therapy: Efficacy and Safety as Compared With Statin Monotherapy. Deutsches Ärzblatt International, 2016, 113, 445-53.	1.5	21
94	Comparative Benefits and Harms of Antidepressant, Psychological, Complementary, and Exercise Treatments for Major Depression: An Evidence Report for a Clinical Practice Guideline From the American College of Physicians. Annals of Internal Medicine, 2016, 164, 331.	10.2	100
95	Effectiveness evaluation of a health promotion programme in primary schools: a cluster randomised controlled trial. BMC Public Health, 2016, 16, 679.	3.0	16
96	How contextual issues can distort shared decision making. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2016, 118-119, 17-23.	0.9	5
97	Health effects of cowâ€™s milk consumption in infants up to 3 years of age: a systematic review and meta-analysis. Public Health Nutrition, 2016, 19, 293-307.	2.4	34
98	Reaching out to Europe â€™“ Cochrane Public Health Europe and its research agenda. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2016, 110-111, 104-106.	0.9	3
99	Comparative Benefits and Harms of Antidepressant, Psychological, Complementary, and Exercise Treatments for Major Depression. Annals of Internal Medicine, 2016, 165, 454.	10.2	5
100	The skills and experience of GRADE methodologists can be assessed with a simple tool. Journal of Clinical Epidemiology, 2016, 79, 150-158.e1.	5.0	125
101	Authorsâ€™ reply to GÃ¼tzsche and Hamilton. BMJ, The, 2016, 352, i617.	7.8	0
102	Benefits and harms of screening for and treatment of asymptomatic bacteriuria in pregnancy: a systematic review. BMC Pregnancy and Childbirth, 2016, 16, 336.	2.4	40
103	Household interventions for preventing domestic lead exposure in children. The Cochrane Library, 2016, 10, CD006047.	2.8	36
104	Cochrane Rapid Reviews Methods Group to play a leading role in guiding the production of informed high-quality, timely research evidence syntheses. Systematic Reviews, 2016, 5, 184.	11.6	44
105	Comparative Risk of Harm Associated With the Use of Targeted Immunomodulators: A Systematic Review. Arthritis Care and Research, 2016, 68, 1078-1088.	3.8	25
106	Average effect estimates remain similar as evidence evolves from single trials to high-quality bodies of evidence: a meta-epidemiologic study. Journal of Clinical Epidemiology, 2016, 69, 16-22.	5.0	5
107	The predictive validity of quality of evidence grades for the stability of effect estimates was low: a meta-epidemiological study. Journal of Clinical Epidemiology, 2016, 70, 52-60.	5.0	19
108	Vergleichende Evaluierung von Informationsprodukten zu Krebscreening der deutschsprachigen Krebs-Organisationen. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2015, 109, 350-362.	0.9	3

#	ARTICLE	IF	CITATIONS
109	How effective are common medications: a perspective based on meta-analyses of major drugs. BMC Medicine, 2015, 13, 253.	5.7	82
110	Second-generation antidepressants for preventing seasonal affective disorder in adults. The Cochrane Library, 2015, , CD011268.	2.8	18
111	Psychological therapies for preventing seasonal affective disorder. The Cochrane Library, 2015, , CD011270.	2.8	15
112	Socioeconomic inequalities in non-communicable diseases and their risk factors: an overview of systematic reviews. BMC Public Health, 2015, 15, 914.	3.0	253
113	Melatonin and agomelatine for preventing seasonal affective disorder. The Cochrane Library, 2015, , CD011271.	2.8	17
114	Light therapy for preventing seasonal affective disorder. The Cochrane Library, 2015, , CD011269.	2.8	53
115	Comparative benefits and harms of second generation antidepressants and cognitive behavioral therapies in initial treatment of major depressive disorder: systematic review and meta-analysis. BMJ, The, 2015, 351, h6019.	7.8	139
116	Inadequate use and regulation of interventions against publication bias decreases their effectiveness: a systematic review. Journal of Clinical Epidemiology, 2015, 68, 792-802.	5.0	37
117	Leitlinienentwicklung: von der Evidenz zu Empfehlungen Möglichkeiten und Herausforderungen aus Sicht der MethodikerInnen. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2015, 109, 319-329.	0.9	5
118	Wie evidenzbasiert berichten Print- und Online-Medien in Österreich? Eine quantitative Analyse. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2015, 109, 341-349.	0.9	8
119	Vergleichende Wirksamkeit und Sicherheit von Screeninguntersuchungen und Beratungsgesprächen durch nicht-Ärztliches und Ärztliches Personal. Eine systematische Übersichtsarbeit. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2015, 109, 18-27.	0.9	0
120	Grades for quality of evidence were associated with distinct likelihoods that treatment effects will remain stable. Journal of Clinical Epidemiology, 2015, 68, 489-497.	5.0	4
121	Grading the strength of a body of evidence when assessing health care interventions: an EPC update. Journal of Clinical Epidemiology, 2015, 68, 1312-1324.	5.0	204
122	Sex-specific differences in diabetes prevention: a systematic review and meta-analysis. Diabetologia, 2015, 58, 242-254.	6.5	43
123	Perioperatives Anästhesiemanagement – Systematischer Review und Meta-Analyse. Wiener Medizinische Wochenschrift, 2014, 164, 330-341.	1.0	3
124	Barriers to and facilitators of interventions to counter publication bias: thematic analysis of scholarly articles and stakeholder interviews. BMC Health Services Research, 2014, 14, 551.	2.2	17
125	SAMURAI: Sensitivity analysis of a meta-analysis with unpublished but registered analytical investigations (software). Systematic Reviews, 2014, 3, 27.	11.6	3
126	Sexual Dysfunction associated with Second-Generation Antidepressants in Patients with Major Depressive Disorder: Results from a Systematic Review with Network Meta-Analysis. Drug Safety, 2014, 37, 19-31.	3.2	124

#	ARTICLE	IF	CITATIONS
127	Grade Leitlinien: 15. Von der Evidenz zur Empfehlung â€“ Determinanten, die Richtung und Strke einer Empfehlung bestimmen. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2014, 108, 421-431.	0.9	5
128	GRADE Leitlinien: 14. Von der Evidenz zur Empfehlung: Die Bedeutung und Darstellung von Empfehlungen. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2014, 108, 413-420.	0.9	28
129	GRADE Leitlinien: 13. Erstellen von Summary-of-Findings-Tabellen und Evidenzprofilen â€“ kontinuierliche Endpunkte. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2014, 108, 333-347.	0.9	5
130	Comparative Efficacy and Risk of Harms of Immediate- versus Extended-Release Second-Generation Antidepressants: A Systematic Review with Network Meta-Analysis. CNS Drugs, 2014, 28, 699-712.	6.2	18
131	Repetitive Transcranial Magnetic Stimulation for Treatment-Resistant Depression. Journal of Clinical Psychiatry, 2014, 75, 477-489.	2.3	267
132	GRADE-Leitlinien: 12. Erstellen von â€“Summary-of-Findingsâ€“-Tabellen â€“ Dichotome Endpunkte. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2013, 107, 646-664.	0.9	14
133	The GRADE approach is reproducible in assessing the quality of evidence of quantitative evidence syntheses. Journal of Clinical Epidemiology, 2013, 66, 736-742.e5.	5.0	299
134	GRADE-Leitlinien: 11. Gesamtbeurteilung des Vertrauens in Effektschtzer fr einen einzelnen Studienendpunkt und fr alle Endpunkte. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2013, 107, 638-645.	0.9	11
135	GRADE-Leitlinien: 10. Den Ressourcenverbrauch bercksichtigen und die Qualitt konomischer Evidenz bewerten. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2013, 107, 256-268.	0.9	2
136	GRADE-Leitlinien: 9. Heraufstufen der Qualitt der Evidenz. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2013, 107, 249-255.	0.9	8
137	A case study of pooled-studies publications indicated potential for both valuable information and bias. Journal of Clinical Epidemiology, 2013, 66, 1082-1092.	5.0	6
138	Sentinel lymph node dissection only versus complete axillary lymph node dissection in early invasive breast cancer: A systematic review and meta-analysis. European Journal of Cancer, 2013, 49, 812-825.	2.9	48
139	Interventions to Prevent Post-Traumatic Stress Disorder. American Journal of Preventive Medicine, 2013, 44, 635-650.	3.1	122
140	Mammography in combination with breast ultrasonography versus mammography for breast cancer screening in women at average risk. The Cochrane Library, 2013, , CD009632.	2.8	48
141	Adjunct ultrasonography for breast cancer screening in women at average risk: a systematic review. International Journal of Evidence-Based Healthcare, 2013, 11, 87-93.	0.5	21
142	Klinische Ergebnisse, gesundheitsbezogene Lebensqualitt und Kosten-Effektivitt eines 6-monatigen Programms zur Lebensstilmodifikation bei Personen mit erhhtem kardiovskularem Risiko in Niedersterreich. Wiener Medizinische Wochenschrift, 2012, 162, 321-329.	1.0	1
143	GRADE-Leitlinien: 3. Bewertung der Qualitt der Evidenz (Vertrauen in die Effektschtzer). Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2012, 106, 449-456.	0.9	55
144	GRADE-Leitlinien: 4. Bewertung der Qualitt der Evidenz â€“ Studienlimitationen (Risiko fr Bias). Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2012, 106, 457-469.	0.9	17

#	ARTICLE	IF	CITATIONS
145	GRADE Leitlinien: 5. Einschätzung der Qualität der Evidenz â€“ Publikationsbias. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2012, 106, 670-676.	0.9	16
146	GRADE Leitlinien: 6. Einschätzung der Qualität der Evidenz â€“ Unzureichende Präzision. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2012, 106, 677-688.	0.9	23
147	GRADE Leitlinien: 7. Einschätzung der Qualität der Evidenz â€“ Inkonsistenz. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2012, 106, 733-744.	0.9	14
148	GRADE Leitlinien: 8. Einschätzung der Qualität der Evidenz â€“ Indirektheit. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2012, 106, 745-753.	0.9	13
149	GRADE-Leitlinien: 1. Einführung â€“ GRADE-Evidenzprofile und Summary-of-Findings-Tabellen. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2012, 106, 357-368.	0.9	76
150	GRADE-Leitlinien: 2. Formulierung der Fragestellung und Entscheidung über wichtige Endpunkte. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2012, 106, 369-376.	0.9	12
151	Quantifying the unquantifiable. Journal of Clinical Epidemiology, 2012, 65, 234-235.	5.0	0
152	Mixed Treatment Comparison of the Treatment Discontinuations of Biologic Disease-Modifying Antirheumatic Drugs in Adults with Rheumatoid Arthritis. Annals of Pharmacotherapy, 2012, 46, 1491-1505.	2.1	15
153	Evidenzbasierte Medizin in der Praxis. Sports Orthopaedics and Traumatology, 2012, 28, 233-243.	0.3	1
154	How Should Primary Care Doctors Select Which Antidepressants to Administer?. Current Psychiatry Reports, 2012, 14, 360-369.	4.5	24
155	Methods for the Drug Effectiveness Review Project. BMC Medical Research Methodology, 2012, 12, 140.	3.2	27
156	Cochrane Review: Antidepressants for the treatment of abdominal pain-related functional gastrointestinal disorders in children and adolescents. Evidence-Based Child Health: A Cochrane Review Journal, 2012, 7, 1015-1038.	2.8	0
157	COMPARATIVE EFFECTIVENESS OF SECOND-GENERATION ANTIDEPRESSANTS FOR ACCOMPANYING ANXIETY, INSOMNIA, AND PAIN IN DEPRESSED PATIENTS: A SYSTEMATIC REVIEW. Depression and Anxiety, 2012, 29, 495-505.	4.2	51
158	CLINICAL HETEROGENEITY IN SYSTEMATIC REVIEWS AND HEALTH TECHNOLOGY ASSESSMENTS: SYNTHESIS OF GUIDANCE DOCUMENTS AND THE LITERATURE. International Journal of Technology Assessment in Health Care, 2012, 28, 36-43.	0.5	23
159	Clinical outcome after microfracture of the knee: a meta-analysis of before/after-data of controlled studies. International Orthopaedics, 2012, 36, 43-50.	2.0	46
160	The Impact of Inclusion Criteria in Health Economic Assessments. Applied Health Economics and Health Policy, 2011, 9, 139-148.	2.3	4
161	Conducting quantitative synthesis when comparing medical interventions: AHRQ and the Effective Health Care Program. Journal of Clinical Epidemiology, 2011, 64, 1187-1197.	5.0	478
162	Assessing applicability when comparing medical interventions: AHRQ and the Effective Health Care Program. Journal of Clinical Epidemiology, 2011, 64, 1198-1207.	5.0	59

#	ARTICLE	IF	CITATIONS
163	Nutzen-Schaden Abwägung von bevölkerungsbezogenen Interventionen am Beispiel von Krebs-Screening. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2011, 105, 176-182.	0.9	1
164	Comparative Benefits and Harms of Second-Generation Antidepressants for Treating Major Depressive Disorder. Annals of Internal Medicine, 2011, 155, 772.	10.2	299
165	Second-generation antidepressants for seasonal affective disorder. The Cochrane Library, 2011, , CD008591.	2.8	29
166	Österreichische Patienteninformationsmaterialien zu PSA-Screening entsprechen nicht internationalen evidenzbasierten Standards. Wiener Medizinische Wochenschrift, 2011, 161, 89-98.	1.0	7
167	Antidepressants for the treatment of abdominal pain-related functional gastrointestinal disorders in children and adolescents. The Cochrane Library, 2011, , CD008013.	2.8	36
168	Semi-automating the manual literature search for systematic reviews increases efficiency. Health Information and Libraries Journal, 2010, 27, 22-27.	2.7	63
169	Differences in Efficacy and Safety of Pharmaceutical Treatments between Men and Women: An Umbrella Review. PLoS ONE, 2010, 5, e11895.	2.5	20
170	The effect of study sponsorship on a systematically evaluated body of evidence of head-to-head trials was modest: secondary analysis of a systematic review. Journal of Clinical Epidemiology, 2010, 63, 117-125.	5.0	20
171	Pharmaceutical company-sponsored drug trials: the system is broken. Journal of Clinical Epidemiology, 2010, 63, 128-129.	5.0	7
172	Comparative effectiveness reviews and the impact of funding bias. Journal of Clinical Epidemiology, 2010, 63, 589-590.	5.0	5
173	Inadequate reporting of trials compromises the applicability of systematic reviews. International Journal of Technology Assessment in Health Care, 2009, 25, 323-330.	0.5	9
174	Are some antidepressants better than others?. Nature Reviews Neurology, 2009, 5, 239-240.	10.0	4
175	Bach Flower Remedies for psychological problems and pain: a systematic review. BMC Complementary and Alternative Medicine, 2009, 9, 16.	3.7	33
176	Diagnostische Studien. Wiener Medizinische Wochenschrift, 2009, 159, 359-366.	1.0	5
177	Low-Density-Lipoprotein-Apherese bei familiärer Hypercholesterinämie. Medizinische Klinik, 2009, 104, 1-9.	0.3	3
178	The General and Comparative Efficacy and Safety of Duloxetine in Major Depressive Disorder. Drug Safety, 2009, 32, 1159-1173.	3.2	32
179	Ranking antidepressants. Lancet, The, 2009, 373, 1761.	12.1	11
180	Systematische Übersichtsarbeiten und Meta-Analysen. Wiener Medizinische Wochenschrift, 2008, 158, 127-133.	1.0	5

#	ARTICLE	IF	CITATIONS
181	Kohortenstudien. Wiener Medizinische Wochenschrift, 2008, 158, 174-179.	1.0	1
182	Randomisiert kontrollierte Studien. Wiener Medizinische Wochenschrift, 2008, 158, 234-239.	1.0	10
183	Health Technology Assessment "evaluating health care interventions. Wiener Medizinische Wochenschrift, 2008, 158, 522-529.	1.0	1
184	Strategies in assessing the need for updating evidence-based guidelines for six clinical topics: an exploration of two search methodologies. Health Information and Libraries Journal, 2008, 25, 198-207.	2.7	3
185	Comparative Risk for Harms of Second-Generation Antidepressants. Drug Safety, 2008, 31, 851-865.	3.2	120
186	Treating the Physical Symptoms of Depression With Second-Generation Antidepressants: A Systematic Review and Metaanalysis. Psychosomatics, 2008, 49, 191-198.	2.5	29
187	Assessment of adverse effects and applicability "two areas not (yet) covered adequately in Cochrane reports. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2008, 102, 497-502.	0.9	18
188	Direct versus indirect comparisons: A summary of the evidence. International Journal of Technology Assessment in Health Care, 2008, 24, 170-177.	0.5	57
189	Systematic Review: Comparative Effectiveness and Harms of Disease-Modifying Medications for Rheumatoid Arthritis. Annals of Internal Medicine, 2008, 148, 124.	10.2	250
190	Efficacy and tolerability of second-generation antidepressants in social anxiety disorder. International Clinical Psychopharmacology, 2008, 23, 170-179.	1.8	26
191	Meta-analysis of Major Depressive Disorder Relapse and Recurrence With Second-Generation Antidepressants. Psychiatric Services, 2008, 59, 1121-1130.	2.2	70
192	Authors' reply to comment on: a simple and valid tool distinguished efficacy from effectiveness studies. Journal of Clinical Epidemiology, 2007, 60, 755.	5.0	2
193	Functional Outcomes of Drug Treatment in Alzheimer's Disease. Drugs and Aging, 2007, 24, 155-167.	3.0	72
194	Serious Adverse Events With Infliximab: Analysis of Spontaneously Reported Adverse Events. Clinical Gastroenterology and Hepatology, 2007, 5, 729-735.e1.	4.7	97
195	Biologics for the treatment of juvenile idiopathic arthritis: a systematic review and critical analysis of the evidence. Clinical Rheumatology, 2007, 27, 67-76.	2.3	69
196	A simple and valid tool distinguished efficacy from effectiveness studies. Journal of Clinical Epidemiology, 2006, 59, 1040-1048.	5.0	178
197	Cesarean Delivery on Maternal Request. Obstetrics and Gynecology, 2006, 108, 1517-1529.	2.4	125
198	Efficacy and Safety of Inhaled Corticosteroids in Patients With COPD: A Systematic Review and Meta-Analysis of Health Outcomes. Annals of Family Medicine, 2006, 4, 253-262.	2.2	117

#	ARTICLE	IF	CITATIONS
199	Efficacy and Safety of Second-Generation Antidepressants in the Treatment of Major Depressive Disorder. <i>Annals of Internal Medicine</i> , 2005, 143, 415.	10.2	222
200	Discontinuation rates for selective serotonin reuptake inhibitors and other second-generation antidepressants in outpatients with major depressive disorder: a systematic review and meta-analysis. <i>International Clinical Psychopharmacology</i> , 2005, 20, 59-69.	1.8	48
201	Outcomes of Routine Episiotomy. <i>JAMA - Journal of the American Medical Association</i> , 2005, 293, 2141.	7.0	352
202	Assessing the need to update prevention guidelines: a comparison of two methods. <i>International Journal for Quality in Health Care</i> , 2004, 16, 399-406.	2.0	34
203	Evidence-based medicine breaking the borders – A working model for the European Union to facilitate evidence-based health care. <i>Wiener Medizinische Wochenschrift</i> , 2004, 154, 127-132.	1.0	6
204	Taxation of the fat content of foods for reducing their consumption and preventing obesity or other adverse health outcomes. <i>The Cochrane Library</i> , 0, , .	2.8	9
205	Taxation of unprocessed sugar or sugar-added foods for reducing their consumption and preventing obesity or other adverse health outcomes. <i>The Cochrane Library</i> , 0, , .	2.8	14
206	Taxation of sugar-sweetened beverages for reducing their consumption and preventing obesity or other adverse health outcomes. <i>The Cochrane Library</i> , 0, , .	2.8	26
207	Nivolumab for adult individuals with Hodgkin lymphoma (an exemplar rapid review using) <i>Tj ETQq1 1 0.784314 rgBJ /Overlock 10 Tf 5</i>	2.8	3
208	Rapid review methods series: Guidance on the use of supportive software. <i>BMJ Evidence-Based Medicine</i> , 0, , bmjebm-2023-112530.	3.5	1
209	Performance of two large language models for data extraction in evidence synthesis. <i>Research Synthesis Methods</i> , 0, , .	8.8	0
210	Outpatient Treatment of Confirmed COVID-19: A Living, Rapid Evidence Review for the American College of Physicians (Version 2, Update Alert). <i>Annals of Internal Medicine</i> , 0, , .	10.2	1