

Heike Vallery

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2540697/publications.pdf>

Version: 2024-02-01

90
papers

3,463
citations

279701

23
h-index

168321

53
g-index

94
all docs

94
docs citations

94
times ranked

3181
citing authors

#	ARTICLE	IF	CITATIONS
1	Mechanical Aspects of Robot Hands, Active Hand Orthoses, and Prostheses: A Comparative Review. IEEE/ASME Transactions on Mechatronics, 2021, 26, 955-965.	3.7	16
2	Compliant Multi-DOF Actuation. Studies in Computational Intelligence, 2021, , 45-54.	0.7	0
3	Wearable Sensor-Based Real-Time Gait Detection: A Systematic Review. Sensors, 2021, 21, 2727.	2.1	110
4	Design and Evaluation of a Series-Elastic Gyroscopic Actuator for Balance Assistance. , 2021, , .		0
5	Feasibility Analysis of a Self-Reinforcing Electroadhesive Rotational Clutch. , 2021, , .		3
6	Design and Evaluation of Pint-Sized Gyroscopic Actuators. , 2021, , .		5
7	Neglected physical human-robot interaction may explain variable outcomes in gait neurorehabilitation research. Science Robotics, 2021, 6, eabf1888.	9.9	7
8	Guest Editorial: Focused Section on Inaugural Edition of TMECH/AIM Emerging Topics. IEEE/ASME Transactions on Mechatronics, 2020, 25, 1695-1697.	3.7	0
9	Rolling in the Deep – Hybrid Locomotion for Wheeled-Legged Robots Using Online Trajectory Optimization. IEEE Robotics and Automation Letters, 2020, 5, 3626-3633.	3.3	69
10	Controller synthesis and clinical exploration of wearable gyroscopic actuators to support human balance. Scientific Reports, 2020, 10, 10412.	1.6	19
11	Simulation of human gait with body weight support: benchmarking models and unloading strategies. Journal of NeuroEngineering and Rehabilitation, 2020, 17, 81.	2.4	4
12	Do we need complex rehabilitation robots for training complex tasks?. , 2019, 2019, 1085-1090.		3
13	Assisting gait with free moments or joint moments on the swing leg. , 2019, 2019, 1079-1084.		8
14	Closed-Loop Control Through Self-Sensing of a Joule-Heated Twisted and Coiled Polymer Muscle. Soft Robotics, 2019, 6, 621-630.	4.6	18
15	Biarticular muscles are most responsive to upper-body pitch perturbations in human standing. Scientific Reports, 2019, 9, 14492.	1.6	26
16	Augmenting Clinical Outcome Measures of Gait and Balance with a Single Inertial Sensor in Age-Ranged Healthy Adults. Sensors, 2019, 19, 4537.	2.1	28
17	A MULTIdimensional Compliant Decoupled Actuator (MUCDA) for Pelvic Support During Gait. IEEE/ASME Transactions on Mechatronics, 2019, 24, 164-174.	3.7	8
18	Directional Singularity Escape and Avoidance for Single-Gimbal Control Moment Gyroscopes. Journal of Guidance, Control, and Dynamics, 2018, 41, 1095-1107.	1.6	20

#	ARTICLE	IF	CITATIONS
19	Model-Plant Mismatch Compensation Using Reinforcement Learning. IEEE Robotics and Automation Letters, 2018, 3, 2471-2477.	3.3	25
20	Design of RYSEN: An Intrinsically Safe and Low-Power Three-Dimensional Overground Body Weight Support. IEEE Robotics and Automation Letters, 2018, 3, 2253-2260.	3.3	27
21	Influence of body weight unloading on human gait characteristics: a systematic review. Journal of NeuroEngineering and Rehabilitation, 2018, 15, 53.	2.4	42
22	Self-Sensing of Deflection, Force, and Temperature for Joule-Heated Twisted and Coiled Polymer Muscles via Electrical Impedance. IEEE/ASME Transactions on Mechatronics, 2017, 22, 1268-1275.	3.7	55
23	Benchmarking model-free and model-based optimal control. Robotics and Autonomous Systems, 2017, 92, 81-90.	3.0	18
24	Influence of Internal Oscillations on Force Sensing in Coil Springs. IEEE Robotics and Automation Letters, 2017, 2, 1466-1471.	3.3	3
25	Preserved gait kinematics during controlled body unloading. Journal of NeuroEngineering and Rehabilitation, 2017, 14, 25.	2.4	16
26	A multidirectional gravity-assist algorithm that enhances locomotor control in patients with stroke or spinal cord injury. Science Translational Medicine, 2017, 9, .	5.8	42
27	Design and Evaluation of a Balance Assistance Control Moment Gyroscope. Journal of Mechanisms and Robotics, 2017, 9, .	1.5	35
28	Bio-Inspired Adaptive Control for Active Knee Exoprosthetics. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2017, 25, 2355-2364.	2.7	10
29	Evaluation of physical damage associated with action selection strategies in reinforcement learning * *I. Koryakovskiy, H. Vallery and R.BabuÅ;ka were supported by the European project KOROIBOT FP7-ICT-2013-10/611909.. IFAC-PapersOnLine, 2017, 50, 6928-6933.	0.5	4
30	Robot-supported assessment of balance in standing and walking. Journal of NeuroEngineering and Rehabilitation, 2017, 14, 80.	2.4	34
31	Control of Motion and Compliance. , 2017, , 135-346.		3
32	Observing the State of Balance with a Single Upper-Body Sensor. Frontiers in Robotics and AI, 2016, 3, .	2.0	10
33	Reinforcement Learning of Potential Fields to achieve Limit-Cycle Walking. IFAC-PapersOnLine, 2016, 49, 113-118.	0.5	6
34	Reducing the Energy Consumption of Robots Using the Bidirectional Clutched Parallel Elastic Actuator. IEEE Transactions on Robotics, 2016, 32, 1512-1523.	7.3	59
35	Directional Singularity-Robust Torque Control for Gyroscopic Actuators. IEEE/ASME Transactions on Mechatronics, 2016, 21, 2755-2763.	3.7	21
36	A neurobotic platform for locomotor prosthetic development in rats and mice. Journal of Neural Engineering, 2016, 13, 026007.	1.8	12

#	ARTICLE	IF	CITATIONS
37	Effects of sensory augmentation on postural control and gait symmetry of transfemoral amputees: a case description. <i>Medical and Biological Engineering and Computing</i> , 2016, 54, 1579-1589.	1.6	26
38	Robotic Devices for Overground Gait and Balance Training. , 2016, , 483-492.		1
39	The role of skill level and motor task characteristics on the effectiveness of robotic training: first results. , 2015, , .		25
40	Guidance in the nullspace reduces task difficulty in robot-assisted coordination training. , 2015, , .		4
41	Design and evaluation of the Bi-directional Clutched Parallel Elastic Actuator (BIC-PEA). , 2015, , .		20
42	The Effect of Haptic Guidance on Learning a Hybrid Rhythmic-Discrete Motor Task. <i>IEEE Transactions on Haptics</i> , 2015, 8, 222-234.	1.8	29
43	Force sensing for compliant actuators using coil spring inductance. , 2015, , .		3
44	Control strategies for active lower extremity prosthetics and orthotics: a review. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2015, 12, 1.	2.4	773
45	Actuator With Angle-Dependent Elasticity for Biomimetic Transfemoral Prostheses. <i>IEEE/ASME Transactions on Mechatronics</i> , 2015, 20, 1384-1394.	3.7	54
46	14. Verfahren in der neurologischen Bewegungstherapie. , 2014, , 357-374.		0
47	Knee stiffness estimation in physiological gait. , 2014, 2014, 1607-10.		14
48	A body weight support system extension to control lateral forces: Realization and validation. , 2014, , .		10
49	Human balance responses to perturbations in the horizontal plane. , 2014, 2014, 4058-61.		5
50	Cardiovascular control and stabilization via inclination and mobilization during bed rest. <i>Medical and Biological Engineering and Computing</i> , 2014, 52, 53-64.	1.6	16
51	Non-linear adaptive controllers for an over-actuated pneumatic MR-compatible stepper. <i>Medical and Biological Engineering and Computing</i> , 2013, 51, 799-809.	1.6	12
52	Use of Passively Guided Deflection Units and Energy-Storing Elements to Increase the Application Range of Wire Robots. <i>Mechanisms and Machine Science</i> , 2013, , 167-184.	0.3	11
53	A novel body weight support system extension: Initial concept and simulation study. , 2013, 2013, 6650489.		6
54	K�nstliches Feedback f�r Oberschenkelamputierte – Theoretische Analyse / Artificial Feedback for Transfemoral Amputees – Theoretical Analysis. <i>Automatisierungstechnik</i> , 2013, 61, 621-629.	0.4	1

#	ARTICLE	IF	CITATIONS
55	Multidirectional transparent support for overground gait training. , 2013, 2013, 6650512.		66
56	A preliminary study into the effects of pelvic rotations on upper body lateral translation. , 2013, 2013, 6650490.		0
57	Adaptive position anticipation in a support robot for overground gait training enhances transparency. , 2013, 2013, 6650483.		10
58	An actuated transfemoral prosthesis with optimized polycentric knee joint. , 2012, , .		22
59	Cooperative Control Design for Robot-Assisted Balance During Gait. Automatisierungstechnik, 2012, 60, 715-720.	0.4	16
60	Model-Based Estimation of Knee Stiffness. IEEE Transactions on Biomedical Engineering, 2012, 59, 2604-2612.	2.5	108
61	Gyroscopic assistance for human balance. , 2012, , .		25
62	Quantification of clinical scores through physiological recordings in low-responsive patients: a feasibility study. Journal of NeuroEngineering and Rehabilitation, 2012, 9, 30.	2.4	5
63	Feasibility and effects of patient-cooperative robot-aided gait training applied in a 4-week pilot trial. Journal of NeuroEngineering and Rehabilitation, 2012, 9, 31.	2.4	55
64	Towards more effective robotic gait training for stroke rehabilitation: a review. Journal of NeuroEngineering and Rehabilitation, 2012, 9, 65.	2.4	197
65	Versatile robotic interface to evaluate, enable and train locomotion and balance after neuromotor disorders. Nature Medicine, 2012, 18, 1142-1147.	15.2	94
66	Work Life in the Light of the Demographic Change: Case Study Force Assistive Device for Craftsmen. Advanced Technologies and Societal Change, 2012, , 45-60.	0.8	2
67	Effects of added inertia and body weight support on lateral balance control during walking. , 2011, 2011, 5975415.		30
68	Assistance or challenge? Filling a gap in user-cooperative control. , 2011, , .		1
69	Automatisierungstechnische Verfahren und Systeme fr die Medizin â Teil 2. Automatisierungstechnik, 2011, 59, 659-660.	0.4	0
70	Brain activity during stepping: A novel MRI-compatible device. Journal of Neuroscience Methods, 2011, 201, 124-130.	1.3	58
71	Series Viscoelastic Actuators Can Match Human Force Perception. IEEE/ASME Transactions on Mechatronics, 2011, 16, 853-860.	3.7	41
72	Model-based estimation of active knee stiffness. , 2011, 2011, 5975474.		8

#	ARTICLE	IF	CITATIONS
73	Complementary limb motion estimation for the control of active knee prostheses. Biomedizinische Technik, 2011, 56, 45-51.	0.9	55
74	Assistance or challenge? Filling a gap in user-cooperative control. , 2011, , .		22
75	Automatisierungstechnische Verfahren und Systeme f¼r die Medizin. Automatisierungstechnik, 2011, 59, 611-612.	0.4	0
76	Forward kinematics of redundantly actuated, tendon-based robots. , 2010, , .		12
77	Hiding robot inertia using resonance. , 2010, 2010, 1271-4.		13
78	Adaptive Patientenuntersttzung f¼r Rehabilitationsroboter. Automatisierungstechnik, 2010, 58, 260-268.	0.4	4
79	A tendon-based parallel robot applied to motor learning in sports. , 2010, , .		31
80	Optimized passive dynamics improve transparency of haptic devices. , 2009, , .		17
81	Bio-cooperative robotics: Controlling mechanical, physiological and mental patient states. , 2009, , .		12
82	Reference Trajectory Generation for Rehabilitation Robots: Complementary Limb Motion Estimation. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2009, 17, 23-30.	2.7	183
83	Automation in Rehabilitation: How to Include the Human into the Loop. IFMBE Proceedings, 2009, , 180-183.	0.2	6
84	Generalized elasticities improve patient-cooperative control of rehabilitation robots. , 2009, , .		52
85	Compliant actuation of rehabilitation robots. IEEE Robotics and Automation Magazine, 2008, 15, 60-69.	2.2	380
86	Complementary Limb Motion Estimation based on Interjoint Coordination: Experimental Evaluation. , 2007, , .		19
87	Bewegungsintentionsschtzung auf Basis von Gelenkkoordination (Motion Intention Estimation) Tj ETQq1 1 0.784314 rgBT /Overloc	0.4	4
88	Passive and accurate torque control of series elastic actuators. , 2007, , .		111
89	Complementary limb motion estimation based on interjoint coordination using Principal Components Analysis. , 2006, , .		16
90	Passive autonomy: hygromorphic rotational actuators. Smart Materials and Structures, 0, , .	1.8	0