## Enrico Finazzi Agro

## List of Publications by Citations

Source: https://exaly.com/author-pdf/2542365/enrico-finazzi-agro-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

3,029 125 31 52 h-index g-index citations papers 3,639 2.8 4.89 145 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
125	MicroRNAs, miR-154, miR-299-5p, miR-376a, miR-376c, miR-377, miR-381, miR-487b, miR-485-3p, miR-495 and miR-654-3p, mapped to the 14q32.31 locus, regulate proliferation, apoptosis, migration and invasion in metastatic prostate cancer cells. <i>Oncogene</i> , <b>2014</b> , 33, 5173-82	9.2	244
124	Percutaneous tibial nerve stimulation effects on detrusor overactivity incontinence are not due to a placebo effect: a randomized, double-blind, placebo controlled trial. <i>Journal of Urology</i> , <b>2010</b> , 184, 2001-6	2.5	153
123	DNA methylation silences miR-132 in prostate cancer. <i>Oncogene</i> , <b>2013</b> , 32, 127-34	9.2	125
122	Posterior tibial nerve stimulation in the treatment of urge incontinence. <i>Neurourology and Urodynamics</i> , <b>2003</b> , 22, 17-23	2.3	114
121	Olfactory systems for medical applications. <i>Sensors and Actuators B: Chemical</i> , <b>2008</b> , 130, 458-465	8.5	110
120	An International Continence Society (ICS) report on the terminology for adult neurogenic lower urinary tract dysfunction (ANLUTD). <i>Neurourology and Urodynamics</i> , <b>2018</b> , 37, 1152-1161	2.3	108
119	Percutaneous Tibial Nerve Stimulation (PTNS) efficacy in the treatment of lower urinary tract dysfunctions: a systematic review. <i>BMC Urology</i> , <b>2013</b> , 13, 61	2.2	100
118	A guideline for the management of bladder dysfunction in Parkinson@ disease and other gait disorders. <i>Neurourology and Urodynamics</i> , <b>2016</b> , 35, 551-63	2.3	89
117	Influence of PSA, PSA velocity and PSA doubling time on contrast-enhanced 18F-choline PET/CT detection rate in patients with rising PSA after radical prostatectomy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2012</b> , 39, 589-96	8.8	82
116	Percutaneous tibial nerve stimulation in the treatment of overactive bladder: urodynamic data. <i>Neurourology and Urodynamics</i> , <b>2003</b> , 22, 227-32	2.3	82
115	Effects of subthalamic nucleus stimulation on urodynamic findings in patients with Parkinson@ disease. <i>Journal of Urology</i> , <b>2003</b> , 169, 1388-91	2.5	82
114	Acute vs chronic effects of l-dopa on bladder function in patients with mild Parkinson disease. <i>Neurology</i> , <b>2007</b> , 68, 1455-9	6.5	64
113	Effects of motor cortex rTMS on lower urinary tract dysfunction in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , <b>2007</b> , 13, 269-71	5	61
112	Progressive bladder remodeling due to bladder outlet obstruction: a systematic review of morphological and molecular evidences in humans. <i>BMC Urology</i> , <b>2018</b> , 18, 15	2.2	60
111	Percutaneous tibial nerve stimulation produces effects on brain activity: study on the modifications of the long latency somatosensory evoked potentials. <i>Neurourology and Urodynamics</i> , <b>2009</b> , 28, 320-4	2.3	55
110	Measurement of post-void residual urine. <i>Neurourology and Urodynamics</i> , <b>2016</b> , 35, 55-7	2.3	53
109	Posterior tibial nerve stimulation in the treatment of voiding dysfunction: urodynamic data. <i>Neurourology and Urodynamics</i> , <b>2004</b> , 23, 246-51	2.3	50

108	Lower urinary tract dysfunction and disability status in patients with multiple sclerosis. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>1999</b> , 80, 437-41	2.8	50
107	Retzius-sparing versus standard robot-assisted radical prostatectomy: a prospective randomized comparison on immediate continence rates. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2019</b> , 33, 2187-2196	5.2	49
106	Systematic review of surgical treatment of post radical prostatectomy stress urinary incontinence. <i>Neurourology and Urodynamics</i> , <b>2016</b> , 35, 875-881	2.3	48
105	Clean intermittent catheterization and prevention of renal disease in spinal cord injury patients. <i>Spinal Cord</i> , <b>1998</b> , 36, 29-32	2.7	46
104	Central acute D2 stimulation worsens bladder function in patients with mild Parkinson@ disease. Journal of Urology, <b>2006</b> , 175, 202-6; discussion 206-7	2.5	45
103	Long-term outcomes of TOT and TVT procedures for the treatment of female stress urinary incontinence: a systematic review and meta-analysis. <i>International Urogynecology Journal</i> , <b>2017</b> , 28, 11	19 <del>-</del> 113	o <sup>43</sup>
102	Abdominal obesity as risk factor for prostate cancer diagnosis and high grade disease: a prospective multicenter Italian cohort study. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2013</b> , 31, 997-1002	2.8	43
101	Does current scientific and clinical evidence support the use of phosphodiesterase type 5 inhibitors for the treatment of premature ejaculation? a systematic review and meta-analysis. <i>Journal of Sexual Medicine</i> , <b>2012</b> , 9, 2404-16	1.1	40
100	Prediction of Bladder Outcomes after Traumatic Spinal Cord Injury: A Longitudinal Cohort Study. <i>PLoS Medicine</i> , <b>2016</b> , 13, e1002041	11.6	39
99	Posterior tibial nerve stimulation in the treatment of idiopathic nonobstructive voiding dysfunction. <i>Urology</i> , <b>2003</b> , 61, 567-72	1.6	37
98	Posterior tibial nerve stimulation: is the once-a-week protocol the best option?. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , <b>2005</b> , 57, 119-23	4.4	37
97	Effects of inhibitory rTMS on bladder function in Parkinson@ disease patients. <i>Movement Disorders</i> , <b>2009</b> , 24, 445-8	7	32
96	Variability of detrusor overactivity on repeated filling cystometry in men with urge symptoms: comparison with spinal cord injury patients. <i>BJU International</i> , <b>2005</b> , 95, 587-90	5.6	32
95	3D vs 2D laparoscopic radical prostatectomy in organ-confined prostate cancer: comparison of operative data and pentafecta rates: a single cohort study. <i>BMC Urology</i> , <b>2015</b> , 15, 12	2.2	31
94	Prostate cancer diagnosis through electronic nose in the urine headspace setting: a pilot study. <i>Prostate Cancer and Prostatic Diseases</i> , <b>2014</b> , 17, 206-11	6.2	31
93	Nosocomial urinary tract infections: A review. <i>Urologia</i> , <b>2014</b> , 81, 222-7	1.2	31
92	Combined morphological, [1H]-MR spectroscopic and contrast-enhanced imaging of human prostate cancer with a 3-Tesla scanner: preliminary experience. <i>Radiologia Medica</i> , <b>2008</b> , 113, 670-88	6.5	31
91	Insight into new potential targets for the treatment of overactive bladder and detrusor overactivity. <i>Urologia Internationalis</i> , <b>2012</b> , 89, 1-8	1.9	26

90	Urodynamics useless before surgery for female stress urinary incontinence: Are you sure? Results from a multicenter single nation database. <i>Neurourology and Urodynamics</i> , <b>2016</b> , 35, 809-12	2.3	25
89	Recent finding and new technologies in nephrolitiasis: a review of the recent literature. <i>BMC Urology</i> , <b>2013</b> , 13, 10	2.2	24
88	Hypermethylation of the CpG islands in the promoter region of the GSTP1 gene in prostate cancer: a useful diagnostic and prognostic marker?. <i>Clinica Chimica Acta</i> , <b>2004</b> , 350, 181-8	6.2	21
87	HIFU as salvage first-line treatment for palpable, TRUS-evidenced, biopsy-proven locally recurrent prostate cancer after radical prostatectomy: a pilot study. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2012</b> , 30, 577-83	2.8	20
86	The uncertain relationship between obesity and prostate cancer: an Italian biopsy cohort analysis. <i>European Journal of Surgical Oncology</i> , <b>2011</b> , 37, 1025-9	3.6	20
85	Sacral neuromodulation and female sexuality. International Urogynecology Journal, 2015, 26, 1751-7	2	18
84	Bladder Instillation Therapy With Hyaluronic Acid and Chondroitin Sulfate Improves Symptoms of Postradiation Cystitis: Prospective Pilot Study. <i>Clinical Genitourinary Cancer</i> , <b>2016</b> , 14, 444-449	3.3	18
83	Could hyaluronic acid (HA) reduce Bacillus Calmette-Gufin (BCG) local side effects? Results of a pilot study. <i>BMC Urology</i> , <b>2014</b> , 14, 64	2.2	18
82	Sodium hyaluronate and chondroitin sulfate replenishment therapy can improve nocturia in men with post-radiation cystitis: results of a prospective pilot study. <i>BMC Urology</i> , <b>2015</b> , 15, 65	2.2	16
81	An overview on mixed action drugs for the treatment of overactive bladder and detrusor overactivity. <i>Urologia Internationalis</i> , <b>2012</b> , 89, 259-69	1.9	16
80	Patients With Prostatic Inflammation Undergoing Transurethral Prostatic Resection Have a Larger Early Improvement of Storage Symptoms. <i>Urology</i> , <b>2015</b> , 86, 359-65	1.6	15
79	Rasagiline effect on bladder disturbances in early mild Parkinson@ disease patients. <i>Parkinsonism and Related Disorders</i> , <b>2014</b> , 20, 931-2	3.6	15
78	Evaluating body composition of Italian prostate cancer patients without metastases. <i>Acta Diabetologica</i> , <b>2003</b> , 40 Suppl 1, S168-70	3.9	15
77	Management of Female and Functional Urology Patients During the COVID Pandemic. <i>European Urology Focus</i> , <b>2020</b> , 6, 1049-1057	5.1	14
76	A Novel Approach for Prostate Cancer Diagnosis using a Gas Sensor Array. <i>Procedia Engineering</i> , <b>2012</b> , 47, 1113-1116		14
75	Do functional changes occur in the bladder due to bladder outlet obstruction? - ICI-RS 2018. <i>Neurourology and Urodynamics</i> , <b>2019</b> , 38 Suppl 5, S56-S65	2.3	13
74	Percutaneous Tibial Nerve Stimulation Improves Female Sexual Function in Women With Overactive Bladder Syndrome. <i>Journal of Sexual Medicine</i> , <b>2016</b> , 13, 238-42	1.1	13
73	Urodynamics Useless in Female Stress Urinary Incontinence? Time for Some Sense-A European Expert Consensus. <i>European Urology Focus</i> , <b>2020</b> , 6, 137-145	5.1	13

72	Pure stress urinary incontinence: analysis of prevalence, estimation of costs, and financial impact. <i>BMC Urology</i> , <b>2019</b> , 19, 44	2.2	12	
71	Prevalence of "complicated" stress urinary incontinence in female patients: can urodynamics provide more information in such patients?. <i>International Urogynecology Journal</i> , <b>2015</b> , 26, 1333-9	2	11	
70	Comments on "A randomized trial of urodynamic testing before stress-incontinence surgery" (N Engl J Med. 2012 May 24;366(21):1987-1997) From the Italian Society of Urodynamics. <i>Neurourology and Urodynamics</i> , <b>2013</b> , 32, 301-2	2.3	11	
69	Finasteride for prostatic disease: an updated and comprehensive review. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , <b>2008</b> , 4, 1561-8	5.5	11	
68	Urodynamics in patients with spinal cord injury: A clinical review and best practice paper by a working group of The International Continence Society Urodynamics Committee. <i>Neurourology and Urodynamics</i> , <b>2018</b> , 37, 581-591	2.3	11	
67	Coital Incontinence in Women With Urinary Incontinence: An International Study. <i>Journal of Sexual Medicine</i> , <b>2018</b> , 15, 1456-1462	1.1	11	
66	Alpha-1 adrenergic antagonists, 5-alpha reductase inhibitors, phosphodiesterase type 5 inhibitors, and phytotherapic compounds in men with lower urinary tract symptoms suggestive of benign prostatic obstruction: A systematic review and meta-analysis of urodynamic studies. <i>Neurourology and Urodynamics</i> , <b>2018</b> , 37, 1865-1874	2.3	10	
65	Chemical Sensors for Prostate Cancer Detection Oriented to Non-invasive Approach. <i>Procedia Engineering</i> , <b>2014</b> , 87, 320-323		10	
64	Significance of focal proliferative atrophy lesions in prostate biopsy cores that test negative for prostate carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2011</b> , 29, 690-7	2.8	10	
63	Is mirabegron equally as effective when used as first- or second-line therapy in women with overactive bladder?. <i>International Urogynecology Journal</i> , <b>2017</b> , 28, 1033-1039	2	9	
62	Optimization of Neuromodulation for Bladder Control in a Rat Cystitis Model. <i>Neuromodulation</i> , <b>2016</b> , 19, 101-7	3.1	9	
61	Endoscopic ballistic lithotripsy in the treatment of bladder calculi in patients with neurogenic voiding dysfunction. <i>Journal of Endourology</i> , <b>1996</b> , 10, 551-4	2.7	9	
60	Correlation between penile cuff test and pressure-flow study in patients candidates for trans-urethral resection of prostate. <i>BMC Urology</i> , <b>2014</b> , 14, 103	2.2	8	
59	When should we use urodynamic testing? Recommendations of the Italian Society of Urodynamics (SIUD). Part 1 - Female population. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , <b>2020</b> , 72, 58-65	4.4	8	
58	Transrectal-ultrasound prostatic biopsy preparation: rectal enema vs. mechanical bowel preparation. <i>Central European Journal of Urology</i> , <b>2015</b> , 68, 223-8	0.9	8	
57	Endoscopic Intravesical Fibrin Glue Application in the Treatment of Refractory Hemorrhagic Radiation Cystitis: A Single Cohort Pilot Study. <i>Journal of Endourology</i> , <b>2019</b> , 33, 93-98	2.7	8	
56	Intravescical prostatic protrusion is a predictor of alpha blockers response: results from an observational study. <i>BMC Urology</i> , <b>2018</b> , 18, 6	2.2	7	
55	A 20-year study of persistence of lower urinary tract symptoms and urinary incontinence in young women treated in childhood. <i>Journal of Pediatric Urology</i> , <b>2014</b> , 10, 441-5	1.5	7	

54	Voiding dysfunction in patients with spinal cord lesions at the thoracolumbar vertebral junction. <i>Spinal Cord</i> , <b>1997</b> , 35, 37-9	2.7	7
53	Extended release levodopa at bedtime as a treatment for nocturiain Parkinson@disease: An open label study. <i>Journal of the Neurological Sciences</i> , <b>2020</b> , 410, 116625	3.2	7
52	Real-life clinical practice of onabotulinum toxin A intravesical injections for overactive bladder wet: an Italian consensus statement. <i>World Journal of Urology</i> , <b>2017</b> , 35, 299-306	4	6
51	The role of urodynamics in the management of female stress urinary incontinence. <i>Neurourology and Urodynamics</i> , <b>2019</b> , 38 Suppl 4, S42-S50	2.3	6
50	IgG4-Related Kidney Disease: Report of a Case Presenting as a Renal Mass. <i>Case Reports in Surgery</i> , <b>2017</b> , 2017, 9690218	0.5	6
49	Non-invasive ultrasound measurements in male patients with LUTS and benign prostatic obstruction: implication for diagnosis and treatment. <i>Minerva Urology and Nephrology</i> , <b>2017</b> , 69, 220-23	3 <sup>2.3</sup>	6
48	Intravesical glycosaminoglycans in the management of chronic cystitis. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , <b>2013</b> , 65, 249-62	4.4	6
47	Prediction of bladder outcomes after ischemic spinal cord injury: A longitudinal cohort study from the European multicenter study about spinal cord injury. <i>Neurourology and Urodynamics</i> , <b>2018</b> , 37, 1779	-1784	5
46	Rotigotine Effects on Bladder Function in Patients with Parkinson@ Disease. <i>Movement Disorders Clinical Practice</i> , <b>2017</b> , 4, 586-589	2.2	5
45	Impact of urodynamic evaluation on the treatment of women with idiopathic overactive bladder: a systematic review. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , <b>2020</b> , 72, 420-426	4.4	5
44	Triage of functional, female and neuro-urology patients during and immediately after the Covid-19 outbreak. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , <b>2020</b> , 72, 513-	- <del>\$1</del> 5	5
43	The bladder is an unreliable witness: The case for urodynamic investigations in female stress urinary incontinence. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2020</b> , 244, 35-37	2.4	5
42	Bowel Outcome Prediction After Traumatic Spinal Cord Injury: Longitudinal Cohort Study. <i>Neurorehabilitation and Neural Repair</i> , <b>2019</b> , 33, 902-910	4.7	4
41	Outcome and complications of adjustable continence therapy (ProACT) in the treatment of urinary incontinence after transurethral resection of the prostate: A multicenter study. <i>Neurourology and Urodynamics</i> , <b>2019</b> , 38, 1111-1119	2.3	4
40	Good urodynamic practice adaptations during the COVID-19 pandemic. <i>Neurourology and Urodynamics</i> , <b>2020</b> , 39, 1897-1901	2.3	4
39	Conservative treatment of a recto-urethral fistula due to salvage HIFU for local recurrence of prostate cancer, 5 years after radical prostatectomy and external beam radiotherapy. <i>BMJ Case Reports</i> , <b>2012</b> , 2012,	0.9	4
38	The use of oxybutynin in patients treated by means of botulinum neurotoxin A for neurogenic detrusor overactivity: an observational study. <i>Spinal Cord</i> , <b>2013</b> , 51, 637-41	2.7	4
37	Urodynamics in patients with multiple sclerosis: A consensus statement from a urodynamic experts working group. <i>Neurourology and Urodynamics</i> , <b>2020</b> , 39, 73-82	2.3	4

## (2020-2016)

36	Urodynamics Before Surgery for Stress Urinary Incontinence: The Urodynamic Examination Is Still One of the Best Friends of the Surgeon and of Patients with Stress Urinary Incontinence. <i>European Urology Focus</i> , <b>2016</b> , 2, 272-273	5.1	4
35	Extensive impact of COVID-19 pandemic on pelvic floor dysfunctions care: A nationwide interdisciplinary survey. <i>Neurourology and Urodynamics</i> , <b>2021</b> , 40, 695-704	2.3	4
34	Urodynamics before surgery for stress urinary incontinence in female patients: An open debate. <i>Archivos Espanoles De Urologia</i> , <b>2017</b> , 70, 691-694	0.4	4
33	What developments are needed to achieve less-invasive urodynamics? ICI-RS 2019. <i>Neurourology and Urodynamics</i> , <b>2020</b> , 39 Suppl 3, S36-S42	2.3	3
32	Efficacy and safety of adjustable balloons (Proact) to treat male stress urinary incontinence after prostate surgery: Medium and long-term follow-up data of a national multicentric retrospective study. <i>Neurourology and Urodynamics</i> , <b>2019</b> , 38, 1979-1984	2.3	3
31	When should we use urodynamic testing? Recommendations of the Italian Society of Urodynamics (SIUD). Part 2 - Male and neurogical population. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , <b>2020</b> , 72, 187-199	4.4	3
30	Italian-validated questionnaires for pelvic floor disorders: on behalf of the Italian Society of Urodynamics. <i>Urologia</i> , <b>2016</b> , 83, 139-144	1.2	3
29	Adolescence transitional care in neurogenic detrusor overactivity and the use of OnabotulinumtoxinA: A clinical algorithm from an Italian consensus statement. <i>Neurourology and Urodynamics</i> , <b>2018</b> , 37, 904-915	2.3	2
28	Introducing 3D printed models of the upper urinary tract for high-fidelity simulation of retrograde intrarenal surgery. <i>3D Printing in Medicine</i> , <b>2021</b> , 7, 15	5	2
27	Prevalence of "uncomplicated" stress urinary incontinence in female patients prior to surgery. Re: Norton PA, Nager CW, Brubaker L, Lemack GE, Sirls LT, Holley R, Chai TC, Kraus SR, Zyczynski H, Smith B, Stoddard A; for the Urinary Incontinence Treatment Network. The cost of preoperative	2.3	2
26	Phamacological treatment of persistant lower urinary tract symptoms after a transurethral resection of the prostate is predictive of a new surgical treatment: 10 years follow-up study.  Neurourology and Urodynamics, 2021, 40, 722-727	2.3	2
25	Electronic Personal Assessment Questionnaire-Pelvic Floor: Italian cultural adaptation and face validity. <i>Urologia</i> , <b>2019</b> , 86, 86-92	1.2	1
24	Conservative treatment of monolateral giant renal angiomyolipoma in a patient with Tuberous Sclerosis Complex (TSC): A case report. <i>Urology Case Reports</i> , <b>2020</b> , 33, 101413	0.5	1
23	Italian real-life clinical setting: the persistence and adherence with mirabegron in women with overactive bladder. <i>International Urology and Nephrology</i> , <b>2020</b> , 52, 1035-1042	2.3	1
22	Can multicentre urodynamic studies provide high quality evidence for the clinical effectiveness of urodynamics? ICI-RS 2019. <i>Neurourology and Urodynamics</i> , <b>2020</b> , 39 Suppl 3, S30-S35	2.3	1
21	Conservative management of adult neurogenic lower urinary tract dysfunction. <i>European Journal of Physical and Rehabilitation Medicine</i> , <b>2017</b> , 53, 981-990	4.4	1
20	The current role of high-intensity focused ultrasound for the management of radiation-recurrent prostate cancer. <i>Expert Review of Medical Devices</i> , <b>2012</b> , 9, 401-8	3.5	1
19	Italian electronic personal assessment questionnaire-pelvic floor (I.ePAQ-PF): Psychometric validation of the urinary section. <i>Neurourology and Urodynamics</i> , <b>2020</b> , 39, 2192-2197	2.3	1

18	Is the value of urodynamics undermined by poor technique?: ICI-RS 2018. <i>Neurourology and Urodynamics</i> , <b>2019</b> , 38 Suppl 5, S35-S39	2.3	1
17	Clinical Efficacy of Silodosin in Patients with Severe Lower Urinary Tract Symptoms Related to Benign Prostatic Obstruction: A Pooled Analysis of Phase 3 and 4 Trials. <i>European Urology Focus</i> , <b>2021</b> , 7, 440-443	5.1	1
16	3-T MRI and clinical validation of ultrasound-guided transperineal laser ablation of benign prostatic hyperplasia. <i>European Radiology Experimental</i> , <b>2021</b> , 5, 41	4.5	1
15	Pitfalls in Urodynamics. European Urology Focus, <b>2020</b> , 6, 820-822	5.1	O
14	Concomitant Functional Disorders in Genito-Urinary Prolapse. <i>Urodynamics, Neurourology and Pelvic Floor Dysfunctions</i> , <b>2018</b> , 31-40	0.1	O
13	Acute lumbago and sciatica as first symptoms of focal xanthogranulomatous pyelonephritis. <i>Urologia Internationalis</i> , <b>2002</b> , 69, 247-9	1.9	O
12	Urinary N-acetyl-beta-D-glucosaminidase concentration in patients with spinal cord injury: relationship with urodynamic parameters. <i>Urology</i> , <b>2001</b> , 58, 870-4	1.6	O
11	Can circumcision be avoided in adult male with phimosis? Results of the PhimoStop prospective trial <i>Translational Andrology and Urology</i> , <b>2021</b> , 10, 4152-4160	2.3	O
10	Real-life data on long-term follow-up of patients successfully treated with percutaneous tibial nerve stimulation. <i>Minerva Urology and Nephrology</i> , <b>2021</b> , 73, 260-264	2.3	O
9	External Validation Confirms Validity of a Simple Model to Predict Bowel Outcome After Traumatic Spinal Cord Injury. <i>Neurorehabilitation and Neural Repair</i> , <b>2021</b> , 35, 659-662	4.7	O
8	Onabotulinumtoxin-A improves health status and urinary symptoms in subjects with refractory overactive bladder: Real-life experience. <i>Urologia</i> , <b>2018</b> , 85, 163-168	1.2	0
7	T1 Bladder Cancer: Comparison of the Prognostic Impact of Two Substaging Systems on Disease Recurrence and Progression and Suggestion of a Novel Nomogram. <i>Frontiers in Surgery</i> , <b>2021</b> , 8, 704902	2 <sup>2.3</sup>	O
6	Can urethral re-bulking improve the outcomes of a prior urethral bulking?. <i>Therapeutic Advances in Urology</i> , <b>2022</b> , 14, 17562872211069265	3.2	
5	Preoperative abdominal straining in uncomplicated stress urinary incontinence: is there a correlation with voiding dysfunction and overactive bladder after mid-urethral sling procedures?. <i>Therapeutic Advances in Urology</i> , <b>2021</b> , 13, 17562872211058243	3.2	
4	Treatment Algorithm and Recommendations <b>2015</b> , 163-170		
3	Urodynamic test and female urinary stress incontinence: An open debate. World Journal of Clinical Urology, <b>2015</b> , 4, 75	О	
2	The fundamentals of quality assurance during urodynamics <b>2022</b> , 1, 100010		
1	Persistent need to urinate: A common sensory symptom leading to urinary discomfort. A study of 79 cases <b>2022</b> , 100007		