

Martin Underwood

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2542505/publications.pdf>

Version: 2024-02-01

264
papers

20,076
citations

36691

53
h-index

14012

133
g-index

273
all docs

273
docs citations

273
times ranked

20050
citing authors

#	ARTICLE	IF	CITATIONS
1	Development and testing of an opioid tapering self-management intervention for chronic pain: I-WOTCH. <i>BMJ Open</i> , 2022, 12, e053725.	0.8	4
2	Low back pain in people aged 60 years and over. <i>BMJ</i> , The, 2022, 376, e066928.	3.0	2
3	Subacromial balloon spacer for irreparable rotator cuff tears of the shoulder (START:REACTS): a group-sequential, double-blind, multicentre randomised controlled trial. <i>Lancet</i> , The, 2022, 399, 1954-1963.	6.3	53
4	The Prevalence of Opioid Analgesic Use in People with Chronic Noncancer Pain: Systematic Review and Meta-Analysis of Observational Studies. <i>Pain Medicine</i> , 2021, 22, 506-517.	0.9	11
5	Rehabilitation Exercise and psycholoGical support After covid-19 InfectioNâ€™™ (REGAIN): a structured summary of a study protocol for a randomised controlled trial. <i>Trials</i> , 2021, 22, 8.	0.7	17
6	Identification of subgroup effect with an individual participant data meta-analysis of randomised controlled trials of three different types of therapist-delivered care in low back pain. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 191.	0.8	4
7	Online and telephone access to general practice: a cross-sectional patient survey. <i>BJGP Open</i> , 2021, 5, BJGPO.2020.0179.	0.9	13
8	The risks associated with tourniquet use in lower limb trauma surgery: a systematic review and meta-analysis. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2021, 31, 967-979.	0.6	10
9	Fall prevention interventions in primary care to reduce fractures and falls in people aged 70 years and over: the PreFIT three-arm cluster RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-114.	1.3	12
10	Measuring health-related quality of life in chronic headache: A comparative evaluation of the Chronic Headache Quality of Life Questionnaire and Headache Impact Test (HIT-6). <i>Cephalalgia</i> , 2021, 41, 1100-1123.	1.8	13
11	Effect of tourniquet use on the risk of revision in total knee replacement surgery: an analysis of the National Joint Registry Data Set. <i>BMJ Open</i> , 2021, 11, e045353.	0.8	3
12	Use of cast immobilisation versus removable brace in adults with an ankle fracture: multicentre randomised controlled trial. <i>BMJ</i> , The, 2021, 374, n1506.	3.0	13
13	Once daily 300Âmg aspirin with compression versus compression alone in patients with chronic venous leg ulcers (ASPiVLU): A randomised, double-blinded, multicentre, placebo-controlled, clinical trial. <i>Journal of Tissue Viability</i> , 2021, 30, 509-516.	0.9	1
14	Home-based rehabilitation programme compared with traditional physiotherapy for patients at risk of poor outcome after knee arthroplasty: the CORKA randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e052598.	0.8	11
15	Antibiotic treatment for low back pain or radicular pain, or both. <i>The Cochrane Library</i> , 2021, 2021, .	1.5	1
16	The effect of spinal manipulative therapy on pain relief and function in patients with chronic low back pain: an individual participant data meta-analysis. <i>Physiotherapy</i> , 2021, 112, 121-134.	0.2	22
17	Development of a single-session physiotherapy and self-management intervention for the treatment of primary traumatic anterior shoulder dislocation for the â€™Acute Rehabilitation following Traumatic anterior shoulder dISlocAtioN (ARTISAN)â€™™ multi centre RCT. <i>Physiotherapy</i> , 2021, 113, 80-87.	0.2	4
18	Tourniquet use in total knee replacement surgery: a feasibility study and pilot randomised controlled trial (SAFE-TKR study). <i>BMJ Open</i> , 2021, 11, e043564.	0.8	3

#	ARTICLE	IF	CITATIONS
19	Non-steroidal anti-inflammatory drugs (NSAIDs) for musculoskeletal pain. <i>BMJ, The</i> , 2021, 372, n104.	3.0	36
20	Antidepressants for musculoskeletal pain. <i>BMJ, The</i> , 2021, 372, n80.	3.0	4
21	Opportunities and challenges around adapting supported employment interventions for people with chronic low back pain: modified nominal group technique. <i>Disability and Rehabilitation</i> , 2021, 43, 2750-2757.	0.9	2
22	Moderators of the Effect of Spinal Manipulative Therapy on Pain Relief and Function in Patients with Chronic Low Back Pain. <i>Spine</i> , 2021, 46, E505-E517.	1.0	13
23	Efficacy of high-volume injections with and without corticosteroid compared with sham for Achilles tendinopathy: a protocol for a randomised controlled trial. <i>BMJ Open Sport and Exercise Medicine</i> , 2021, 7, e001136.	1.4	1
24	Challenges and visions for managing pain-related insomnia in primary care using the hybrid CBT approach: a small-scale qualitative interview study with GPs, nurses, and practice managers. <i>BMC Family Practice</i> , 2021, 22, 210.	2.9	2
25	Core outcome set for preventive intervention trials in chronic and episodic migraine (COSMIG): an international, consensus-derived and multistakeholder initiative. <i>BMJ Open</i> , 2021, 11, e043242.	0.8	18
26	The effects of supported employment interventions in populations of people with conditions other than severe mental health: a systematic review. <i>Primary Health Care Research and Development</i> , 2021, 22, e79.	0.5	10
27	Patient and public involvement in a UK National Institute for Health Research Programme Grant for Applied Research: experiences from the Chronic Headache Education and Self-management Study (CHESS). <i>Primary Health Care Research and Development</i> , 2021, 22, e72.	0.5	5
28	How common is imaging for low back pain in primary and emergency care? Systematic review and meta-analysis of over 4 million imaging requests across 21 years. <i>British Journal of Sports Medicine</i> , 2020, 54, 642-651.	3.1	86
29	Best practice in radiofrequency denervation of the lumbar facet joints: a consensus technique. <i>British Journal of Pain</i> , 2020, 14, 47-56.	0.7	9
30	Tailored, psychological intervention for anxiety or depression in people with chronic obstructive pulmonary disease (COPD), TANDEM (Tailored intervention for ANxiety and DEpression Management in) Tj ETQq0 @0 rgBT /Qverlock 10		
31	Deprescribing Opioids in Chronic Non-cancer Pain: Systematic Review of Randomised Trials. <i>Drugs</i> , 2020, 80, 1563-1576.	4.9	26
32	The feasibility of a randomised control trial to assess physiotherapy against surgery for recurrent patellar instability. <i>Pilot and Feasibility Studies</i> , 2020, 6, 94.	0.5	4
33	Implementing a hybrid cognitive-behavioural therapy for pain-related insomnia in primary care: lessons learnt from a mixed-methods feasibility study. <i>BMJ Open</i> , 2020, 10, e034764.	0.8	9
34	The Lancet Series call to action to reduce low value care for low back pain: an update. <i>Pain</i> , 2020, 161, S57-S64.	2.0	121
35	Acute Rehabilitation following Traumatic anterior shoulder dISlocAtioN (ARTISAN): protocol for a multicentre randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e040623.	0.8	2
36	Drugs for chronic pain. <i>British Journal of General Practice</i> , 2020, 70, 576-577.	0.7	9

#	ARTICLE	IF	CITATIONS
37	Tourniquet use for knee replacement surgery. The Cochrane Library, 2020, 2020, CD012874.	1.5	18
38	Screening and Intervention to Prevent Falls and Fractures in Older People. New England Journal of Medicine, 2020, 383, 1848-1859.	13.9	74
39	Supervised pulmonary hypertension exercise rehabilitation (SPHERE): study protocol for a multi-centre randomised controlled trial. BMC Pulmonary Medicine, 2020, 20, 143.	0.8	4
40	Protocol for a randomised controlled trial of Subacromial spacer for Tears Affecting Rotator cuff Tendons: a Randomised, Efficient, Adaptive Clinical Trial in Surgery (START:REACTS). BMJ Open, 2020, 10, e036829.	0.8	11
41	Does contemporary exercise-based cardiac rehabilitation improve quality of life for people with coronary artery disease? A systematic review and meta-analysis. BMJ Open, 2020, 10, e036089.	0.8	34
42	Developing evidence-based guidance for assessment of suspected infections in care home residents. BMC Geriatrics, 2020, 20, 59.	1.1	8
43	Experiences of people taking opioid medication for chronic non-malignant pain: a qualitative evidence synthesis using meta-ethnography. BMJ Open, 2020, 10, e032988.	0.8	23
44	What proportion of patients with chronic noncancer pain are prescribed an opioid medicine? Systematic review and meta-analysis of observational studies. Journal of Internal Medicine, 2020, 287, 458-474.	2.7	42
45	Pregabalin and gabapentin for pain. BMJ, The, 2020, 369, m1315.	3.0	59
46	Development and feasibility of an intervention featuring individual supported work placements to aid return to work for unemployed people living with chronic pain. Pilot and Feasibility Studies, 2020, 6, 49.	0.5	4
47	Usual care and a self-management support programme versus usual care and a relaxation programme for people living with chronic headache disorders: a randomised controlled trial protocol (CHESS). BMJ Open, 2020, 10, e033520.	0.8	12
48	The importance of different frailty domains in a population based sample in England. BMC Geriatrics, 2020, 20, 16.	1.1	12
49	A multifaceted intervention to reduce antimicrobial prescribing in care homes: a non-randomised feasibility study and process evaluation. Health Services and Delivery Research, 2020, 8, 1-150.	1.4	0
50	Outpatient physiotherapy versus home-based rehabilitation for patients at risk of poor outcomes after knee arthroplasty: CORKA RCT. Health Technology Assessment, 2020, 24, 1-116.	1.3	62
51	Protocol for an economic analysis of the randomised controlled trial of Improving the Well-being of people with Opioid Treated CHronic pain: I-WOTCH Study. BMJ Open, 2020, 10, e037243.	0.8	1
52	Protocol for an economic analysis of the randomised controlled trial of Improving the Well-being of people with Opioid Treated CHronic pain: I-WOTCH Study. BMJ Open, 2020, 10, e037243.	0.8	2
53	The Natural History of Full-Thickness Rotator Cuff Tears in Randomized Controlled Trials: A Systematic Review and Meta-analysis. American Journal of Sports Medicine, 2019, 47, 1734-1743.	1.9	37
54	The association between headache and low back pain: a systematic review. Journal of Headache and Pain, 2019, 20, 82.	2.5	26

#	ARTICLE	IF	CITATIONS
55	OARSI guidelines for the non-surgical management of knee, hip, and polyarticular osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 1578-1589.	0.6	1,746
56	Obstacles to returning to work with chronic pain: in-depth interviews with people who are off work due to chronic pain and employers. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 486.	0.8	29
57	Comparison of alternative falls data collection methods in the Prevention of Falls Injury Trial (PreFIT). <i>Journal of Clinical Epidemiology</i> , 2019, 106, 32-40.	2.4	21
58	Improving the management of musculoskeletal conditions: can an alternative approach to referral management underpinned by quality improvement and behavioural change theories offer a solution and a better patient experience? A mixed-methods study. <i>BMJ Open</i> , 2019, 9, e024710.	0.8	2
59	Assessing the cost-effectiveness of HPV vaccination strategies for adolescent girls and boys in the UK. <i>BMC Infectious Diseases</i> , 2019, 19, 552.	1.3	38
60	The CHES trial: protocol for the process evaluation of a randomised trial of an education and self-management intervention for people with chronic headache. <i>Trials</i> , 2019, 20, 323.	0.7	6
61	Development of an education and self-management intervention for chronic headache â€” CHES trial (Chronic Headache Education and Self-management Study). <i>Journal of Headache and Pain</i> , 2019, 20, 28.	2.5	19
62	A Definition of â€œFlareâ€”in Low Back Pain: A Multiphase Process Involving Perspectives of Individuals With Low Back Pain and Expert Consensus. <i>Journal of Pain</i> , 2019, 20, 1267-1275.	0.7	25
63	Development and validation of a telephone classification interview for common chronic headache disorders. <i>Journal of Headache and Pain</i> , 2019, 20, 2.	2.5	12
64	Chronic Headache Education and Self-management Study (CHES) â€” a mixed method feasibility study to inform the design of a randomised controlled trial. <i>BMC Medical Research Methodology</i> , 2019, 19, 30.	1.4	8
65	45â€”Patient and clinician interventions for opioid analgesic deprescribing in chronic non-cancer pain: a systematic review. , 2019, , .		0
66	Process evaluation protocol for the I-WOTCH study: an opioid tapering support programme for people with chronic non-malignant pain. <i>BMJ Open</i> , 2019, 9, e028998.	0.8	7
67	Multifaceted intervention to Reduce Antimicrobial Prescribing in Care Homes: a process evaluation of a UK-based non-randomised feasibility study. <i>BMJ Open</i> , 2019, 9, e032185.	0.8	8
68	The work of return to work. Challenges of returning to work when you have chronic pain: a meta-ethnography. <i>BMJ Open</i> , 2019, 9, e025743.	0.8	48
69	Exercise and Progressive Supranuclear Palsy: the need for explicit exercise reporting. <i>BMC Neurology</i> , 2019, 19, 305.	0.8	8
70	An adaptive two-arm clinical trial using early endpoints to inform decision making: design for a study of sub-acromial spacers for repair of rotator cuff tendon tears. <i>Trials</i> , 2019, 20, 694.	0.7	9
71	Diagnostic and classification tools for chronic headache disorders: A systematic review. <i>Cephalalgia</i> , 2019, 39, 761-784.	1.8	21
72	Testing a support programme for opioid reduction for people with chronic non-malignant pain: the I-WOTCH randomised controlled trial protocol. <i>BMJ Open</i> , 2019, 9, e028937.	0.8	6

#	ARTICLE	IF	CITATIONS
73	Adoption of a novel surgical innovation into clinical practice: protocol for a qualitative systematic review examining surgeon views. <i>BMJ Open</i> , 2018, 8, e020486.	0.8	10
74	A recursive partitioning approach for subgroup identification in individual patient data meta-analysis. <i>Statistics in Medicine</i> , 2018, 37, 1550-1561.	0.8	15
75	Safety and feasibility evaluation of tourniquets for total knee replacement (SAFE-TKR): study protocol. <i>BMJ Open</i> , 2018, 8, e022067.	0.8	4
76	Inclusion and exclusion criteria used in non-specific low back pain trials: a review of randomised controlled trials published between 2006 and 2012. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 113.	0.8	36
77	Is exercise-based cardiac rehabilitation effective? A systematic review and meta-analysis to re-examine the evidence. <i>BMJ Open</i> , 2018, 8, e019656.	0.8	71
78	What low back pain is and why we need to pay attention. <i>Lancet, The</i> , 2018, 391, 2356-2367.	6.3	2,444
79	Low back pain: a call for action. <i>Lancet, The</i> , 2018, 391, 2384-2388.	6.3	777
80	Prevention and treatment of low back pain: evidence, challenges, and promising directions. <i>Lancet, The</i> , 2018, 391, 2368-2383.	6.3	1,363
81	Assessing the impact of headaches and the outcomes of treatment: A systematic review of patient-reported outcome measures (PROMs). <i>Cephalalgia</i> , 2018, 38, 1374-1386.	1.8	71
82	Rigorous qualitative research in sports, exercise and musculoskeletal medicine journals is important and relevant. <i>British Journal of Sports Medicine</i> , 2018, 52, 1409-1410.	3.1	9
83	Opioid prescribing for chronic musculoskeletal pain in UK primary care: results from a cohort analysis of the COPERS trial. <i>BMJ Open</i> , 2018, 8, e019491.	0.8	44
84	Low back pain – Authors' reply. <i>Lancet, The</i> , 2018, 392, 2549-2550.	6.3	8
85	Cast versus functional brace in the rehabilitation of patients treated for an ankle fracture: protocol for the UK study of ankle injury rehabilitation (AIR) multicentre randomised trial. <i>BMJ Open</i> , 2018, 8, e027242.	0.8	15
86	What interventions are effective to taper opioids in patients with chronic pain?. <i>BMJ: British Medical Journal</i> , 2018, 362, k2990.	2.4	32
87	Engineering standards for trauma and orthopaedic implants worldwide: a systematic review protocol. <i>BMJ Open</i> , 2018, 8, e021650.	0.8	4
88	Is an enhanced behaviour change intervention cost-effective compared with physiotherapy for patients with chronic low back pain? Results from a multicentre trial in Israel. <i>BMJ Open</i> , 2018, 8, e019928.	0.8	8
89	The Consensus on Exercise Reporting Template (CERT) applied to exercise interventions in musculoskeletal trials demonstrated good rater agreement and incomplete reporting. <i>Journal of Clinical Epidemiology</i> , 2018, 103, 120-130.	2.4	33
90	Responsiveness, Reliability, and Minimally Important and Minimal Detectable Changes of 3 Electronic Patient-Reported Outcome Measures for Low Back Pain: Validation Study. <i>Journal of Medical Internet Research</i> , 2018, 20, e272.	2.1	16

#	ARTICLE	IF	CITATIONS
91	Exercise rehabilitation programmes for pulmonary hypertension: a systematic review of intervention components and reporting quality. <i>BMJ Open Sport and Exercise Medicine</i> , 2018, 4, e000400.	1.4	5
92	Rational and design of an individual participant data meta-analysis of spinal manipulative therapy for chronic low back pain—a protocol. <i>Systematic Reviews</i> , 2017, 6, 21.	2.5	8
93	Can care staff accurately assess health-related quality of life of care home residents? A secondary analysis of data from the OPERA trial. <i>BMJ Open</i> , 2017, 7, e012779.	0.8	9
94	Prognostic factors for chronic headache. <i>Neurology</i> , 2017, 89, 291-301.	1.5	96
95	Development of a repository of individual participant data from randomized controlled trials of therapists delivered interventions for low back pain. <i>European Journal of Pain</i> , 2017, 21, 815-826.	1.4	4
96	Non-pharmacological self-management for people living with migraine or tension-type headache: a systematic review including analysis of intervention components. <i>BMJ Open</i> , 2017, 7, e016670.	0.8	93
97	Tourniquet use for knee replacement surgery. <i>The Cochrane Library</i> , 2017, , .	1.5	7
98	The Power of Low Back Pain Trials. <i>Spine</i> , 2017, 42, E680-E686.	1.0	11
99	Non-specific low back pain. <i>Lancet, The</i> , 2017, 389, 736-747.	6.3	1,484
100	The lived experience of chronic headache: a systematic review and synthesis of the qualitative literature. <i>BMJ Open</i> , 2017, 7, e019929.	0.8	42
101	The development of CHAMP: a checklist for the appraisal of moderators and predictors. <i>BMC Medical Research Methodology</i> , 2017, 17, 173.	1.4	20
102	Facet joint injections for people with persistent non-specific low back pain (Facet Injection Study): a feasibility study for a randomised controlled trial. <i>Health Technology Assessment</i> , 2017, 21, 1-184.	1.3	9
103	A Systematic Review of Outcome Measures Use, Analytical Approaches, Reporting Methods, and Publication Volume by Year in Low Back Pain Trials Published between 1980 and 2012: Respite, adspice, et prospice. <i>PLoS ONE</i> , 2016, 11, e0164573.	1.1	47
104	Combined cognitive-behavioural and mindfulness programme for people living with dystonia: a proof-of-concept study. <i>BMJ Open</i> , 2016, 6, e011495.	0.8	13
105	Consensus on Exercise Reporting Template (CERT): Explanation and Elaboration Statement. <i>British Journal of Sports Medicine</i> , 2016, 50, 1428-1437.	3.1	491
106	COmmunity-based Rehabilitation after Knee Arthroplasty (CORKA): study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 501.	0.7	7
107	A cluster randomised controlled trial of advice, exercise or multifactorial assessment to prevent falls and fractures in community-dwelling older adults: protocol for the prevention of falls injury trial (PreFIT). <i>BMJ Open</i> , 2016, 6, e009362.	0.8	24
108	Behavioural interventions for people living with adult-onset primary dystonia: a systematic review. <i>BMC Neurology</i> , 2016, 16, 40.	0.8	17

#	ARTICLE	IF	CITATIONS
109	Group exercise and self-management for older adults with osteoarthritis: a feasibility study. Primary Health Care Research and Development, 2016, 17, 252-264.	0.5	4
110	Clinical algorithms to aid osteoarthritis guideline dissemination. Osteoarthritis and Cartilage, 2016, 24, 1487-1499.	0.6	47
111	Consensus on Exercise Reporting Template (CERT): Modified Delphi Study. Physical Therapy, 2016, 96, 1514-1524.	1.1	279
112	Professional interventions for general practitioners on the management of musculoskeletal conditions. The Cochrane Library, 2016, 2016, CD007495.	1.5	35
113	Aspirin in venous leg ulcer study (ASPIVLU): study protocol for a randomised controlled trial. Trials, 2016, 17, 192.	0.7	13
114	Western medical acupuncture in a group setting for knee osteoarthritis: results of a pilot randomised controlled trial. Pilot and Feasibility Studies, 2016, 2, 10.	0.5	10
115	Intra-articular facet joint injections for low back pain: a systematic review. European Spine Journal, 2016, 25, 1266-1281.	1.0	46
116	Sleep in patients with primary dystonia: A systematic review on the state of research and perspectives. Sleep Medicine Reviews, 2016, 26, 95-107.	3.8	46
117	Novel Three-Day, Community-Based, Nonpharmacological Group Intervention for Chronic Musculoskeletal Pain (COPERS): A Randomised Clinical Trial. PLoS Medicine, 2016, 13, e1002040.	3.9	45
118	Identifying back pain subgroups: developing and applying approaches using individual patient data collected within clinical trials. Programme Grants for Applied Research, 2016, 4, 1-278.	0.4	9
119	Achilles tendon rupture rehabilitation. Bone and Joint Research, 2015, 4, 65-69.	1.3	17
120	The effect of journal impact factor, reporting conflicts, and reporting funding sources, on standardized effect sizes in back pain trials: a systematic review and meta-regression. BMC Musculoskeletal Disorders, 2015, 16, 370.	0.8	10
121	Facet-joint injections for people with persistent non-specific low back pain (FIS): study protocol for a randomised controlled feasibility trial. Trials, 2015, 16, 588.	0.7	5
122	Exercises to improve function of the rheumatoid hand (SARAH): a randomised controlled trial. Lancet, The, 2015, 385, 421-429.	6.3	107
123	Sarah: strengthening and stretching for people with rheumatoid arthritis of the hands: a randomised controlled trial. Physiotherapy, 2015, 101, e814-e815.	0.2	0
124	Identifying potential moderators for response to treatment in low back pain: A systematic review. Physiotherapy, 2015, 101, 243-251.	0.2	54
125	Can We Convert Between Outcome Measures of Disability for Chronic Low Back Pain?. Spine, 2015, 40, 734-739.	1.0	17
126	Primary outcome measure use in back pain trials may need radical reassessment. BMC Musculoskeletal Disorders, 2015, 16, 88.	0.8	15

#	ARTICLE	IF	CITATIONS
127	Prokinetics Prescribing in Paediatrics. Journal of Pediatric Gastroenterology and Nutrition, 2015, 60, 508-514.	0.9	17
128	Strengthening And stretching for Rheumatoid Arthritis of the Hand (SARAH). A randomised controlled trial and economic evaluation. Health Technology Assessment, 2015, 19, 1-222.	1.3	43
129	Gout. Clinical Evidence, 2015, 2015, .	0.2	0
130	Intraarticular Facet Injections for Low Back Pain: Design Considerations, Consensus Methodology to Develop the Protocol for a Randomized Controlled Trial. Pain Physician, 2015, 18, 473-93.	0.3	9
131	Safety, effectiveness, and cost effectiveness of decision aids still unclear. BMJ, The, 2014, 349, g6578-g6578.	3.0	0
132	Primum non nocere: shared informed decision making in low back pain – a pilot cluster randomised trial. BMC Musculoskeletal Disorders, 2014, 15, 282.	0.8	26
133	Evaluating the Quality of Subgroup Analyses in Randomized Controlled Trials of Therapist-Delivered Interventions for Nonspecific Low Back Pain. Spine, 2014, 39, 618-629.	1.0	27
134	Design and Development of a Decision Support Package for Low Back Pain. Arthritis Care and Research, 2014, 66, 925-933.	1.5	9
135	What Are Patient Beliefs and Perceptions About Exercise for Nonspecific Chronic Low Back Pain?. Clinical Journal of Pain, 2014, 30, 995-1005.	0.8	113
136	Response to Letter to the Editor entitled “Comments on OARSI guidelines for the non-surgical management of knee osteoarthritis”. Osteoarthritis and Cartilage, 2014, 22, 890-891.	0.6	15
137	Whole home exercise intervention for depression in older care home residents (the OPERA study): a process evaluation. BMC Medicine, 2014, 12, 1.	2.3	260
138	A systematic review and meta-synthesis of the impact of low back pain on people’s lives. BMC Musculoskeletal Disorders, 2014, 15, 50.	0.8	282
139	Coping with Persistent Pain, Effectiveness Research into Self-management (COPERS): statistical analysis plan for a randomised controlled trial. Trials, 2014, 15, 59.	0.7	4
140	OARSI guidelines for the non-surgical management of knee osteoarthritis. Osteoarthritis and Cartilage, 2014, 22, 363-388.	0.6	2,298
141	Fibromyalgia. BMJ, The, 2014, 348, g1224-g1224.	3.0	84
142	The agreement between proxy and self-completed EQ-5D for care home residents was better for index scores than individual domains. Journal of Clinical Epidemiology, 2014, 67, 1035-1043.	2.4	37
143	Standardised method for reporting exercise programmes: protocol for a modified Delphi study. BMJ Open, 2014, 4, e006682.	0.8	119
144	Emergency department treatments and physiotherapy for acute whiplash: a pragmatic, two-step, randomised controlled trial. Lancet, The, 2013, 381, 546-556.	6.3	102

#	ARTICLE	IF	CITATIONS
145	Cognitive and affective reassurance and patient outcomes in primary care: A systematic review. <i>Pain</i> , 2013, 154, 2407-2416.	2.0	156
146	Prevalence and impact of chronic widespread pain in the Bangladeshi and White populations of Tower Hamlets, East London. <i>Clinical Rheumatology</i> , 2013, 32, 1375-1382.	1.0	18
147	Red flags for back pain. <i>BMJ, The</i> , 2013, 347, f7432-f7432.	3.0	29
148	Exercise for depression in elderly people – Authors' reply. <i>Lancet, The</i> , 2013, 382, 1325.	6.3	0
149	Exercise for depression in elderly residents of care homes: a cluster-randomised controlled trial. <i>Lancet, The</i> , 2013, 382, 41-49.	6.3	108
150	Effectiveness and cost-effectiveness of a novel, group self-management course for adults with chronic musculoskeletal pain: study protocol for a multicentre, randomised controlled trial (COPERS). <i>BMJ Open</i> , 2013, 3, e002492.	0.8	15
151	Pain management for chronic musculoskeletal conditions: the development of an evidence-based and theory-informed pain self-management course. <i>BMJ Open</i> , 2013, 3, e003534.	0.8	23
152	Systematic Review of Randomized Controlled Trials of Clinical Prediction Rules for Physical Therapy in Low Back Pain. <i>Spine</i> , 2013, 38, 762-769.	1.0	42
153	Low-back pain. <i>Cmaj</i> , 2013, 185, 325.2-325.	0.9	1
154	The use of sentinel node sampling in vulval cancer. <i>Journal of Obstetrics and Gynaecology</i> , 2013, 33, 892-897.	0.4	4
155	Fidelity in complex behaviour change interventions: a standardised approach to evaluate intervention integrity. <i>BMJ Open</i> , 2013, 3, e003555.	0.8	77
156	Exercise for depression in care home residents: a randomised controlled trial with cost-effectiveness analysis (OPERA). <i>Health Technology Assessment</i> , 2013, 17, 1-281.	1.3	41
157	Will shared decision making between patients with chronic musculoskeletal pain and physiotherapists, osteopaths and chiropractors improve patient care?. <i>Family Practice</i> , 2012, 29, 203-212.	0.8	30
158	Group Acupuncture for Osteoarthritis; a Practical Option?. <i>Acupuncture in Medicine</i> , 2012, 30, 161-162.	0.4	1
159	Methodological challenges and approaches to improving response rates in population surveys in areas of extreme deprivation. <i>Primary Health Care Research and Development</i> , 2012, 13, 211-218.	0.5	20
160	Effective Delivery Styles and Content for Self-management Interventions for Chronic Musculoskeletal Pain. <i>Clinical Journal of Pain</i> , 2012, 28, 344-354.	0.8	113
161	Managing Injuries of the Neck Trial (MINT): a randomised controlled trial of treatments for whiplash injuries. <i>Health Technology Assessment</i> , 2012, 16, iii-iv, 1-141.	1.3	28
162	Accuracy of colposcopy – directed punch biopsies: a systematic review and meta-analysis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012, 119, 1293-1301.	1.1	91

#	ARTICLE	IF	CITATIONS
163	Diagnosis and management of headaches in young people and adults: summary of NICE guidance. <i>BMJ, The</i> , 2012, 345, e5765-e5765.	3.0	51
164	Strengthening and stretching for rheumatoid arthritis of the hand (SARAH): design of a randomised controlled trial of a hand and upper limb exercise intervention - ISRCTN89936343. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 230.	0.8	12
165	Clinical service organisation for heart failure. <i>The Cochrane Library</i> , 2012, , CD002752.	1.5	139
166	Clinicians' perceptions of reporting methods for back pain trials: a qualitative study. <i>British Journal of General Practice</i> , 2012, 62, e151-e159.	0.7	14
167	Improving the reporting and interpretation of clinical trial outcomes. <i>British Journal of General Practice</i> , 2012, 62, e729-e731.	0.7	10
168	Prognosis in people with back pain. <i>Cmaj</i> , 2012, 184, 1229-1230.	0.9	19
169	Socioeconomic status and self-reported oral health in Iranian adolescents: the role of selected oral health behaviors and psychological factors. <i>Journal of Public Health Dentistry</i> , 2012, 72, 198-207.	0.5	10
170	Group cognitive behavioural interventions for low back pain in primary care: Extended follow-up of the Back Skills Training Trial (ISRCTN54717854). <i>Pain</i> , 2012, 153, 494-501.	2.0	43
171	Review: Can we identify how programmes aimed at promoting self-management in musculoskeletal pain work and who benefits? A systematic review of subgroup analysis within RCTs. <i>European Journal of Pain</i> , 2011, 15, 775.e1-11.	1.4	75
172	Reporting outcomes of back pain trials: A modified Delphi study. <i>European Journal of Pain</i> , 2011, 15, 1068-1074.	1.4	37
173	T421 SELF-MANAGEMENT COURSES FOR CHRONIC PAIN: WHO TO REFER AND WHY?. <i>European Journal of Pain Supplements</i> , 2011, 5, 70-71.	0.0	0
174	T524 EFFECTIVE DELIVERY STYLES AND CONTENT FOR CHRONIC PAIN SELF-MANAGEMENT INTERVENTIONS: A SYSTEMATIC REVIEW. <i>European Journal of Pain Supplements</i> , 2011, 5, 80-80.	0.0	1
175	Measuring Pain Self-efficacy. <i>Clinical Journal of Pain</i> , 2011, 27, 461-470.	0.8	117
176	Methodological criteria for the assessment of moderators in systematic reviews of randomised controlled trials: a consensus study. <i>BMC Medical Research Methodology</i> , 2011, 11, 14.	1.4	96
177	Study protocol: Improving patient choice in treating low back pain (IMPACT - LBP): A randomised controlled trial of a decision support package for use in physical therapy. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 52.	0.8	11
178	The OPERA trial: protocol for a randomised trial of an exercise intervention for older people in residential and nursing accommodation. <i>Trials</i> , 2011, 12, 27.	0.7	29
179	Predicting response to a cognitive-behavioral approach to treating low back pain: Secondary analysis of the BeST data set. <i>Arthritis Care and Research</i> , 2011, 63, 1271-1279.	1.5	20
180	Referral recommendations for osteoarthritis of the knee incorporating patients' preferences. <i>Family Practice</i> , 2011, 28, 68-74.	0.8	10

#	ARTICLE	IF	CITATIONS
181	Gout. Clinical Evidence, 2011, 2011, .	0.2	0
182	The Effectiveness of a Posted Information Package on the Beliefs and Behavior of Musculoskeletal Practitioners. Spine, 2010, 35, 858-866.	1.0	71
183	Defining adverse events in manual therapies: A modified Delphi consensus study. Manual Therapy, 2010, 15, 2-6.	1.6	92
184	Adverse events and manual therapy: A systematic review. Manual Therapy, 2010, 15, 355-363.	1.6	158
185	British pain clinic practitioners' recognition and use of the bio-psychosocial pain management model for patients when physical interventions are ineffective or inappropriate: results of a qualitative study. BMC Musculoskeletal Disorders, 2010, 11, 51.	0.8	21
186	Defining adverse events in manual therapies: A modified delphi consensus study. International Journal of Osteopathic Medicine, 2010, 13, 94-98.	0.4	4
187	A multicentred randomised controlled trial of a primary care-based cognitive behavioural programme for low back pain. The Back Skills Training (BeST) trial. Health Technology Assessment, 2010, 14, 1-253, iii-iv.	1.3	122
188	An evaluation of the implementation of a multidisciplinary persistent pain service in the inner London Borough of Tower Hamlets. Primary Health Care Research and Development, 2010, 11, 233-240.	0.5	0
189	Commentary on the United Kingdom evidence report about the effectiveness of manual therapies. Chiropractic & Manual Therapies, 2010, 18, 4.	1.6	6
190	Group cognitive behavioural treatment for low-back pain in primary care: a randomised controlled trial and cost-effectiveness analysis. Lancet, The, 2010, 375, 916-923.	6.3	347
191	Usual care in back pain trials. British Journal of General Practice, 2009, 59, 209.3-210.	0.7	6
192	Socioeconomic status predicts functional disability in patients participating in a back pain trial. Disability and Rehabilitation, 2009, 31, 783-790.	0.9	33
193	A national survey of clinical practice for the management of whiplash-associated disorders in UK emergency departments. Emergency Medicine Journal, 2009, 26, 644-647.	0.4	11
194	Estimating the number needed to treat from continuous outcomes in randomised controlled trials: methodological challenges and worked example using data from the UK Back Pain Exercise and Manipulation (BEAM) trial. BMC Medical Research Methodology, 2009, 9, 35.	1.4	46
195	Diagnosing acute nonspecific low back pain: Time to lower the red flags?. Arthritis and Rheumatism, 2009, 60, 2855-2857.	6.7	61
196	826 AN EVALUATION OF THE IMPLEMENTATION OF A MULTIDISCIPLINARY SERVICE FOR PERSISTENT PAIN IN A LONDON BOROUGH. European Journal of Pain, 2009, 13, S236c.	1.4	0
197	Chiropractic treatment for infantile colic: still an open question. International Journal of Clinical Practice, 2009, 64, 266-266.	0.8	1
198	Treatment of infantile colic. International Journal of Clinical Practice, 2009, 63, 1272-1274.	0.8	6

#	ARTICLE	IF	CITATIONS
199	Early management of persistent non-specific low back pain: summary of NICE guidance. <i>BMJ: British Medical Journal</i> , 2009, 338, b1805-b1805.	2.4	256
200	A review and proposal for a core set of factors for prospective cohorts in low back pain: A consensus statement. <i>Arthritis and Rheumatism</i> , 2008, 59, 14-24.	6.7	114
201	The importance of monitoring patient's ability to achieve functional tasks in those with musculoskeletal pain. <i>International Journal of Osteopathic Medicine</i> , 2008, 11, 26-32.	0.4	13
202	Chronic forearm pain presents as a transient and indistinct pain site in a community setting: results from a UK population survey. <i>Family Practice</i> , 2008, 25, 197-201.	0.8	1
203	Advice to use topical or oral ibuprofen for chronic knee pain in older people: randomised controlled trial and patient preference study. <i>BMJ: British Medical Journal</i> , 2008, 336, 138-142.	2.4	99
204	Influences on older people's decision making regarding choice of topical or oral NSAIDs for knee pain: qualitative study. <i>BMJ: British Medical Journal</i> , 2008, 336, 142-145.	2.4	47
205	Factors affecting self-efficacy and pain intensity in patients with chronic musculoskeletal pain seen in a specialist rheumatology pain clinic. <i>Rheumatology</i> , 2008, 47, 1803-1808.	0.9	42
206	Cost-effectiveness of advising the use of topical or oral ibuprofen for knee pain; the TOIB study [ISRCTN: 79353052]. <i>Rheumatology</i> , 2008, 47, 1077-1081.	0.9	18
207	Mapping care pathways and estimating the number and cost of musculoskeletal chronic pain patients to inform the development and implementation of a new service. <i>Primary Health Care Research and Development</i> , 2008, 9, 241.	0.5	7
208	Sugary drinks, fruit, and increased risk of gout. <i>BMJ: British Medical Journal</i> , 2008, 336, 285-286.	2.4	9
209	A Consensus Approach Toward the Standardization of Back Pain Definitions for Use in Prevalence Studies. <i>Spine</i> , 2008, 33, 95-103.	1.0	537
210	Topical or oral ibuprofen for chronic knee pain in older people. The TOIB study. <i>Health Technology Assessment</i> , 2008, 12, iii-iv, ix-155.	1.3	48
211	Gout. <i>Clinical Evidence</i> , 2008, 2008, .	0.2	0
212	Comment on: Do baseline characteristics predict response to treatment for low back pain? Secondary analysis of the UK BEAM dataset: reply. <i>Rheumatology</i> , 2007, 47, 231-232.	0.9	2
213	Do baseline characteristics predict response to treatment for low back pain? Secondary analysis of the UK BEAM dataset [ISRCTN32683578]. <i>Rheumatology</i> , 2007, 46, 1297-1302.	0.9	86
214	Chronic musculoskeletal pain rarely presents in a single body site: results from a UK population study. <i>Rheumatology</i> , 2007, 46, 1168-1170.	0.9	194
215	Prevalence and comparative troublesomeness by age of musculoskeletal pain in different body locations. <i>Family Practice</i> , 2007, 24, 308-316.	0.8	125
216	The Influence of Patients' and Primary Care Practitioners' Beliefs and Expectations About Chronic Musculoskeletal Pain on the Process of Care. <i>Clinical Journal of Pain</i> , 2007, 23, 91-98.	0.8	118

#	ARTICLE	IF	CITATIONS
217	Design considerations in a clinical trial of a cognitive behavioural intervention for the management of low back pain in primary care: Back Skills Training Trial. <i>BMC Musculoskeletal Disorders</i> , 2007, 8, 14.	0.8	15
218	Managing Injuries of the Neck Trial (MINT): design of a randomised controlled trial of treatments for whiplash associated disorders. <i>BMC Musculoskeletal Disorders</i> , 2007, 8, 7.	0.8	28
219	Attitudes to back pain amongst musculoskeletal practitioners: A comparison of professional groups and practice settings using the ABS-mp. <i>Manual Therapy</i> , 2007, 12, 167-175.	1.6	87
220	Chronic musculoskeletal pain. <i>British Journal of General Practice</i> , 2007, 57, 604-5.	0.7	0
221	Effectiveness of interventions for the treatment of acute and prevention of recurrent gout—a systematic review. <i>Rheumatology</i> , 2006, 45, 1422-1431.	0.9	84
222	Asking older people about fear of falling did not have a negative effect. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 629-634.	2.4	7
223	Systematic Review of Spinal Manipulation a Balanced Review of Evidence?. <i>Journal of the Royal Society of Medicine</i> , 2006, 99, 277-277.	1.1	1
224	Systematic review of spinal manipulation: A balanced review of evidence?. <i>Journal of the Royal Society of Medicine</i> , 2006, 99, 277-277.	1.1	5
225	A Systematic Review of Pain Drawing Literature. <i>Clinical Journal of Pain</i> , 2006, 22, 449-457.	0.8	66
226	The Attitudes to Back Pain Scale in Musculoskeletal Practitioners (ABS-mp). <i>Clinical Journal of Pain</i> , 2006, 22, 378-386.	0.8	37
227	Persistent back pain - why do physical therapy clinicians continue treatment? A mixed methods study of chiropractors, osteopaths and physiotherapists. <i>European Journal of Pain</i> , 2006, 10, 67-67.	1.4	64
228	Measuring troublesomeness of chronic pain by location. <i>BMC Musculoskeletal Disorders</i> , 2006, 7, 34.	0.8	36
229	Diagnosis and management of gout. <i>BMJ: British Medical Journal</i> , 2006, 332, 1315-1319.	2.4	100
230	Patient perceptions of physical therapy within a trial for back pain treatments (UK BEAM) [ISRCTN32683578]. <i>Rheumatology</i> , 2006, 45, 751-756.	0.9	29
231	Gout. <i>Clinical Evidence</i> , 2006, , 1561-9.	0.2	0
232	Clinical service organisation for heart failure. , 2005, , CD002752.		35
233	The effect of osteopathy in the treatment of chronic low back pain — a feasibility study. <i>International Journal of Osteopathic Medicine</i> , 2005, 8, 5-11.	0.4	2
234	Testing the effectiveness of an innovative information package on practitioner reported behaviour and beliefs: The UK Chiropractors, Osteopaths and Musculoskeletal Physiotherapists Low back pain Management (COMPLeMENT) trial [ISRCTN77245761]. <i>BMC Musculoskeletal Disorders</i> , 2005, 6, 41.	0.8	28

#	ARTICLE	IF	CITATIONS
235	TOIB Study. Are topical or oral ibuprofen equally effective for the treatment of chronic knee pain presenting in primary care: a randomised controlled trial with patient preference study. [ISRCTN79353052]. BMC Musculoskeletal Disorders, 2005, 6, 55.	0.8	13
236	“It struck me that they didn't understand pain.” The specialist pain clinic experience of patients with chronic musculoskeletal pain. Arthritis and Rheumatism, 2005, 53, 691-696.	6.7	56
237	A clinical prediction rule predicted outcome in patients with low back pain having spinal manipulation and exercise treatment. Evidence-Based Medicine, 2005, 10, 125-125.	0.6	2
238	Differential recruitment in a cluster randomized trial in primary care: the experience of the UK Back pain, Exercise, Active management and Manipulation (UK BEAM) feasibility study. Clinical Trials, 2005, 2, 119-124.	0.7	65
239	Why modelling a complex intervention is an important precursor to trial design: lessons from studying an intervention to reduce falls-related injuries in older people. Journal of Health Services Research and Policy, 2005, 10, 133-142.	0.8	39
240	Gout. Clinical Evidence, 2005, , 1435-44.	0.2	0
241	Review: spinal manipulative therapy is not better than standard treatments for low back pain. Evidence-Based Medicine, 2004, 9, 171-171.	0.6	0
242	Rapid magnetic resonance of the lumbar spine was not better than radiographs for evaluating low back pain. Evidence-Based Medicine, 2004, 9, 19-19.	0.6	0
243	Did local enhancement of a national campaign to reduce high antibiotic prescribing affect public attitudes and prescribing rates?. European Journal of General Practice, 2004, 10, 18-23.	0.9	16
244	Community management of knee pain in older people: is knee pain the new back pain?. British Journal of Rheumatology, 2004, 43, 2-3.	2.5	40
245	Effect of concurrent zidovudine use on the resistance pathway selected by abacavir-containing regimens. HIV Medicine, 2004, 5, 394-399.	1.0	32
246	Development and preliminary examination of the predictive validity of the Falls Risk Assessment Tool (FRAT) for use in primary care. Journal of Public Health, 2004, 26, 138-143.	1.0	113
247	Gout. Clinical Evidence, 2004, , 1468-76.	0.2	0
248	UK Back pain Exercise And Manipulation (UK BEAM) trial “ national randomised trial of physical treatments for back pain in primary care: objectives, design and interventions [ISRCTN32683578]. BMC Health Services Research, 2003, 3, 16.	0.9	35
249	Treatment and the process of care in musculoskeletal conditions. Orthopedic Clinics of North America, 2003, 34, 239-244.	0.5	29
250	A national qualitative survey of community-based musculoskeletal services in the UK. British Journal of Rheumatology, 2003, 42, 1074-1078.	2.5	11
251	Acute gout. Clinical Evidence, 2003, , 1238-46.	0.2	0
252	The acceptability to primary care staff of a multidisciplinary training package on acute back pain guidelines. Family Practice, 2002, 19, 511-515.	0.8	15

#	ARTICLE	IF	CITATIONS
253	Sample size calculations for intervention trials in primary care randomizing by primary care group: an empirical illustration from one proposed intervention trial. <i>Statistics in Medicine</i> , 2001, 20, 367-376.	0.8	23
254	Peer led programme for asthma education in adolescents. <i>BMJ: British Medical Journal</i> , 2001, 323, 110-110.	2.4	1
255	Exercise and the prevention of back pain disability. <i>British Journal of Sports Medicine</i> , 2000, 34, 5-5.	3.1	3
256	Evaluation of Two Time-Specific Back Pain Outcome Measures. <i>Spine</i> , 1999, 24, 1104-1112.	1.0	131
257	Assessment of heart failure with plasma natriuretic peptides. <i>Lancet, The</i> , 1998, 351, 444-445.	6.3	0
258	The use of a back class teaching extension exercises in the treatment of acute low back pain in primary care. <i>Family Practice</i> , 1998, 15, 9-15.	0.8	30
259	Cluster randomization: a trap for the unwary. <i>British Journal of General Practice</i> , 1998, 48, 1089-90.	0.7	15
260	Home births. <i>BMJ: British Medical Journal</i> , 1997, 314, 678-678.	2.4	2
261	Randomised controlled trials of treatment are needed. <i>BMJ: British Medical Journal</i> , 1995, 311, 569-569.	2.4	1
262	Periarticular analgesia for postoperative pain following total hip replacement. <i>The Cochrane Library</i> , 0, , .	1.5	2
263	Periarticular analgesia for postoperative pain following total knee replacement. <i>The Cochrane Library</i> , 0, , .	1.5	0
264	What is the Role of Exercise in the Prevention of Back Pain?. , 0, , 257-280.		0