

Daniele Filippo Condorelli

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2543675/daniele-filippo-condorelli-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

150
papers

5,216
citations

42
h-index

66
g-index

154
ext. papers

5,581
ext. citations

4.3
avg, IF

4.8
L-index

#	Paper	IF	Citations
150	Cloning of a new gap junction gene (Cx36) highly expressed in mammalian brain neurons. <i>European Journal of Neuroscience</i> , 1998 , 10, 1202-8	3.5	366
149	Expression of connexin36 in the adult and developing rat brain. <i>Brain Research</i> , 2000 , 865, 121-38	3.7	244
148	Functional properties of channels formed by the neuronal gap junction protein connexin36. <i>Journal of Neuroscience</i> , 1999 , 19, 9848-55	6.6	220
147	Expression of Cx36 in mammalian neurons. <i>Brain Research Reviews</i> , 2000 , 32, 72-85		212
146	Activation of metabotropic glutamate receptors coupled to inositol phospholipid hydrolysis amplifies NMDA-induced neuronal degeneration in cultured cortical cells. <i>Neuropharmacology</i> , 1995 , 34, 1089-98	5.5	147
145	Cx36 preferentially connects beta-cells within pancreatic islets. <i>Diabetes</i> , 2000 , 49, 727-34	0.9	138
144	The hormetic role of dietary antioxidants in free radical-related diseases. <i>Current Pharmaceutical Design</i> , 2010 , 16, 877-83	3.3	117
143	Cellular expression of connexins in the rat brain: neuronal localization, effects of kainate-induced seizures and expression in apoptotic neuronal cells. <i>European Journal of Neuroscience</i> , 2003 , 18, 1807-27	3.5	98
142	Activation of metabotropic glutamate receptors prevents neuronal apoptosis in culture. <i>Journal of Neurochemistry</i> , 1995 , 64, 101-8	6	96
141	Expression of neurotrophins and their receptors in primary astroglial cultures: induction by cyclic AMP-elevating agents. <i>Journal of Neurochemistry</i> , 1994 , 63, 509-16	6	90
140	Transplantation of prodrug-converting neural progenitor cells for brain tumor therapy. <i>Cancer Gene Therapy</i> , 2003 , 10, 396-402	5.4	88
139	Ciliary neurotrophic factor activates JAK/Stat signal transduction cascade and induces transcriptional expression of glial fibrillary acidic protein in glial cells. <i>Journal of Neurochemistry</i> , 1997 , 68, 1413-23	6	83
138	Glial fibrillary acidic protein messenger RNA and glutamine synthetase activity after nervous system injury. <i>Journal of Neuroscience Research</i> , 1990 , 26, 251-7	4.4	83
137	Structure, chromosomal localization, and brain expression of human Cx36 gene. <i>Journal of Neuroscience Research</i> , 1999 , 57, 740-752	4.4	82
136	Excitatory amino acids stimulate inositol phospholipid hydrolysis and reduce proliferation in cultured astrocytes. <i>Journal of Neurochemistry</i> , 1990 , 54, 771-7	6	82
135	Opposite influence of the metabotropic glutamate receptor subtypes mGlu3 and -5 on astrocyte proliferation in culture. <i>Glia</i> , 1997 , 21, 390-8	9	81
134	Virtual cloning, functional expression, and gating analysis of human connexin31.9. <i>American Journal of Physiology - Cell Physiology</i> , 2002 , 283, C960-70	5.4	76

133	Effect of epidermal growth factor and insulin on DNA, RNA, and cytoskeletal protein labeling in primary rat astroglial cell cultures. <i>Journal of Neuroscience Research</i> , 1988 , 19, 230-8	4.4	74
132	Oligodendroglial survival factors, PDGF-AA and CNTF, activate similar JAK/STAT signaling pathways. <i>Journal of Neuroscience Research</i> , 1998 , 54, 191-205	4.4	65
131	Neurotrophins and their trk receptors in cultured cells of the glial lineage and in white matter of the central nervous system. <i>Journal of Molecular Neuroscience</i> , 1995 , 6, 237-48	3.3	64
130	A bioinformatic approach to the identification of candidate genes for the development of new cancer diagnostics. <i>Biological Chemistry</i> , 2003 , 384, 321-7	4.5	62
129	Connexin-30 mRNA is up-regulated in astrocytes and expressed in apoptotic neuronal cells of rat brain following kainate-induced seizures. <i>Molecular and Cellular Neurosciences</i> , 2002 , 21, 94-113	4.8	62
128	Anticonvulsant effects of carbenoxolone in genetically epilepsy prone rats (GEPRs). <i>Neuropharmacology</i> , 2004 , 47, 1205-16	5.5	61
127	Induction of primary response genes by excitatory amino acid receptor agonists in primary astroglial cultures. <i>Journal of Neurochemistry</i> , 1993 , 60, 877-85	6	61
126	Growth conditions differentially regulate the expression of alpha-amino-3-hydroxy-5-methylisoxazole-4-propionate (AMPA) receptor subunits in cultured neurons. <i>Journal of Neurochemistry</i> , 1993 , 61, 2133-9	6	60
125	Expression of metabotropic glutamate receptors in the rat and human testis. <i>Journal of Endocrinology</i> , 2001 , 170, 71-8	4.7	57
124	Critical role of the transcriptional repressor neuron-restrictive silencer factor in the specific control of connexin36 in insulin-producing cell lines. <i>Journal of Biological Chemistry</i> , 2003 , 278, 53082-9	5.4	55
123	Cellular localization of mGluR3 and mGluR5 mRNAs in normal and injured rat brain. <i>Brain Research</i> , 2007 , 1149, 1-13	3.7	53
122	Characterization of metabotropic glutamate receptors negatively linked to adenylyl cyclase in brain slices. <i>Brain Research</i> , 1993 , 622, 132-8	3.7	53
121	Structural features of the rat GFAP gene and identification of a novel alternative transcript. <i>Journal of Neuroscience Research</i> , 1999 , 56, 219-28	4.4	51
120	The metabotropic glutamate receptor mGlu5 controls the onset of developmental apoptosis in cultured cerebellar neurons. <i>European Journal of Neuroscience</i> , 1998 , 10, 2173-84	3.5	50
119	Antiproliferative terpenoids from almond hulls (<i>Prunus dulcis</i>): identification and structure-activity relationships. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 810-4	5.7	50
118	Glucose represses connexin36 in insulin-secreting cells. <i>Journal of Cell Science</i> , 2005 , 118, 5335-44	5.3	50
117	Fibroblast growth factor-2 and its receptor expression in proliferating precursor cells of the subventricular zone in the adult rat brain. <i>Neuroscience Letters</i> , 2008 , 447, 20-5	3.3	48
116	Metabotropic glutamate receptors in cultured cerebellar granule cells: developmental profile. <i>Journal of Neurochemistry</i> , 1993 , 60, 559-65	6	48

115	Induction of protooncogene fos by extracellular signals in primary glial cell cultures. <i>Journal of Neuroscience Research</i> , 1989 , 23, 234-9	4.4	48
114	Metabotropic glutamate receptor expression in cultured rat astrocytes and human gliomas. <i>Neurochemical Research</i> , 1997 , 22, 1127-33	4.6	46
113	Antiabsence effects of carbenoxolone in two genetic animal models of absence epilepsy (WAG/Rij rats and lh/lh mice). <i>Neuropharmacology</i> , 2005 , 49, 551-63	5.5	46
112	Potentialities of multivariate approaches in genome-based cancer research: identification of candidate genes for new diagnostics by PLS discriminant analysis. <i>Journal of Chemometrics</i> , 2004 , 18, 125-132	1.6	46
111	Spinocerebellar ataxia type 2 in southern Italy: a clinical and molecular study of 30 families. <i>Journal of Neurology</i> , 1999 , 246, 467-71	5.5	46
110	Glutamate receptor-driven activation of transcription factors in primary neuronal cultures. <i>Neurochemical Research</i> , 1994 , 19, 489-99	4.6	45
109	Changes in gene expression of AMPA-selective glutamate receptor subunits induced by status epilepticus in rat brain. <i>Neurochemistry International</i> , 1994 , 25, 367-76	4.4	43
108	Expression of connexin 43 in the human epileptic and drug-resistant cerebral cortex. <i>Neurology</i> , 2011 , 76, 895-902	6.5	42
107	Transcriptome analysis of copper homeostasis genes reveals coordinated upregulation of SLC31A1,SCO1, and COX11 in colorectal cancer. <i>FEBS Open Bio</i> , 2016 , 6, 794-806	2.7	41
106	AMPA-selective glutamate receptor subunits in astroglial cultures. <i>Journal of Neuroscience Research</i> , 1993 , 36, 344-56	4.4	40
105	Effects of menadione, hydrogen peroxide, and quercetin on apoptosis and delayed luminescence of human leukemia Jurkat T-cells. <i>Cell Biochemistry and Biophysics</i> , 2010 , 58, 169-79	3.2	39
104	Activation of excitatory amino acid receptors reduces thymidine incorporation and cell proliferation rate in primary cultures of astrocytes. <i>Glia</i> , 1989 , 2, 67-9	9	39
103	Expression and functional analysis of glutamate receptors in glial cells. <i>Advances in Experimental Medicine and Biology</i> , 1999 , 468, 49-67	3.6	35
102	Altered intercellular communication in lung fibroblast cultures from patients with idiopathic pulmonary fibrosis. <i>Respiratory Research</i> , 2006 , 7, 122	7.3	34
101	An enhanced expression of the immediate early gene, Egr-1, is associated with neuronal apoptosis in culture. <i>Neuroscience</i> , 1999 , 91, 1529-38	3.9	34
100	Tissue-specific DNA methylation patterns of the rat glial fibrillary acidic protein gene. <i>Journal of Neuroscience Research</i> , 1994 , 39, 694-707	4.4	32
99	Comparative effects of estrogens and prolactin on nigral and striatal GAD activity. <i>Brain Research</i> , 1982 , 232, 238-41	3.7	32
98	High levels of connexin 43 mRNA in high grade astrocytomas. Study of 32 cases with in situ hybridization. <i>Acta Histochemica</i> , 2010 , 112, 529-35	2	30

97	Clonal selection of 11q CN-LOH and CBL gene mutation in a serially studied patient during MDS progression to AML. <i>Leukemia Research</i> , 2010 , 34, 1539-42	2.7	30
96	Dihydrobenzofuran Neolignanamides: Laccase-Mediated Biomimetic Synthesis and Antiproliferative Activity. <i>Journal of Natural Products</i> , 2016 , 79, 2122-34	4.9	30
95	Influence of carbenoxolone on the anticonvulsant efficacy of conventional antiepileptic drugs against audiogenic seizures in DBA/2 mice. <i>European Journal of Pharmacology</i> , 2004 , 484, 49-56	5.3	29
94	Clinical and molecular analysis of 11 Sicilian SCA2 families: influence of gender on age at onset. <i>European Journal of Neurology</i> , 1999 , 6, 301-7	6	29
93	The Guanine-Based Purinergic System: The Tale of An Orphan Neuromodulation. <i>Frontiers in Pharmacology</i> , 2016 , 7, 158	5.6	29
92	Networks of motifs from sequences of symbols. <i>Physical Review Letters</i> , 2010 , 105, 178702	7.4	28
91	Platelet-activating factor and its methoxy-analogue ET-18-OCH ₃ stimulate immediate early gene expression in rat astroglial cultures. <i>Neurochemistry International</i> , 1993 , 22, 567-74	4.4	28
90	Bio-inspired benzo[k,l]xanthene lignans: synthesis, DNA-interaction and antiproliferative properties. <i>Organic and Biomolecular Chemistry</i> , 2014 , 12, 2686-701	3.9	27
89	Broad copy neutral-loss of heterozygosity regions and rare recurring copy number abnormalities in normal karyotype-acute myeloid leukemia genomes. <i>Genes Chromosomes and Cancer</i> , 2010 , 49, 1014-23	5	26
88	Effect of epidermal growth factor on the labeling of the various RNA species and of nuclear proteins in primary rat astroglial cell cultures. <i>Journal of Neuroscience Research</i> , 1988 , 20, 54-63	4.4	26
87	Genome-wide analysis of recurrent copy-number alterations and copy-neutral loss of heterozygosity in head and neck squamous cell carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2014 , 43, 20-7	3.3	25
86	Shortcuts in genome-scale cancer pharmacology research from multivariate analysis of the National Cancer Institute gene expression database. <i>Biochemical Pharmacology</i> , 2001 , 62, 547-53	6	23
85	Central motor conduction to lower limb after transcranial magnetic stimulation in spinocerebellar ataxia type 2 (SCA2). <i>Clinical Neurophysiology</i> , 2000 , 111, 630-5	4.3	23
84	Protein synthesis rates in rat brain regions and subcellular fractions during aging. <i>Neurochemical Research</i> , 1988 , 13, 337-42	4.6	23
83	Resveratrol-Related Polymethoxystilbene Glycosides: Synthesis, Antiproliferative Activity, and Glycosidase Inhibition. <i>Journal of Natural Products</i> , 2015 , 78, 2675-83	4.9	22
82	In vitro antitumor activities of 2,6-di-[2-(heteroaryl)vinyl]pyridines and pyridiniums. <i>Bioorganic and Medicinal Chemistry</i> , 2002 , 10, 2899-904	3.4	22
81	Induction of astroglial gene expression by experimental seizures in the rat: spatio-temporal patterns of the early stages. <i>Glia</i> , 1996 , 16, 174-86	9	22
80	Transcriptome analysis reveals an altered expression profile of zinc transporters in colorectal cancer. <i>Journal of Cellular Biochemistry</i> , 2018 , 119, 9707-9719	4.7	21

79	Differential regulation of BDNF and NT-3 mRNA levels in primary cultures of rat cerebellar neurons. <i>Neurochemistry International</i> , 1998 , 32, 87-91	4.4	20
78	NMDA receptor-dependent and -independent immediate early gene expression induced by focal mechanical brain injury. <i>Neurochemistry International</i> , 1995 , 26, 443-53	4.4	20
77	AMPA-selective glutamate receptor subunits in the rat hippocampus during aging. <i>Journal of Neuroscience Research</i> , 1995 , 40, 220-4	4.4	20
76	Pharmacological characterization of metabotropic glutamate receptors in cultured cerebellar granule cells. <i>Neurochemical Research</i> , 1993 , 18, 605-12	4.6	19
75	Detailed analysis of apoptosis and delayed luminescence of human leukemia Jurkat T cells after proton irradiation and treatments with oxidant agents and flavonoids. <i>Oxidative Medicine and Cellular Longevity</i> , 2012 , 2012, 498914	6.7	18
74	Genome-based identification of diagnostic molecular markers for human lung carcinomas by PLS-DA. <i>Computational Biology and Chemistry</i> , 2005 , 29, 183-95	3.6	18
73	In vitro combined treatment with cetuximab and trastuzumab inhibits growth of colon cancer cells. <i>Cell Proliferation</i> , 2014 , 47, 435-47	7.9	17
72	A multivariate insight into the in vitro antitumour screen database of the National Cancer Institute: classification of compounds, similarities among cell lines and the influence of molecular targets. <i>Journal of Computer-Aided Molecular Design</i> , 2001 , 15, 219-34	4.2	17
71	Modulation of the TGF- β -induced epithelial to mesenchymal transition (EMT) mediated by P1 and P2 purine receptors in MDCK cells. <i>Purinergic Signalling</i> , 2017 , 13, 429-442	3.8	16
70	Identification of calcium sensing receptor (CaSR) mRNA-expressing cells in normal and injured rat brain. <i>Brain Research</i> , 2009 , 1298, 24-36	3.7	16
69	A neural-specific hypomethylated domain in the 5Sflanking region of the glial fibrillary acidic protein gene. <i>Developmental Neuroscience</i> , 1997 , 19, 446-56	2.2	16
68	Structure-based rationalization of antitumor drugs mechanism of action by a MIF approach. <i>European Journal of Medicinal Chemistry</i> , 2004 , 39, 281-9	6.8	16
67	GFAPbeta mRNA expression in the normal rat brain and after neuronal injury. <i>Neurochemical Research</i> , 1999 , 24, 709-14	4.6	16
66	Nuclear and mitochondrial DNA synthesis and energy metabolism in primary rat glial cell cultures. <i>Neurochemical Research</i> , 1986 , 11, 789-800	4.6	16
65	Acetylation and phosphorylation of histones and nonhistone chromosomal proteins in neuronal and glial nuclei purified from cerebral hemispheres of developing rat brain. <i>Journal of Neurochemistry</i> , 1986 , 46, 1881-7	6	15
64	Expression of the rat connexin 39 (rCx39) gene in myoblasts and myotubes in developing and regenerating skeletal muscles: an in situ hybridization study. <i>Cell and Tissue Research</i> , 2005 , 320, 299-310 ⁴⁻²	4.2	15
63	Identification and functional expression of HCx31.9, a novel gap junction gene. <i>Cell Communication and Adhesion</i> , 2001 , 8, 173-8		15
62	GFAP gene methylation in different neural cell types from rat brain. <i>International Journal of Developmental Neuroscience</i> , 1999 , 17, 821-8	2.7	15

61	Seizures increase trkC mRNA expression in the dentate gyrus of rat hippocampus. Role of glutamate receptor activation. <i>Journal of Molecular Neuroscience</i> , 1995 , 6, 11-22	3.3	15
60	Chromosomal instability analysis and regional tumor heterogeneity in colon cancer. <i>Cancer Genetics</i> , 2017 , 210, 9-21	2.3	14
59	Neurotoxic injury in rat hippocampus differentially affects multiple trkB and trkC transcripts. <i>Neuroscience Letters</i> , 1995 , 196, 1-4	3.3	14
58	Antioxidant enzymatic activities and resistance to oxidative stress in primary and subcultured rat astroglial cells. <i>International Journal of Developmental Neuroscience</i> , 1989 , 7, 233-41	2.7	14
57	Regulation of connexin gene expression during skeletal muscle regeneration in the adult rat. <i>American Journal of Physiology - Cell Physiology</i> , 2009 , 296, C593-606	5.4	13
56	Cx36 and the function of endocrine pancreas. <i>Cell Communication and Adhesion</i> , 2001 , 8, 387-91		13
55	Temporal kinetics and cellular phenotype of TNF p55/p75 receptors in experimental allergic encephalomyelitis. <i>Journal of Neuroimmunology</i> , 1999 , 95, 19-34	3.5	13
54	Inducible and constitutive transcription factor NF-kappa B-like DNA binding activities in rat brain cells cultured in vitro. <i>Neurochemistry International</i> , 1995 , 26, 173-8	4.4	13
53	Synthesis of the ferrocenyl analogue of clotrimazole drug. <i>Journal of Organometallic Chemistry</i> , 2017 , 830, 56-61	2.3	11
52	Somatic loss of an EXT2 gene mutation during malignant progression in a patient with hereditary multiple osteochondromas. <i>Cancer Genetics</i> , 2015 , 208, 62-7	2.3	11
51	Effect of trophic factors, released after hippocampal injury, on astroglial cell proliferation. <i>Metabolic Brain Disease</i> , 1989 , 4, 41-6	3.9	11
50	Age-dependent changes of nucleic acid labeling in different rat brain regions. <i>Neurochemical Research</i> , 1989 , 14, 701-6	4.6	11
49	Water soluble glucose derivative of thiocarbohydrazone acts as ionophore with cytotoxic effects on tumor cells. <i>Journal of Inorganic Biochemistry</i> , 2018 , 182, 92-102	4.2	10
48	N-benzoxazol-2-yl-NS1-(isoquinolin-3-yl-ethylidene)-hydrazine, a novel compound with antitumor activity, induces radicals and dissipation of mitochondrial membrane potential. <i>Investigational New Drugs</i> , 2009 , 27, 189-202	4.3	10
47	Decreased expression of GRAF1/OPHN-1-L in the X-linked alpha thalassemia mental retardation syndrome. <i>BMC Medical Genomics</i> , 2010 , 3, 28	3.7	10
46	In vitro antiproliferative effect of trastuzumab (Herceptin(®)) combined with cetuximab (Erbiximab(®)) in a model of human non-small cell lung cancer expressing EGFR and HER2. <i>Clinical and Experimental Medicine</i> , 2016 , 16, 161-8	4.9	9
45	Uncovering the Signaling Pathway behind Extracellular Guanine-Induced Activation of NO System: New Perspectives in Memory-Related Disorders. <i>Frontiers in Pharmacology</i> , 2018 , 9, 110	5.6	9
44	Polymorphisms of steroid 5-alpha-reductase type I (SRD5A1) gene are associated to peripheral arterial disease. <i>Journal of Endocrinological Investigation</i> , 2008 , 31, 1092-7	5.2	9

43	Growth conditions differentially affect the constitutive expression of primary response genes in cultured cerebellar granule cells. <i>Neurochemical Research</i> , 1995 , 20, 611-6	4.6	9
42	OPLS-DA as a suitable method for selecting a set of gene transcripts discriminating RAS- and PTPN11-mutated cells in acute lymphoblastic leukaemia. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2011 , 14, 36-46	1.3	8
41	Expression of neurotrophins, GDNF, and their receptors in rat thyroid tissue. <i>Cell and Tissue Research</i> , 1999 , 295, 467-75	4.2	8
40	Gene expression profiles in genome instability-based classes of colorectal cancer. <i>BMC Cancer</i> , 2018 , 18, 1265	4.8	8
39	Positive Caricature Transcriptomic Effects Associated with Broad Genomic Aberrations in Colorectal Cancer. <i>Scientific Reports</i> , 2018 , 8, 14826	4.9	8
38	Fusion Transcripts of Adjacent Genes: New Insights into the World of Human Complex Transcripts in Cancer. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	7
37	Successful Application of OPLS-DA for the Discrimination of Wild-Type and Mutated Cells in Acute Lymphoblastic Leukemia. <i>QSAR and Combinatorial Science</i> , 2009 , 28, 822-828		7
36	Rapid touchdown PCR assay for the molecular diagnosis of spinocerebellar ataxia type 2. <i>International Journal of Clinical and Laboratory Research</i> , 1998 , 28, 174-8		7
35	Identification of genes involved in the sensitivity to antitumour drug 17-allylamino,17-demethoxygeldanamycin (17AAG). <i>Molecular BioSystems</i> , 2006 , 2, 231-9		7
34	DNA methylation in the glial fibrillary acidic protein gene: map of CpG methylation sites and summary of analysis by restriction enzymes and by LMPCR. <i>Journal of Neuroscience Research</i> , 1994 , 39, 708-9	4.4	7
33	Chromosomal Density of Cancer Up-Regulated Genes, Aberrant Enhancer Activity and Cancer Fitness Genes Are Associated with Transcriptional Cis-Effects of Broad Copy Number Gains in Colorectal Cancer. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	6
32	Altered gastrointestinal motility in an animal model of Lesch-Nyhan disease. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2018 , 210, 55-64	2.4	6
31	Can guanine-based purines be considered modulators of intestinal motility in rodents?. <i>European Journal of Pharmacology</i> , 2011 , 650, 350-5	5.3	6
30	Antiproliferative effects induced by guanine-based purines require hypoxanthine-guanine phosphoribosyltransferase activity. <i>Biological Chemistry</i> , 2010 , 391, 1079-89	4.5	6
29	Bioassay-Guided Isolation of Antiproliferative Compounds from Grape (<i>Vitis vinifera</i>) Stems. <i>Natural Product Communications</i> , 2009 , 4, 1934578X0900400	0.9	6
28	Routine clinical application of the FRAXA Pfu PCR assay: limits and utility. <i>Clinical Genetics</i> , 1996 , 50, 366-71	4	6
27	Sulpiride effects on nigral and striatal glutamic acid decarboxylase activity: a possible involvement of prolactin. <i>European Journal of Pharmacology</i> , 1982 , 77, 131-5	5.3	6
26	Gastric ghrelin cells in obese patients are hyperactive. <i>International Journal of Obesity</i> , 2021 , 45, 184-194	5.5	6

25	Synthesis of Bisphenol Neolignans Inspired by Honokiol as Antiproliferative Agents. <i>Molecules</i> , 2020 , 25,	4.8	5
24	ATOX1 gene silencing increases susceptibility to anticancer therapy based on copper ionophores or chelating drugs. <i>Journal of Inorganic Biochemistry</i> , 2016 , 156, 145-52	4.2	5
23	Identification of SCA2 mutation in cases of spinocerebellar ataxia with no family history in mid-eastern Sicily. <i>Italian Journal of Neurological Sciences</i> , 1999 , 20, 217-21		5
22	Liposome antibody-ionophore conjugate antiproliferative activity increases by cellular metallostasis alteration. <i>MedChemComm</i> , 2016 , 7, 2364-2367	5	5
21	ICAM-1 and SRD5A1 gene polymorphisms in symptomatic peripheral artery disease. <i>Vascular Medicine</i> , 2014 , 19, 175-181	3.3	4
20	Effect of EGF on DNA labeling in rat cerebellar immature astrocytes maintained under different culture conditions. Presence or absence of polylysine, serum, or both. <i>Annals of the New York Academy of Sciences</i> , 1991 , 633, 540-2	6.5	4
19	Effects of dopaminergic drugs on cerebellar prostaglandin concentrations. <i>Journal of Neurochemistry</i> , 1983 , 41, 1190-1	6	4
18	Glucagon-like peptide-1 receptor is expressed in human and rodent testis. <i>Andrology</i> , 2020 , 8, 1935-1945	4.2	4
17	Guanosine-Mediated Anxiolytic-Like Effect: Interplay with Adenosine A and A Receptors. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	4
16	NUP-98 Rearrangements Led to the Identification of Candidate Biomarkers for Primary Induction Failure in Pediatric Acute Myeloid Leukemia. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	4
15	Dectin-1 and TIM3 Expression in Deep Vein Thrombosis of Lower Limbs (DVTLL). <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	3
14	Identification of genes involved in radiation-induced G1 arrest. <i>Journal of Chemometrics</i> , 2007 , 21, 398-405	4.5	3
13	ADP-ribosylation of proteins in brain regions of rats during postnatal development. <i>International Journal of Developmental Neuroscience</i> , 1990 , 8, 167-74	2.7	3
12	Possible role of prolactin in the modification of medial basal hypothalamic glutamic acid decarboxylase activity. <i>European Journal of Pharmacology</i> , 1981 , 71, 169-72	5.3	3
11	The Current Practice of Lynch Syndrome Diagnosis and Management in Italy: A Qualitative Assessment. <i>Public Health Genomics</i> , 2019 , 22, 189-207	1.9	3
10	Recent advances in molecular diagnostics of colorectal cancer by genomic arrays: proposal for a procedural shift in biological sampling and pathological report. <i>Italian Journal of Anatomy and Embryology</i> , 2010 , 115, 39-45		3
9	Epidermal growth factor treatment during early postnatal development: glutamine synthetase and glutamate decarboxylase activities in mouse brain. <i>International Journal of Developmental Neuroscience</i> , 1990 , 8, 1-8	2.7	2
8	Juvenile elastoma without germline mutations in LEMD3 gene: A case of Buschke-Ollendorff syndrome?. <i>Pediatric Dermatology</i> , 2017 , 34, e345-e346	1.9	1

7	Distribution and Function of Gap Junction Coupling in Cortical GABAergic Neurons 2013 , 69-82		1
6	Aberrations of Chromosomes 1 and 16 in Breast Cancer: A Framework for Cooperation of Transcriptionally Dysregulated Genes. <i>Cancers</i> , 2021 , 13,	6.6	1
5	Investigating the Role of Guanosine on Human Neuroblastoma Cell Differentiation and the Underlying Molecular Mechanisms. <i>Frontiers in Pharmacology</i> , 2021 , 12, 658806	5.6	1
4	Metabotropic glutamate receptors and neuronal apoptosis in culture. <i>European Neuropsychopharmacology</i> , 1994 , 4, 278-279	1.2	
3	Effects of different doses of apomorphine on GAD activity in rat substantia nigra. <i>Italian Journal of Neurological Sciences</i> , 1981 , 2, 303-6		
2	Transcriptomic Profile Identified a Specific Signature in Children with Acute Myeloid Leukemia (AML) and Primary Induction Failure (PIF): Preliminary Data and Future Perspectives. <i>Blood</i> , 2018 , 132, 5280-5280	2.2	
1	Proteomic and Genomic Profile of High-Risk MDS After Treatment with 5-Azacytidine,. <i>Blood</i> , 2011 , 118, 3818-3818	2.2	