Tyler Pollock

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2546101/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Butyl paraben and propyl paraben modulate bisphenol A and estradiol concentrations in female and male mice. Toxicology and Applied Pharmacology, 2017, 325, 18-24.	2.8	47
2	Factors affecting interpretation of national biomonitoring data from multiple countries: BPA as a case study. Environmental Research, 2019, 173, 318-329.	7.5	36
3	Transfer of [3H]estradiol-17β and [3H]progesterone from conspecifics to cohabiting female mice. Journal of Endocrinology, 2013, 217, 1-10.	2.6	30
4	A mixture of five endocrine-disrupting chemicals modulates concentrations of bisphenol A and estradiol in mice. Chemosphere, 2018, 193, 321-328.	8.2	29
5	Trends in environmental chemical concentrations in the Canadian population: Biomonitoring data from the Canadian Health Measures Survey 2007–2017. Environment International, 2021, 155, 106678.	10.0	29
6	Presence and bioavailability of bisphenol A in the uterus of rats and mice following single and repeated dietary administration at low doses. Reproductive Toxicology, 2014, 49, 145-154.	2.9	27
7	Triclosan elevates estradiol levels in serum and tissues of cycling and peri-implantation female mice. Reproductive Toxicology, 2016, 65, 394-401.	2.9	27
8	Triclosan exacerbates the presence of 14C-bisphenol A in tissues of female and male mice. Toxicology and Applied Pharmacology, 2014, 278, 116-123.	2.8	24
9	Associations among urinary triclosan and bisphenol A concentrations and serum sex steroid hormone measures in the Canadian and U.S. Populations. Environment International, 2021, 146, 106229.	10.0	21
10	Influence of Tetrabromobisphenol A, with or without Concurrent Triclosan, upon Bisphenol A and Estradiol Concentrations in Mice. Environmental Health Perspectives, 2017, 125, 087014.	6.0	18
11	Estradiol transfer from male big brown bats (Eptesicus fuscus) to the reproductive and brain tissues of cohabiting females, and its action as a pheromone. General and Comparative Endocrinology, 2014, 208, 126-133.	1.8	16
12	Absorption and distribution of estradiol from male seminal emissions during mating. Journal of Endocrinology, 2016, 231, 245-257.	2.6	13
13	Exposure Load: Using biomonitoring data to quantify multi-chemical exposure burden in a population. International Journal of Hygiene and Environmental Health, 2021, 234, 113704.	4.3	13
14	Wound healing in the flight membranes of wild big brown bats. Journal of Wildlife Management, 2016, 80, 19-26.	1.8	12
15	Diethylhexyl phthalate magnifies deposition of 14 C-bisphenol A in reproductive tissues of mice. Journal of Applied Toxicology, 2017, 37, 1225-1231.	2.8	10
16	Concentrations of urinary parabens and reproductive hormones in girls 6–17 years living in Canada. International Journal of Hygiene and Environmental Health, 2021, 231, 113633.	4.3	10
17	Bisphenol S modulates concentrations of bisphenol A and oestradiol in female and male mice. Xenobiotica, 2019, 49, 540-548.	1.1	9
18	Progesterone transfer among cohabitating female big brown bats (Eptesicus fuscus). General and Comparative Endocrinology, 2017, 247, 199-204.	1.8	7

Tyler Pollock

#	Article	IF	CITATIONS
19	Seasonal transfer and quantification of urinary estradiol in the big brown bat (Eptesicus fuscus). General and Comparative Endocrinology, 2020, 286, 113321.	1.8	2
20	Acoustical and morphological comparisons between albino and normally-pigmented Jamaican fruit bats (Artibeus jamaicensis). Caribbean Journal of Science, 2020, 50, 1.	0.3	2
21	Quantification of Urinary Sex Steroids in the Big Brown Bat (Eptesicus Fuscus). Physiological and Biochemical Zoology, 2022, 95, 22-34.	1.5	1