

Tyler Pollock

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2546101/publications.pdf>

Version: 2024-02-01

21
papers

383
citations

759233

12
h-index

752698

20
g-index

21
all docs

21
docs citations

21
times ranked

574
citing authors

#	ARTICLE	IF	CITATIONS
1	Quantification of Urinary Sex Steroids in the Big Brown Bat (<i>Eptesicus Fuscus</i>). <i>Physiological and Biochemical Zoology</i> , 2022, 95, 22-34.	1.5	1
2	Associations among urinary triclosan and bisphenol A concentrations and serum sex steroid hormone measures in the Canadian and U.S. Populations. <i>Environment International</i> , 2021, 146, 106229.	10.0	21
3	Concentrations of urinary parabens and reproductive hormones in girls 6–17 years living in Canada. <i>International Journal of Hygiene and Environmental Health</i> , 2021, 231, 113633.	4.3	10
4	Exposure Load: Using biomonitoring data to quantify multi-chemical exposure burden in a population. <i>International Journal of Hygiene and Environmental Health</i> , 2021, 234, 113704.	4.3	13
5	Trends in environmental chemical concentrations in the Canadian population: Biomonitoring data from the Canadian Health Measures Survey 2007–2017. <i>Environment International</i> , 2021, 155, 106678.	10.0	29
6	Seasonal transfer and quantification of urinary estradiol in the big brown bat (<i>Eptesicus fuscus</i>). <i>General and Comparative Endocrinology</i> , 2020, 286, 113321.	1.8	2
7	Acoustical and morphological comparisons between albino and normally-pigmented Jamaican fruit bats (<i>Artibeus jamaicensis</i>). <i>Caribbean Journal of Science</i> , 2020, 50, 1.	0.3	2
8	Bisphenol S modulates concentrations of bisphenol A and oestradiol in female and male mice. <i>Xenobiotica</i> , 2019, 49, 540-548.	1.1	9
9	Factors affecting interpretation of national biomonitoring data from multiple countries: BPA as a case study. <i>Environmental Research</i> , 2019, 173, 318-329.	7.5	36
10	A mixture of five endocrine-disrupting chemicals modulates concentrations of bisphenol A and estradiol in mice. <i>Chemosphere</i> , 2018, 193, 321-328.	8.2	29
11	Butyl paraben and propyl paraben modulate bisphenol A and estradiol concentrations in female and male mice. <i>Toxicology and Applied Pharmacology</i> , 2017, 325, 18-24.	2.8	47
12	Diethylhexyl phthalate magnifies deposition of 14 C-bisphenol A in reproductive tissues of mice. <i>Journal of Applied Toxicology</i> , 2017, 37, 1225-1231.	2.8	10
13	Progesterone transfer among cohabitating female big brown bats (<i>Eptesicus fuscus</i>). <i>General and Comparative Endocrinology</i> , 2017, 247, 199-204.	1.8	7
14	Influence of Tetrabromobisphenol A, with or without Concurrent Triclosan, upon Bisphenol A and Estradiol Concentrations in Mice. <i>Environmental Health Perspectives</i> , 2017, 125, 087014.	6.0	18
15	Triclosan elevates estradiol levels in serum and tissues of cycling and peri-implantation female mice. <i>Reproductive Toxicology</i> , 2016, 65, 394-401.	2.9	27
16	Absorption and distribution of estradiol from male seminal emissions during mating. <i>Journal of Endocrinology</i> , 2016, 231, 245-257.	2.6	13
17	Wound healing in the flight membranes of wild big brown bats. <i>Journal of Wildlife Management</i> , 2016, 80, 19-26.	1.8	12
18	Estradiol transfer from male big brown bats (<i>Eptesicus fuscus</i>) to the reproductive and brain tissues of cohabiting females, and its action as a pheromone. <i>General and Comparative Endocrinology</i> , 2014, 208, 126-133.	1.8	16

#	ARTICLE	IF	CITATIONS
19	Presence and bioavailability of bisphenol A in the uterus of rats and mice following single and repeated dietary administration at low doses. <i>Reproductive Toxicology</i> , 2014, 49, 145-154.	2.9	27
20	Triclosan exacerbates the presence of ¹⁴ C-bisphenol A in tissues of female and male mice. <i>Toxicology and Applied Pharmacology</i> , 2014, 278, 116-123.	2.8	24
21	Transfer of [³ H]estradiol-17 ^β and [³ H]progesterone from conspecifics to cohabiting female mice. <i>Journal of Endocrinology</i> , 2013, 217, 1-10.	2.6	30