

# Hongtan Liu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2546216/publications.pdf>

Version: 2024-02-01

105  
papers

4,436  
citations

109321

35  
h-index

106344

65  
g-index

105  
all docs

105  
docs citations

105  
times ranked

2887  
citing authors

#	ARTICLE	IF	CITATIONS
1	Experimental investigation of reverse voltage phenomenon during galvanostatic start-up of a proton exchange membrane fuel cell. <i>Energy Conversion and Management</i> , 2022, 258, 115386.	9.2	3
2	Laser-perforated anode gas diffusion layers for direct methanol fuel cells. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 17886-17896.	7.1	8
3	Local degradation in proton exchange membrane fuel cells with dead-ended anode. <i>Journal of Power Sources</i> , 2020, 477, 229021.	7.8	23
4	Identification of performance degradations in catalyst layer and gas diffusion layer in proton exchange membrane fuel cells. <i>Journal of Power Sources</i> , 2020, 449, 227580.	7.8	31
5	Performance Enhancements of PEM Fuel Cells with Narrower Outlet Channels in Interdigitated Flow Field. <i>Energy Procedia</i> , 2019, 158, 1412-1417.	1.8	18
6	Dynamic characteristics of internal current during startups/shutdowns in proton exchange membrane fuel cells. <i>International Journal of Energy Research</i> , 2019, 43, 3768-3778.	4.5	9
7	Experimental Studies of Effect of Land Width in PEM Fuel Cells with Serpentine Flow Field and Carbon Cloth. <i>Energies</i> , 2019, 12, 471.	3.1	32
8	Performance Degradation of Proton Exchange Membrane Fuel Cell Caused by an Accelerated Stress Test. <i>Fuel Cells</i> , 2019, 19, 160-168.	2.4	18
9	Error of Darcy's law for serpentine flow fields: Dimensional analysis. <i>Journal of Power Sources</i> , 2019, 412, 391-397.	7.8	15
10	Error of Darcy's law for serpentine flow fields: An analytical approach. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 6686-6695.	7.1	22
11	Highly efficient and reactivated electrocatalyst of ruthenium electrodeposited on nickel foam for hydrogen evolution from NaBH <sub>4</sub> alkaline solution. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 592-600.	7.1	67
12	Different flow fields, operation modes and designs for proton exchange membrane fuel cells with dead-ended anode. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 1769-1780.	7.1	28
13	Effect of pressure difference between adjacent channels in an adjustable flow field in PEM fuel cells. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 4667-4672.	7.1	17
14	Numerical Modeling with Electrochemical Active Area (ECA) Distribution in the Lateral Direction in a PEM Fuel Cell. <i>Energy Procedia</i> , 2017, 105, 1513-1519.	1.8	4
15	Mitigation strategies for hydrogen starvation under dynamic loading in proton exchange membrane fuel cells. <i>Energy Conversion and Management</i> , 2017, 139, 175-181.	9.2	62
16	Degradation mitigation effects of pressure swing in proton exchange membrane fuel cells with dead-ended anode. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 24435-24447.	7.1	18
17	Mechanisms of voltage spikes and mitigation strategies for proton exchange membrane fuel cells with dead-ended anode under pressure swing operation. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 28578-28587.	7.1	11
18	Overall and local effects of operating conditions in PEM fuel cells with dead-ended anode. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 4690-4698.	7.1	51

#	ARTICLE	IF	CITATIONS
19	Effects of carbon corrosion on mass transfer losses in proton exchange membrane fuel cells. International Journal of Hydrogen Energy, 2017, 42, 4699-4705.	7.1	49
20	Mechanisms of reverse current and mitigation strategies in proton exchange membrane fuel cells during startups. International Journal of Hydrogen Energy, 2016, 41, 6469-6475.	7.1	14
21	Numerical Studies of the Effectiveness of Electrodes With Conductive Dots in Flow Batteries. , 2016, , .		0
22	Systematic study on the functions and mechanisms of micro porous layer on water transport in proton exchange membrane fuel cells. International Journal of Hydrogen Energy, 2016, 41, 5063-5073.	7.1	31
23	A polarization model for solid oxide fuel cells with a Bi-layer electrolyte. International Journal of Hydrogen Energy, 2016, 41, 3646-3654.	7.1	11
24	A CFD model for partial oxidation of methane over self-sustained electrochemical promotion catalyst. International Journal of Hydrogen Energy, 2016, 41, 208-218.	7.1	4
25	Fault Diagnosis of Solid Oxide Fuel Cell Based on a Supervised Self-Organization Map Model. Journal of Fuel Cell Science and Technology, 2015, 12, .	0.8	11
26	A study on current overshoot during start-ups and optimal start-up strategy of proton exchange membrane fuel cells. International Journal of Hydrogen Energy, 2015, 40, 7754-7761.	7.1	19
27	Recovery mechanisms in proton exchange membrane fuel cells after accelerated stress tests. Journal of Power Sources, 2015, 296, 327-334.	7.8	38
28	Direct measurement of methanol crossover fluxes under land and channel in direct methanol fuel cells. International Journal of Hydrogen Energy, 2015, 40, 10969-10978.	7.1	8
29	Current Density Variations Under Land and Channel in DMFCs. Energy Procedia, 2014, 61, 2315-2318.	1.8	1
30	Direct measurement of current density under land and two channels in PEM fuel cells with interdigitated flow fields. International Journal of Hydrogen Energy, 2014, 39, 9440-9446.	7.1	13
31	A polarization model for a solid oxide fuel cell with a mixed ionic and electronic conductor as electrolyte. Journal of Power Sources, 2014, 256, 43-51.	7.8	71
32	Effects of passive films on corrosion resistance of uncoated SS316L bipolar plates for proton exchange membrane fuel cell application. Applied Surface Science, 2014, 320, 274-280.	6.1	40
33	Dynamic characteristics and mitigations of hydrogen starvations in proton exchange membrane fuel cells during start-ups. International Journal of Hydrogen Energy, 2014, 39, 12835-12841.	7.1	29
34	Separate measurement of current density under land and channel in Direct Methanol Fuel Cells. Journal of Power Sources, 2014, 246, 899-905.	7.8	16
35	Direct measurement of lateral current density distribution in a PEM fuel cell with a serpentine flow field. International Journal of Hydrogen Energy, 2014, 39, 1449-1456.	7.1	12
36	A method of determining interface methanol concentration in an operating direct methanol fuel cell. Journal of Power Sources, 2014, 256, 183-189.	7.8	3

#	ARTICLE	IF	CITATIONS
37	An analytical model for solid oxide fuel cells with bi-layer electrolyte. International Journal of Hydrogen Energy, 2013, 38, 1967-1975.	7.1	18
38	Modeling the cathode catalyst layer of a Direct Methanol Fuel Cell. Journal of Power Sources, 2013, 243, 195-202.	7.8	31
39	Study of partial oxidation reforming of methane to syngas over self-sustained electrochemical promotion catalyst. International Journal of Hydrogen Energy, 2013, 38, 6391-6396.	7.1	14
40	Theoretical analysis of the characteristics of the solid oxide fuel cells with a bi-layer electrolyte. International Journal of Hydrogen Energy, 2013, 38, 13084-13090.	7.1	7
41	Atomistic Simulation of Interface between Nafion Electrolyte and Pt Catalysts. ECS Transactions, 2013, 58, 57-68.	0.5	1
42	Direct Measurement of the Local Current Density Under Land-Channel Areas With Partially-Catalyzed MEAs. , 2012, , .		0
43	Separate in situ measurements of ECA under land and channel in PEM fuel cells. Journal of Power Sources, 2012, 215, 11-17.	7.8	13
44	Cold pre-compression of membrane electrode assembly for PEM fuel cells. International Journal of Hydrogen Energy, 2012, 37, 13674-13680.	7.1	6
45	In-situ measurements of GDL effective permeability and under-land cross-flow in a PEM fuel cell. International Journal of Hydrogen Energy, 2012, 37, 13725-13730.	7.1	31
46	Factors affecting corrosion behavior of SS316L as bipolar plate material in PEMFC cathode environments. International Journal of Hydrogen Energy, 2012, 37, 13822-13828.	7.1	18
47	A kinetic model for analyzing partial oxidation reforming of heavy hydrocarbon over a novel self-sustained electrochemical promotion catalyst. International Journal of Hydrogen Energy, 2012, 37, 15125-15134.	7.1	7
48	Self-sustained electrochemical promotion catalysts for partial oxidation reforming of heavy hydrocarbons. International Journal of Hydrogen Energy, 2012, 37, 17928-17935.	7.1	23
49	Dynamic characteristics of local current densities and temperatures in proton exchange membrane fuel cells during reactant starvations. International Journal of Hydrogen Energy, 2012, 37, 1884-1892.	7.1	76
50	Influence of fluoride ions on corrosion performance of 316L stainless steel as bipolar plate material in simulated PEMFC anode environments. International Journal of Hydrogen Energy, 2012, 37, 1875-1883.	7.1	28
51	A novel membrane for DMFC " Na 2 Ti 3 O 7 Nanotubes/Nafion ® composite membrane: Performances studies. International Journal of Hydrogen Energy, 2012, 37, 1857-1864.	7.1	31
52	Cold Pre-Compression Treatment of Gas Diffusion Electrode for PEM Fuel Cells. , 2011, , .		0
53	Corrosion characteristics of SS316L as bipolar plate material in PEMFC cathode environments with different acidities. International Journal of Hydrogen Energy, 2011, 36, 1654-1663.	7.1	70
54	Effects of the difference in electrical resistance under the land and channel in a PEM fuel cell. International Journal of Hydrogen Energy, 2011, 36, 1664-1670.	7.1	22

#	ARTICLE	IF	CITATIONS
55	A novel membrane for DMFC - Na <sub>2</sub> Ti <sub>3</sub> O <sub>7</sub> nanotubes/Nafion <sup>®</sup> composite membrane. International Journal of Hydrogen Energy, 2011, 36, 5088-5095.	7.1	24
56	The effect of temperature on corrosion behavior of SS316L in the cathode environment of proton exchange membrane fuel cells. Journal of Power Sources, 2011, 196, 5503-5510.	7.8	26
57	Numerical Analysis of the Cross-Flow Under the Land in a Serpentine Flow Field of a PEM Fuel Cell. , 2011, , .		0
58	Effect of fluoride ions on corrosion behavior of SS316L in simulated proton exchange membrane fuel cell (PEMFC) cathode environments. Journal of Power Sources, 2010, 195, 5651-5659.	7.8	43
59	The effects of excess phosphoric acid in a Polybenzimidazole-based high temperature proton exchange membrane fuel cell. Journal of Power Sources, 2010, 195, 181-184.	7.8	52
60	Simultaneous measurement of current and temperature distributions in a proton exchange membrane fuel cell. Journal of Power Sources, 2010, 195, 3597-3604.	7.8	83
61	Optimization of PEM fuel cell flow field via local current density measurement. International Journal of Hydrogen Energy, 2010, 35, 2144-2150.	7.1	57
62	Effect of cathode catalyst layer thickness on methanol cross-over in a DMFC. Electrochimica Acta, 2010, 56, 600-606.	5.2	36
63	Comparison of current distributions in proton exchange membrane fuel cells with interdigitated and serpentine flow fields. Journal of Power Sources, 2009, 188, 213-219.	7.8	59
64	Direct measurement of current density under the land and channel in a PEM fuel cell with serpentine flow fields. Journal of Power Sources, 2009, 193, 639-648.	7.8	43
65	A Study of dynamic characteristics of PEM fuel cells by measuring local currents. International Journal of Hydrogen Energy, 2009, 34, 5529-5536.	7.1	51
66	In-Situ and Ex-Situ Investigation of Lateral Current Density Variations in a PEM Fuel Cell With Serpentine Flow Field. , 2009, , .		0
67	Separate measurement of current density under the channel and the shoulder in PEM fuel cells. Journal of Power Sources, 2008, 180, 365-372.	7.8	50
68	In situ measurements of water transfer due to different mechanisms in a proton exchange membrane fuel cell. Journal of Power Sources, 2008, 183, 240-246.	7.8	48
69	Measurement of Current Distributions in a PEM Fuel Cell with Interdigitated Flow Field. ECS Transactions, 2007, 11, 1545-1552.	0.5	6
70	In-Situ Measurements of Water Transfer Due to Different Mechanisms in a PEM Fuel Cell. , 2007, , .		0
71	Real time measurements of methanol crossover in a DMFC. Journal of Power Sources, 2007, 164, 166-173.	7.8	115
72	A three-dimensional two-phase flow model for a liquid-fed direct methanol fuel cell. Journal of Power Sources, 2007, 163, 907-915.	7.8	57

#	ARTICLE	IF	CITATIONS
73	Effects of humidification temperatures on local current characteristics in a PEM fuel cell. Journal of Power Sources, 2007, 168, 400-407.	7.8	52
74	An ultrasound enhanced direct methanol fuel cell. Journal of Power Sources, 2007, 164, 90-93.	7.8	7
75	Separate Measurement of Current Density Under the Channel and the Shoulder in PEM Fuel Cells. , 2007, , .		0
76	A two-phase flow and transport model for PEM fuel cells. Journal of Power Sources, 2006, 155, 219-230.	7.8	86
77	A novel technique for measuring current distributions in PEM fuel cells. Journal of Power Sources, 2006, 158, 326-332.	7.8	82
78	Effect of gas diffusion layer compression on PEM fuel cell performance. Journal of Power Sources, 2006, 159, 922-927.	7.8	263
79	A composite visible-light photocatalyst for hydrogen production. Journal of Power Sources, 2006, 159, 1300-1304.	7.8	57
80	A novel composite photocatalyst for water splitting hydrogen production. Journal of Power Sources, 2006, 159, 1305-1309.	7.8	75
81	A three-dimensional mathematical model for liquid-fed direct methanol fuel cells. Journal of Power Sources, 2006, 160, 413-421.	7.8	83
82	Effects of the electrical resistances of the GDL in a PEM fuel cell. Journal of Power Sources, 2006, 161, 444-453.	7.8	84
83	Ab initio simulation on the mechanism of proton transport in water. Journal of Power Sources, 2006, 161, 1420-1427.	7.8	27
84	Two Phase Flow Study in Direct Methanol Fuel Cell. , 2005, , 309.		0
85	Effects of Electrical Resistance of the Gas Diffusion Layer of a PEM Fuel Cell. , 2005, , 249.		0
86	Experimental studies of a direct methanol fuel cell. Journal of Power Sources, 2005, 142, 56-69.	7.8	175
87	PEM fuel cell performance and its two-phase mass transport. Journal of Power Sources, 2005, 143, 125-135.	7.8	85
88	AB Initio Simulation on Grotthuss Mechanism. , 2005, , 449.		1
89	Transport Phenomena Analysis in Proton Exchange Membrane Fuel Cells. Journal of Heat Transfer, 2005, 127, 1363-1379.	2.1	24
90	Performance studies of PEM fuel cells with interdigitated flow fields. Journal of Power Sources, 2004, 134, 185-196.	7.8	118

#	ARTICLE	IF	CITATIONS
91	A 3D model for PEM fuel cells operated on reformat. Journal of Power Sources, 2004, 138, 101-110.	7.8	52
92	A 3D model for PEM fuel cells operated on reformat. International Journal of Pharmaceutics, 2004, 138, 101-101.	5.2	2
93	Performance and Modeling of a Liquid-Fed Direct Methanol Fuel Cell. , 2004, , 233.		0
94	Performance Modeling of PEM Fuel Cell Operated on Reformat. , 2003, , 233.		1
95	Experimental and Modeling Studies of PEM Fuel Cell Performances With Interdigitated Flow Fields. , 2003, , 299.		0
96	Fuel Cell Performance Augmentation: Mass Transfer Enhancement. Journal of Enhanced Heat Transfer, 2003, 10, 257-274.	1.1	8
97	A Parametric Study of PEM Fuel Cell Performances. , 2002, , 139.		4
98	A two-phase flow and transport model for the cathode of PEM fuel cells. International Journal of Heat and Mass Transfer, 2002, 45, 2277-2287.	4.8	372
99	Modeling Research of Exposure to Oil Aerosols During Oil Spills. International Oil Spill Conference Proceedings, 2001, 2001, 413-416.	0.1	1
100	An Analytical Solution of a Half-Cell Model for PEM Fuel Cells. Journal of the Electrochemical Society, 2000, 147, 2468.	2.9	199
101	A Pseudo-Homogeneous Model for Cathode Catalyst Layer of PEM Fuel Cells. , 2000, , .		1
102	3-D Model of Proton Exchange Membrane Fuel Cells. , 2000, , .		5
103	Characteristics and applications of the cold heat exergy of liquefied natural gas. Energy Conversion and Management, 1999, 40, 1515-1525.	9.2	83
104	Two-dimensional model for proton exchange membrane fuel cells. AIChE Journal, 1998, 44, 2410-2422.	3.6	531
105	Mathematical Model for Proton Exchange Membrane Fuel Cells. , 1998, , .		5