

Hyun-Ghang Jeong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2547020/publications.pdf>

Version: 2024-02-01

71
papers

1,712
citations

394286

19
h-index

315616

38
g-index

76
all docs

76
docs citations

76
times ranked

2990
citing authors

#	ARTICLE	IF	CITATIONS
1	Gender discrimination in workplace and depressive symptoms in female employees in South Korea. <i>Journal of Affective Disorders</i> , 2022, 306, 269-275.	2.0	8
2	Association between work-family conflict and depressive symptoms in female workers: An exploration of potential moderators. <i>Journal of Psychiatric Research</i> , 2022, 151, 113-121.	1.5	12
3	Cerebral amyloid accumulation is associated with distinct structural and functional alterations in the brain of depressed elders with mild cognitive impairment. <i>Journal of Affective Disorders</i> , 2021, 281, 459-466.	2.0	14
4	Preferences for life-sustaining treatment in Korean adults: a cross-sectional study. <i>BMJ Open</i> , 2021, 11, e039470.	0.8	1
5	Brain network analysis reveals that amyloidopathy affects comorbid cognitive dysfunction in older adults with depression. <i>Scientific Reports</i> , 2021, 11, 4299.	1.6	3
6	A 9-Year Comparison of Dementia Prevalence in Korea: Results of NaSDEK 2008 and 2017. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 821-831.	1.2	7
7	Long working hours and depressive symptoms: moderation by gender, income, and job status. <i>Journal of Affective Disorders</i> , 2021, 286, 99-107.	2.0	16
8	Additional Reduction of Residual Symptoms with Aripiprazole Augmentation in the Patients with Partially Remitted Major Depressive Disorder. <i>Clinical Psychopharmacology and Neuroscience</i> , 2021, 19, 243-253.	0.9	4
9	Cost-effectiveness of using amyloid positron emission tomography in individuals with mild cognitive impairment. <i>Cost Effectiveness and Resource Allocation</i> , 2021, 19, 50.	0.6	9
10	Association between high-sensitivity C-reactive protein levels and depression: Moderation by age, sex, obesity, and aerobic physical activity. <i>Journal of Affective Disorders</i> , 2021, 291, 375-383.	2.0	10
11	The effects of cerebral amyloidopathy on regional glucose metabolism in older adults with depression and mild cognitive impairment while performing memory tasks. <i>European Journal of Neuroscience</i> , 2021, 54, 6663-6672.	1.2	0
12	Brain amyloid accumulation possibly exacerbates concurrent mild cognitive impairment with subthreshold depression in older adults: A 1-year follow-up study. <i>Journal of Affective Disorders</i> , 2021, 295, 93-100.	2.0	2
13	Decreased Cortical Thickness and Local Gyrfication in Individuals with Subjective Cognitive Impairment. <i>Clinical Psychopharmacology and Neuroscience</i> , 2021, 19, 640-652.	0.9	6
14	A Smartphone App (AnSim) With Various Types and Forms of Messages Using the Transtheoretical Model for Cardiac Rehabilitation in Patients With Coronary Artery Disease: Development and Usability Study. <i>JMIR Medical Informatics</i> , 2021, 9, e23285.	1.3	4
15	Parasympathetic predominance is a risk factor for future depression: A prospective cohort study. <i>Journal of Affective Disorders</i> , 2020, 260, 232-237.	2.0	11
16	“Choosing Wisely”: Apolipoprotein E Genetic Testing for the Diagnosis of Alzheimer’s Disease in Dementia Clinics. <i>Journal of Alzheimer's Disease</i> , 2020, 74, 1253-1260.	1.2	1
17	Low Diastolic Blood Pressure and Cognitive Decline in Korean Elderly People: The Korean Longitudinal Study on Cognitive Aging and Dementia. <i>Psychiatry Investigation</i> , 2020, 17, 21-28.	0.7	5
18	Driving-Related Adverse Events in the Elderly Men: A Population-Based Prospective Cohort Study. <i>Psychiatry Investigation</i> , 2020, 17, 744-750.	0.7	1

#	ARTICLE	IF	CITATIONS
19	Comparison of neurodegenerative types using different brain MRI analysis metrics in older adults with normal cognition, mild cognitive impairment, and Alzheimer's dementia. PLoS ONE, 2019, 14, e0220739.	1.1	14
20	Diffusion tensor imaging reveals abnormal brain networks in elderly subjects with subjective cognitive deficits. Neurological Sciences, 2019, 40, 2333-2342.	0.9	16
21	Association between brain amyloid accumulation and neuropsychological characteristics in elders with depression and mild cognitive impairment. International Journal of Geriatric Psychiatry, 2019, 34, 1907-1915.	1.3	10
22	Usefulness of the 15-item geriatric depression scale (GDS-15) for classifying minor and major depressive disorders among community-dwelling elders. Journal of Affective Disorders, 2019, 259, 370-375.	2.0	70
23	Normal-But-Low Serum Folate Levels and the Risks for Cognitive Impairment. Psychiatry Investigation, 2019, 16, 532-538.	0.7	10
24	Medication Adherence Using Electronic Monitoring in Severe Psychiatric Illness: 4 and 24 Weeks after Discharge. Clinical Psychopharmacology and Neuroscience, 2019, 17, 288-296.	0.9	19
25	P3-390: IDENTIFYING ALTERED BRAIN NETWORKS USING DIFFUSION TENSOR IMAGING IN ELDERLY SUBJECTS WITH SUBJECTIVE COGNITIVE IMPAIRMENT. Alzheimer's and Dementia, 2018, 14, P1246.	0.4	0
26	P2-437: MEASURING CORTICAL THICKNESS AND LOCAL GYRIFICATION INDEX IN INDIVIDUALS WITH SUBJECTIVE COGNITIVE IMPAIRMENT. Alzheimer's and Dementia, 2018, 14, P881.	0.4	0
27	Pharmacotherapy for dementia. Journal of the Korean Medical Association, 2018, 61, 758.	0.1	10
28	P1-600: OVERVIEW OF THE KOREAN LONGITUDINAL STUDY ON COGNITIVE AGING AND DEMENTIA (KLOSCAD): RESULTS OF A 4-YEAR FOLLOW-UP STUDY. Alzheimer's and Dementia, 2018, 14, P568.	0.4	0
29	Regional glucose metabolism due to the presence of cerebral amyloidopathy in older adults with depression and mild cognitive impairment. Journal of Affective Disorders, 2018, 239, 30-36.	2.0	14
30	Gait Variability Can Predict the Risk of Cognitive Decline in Cognitively Normal Older People. Dementia and Geriatric Cognitive Disorders, 2018, 45, 251-261.	0.7	32
31	Effects of lifetime cumulative ginseng intake on cognitive function in late life. Alzheimer's Research and Therapy, 2018, 10, 50.	3.0	11
32	S201. RELATION BETWEEN PSYCHOTROPIC DRUGS AND SEIZURE THRESHOLD IN ELECTROCONVULSIVE THERAPY. Schizophrenia Bulletin, 2018, 44, S403-S404.	2.3	0
33	Overview of the Korean Longitudinal Study on Cognitive Aging and Dementia. Psychiatry Investigation, 2018, 15, 767-774.	0.7	88
34	Association of Up-Regulated Plasma Adiponectin With Risk of Incident Depression in a Community-Dwelling Elderly Population. Journal of Clinical Psychiatry, 2018, 79, .	1.1	4
35	Depression Plays a Moderating Role in the Cognitive Decline Associated With Changes of Brain White Matter Hyperintensities. Journal of Clinical Psychiatry, 2018, 79, .	1.1	14
36	Obstetric risk factors for depression during the postpartum period in South Korea: a nationwide study. Journal of Psychosomatic Research, 2017, 102, 15-20.	1.2	52

#	ARTICLE	IF	CITATIONS
37	Predicting neurocognitive function with hippocampal volumes and <scp>DTI</scp> metrics in patients with Alzheimer's dementia and mild cognitive impairment. <i>Brain and Behavior</i> , 2017, 7, e00766.	1.0	36
38	[P4â€“216]: COMPARISON OF GRAY MATTER VOLUME AND FRACTIONAL ANISOTROPY IN MILD COGNITIVE IMPAIRMENT PATIENTS WITH AND WITHOUT AMYLOIDOPATHY. <i>Alzheimer's and Dementia</i> , 2017, 13, P1350.	0.4	2
39	[P4â€“241]: CORTICAL THICKNESS IN SUBJECTIVE MEMORY IMPAIRMENT, MILD COGNITIVE IMPAIRMENT, AND ALZHEIMER'S DEMENTIA. <i>Alzheimer's and Dementia</i> , 2017, 13, P1367.	0.4	0
40	Cognitive Stimulation as a Therapeutic Modality for Dementia: A Meta-Analysis. <i>Psychiatry Investigation</i> , 2017, 14, 626.	0.7	41
41	Effects of Psychotropic Drugs on Seizure Threshold during Electroconvulsive Therapy. <i>Psychiatry Investigation</i> , 2017, 14, 647.	0.7	8
42	Dehydroepiandrosterone Sulfate Level Varies Nonlinearly with Symptom Severity in Major Depressive Disorder. <i>Clinical Psychopharmacology and Neuroscience</i> , 2017, 15, 163-169.	0.9	11
43	Perspectives on the Happiness of Community-Dwelling Elderly in Korea. <i>Psychiatry Investigation</i> , 2016, 13, 50.	0.7	20
44	Association of tripartite motif family-like 2 (TRIML2) polymorphisms with late-onset Alzheimerâ€™s disease risk in a Korean population. <i>Neuroscience Letters</i> , 2016, 630, 127-131.	1.0	5
45	Characteristics of neurocognitive functions in mild cognitive impairment with depression. <i>International Psychogeriatrics</i> , 2016, 28, 1181-1190.	0.6	15
46	Incidence of and Risk Factors for Alzheimer's Disease and Mild Cognitive Impairment in Korean Elderly. <i>Dementia and Geriatric Cognitive Disorders</i> , 2015, 39, 105-115.	0.7	80
47	Effect of Korean Red Ginseng as an adjuvant treatment for women with residual symptoms of major depression. <i>Asia-Pacific Psychiatry</i> , 2015, 7, 330-336.	1.2	32
48	The impact of 3D and 2D TV watching on neurophysiological responses and cognitive functioning in adults. <i>European Journal of Public Health</i> , 2015, 25, 1047-1052.	0.1	7
49	Epidemiology of MRI-defined vascular depression: A longitudinal, community-based study in Korean elders. <i>Journal of Affective Disorders</i> , 2015, 180, 200-206.	2.0	41
50	Impact of White Matter Lesions on Depression in the Patients with Alzheimer's Disease. <i>Psychiatry Investigation</i> , 2015, 12, 516.	0.7	12
51	Influence of the number and severity of somatic symptoms on the severity of depression and suicidality in community-dwelling elders. <i>Asia-Pacific Psychiatry</i> , 2014, 6, 274-283.	1.2	21
52	P2-338: COGNITIVE STIMULATION AS A THERAPEUTIC MODALITY FOR EARLY DEMENTIA AND MILD COGNITIVE IMPAIRMENT: A META-ANALYSIS STUDY. , 2014, 10, P602-P602.		0
53	P1-390: PHYSICAL ACTIVITY IN INDIVIDUALS WITH DEMENTIA OR MILD COGNITIVE IMPAIRMENT: A META-ANALYSIS STUDY. , 2014, 10, P457-P457.		2
54	The Effectiveness of Cross-Tapering Switching to Ziprasidone in Patients with Schizophrenia or Schizoaffective Disorder. <i>Psychiatry Investigation</i> , 2014, 11, 459.	0.7	1

#	ARTICLE	IF	CITATIONS
55	Suicidal behaviors in elderly Koreans: One-month-point prevalence and factors related to suicidality. <i>Journal of Affective Disorders</i> , 2013, 150, 77-83.	2.0	25
56	The association of psychosocial factors and obstetric history with depression in pregnant women: focus on the role of emotional support. <i>General Hospital Psychiatry</i> , 2013, 35, 354-358.	1.2	72
57	Role of severity and gender in the association between late-life depression and all-cause mortality. <i>International Psychogeriatrics</i> , 2013, 25, 677-684.	0.6	26
58	Diagnosis and treatment of dementia in primary care. <i>Journal of the Korean Medical Association</i> , 2013, 56, 1104.	0.1	15
59	Distinguishing Quantitative Electroencephalogram Findings between Adjustment Disorder and Major Depressive Disorder. <i>Psychiatry Investigation</i> , 2013, 10, 62.	0.7	20
60	A Normative Study of Lexical Verbal Fluency in an Educationally-Diverse Elderly Population. <i>Psychiatry Investigation</i> , 2013, 10, 346.	0.7	18
61	Long-acting Injectable Antipsychotics in First-episode Schizophrenia. <i>Clinical Psychopharmacology and Neuroscience</i> , 2013, 11, 1-6.	0.9	16
62	Changes in sexual function and gonadal axis hormones after switching to aripiprazole in male schizophrenia patients. <i>International Clinical Psychopharmacology</i> , 2012, 27, 177-183.	0.9	15
63	Combination Treatment With Aripiprazole and Valproic Acid for Acute Mania. <i>Clinical Neuropharmacology</i> , 2012, 35, 97-102.	0.2	9
64	Impact of alcohol use on mortality in the elderly: Results from the Korean Longitudinal Study on Health and Aging. <i>Drug and Alcohol Dependence</i> , 2012, 121, 133-139.	1.6	13
65	Symptom severity and attitudes toward medication: Impacts on adherence in outpatients with schizophrenia. <i>Schizophrenia Research</i> , 2012, 134, 226-231.	1.1	105
66	Normative study of the category fluency test (CFT) from nationwide data on community-dwelling elderly in Korea. <i>Archives of Gerontology and Geriatrics</i> , 2012, 54, 305-309.	1.4	10
67	Gray matter abnormalities in patients with premenstrual dysphoric disorder: An optimized voxel-based morphometry. <i>Journal of Affective Disorders</i> , 2012, 140, 260-267.	2.0	33
68	Plasma adiponectin elevation in elderly individuals with subsyndromal depression. <i>Psychoneuroendocrinology</i> , 2012, 37, 948-955.	1.3	40
69	Short-Term Testosterone Augmentation in Male Schizophrenics. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 375-383.	0.7	52
70	Imbalance between pro-inflammatory and anti-inflammatory cytokines in bipolar disorder. <i>Journal of Affective Disorders</i> , 2007, 104, 91-95.	2.0	334
71	Association between serum testosterone levels and the severity of negative symptoms in male patients with chronic schizophrenia. <i>Psychoneuroendocrinology</i> , 2007, 32, 385-391.	1.3	72