Dalila Venzke

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2547252/publications.pdf

Version: 2024-02-01

1039406 887659 21 313 9 17 citations h-index g-index papers 21 21 21 485 citing authors all docs docs citations times ranked

#	Article	IF	CITATIONS
1	Sterols in red macroalgae from antarctica: extraction and quantification by Gas Chromatography–Mass spectrometry. Polar Biology, 2021, 44, 987-995.	0.5	3
2	Lavandula angustifolia essential oil inhalation reduces mechanical hyperalgesia in a model of inflammatory and neuropathic pain: The involvement of opioid and cannabinoid receptors. Journal of Neuroimmunology, 2020, 340, 577145.	1.1	19
3	Dihydrostyryl-2-pyrone as a chemical marker of three non-xanthone-producing Polygala species (Polygalaceae). Biochemical Systematics and Ecology, 2020, 90, 104034.	0.6	2
4	APLICAÇÃ f O DE CONDIMENTOS NA REVELAÇÃ f O DE IMPRESSÕES DIGITAIS LATENTES: UM EXPERIMENTO NO ENSINO DE QUÃMICA. Quimica Nova, 2019, , .	0.3	3
5	A new xanthone as a chemical marker of four Polygala species (Polygalaceae). Biochemical Systematics and Ecology, 2018, 78, 46-48.	0.6	4
6	Phytochemical and chemotaxonomic study of Polygala altomontana (Polygalaceae). Biochemical Systematics and Ecology, 2018, 77, 1-3.	0.6	7
7	Bisâ€Pyrano Prenyl Isoflavone Improves Glucose Homeostasis by Inhibiting Dipeptidyl Peptidaseâ€4 in Hyperglycemic Rats. Journal of Cellular Biochemistry, 2017, 118, 92-103.	1.2	8
8	Inhibition of the NF-κB and p38 MAPK pathways by scopoletin reduce the inflammation caused by carrageenan in the mouse model of pleurisy. Immunopharmacology and Immunotoxicology, 2016, 38, 344-352.	1.1	15
9	Antinociceptive effect of hydroalcoholic extract and isoflavone isolated from Polygala molluginifolia in mice: evidence for the involvement of opioid receptors and TRPV1 and TRPA1 channels. Phytomedicine, 2016, 23, 429-440.	2.3	15
10	7-prenyloxi-6-methoxycoumarin from Polygala sabulosa A.W. Bennett Regulates p38 MAPK and NF-kB Pathways Inhibiting the Inflammation Induced by Carrageenan in the Mouse Model of Pleurisy. Inflammation and Allergy: Drug Targets, 2015, 14, 37-46.	1.8	9
11	Pharmacological evidence favouring the traditional use of the root bark of Condalia buxifolia Reissek in the relief of pain and inflammation in mice. Journal of Ethnopharmacology, 2015, 175, 370-377.	2.0	9
12	Ameliorative potential of standardized fruit extract of Pterodon pubescens Benth on neuropathic pain in mice: Evidence for the mechanisms of action. Journal of Ethnopharmacology, 2015, 175, 273-286.	2.0	17
13	Inhalation of Cedrus atlantica essential oil alleviates pain behavior through activation of descending pain modulation pathways in a mouse model of postoperative pain. Journal of Ethnopharmacology, 2015, 175, 30-38.	2.0	25
14	Polygala molluginifolia A. StHil. and Moq. prevent inflammation in the mouse pleurisy model by inhibiting NF-ÎB activation. International Immunopharmacology, 2014, 19, 334-341.	1.7	13
15	PAMPA Permeability, Acetylcholinesterase Inhibition and Antioxidant Activity of Pyranoisoflavones from <i>Polygala molluginifolia</i> (Polygalaceae). Journal of the Brazilian Chemical Society, 2013, , .	0.6	3
16	SÃntese de heterociclos bioativos derivados do ferroceno. Quimica Nova, 2013, 36, 143-152.	0.3	9
17	Ultrasound-assisted synthesis of aliphatic acid esters at room temperature. Ultrasonics Sonochemistry, 2012, 19, 387-389.	3.8	29
18	Cultivation of algae in photobioreator and obtention of biodiesel. Revista Brasileira De Farmacognosia, 2011, 21, 361-364.	0.6	7

Dalila Venzke

#	Article	IF	CITATIONS
19	Ultrasound promoted greener synthesis of 2-(3,5-diaryl-4,5-dihydro-1H-pyrazol-1-yl)-4-phenylthiazoles. Ultrasonics Sonochemistry, 2011, 18, 370-374.	3.8	32
20	Efficient sonochemical synthesis of novel 3,5-diaryl-4,5-dihydro-1H-pyrazole-1-carboximidamides. Ultrasonics Sonochemistry, 2010, 17, 34-37.	3.8	75
21	Preparation of trichloroacetoamidoxime in aqueous media and application in one pot synthesis of 1,2,4-oxadiazoles. Arkivoc, 2009, 2009, 1-7.	0.3	9