

Bijan Najafi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2548129/bijan-najafi-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

232
papers

7,650
citations

47
h-index

79
g-index

273
ext. papers

9,200
ext. citations

3.4
avg, IF

6.36
L-index

#	Paper	IF	Citations
232	Smart Offloading Boot System for Remote Patient Monitoring: Toward Adherence Reinforcement and Proper Physical Activity Prescription for Diabetic Foot Ulcer Patients.. <i>Journal of Diabetes Science and Technology</i> , 2022 , 19322968211070850	4.1	3
231	Decomposition of the interaction energy of several flavonoids with Escherichia coli DNA Gyr using the SAPT (DFT) method: The relation between the interaction energy components, ligand structure, and biological activity.. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2022 , 1866, 130111	4	1
230	How should clinical wound care and management translate to effective engineering standard testing requirements from foam dressings? Mapping the existing gaps and needs.. <i>Advances in Wound Care</i> , 2022 ,	4.8	2
229	Phenotypic frailty in people living with HIV is not correlated with age or immunosenescence.. <i>International Journal of STD and AIDS</i> , 2022 , 9564624221091455	1.4	
228	The Promise and Hurdles of Telemedicine in Diabetes Foot Care Delivery 2021 , 455-470		
227	Wearable technology: A promising opportunity to improve inpatient psychiatry safety and outcomes. <i>Journal of Psychiatric Research</i> , 2021 , 135, 104-106	5.2	2
226	Effect of Workstation Type on the Relationship Between Fatigue, Physical Activity, Stress, and Sleep. <i>Journal of Occupational and Environmental Medicine</i> , 2021 , 63, e103-e110	2	1
225	Harnessing Digital Health Technologies to Remotely Manage Diabetic Foot Syndrome: A Narrative Review. <i>Medicina (Lithuania)</i> , 2021 , 57,	3.1	7
224	Decrease in Mobility during the COVID-19 Pandemic and Its Association with Increase in Depression among Older Adults: A Longitudinal Remote Mobility Monitoring Using a Wearable Sensor. <i>Sensors</i> , 2021 , 21,	3.8	12
223	A Wrist-Worn Sensor-Derived Frailty Index Based on an Upper-Extremity Functional Test in Predicting Functional Mobility in Older Adults. <i>Gerontology</i> , 2021 , 67, 753-761	5.5	1
222	Evaluation of Motor and Cognitive Performance in People with Parkinson@ Disease Using Instrumented Trail-Making Test. <i>Gerontology</i> , 2021 , 1-7	5.5	0
221	Digital Biomarker Representing Frailty Phenotypes: The Use of Machine Learning and Sensor-Based Sit-to-Stand Test. <i>Sensors</i> , 2021 , 21,	3.8	2
220	Digital Biomarkers of Cognitive Frailty: The Value of Detailed Gait Assessment Beyond Gait Speed. <i>Gerontology</i> , 2021 , 1-10	5.5	0
219	Should weight-bearing activity be reduced during healing of plantar diabetic foot ulcers, even when using appropriate offloading devices?. <i>Diabetes Research and Clinical Practice</i> , 2021 , 175, 108733	7.4	6
218	Utilization of Flexible-Wearable Sensors to Describe the Kinematics of Surgical Proficiency. <i>Journal of Surgical Research</i> , 2021 , 262, 149-158	2.5	2
217	Toward Remote Assessment of Physical Frailty Using Sensor-based Sit-to-stand Test. <i>Journal of Surgical Research</i> , 2021 , 263, 130-139	2.5	6
216	The detrimental association between fear of falling and motor performance in older cancer patients with chemotherapy-induced peripheral neuropathy. <i>Gait and Posture</i> , 2021 , 88, 161-166	2.6	1

215	Later sleep timing predicts accelerated summer weight gain among elementary school children: a prospective observational study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021 , 18, 94	8.4	3
214	Mobility Performance in Community-Dwelling Older Adults: Potential Digital Biomarkers of Concern about Falling. <i>Gerontology</i> , 2021 , 67, 365-373	5.5	4
213	Cognitive-motor dual-task gait training within 3 years after stroke: A randomized controlled trial. <i>Physiotherapy Theory and Practice</i> , 2021 , 1-16	1.5	3
212	Harnessing digital health to objectively assess cancer-related fatigue: The impact of fatigue on mobility performance. <i>PLoS ONE</i> , 2021 , 16, e0246101	3.7	0
211	Dosing Activity and Return to Preulcer Function in Diabetes-Related Foot Ulcer Remission. <i>Journal of the American Podiatric Medical Association</i> , 2021 , 111,	1	2
210	Home-Based Electrical Stimulation to Accelerate Wound Healing-A Double-Blinded Randomized Control Trial. <i>Journal of Diabetes Science and Technology</i> , 2021 , 19322968211035128	4.1	1
209	Digital Biomarkers of Physical Frailty and Frailty Phenotypes Using Sensor-Based Physical Activity and Machine Learning. <i>Sensors</i> , 2021 , 21,	3.8	1
208	Improvement of Disability in Neurogenic Thoracic Outlet Syndrome by Robotic First Rib Resection. <i>Annals of Thoracic Surgery</i> , 2021 ,	2.7	1
207	Novel assessment of leukocyte-rich platelet-rich plasma on functional and patient-reported outcomes in knee osteoarthritis: a pilot study. <i>Regenerative Medicine</i> , 2021 , 16, 823-832	2.5	1
206	Safety of robotic first rib resection for thoracic outlet syndrome. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2021 , 162, 1297-1305.e1	1.5	8
205	Continuous Diffusion of Oxygen Adjunct Therapy to Improve Scar Reduction after Cervicotomy - A Proof of Concept Randomized Controlled Trial. <i>Journal of Surgical Research</i> , 2021 , 268, 585-594	2.5	
204	Harnessing Digital Health to Objectively Assess Functional Performance in Veterans with Chronic Obstructive Pulmonary Disease. <i>Gerontology</i> , 2021 , 1-11	5.5	0
203	Post the Pandemic: How will COVID-19 Transform Diabetic Foot Disease Management?. <i>Journal of Diabetes Science and Technology</i> , 2020 , 14, 764-766	4.1	8
202	Digital foot care leveraging digital health to extend ulcer-free days in remission 2020 , 179-194		1
201	Application of Wearables to Facilitate Virtually Supervised Intradialytic Exercise for Reducing Depression Symptoms. <i>Sensors</i> , 2020 , 20,	3.8	8
200	Does the Presence of Cognitive Impairment Exacerbate the Risk of Falls in People with Peripheral Neuropathy? An Application of Body-Worn Inertial Sensors to Measure Gait Variability. <i>Sensors</i> , 2020 , 20,	3.8	5
199	The impact of diabetic foot ulcers and unilateral offloading footwear on gait in people with diabetes. <i>Clinical Biomechanics</i> , 2020 , 73, 157-161	2.2	9
198	Sensor-Based Daily Physical Activity: Towards Prediction of the Level of Concern about Falling in Peripheral Neuropathy. <i>Sensors</i> , 2020 , 20,	3.8	8

197	Attentional prioritization in dual-task walking: Effects of stroke, environment, and instructed focus. <i>Gait and Posture</i> , 2020 , 79, 3-9	2.6	6
196	Toward Using Wearables to Remotely Monitor Cognitive Frailty in Community-Living Older Adults: An Observational Study. <i>Sensors</i> , 2020 , 20,	3.8	14
195	Impact Of Pain Suppression On Three-dimensional Gait Kinematics In Knee Osteoarthritis Patients. <i>Medicine and Science in Sports and Exercise</i> , 2020 , 52, 348-349	1.2	
194	Harnessing Digital Health To Objectively Assess Motor Capacity In Patient With Chronic Obstructive Pulmonary Disease. <i>Medicine and Science in Sports and Exercise</i> , 2020 , 52, 296-296	1.2	
193	Continuous monitoring of mobility performance trajectory in patients receiving chemotherapy.. <i>Journal of Clinical Oncology</i> , 2020 , 38, e14104-e14104	2.2	0
192	Objective measurement of sleep, heart rate, heart rate variability, and physical activity in suicidality: A systematic review. <i>Journal of Affective Disorders</i> , 2020 , 273, 318-327	6.6	7
191	Wellbuilt for wellbeing: Controlling relative humidity in the workplace matters for our health. <i>Indoor Air</i> , 2020 , 30, 167-179	5.4	16
190	Leveraging smart technologies to improve the management of diabetic foot ulcers and extend ulcer-free days in remission. <i>Diabetes/Metabolism Research and Reviews</i> , 2020 , 36 Suppl 1, e3239	7.5	21
189	Digital health for monitoring and managing hard-to-heal wounds 2020 , 129-158		3
188	Wearable Sensor-Based Digital Biomarker to Estimate Chest Expansion During Sit-to-Stand Transitions-A Practical Tool to Improve Sternal Precautions in Patients Undergoing Median Sternotomy. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2020 , 28, 165-173	4.8	3
187	Lower-Limb Factors Associated with Balance and Falls in Older Adults: A Systematic Review and Clinical Synthesis. <i>Journal of the American Podiatric Medical Association</i> , 2020 , 110,	1	6
186	Characteristics of the gait initiation phase in older adults with diabetic peripheral neuropathy compared to control older adults. <i>Clinical Biomechanics</i> , 2020 , 72, 155-160	2.2	13
185	Endovascular Therapy in an "All-Comers" Risk Group for Chronic Limb-Threatening Ischemia Demonstrates Safety and Efficacy When Compared with the Established Performance Criteria Proposed by the Society for Vascular Surgery. <i>Annals of Vascular Surgery</i> , 2020 , 67, 425-436	1.7	4
184	The Therapeutic Efficacy Of Platelet-Rich Plasma On Gait And Balance In Patients With Knee Osteoarthritis. <i>Medicine and Science in Sports and Exercise</i> , 2020 , 52, 349-349	1.2	
183	The Potential Role of Sensors, Wearables and Telehealth in the Remote Management of Diabetes-Related Foot Disease. <i>Sensors</i> , 2020 , 20,	3.8	14
182	Remote Physical Frailty Monitoring-The Application of Deep Learning-Based Image Processing in Tele-Health. <i>IEEE Access</i> , 2020 , 8, 219391-219399	3.5	2
181	Harnessing digital health to objectively assess cognitive impairment in people undergoing hemodialysis process: The Impact of cognitive impairment on mobility performance measured by wearables. <i>PLoS ONE</i> , 2020 , 15, e0225358	3.7	4
180	Association Between Wearable Device-Based Measures of Physical Frailty and Major Adverse Events Following Lower Extremity Revascularization. <i>JAMA Network Open</i> , 2020 , 3, e2020161	10.4	7

179	Smart Technology for the Diabetic Foot in Remission 2020 , 201-224		3
178	Harnessing digital health to objectively assess cognitive impairment in people undergoing hemodialysis process: The Impact of cognitive impairment on mobility performance measured by wearables 2020 , 15, e0225358		
177	Harnessing digital health to objectively assess cognitive impairment in people undergoing hemodialysis process: The Impact of cognitive impairment on mobility performance measured by wearables 2020 , 15, e0225358		
176	Harnessing digital health to objectively assess cognitive impairment in people undergoing hemodialysis process: The Impact of cognitive impairment on mobility performance measured by wearables 2020 , 15, e0225358		
175	Harnessing digital health to objectively assess cognitive impairment in people undergoing hemodialysis process: The Impact of cognitive impairment on mobility performance measured by wearables 2020 , 15, e0225358		
174	Using wearables to screen motor performance deterioration because of cancer and chemotherapy-induced peripheral neuropathy (CIPN) in adults - Toward an early diagnosis of CIPN. <i>Journal of Geriatric Oncology</i> , 2019 , 10, 960-967	3.6	19
173	Gait Test or No Gait Test: Do We Need Walking Assessment to Determine Physical Frailty?. <i>Gerontology</i> , 2019 , 65, 311-312	5.5	2
172	Daily Use of Bilateral Custom-Made Ankle-Foot Orthoses for Fall Prevention in Older Adults: A Randomized Controlled Trial. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 1656-1661	5.6	6
171	Molecular dynamics simulations of nano-confined methanol and methanol-water mixtures between infinite graphite plates: Structure and dynamics. <i>Journal of Chemical Physics</i> , 2019 , 150, 144510	3.9	3
170	Measuring Plantar Tissue Stress in People With Diabetic Peripheral Neuropathy: A Critical Concept in Diabetic Foot Management. <i>Journal of Diabetes Science and Technology</i> , 2019 , 13, 869-880	4.1	39
169	The Effect of Daily Use of Plantar Mechanical Stimulation Through Micro-Mobile Foot Compression Device Installed in Shoe Insoles on Vibration Perception, Gait, and Balance in People With Diabetic Peripheral Neuropathy. <i>Journal of Diabetes Science and Technology</i> , 2019 , 13, 847-856	4.1	10
168	The association between motor capacity and mobility performance: frailty as a moderator. <i>European Review of Aging and Physical Activity</i> , 2019 , 16, 16	6.5	11
167	CHARACTERISTICS OF THE GAIT INITIATION PHASE IN OLDER ADULTS WITH DIABETIC PERIPHERAL NEUROPATHY. <i>Innovation in Aging</i> , 2019 , 3, S474-S474	0.1	78
166	DETECTION OF FORWARD PROPULSION USING A SINGLE ACCELEROMETER DURING WALKING IN OLDER POPULATION. <i>Innovation in Aging</i> , 2019 , 3, S333-S333	0.1	78
165	AN INNOVATIVE PLATFORM BASED ON WEARABLE SENSOR TO QUANTIFY FRAILTY PHENOTYPES. <i>Innovation in Aging</i> , 2019 , 3, S683-S684	0.1	78
164	OPERATIONALIZING THE FRAILTY INDEX BASED ON WEARABLE SENSOR TO ASSESS FUNCTIONAL PERFORMANCE IN OLDER ADULTS. <i>Innovation in Aging</i> , 2019 , 3, S680-S680	0.1	78
163	GAIT UNSTEADINESS AS AN INDICATOR OF COGNITIVE STATUS IN INDIVIDUALS WITH PERIPHERAL NEUROPATHY. <i>Innovation in Aging</i> , 2019 , 3, S845-S845	0.1	78
162	Instrumented Trail-Making Task: Application of Wearable Sensor to Determine Physical Frailty Phenotypes. <i>Gerontology</i> , 2019 , 65, 186-197	5.5	12

161	Effectiveness of Daily Use of Bilateral Custom-Made Ankle-Foot Orthoses on Balance, Fear of Falling, and Physical Activity in Older Adults: A Randomized Controlled Trial. <i>Gerontology</i> , 2019 , 65, 299-307	5.5	21
160	Diffusion Tensor Imaging of the Ankle as a Possible Predictor of Chemotherapy Induced Peripheral Neuropathy: Pilot Study. <i>Current Problems in Diagnostic Radiology</i> , 2019 , 48, 121-126	1.6	3
159	Energy decomposition analysis of the intermolecular interaction energy between different gas molecules (H ₂ , O ₂ , H ₂ O, N ₂ , CO ₂ , H ₂ S, and CO) and selected Li ⁺ -doped graphitic molecules: DF-SAPT (DFT) calculations. <i>Theoretical Chemistry Accounts</i> , 2018 , 137, 1	1.9	1
158	Relationship Between Dual-Task Gait Speed and Walking Activity Poststroke. <i>Stroke</i> , 2018 , 49, 1296-1298	3.7	11
157	Health Sensors, Smart Home Devices, and the Internet of Medical Things: An Opportunity for Dramatic Improvement in Care for the Lower Extremity Complications of Diabetes. <i>Journal of Diabetes Science and Technology</i> , 2018 , 12, 577-586	4.1	89
156	Pilot study evaluating the efficacy of exergaming for the prevention of deep venous thrombosis. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , 2018 , 6, 146-153	3.2	1
155	Exercise Programs to Improve Quality of Life and Reduce Fall Risk in Diabetic Patients with Lower Extremity Disease. <i>Contemporary Diabetes</i> , 2018 , 307-318	0	
154	Foot Problems in Older Adults. <i>Journal of the American Podiatric Medical Association</i> , 2018 , 108, 126-139	1	37
153	Motor Planning Error: Toward Measuring Cognitive Frailty in Older Adults Using Wearables. <i>Sensors</i> , 2018 , 18,	3.8	15
152	Wearable Sensors and the Assessment of Frailty among Vulnerable Older Adults: An Observational Cohort Study. <i>Sensors</i> , 2018 , 18,	3.8	41
151	Toward Smart Footwear to Track Frailty Phenotypes-Using Propulsion Performance to Determine Frailty. <i>Sensors</i> , 2018 , 18,	3.8	12
150	The effect of curvature of Li-doped polycyclic hydrocarbon on its interaction energy with H ₂ and H ₂ O: DF-SAPT (DFT) calculation. <i>Structural Chemistry</i> , 2018 , 29, 1745-1751	1.8	1
149	Effects of office workstation type on physical activity and stress. <i>Occupational and Environmental Medicine</i> , 2018 , 75, 689-695	2.1	40
148	Advanced therapies in wound management: cell and tissue based therapies, physical and bio-physical therapies smart and IT based technologies. <i>Journal of Wound Care</i> , 2018 , 27, S1-S137	2.2	33
147	Cost effectiveness of smart insoles in preventing ulcer recurrence for people in diabetic foot remission 2018 , 1,		2
146	Accuracy of Daily Foot Temperature Monitoring for Patients with Recently Healed Diabetic Foot Ulcers or History of Amputation. <i>Diabetes</i> , 2018 , 67, 114-OR	0.9	1
145	Toward Using a Smartwatch to Monitor Frailty in a Hospital Setting: Using a Single Wrist-Wearable Sensor to Assess Frailty in Bedbound Inpatients. <i>Gerontology</i> , 2018 , 64, 389-400	5.5	23
144	Effects of Wearable Sensor-Based Balance and Gait Training on Balance, Gait, and Functional Performance in Healthy and Patient Populations: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>Gerontology</i> , 2018 , 64, 74-89	5.5	54

143	Hemodialysis Impact on Motor Function beyond Aging and Diabetes-Objectively Assessing Gait and Balance by Wearable Technology. <i>Sensors</i> , 2018 , 18,	3.8	22
142	The Effect of Pain Relief on Daily Physical Activity: In-Home Objective Physical Activity Assessment in Chronic Low Back Pain Patients after Paravertebral Spinal Block. <i>Sensors</i> , 2018 , 18,	3.8	5
141	Designing Interiors to Mitigate Physical and Cognitive Deficits Related to Aging and to Promote Longevity in Older Adults: A Review. <i>Gerontology</i> , 2018 , 64, 612-622	5.5	15
140	Potential Applications of Smart Multifunctional Wearable Materials to Gerontology. <i>Gerontology</i> , 2017 , 63, 287-298	5.5	28
139	Smarter Sole Survival: Will Neuropathic Patients at High Risk for Ulceration Use a Smart Insole-Based Foot Protection System?. <i>Journal of Diabetes Science and Technology</i> , 2017 , 11, 702-713	4.1	41
138	Using Plantar Electrical Stimulation to Improve Postural Balance and Plantar Sensation Among Patients With Diabetic Peripheral Neuropathy: A Randomized Double Blinded Study. <i>Journal of Diabetes Science and Technology</i> , 2017 , 11, 693-701	4.1	24
137	Lace Up for Healthy Feet: The Impact of Shoe Closure on Plantar Stress Response. <i>Journal of Diabetes Science and Technology</i> , 2017 , 11, 678-684	4.1	15
136	Feasibility and Efficacy of a Smart Mat Technology to Predict Development of Diabetic Plantar Ulcers. <i>Diabetes Care</i> , 2017 , 40, 973-980	14.6	75
135	Can@Stand the Pressure: The Association Between Unprotected Standing, Walking, and Wound Healing in People With Diabetes. <i>Journal of Diabetes Science and Technology</i> , 2017 , 11, 657-667	4.1	40
134	Does Physiological Stress Slow Down Wound Healing in Patients With Diabetes?. <i>Journal of Diabetes Science and Technology</i> , 2017 , 11, 685-692	4.1	16
133	Instrumented Trail-Making Task to Differentiate Persons with No Cognitive Impairment, Amnestic Mild Cognitive Impairment, and Alzheimer Disease: A Proof of Concept Study. <i>Gerontology</i> , 2017 , 63, 189-200	5.5	22
132	The Impact of Mild Cognitive Impairment on Gait and Balance: A Systematic Review and Meta-Analysis of Studies Using Instrumented Assessment. <i>Gerontology</i> , 2017 , 63, 67-83	5.5	147
131	An Optical-Fiber-Based Smart Textile (Smart Socks) to Manage Biomechanical Risk Factors Associated With Diabetic Foot Amputation. <i>Journal of Diabetes Science and Technology</i> , 2017 , 11, 668-677	4.1	47
130	Postural Transitions during Activities of Daily Living Could Identify Frailty Status: Application of Wearable Technology to Identify Frailty during Unsupervised Condition. <i>Gerontology</i> , 2017 , 63, 479-487	5.5	25
129	Upper-Extremity Function Predicts Adverse Health Outcomes among Older Adults Hospitalized for Ground-Level Falls. <i>Gerontology</i> , 2017 , 63, 299-307	5.5	25
128	Assessing upper-extremity motion: An innovative method to quantify functional capacity in patients with chronic obstructive pulmonary disease. <i>PLoS ONE</i> , 2017 , 12, e0172766	3.7	14
127	Activity Monitoring and Heart Rate Variability as Indicators of Fall Risk: Proof-of-Concept for Application of Wearable Sensors in the Acute Care Setting. <i>Journal of Gerontological Nursing</i> , 2017 , 43, 53-62	1.2	18
126	Novel In-Shoe Exoskeleton for Offloading of Forefoot Pressure for Individuals With Diabetic Foot Pathology. <i>Journal of Diabetes Science and Technology</i> , 2017 , 11, 874-882	4.1	9

125	Improving Sleep Quality Assessment Using Wearable Sensors by Including Information From Postural/Sleep Position Changes and Body Acceleration: A Comparison of Chest-Worn Sensors, Wrist Actigraphy, and Polysomnography. <i>Journal of Clinical Sleep Medicine</i> , 2017 , 13, 1301-1310	3.1	30
124	Prediction of the Thermal Conductivity of Refrigerants by Computational Methods and Artificial Neural Network. <i>Frontiers in Chemistry</i> , 2017 , 5, 99	5	4
123	Postural Balance Parameters as Objective Surgical Assessments in Low Back Disorders: A Systematic Review. <i>Journal of Applied Biomechanics</i> , 2016 , 32, 316-23	1.2	7
122	Alterations in gait parameters with peripheral artery disease: The importance of pre-frailty as a confounding variable. <i>Vascular Medicine</i> , 2016 , 21, 520-527	3.3	11
121	Effect of Custom Foot Insoles on Postural Stability in Figure Skaters While on Ice. <i>Journal of Sport Rehabilitation</i> , 2016 , 25, 255-62	1.7	2
120	Paravertebral spinal injection for the treatment of patients with degenerative facet osteoarthropathy: Evidence of motor performance improvements based on objective assessments. <i>Clinical Biomechanics</i> , 2016 , 39, 100-108	2.2	7
119	New and Future Directions in Integrative Medicine Research Methods with a Focus on Aging Populations: A Review. <i>Gerontology</i> , 2016 , 62, 467-76	5.5	7
118	Stress among surgical attending physicians and trainees: A quantitative assessment during trauma activation and emergency surgeries. <i>Journal of Trauma and Acute Care Surgery</i> , 2016 , 81, 723-8	3.3	26
117	Exergaming in Older People Living with HIV Improves Balance, Mobility and Ameliorates Some Aspects of Frailty. <i>Journal of Visualized Experiments</i> , 2016 ,	1.6	11
116	Comparison of Posthospitalization Function and Community Mobility in Hospital Mobility Program and Usual Care Patients: A Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2016 , 176, 921-7	11.5	96
115	Changes in spatiotemporal gait patterns during flat ground walking and obstacle crossing 1 year after bariatric surgery. <i>Surgery for Obesity and Related Diseases</i> , 2016 , 12, 1080-1085	3	23
114	Gait and balance assessments as early indicators of frailty in patients with known peripheral artery disease. <i>Clinical Biomechanics</i> , 2016 , 32, 1-7	2.2	30
113	Upper-Extremity Dual-Task Function: An Innovative Method to Assess Cognitive Impairment in Older Adults. <i>Frontiers in Aging Neuroscience</i> , 2016 , 8, 167	5.3	31
112	A Pilot Clinical Trial to Objectively Assess the Efficacy of Electroacupuncture on Gait in Patients with Parkinson's Disease Using Body Worn Sensors. <i>PLoS ONE</i> , 2016 , 11, e0155613	3.7	33
111	Sensor-based balance training with motion feedback in people with mild cognitive impairment. <i>Journal of Rehabilitation Research and Development</i> , 2016 , 53, 945-958		42
110	Interactive Sensor-Based Balance Training in Older Cancer Patients with Chemotherapy-Induced Peripheral Neuropathy: A Randomized Controlled Trial. <i>Gerontology</i> , 2016 , 62, 553-63	5.5	85
109	Feature Importance and Predictive Modeling for Multi-source Healthcare Data with Missing Values 2016 ,		2
108	Objective fall risk detection in stroke survivors using wearable sensor technology: a feasibility study. <i>Topics in Stroke Rehabilitation</i> , 2016 , 23, 393-399	2.6	12

107	Assessing Upper-Extremity Motion: An Innovative, Objective Method to Identify Frailty in Older Bed-Bound Trauma Patients. <i>Journal of the American College of Surgeons</i> , 2016 , 223, 240-8	4.4	37
106	Motor Performance and Physical Activity as Predictors of Prospective Falls in Community-Dwelling Older Adults by Frailty Level: Application of Wearable Technology. <i>Gerontology</i> , 2016 , 62, 654-664	5.5	53
105	A new force field for the adsorption of H ₂ , O ₂ , N ₂ , CO, H ₂ O, and H ₂ S gases on alkali doped carbon nanotubes. <i>Molecular Physics</i> , 2016 , 114, 3375-3387	1.7	6
104	Current Standards and Advances in Diabetic Ulcer Prevention and Elderly Fall Prevention Using Wearable Technology. <i>Current Geriatrics Reports</i> , 2015 , 4, 249-256	1.3	18
103	Instructions and skill level influence reliability of dual-task performance in young adults. <i>Gait and Posture</i> , 2015 , 41, 964-7	2.6	13
102	Does integrative medicine enhance balance in aging adults? Proof of concept for the benefit of electroacupuncture therapy in Parkinson's disease. <i>Gerontology</i> , 2015 , 61, 3-14	5.5	35
101	Wearable sensor-based in-home assessment of gait, balance, and physical activity for discrimination of frailty status: baseline results of the Arizona frailty cohort study. <i>Gerontology</i> , 2015 , 61, 258-67	5.5	86
100	A passing glance? Differences in eye tracking and gaze patterns between trainees and experts reading plain film bunion radiographs. <i>Journal of Foot and Ankle Surgery</i> , 2015 , 54, 382-91	1.6	19
99	A randomized controlled trial of custom foot orthoses for the treatment of plantar heel pain. <i>Journal of the American Podiatric Medical Association</i> , 2015 , 105, 281-94	1	24
98	Free energy simulations of amylin I26P mutation in a lipid bilayer. <i>European Biophysics Journal</i> , 2015 , 44, 37-47	1.9	2
97	Assessing Upper Extremity Motion: An Innovative Method to Identify Frailty. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 1181-6	5.6	48
96	Precision Medicine: A Wider Definition. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 1971-2	5.6	12
95	Influences of frailty syndrome on open-loop and closed-loop postural control strategy. <i>Gerontology</i> , 2015 , 61, 51-60	5.5	19
94	The influence of diabetic peripheral neuropathy on local postural muscle and central sensory feedback balance control. <i>PLoS ONE</i> , 2015 , 10, e0135255	3.7	49
93	Treatment options for venous leg ulcers: effectiveness of vascular surgery, bioengineered tissue, and electrical stimulation. <i>Advances in Skin and Wound Care</i> , 2015 , 28, 164-72	1.5	7
92	Gait behaviors as an objective surgical outcome in low back disorders: A systematic review. <i>Clinical Biomechanics</i> , 2015 , 30, 528-36	2.2	23
91	Sensor-Based Interactive Balance Training with Visual Joint Movement Feedback for Improving Postural Stability in Diabetics with Peripheral Neuropathy: A Randomized Controlled Trial. <i>Gerontology</i> , 2015 , 61, 567-74	5.5	63
90	Regulation of Cardiac Autonomic Nervous System Control across Frailty Statuses: A Systematic Review. <i>Gerontology</i> , 2015 , 62, 3-15	5.5	35

89	Wearable sensor-based balance training in older adult cancer patients with chemotherapy-induced neuropathy: A randomized controlled trial.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 195-195	2.2	1
88	Motor Performance Assessment in Parkinson's Disease: Association between Objective In-Clinic, Objective In-Home, and Subjective/Semi-Objective Measures. <i>PLoS ONE</i> , 2015 , 10, e0124763	3.7	63
87	Estimation of Center of Mass Trajectory using Wearable Sensors during Golf Swing. <i>Journal of Sports Science and Medicine</i> , 2015 , 14, 354-63	2.7	28
86	Mechanism of orthotic therapy for the painful cavus foot deformity. <i>Journal of Foot and Ankle Research</i> , 2014 , 7, 2	3.2	19
85	The Frailty syndrome: clinical measurements and basic underpinnings in humans and animals. <i>Experimental Gerontology</i> , 2014 , 54, 6-13	4.5	59
84	Stressing the dressing: Assessing stress during wound care in real-time using wearable sensors. <i>Wound Medicine</i> , 2014 , 4, 21-26	2.8	12
83	A novel shear reduction insole effect on the thermal response to walking stress, balance, and gait. <i>Journal of Diabetes Science and Technology</i> , 2014 , 8, 1151-6	4.1	24
82	Molecular Dynamics and ab Initio Studies of the Effects of Substituent Groups on the Thermodynamic Properties and Structure of Four Selected Imidazolium-Based [Tf2N] ⁻ Ionic Liquids. <i>Journal of Chemical & Engineering Data</i> , 2014 , 59, 2834-2849	2.8	19
81	Improvements in gait characteristics after intensive resistance and functional training in people with dementia: a randomised controlled trial. <i>BMC Geriatrics</i> , 2014 , 14, 73	4.1	62
80	Effect of Tai Chi on physical function, fall rates and quality of life among older stroke survivors. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014 , 95, 816-24	2.8	139
79	An intensive exercise program improves motor performances in patients with dementia: translational model of geriatric rehabilitation. <i>Journal of Alzheimer's Disease</i> , 2014 , 39, 487-98	4.3	37
78	Split-thickness skin grafting the high-risk diabetic foot. <i>Journal of Vascular Surgery</i> , 2014 , 59, 1657-63	3.5	32
77	Frailty and technology: a systematic review of gait analysis in those with frailty. <i>Gerontology</i> , 2014 , 60, 79-89	5.5	97
76	Motorized mobility scooters: the use of training/intervention and technology for improving driving skills in aging adults - a mini-review. <i>Gerontology</i> , 2014 , 60, 357-65	5.5	10
75	Interactive balance training integrating sensor-based visual feedback of movement performance: a pilot study in older adults. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2014 , 11, 164	5.3	42
74	An immediate effect of custom-made ankle foot orthoses on postural stability in older adults. <i>Clinical Biomechanics</i> , 2014 , 29, 1081-8	2.2	18
73	Sensor-derived physical activity parameters can predict future falls in people with dementia. <i>Gerontology</i> , 2014 , 60, 483-92	5.5	59
72	Assessing plantar pressure distribution in children with flatfoot arch: application of the Clarke angle. <i>Journal of the American Podiatric Medical Association</i> , 2014 , 104, 622-32	1	18

71	Impact of chemotherapy-induced neuropathy on balance performance: Using wearable sensors for objective balance assessment.. <i>Journal of Clinical Oncology</i> , 2014 , 32, e20687-e20687	2.2	
70	Mechanism of effective orthotic therapy for the painful cavus foot. <i>Journal of Foot and Ankle Research</i> , 2013 , 6, O3	3.2	78
69	Viscosity prediction by computational method and artificial neural network approach: The case of six refrigerants. <i>Journal of Supercritical Fluids</i> , 2013 , 81, 67-78	4.2	16
68	Computational prediction of temperature dependence of ¹³ C NMR lineshapes of planar molecules in structure I clathrate hydrates. <i>Journal of the Iranian Chemical Society</i> , 2013 , 10, 659-667	2	1
67	The role of podiatry in the prevention of falls in older people: a JAPMA special issue. <i>Journal of the American Podiatric Medical Association</i> , 2013 , 103, 452-6	1	15
66	Effectiveness of foot and ankle exercise programs on reducing the risk of falling in older adults: a systematic review and meta-analysis of randomized controlled trials. <i>Journal of the American Podiatric Medical Association</i> , 2013 , 103, 534-47	1	23
65	Electrical stimulation as an adjunctive treatment of painful and sensory diabetic neuropathy. <i>Journal of Diabetes Science and Technology</i> , 2013 , 7, 1202-9	4.1	34
64	Aging and type 2 diabetes: consequences for motor control, musculoskeletal function, and whole-body movement. <i>Journal of Aging Research</i> , 2013 , 2013, 508756	2.3	7
63	Benefit of footwear in knee joint stabilisation during overground running. <i>Footwear Science</i> , 2013 , 5, S130-S131	1.4	
62	Novel wearable technology for assessing spontaneous daily physical activity and risk of falling in older adults with diabetes. <i>Journal of Diabetes Science and Technology</i> , 2013 , 7, 1147-60	4.1	68
61	Biomechanical predictors of effective orthotic therapy for painful pes cavus. <i>Footwear Science</i> , 2013 , 5, S104-S105	1.4	
60	Balance improvement in older adults using customised ankle foot orthoses. <i>Footwear Science</i> , 2013 , 5, S119-S120	1.4	
59	Diabetic peripheral neuropathy and gait: does footwear modify this association?. <i>Journal of Diabetes Science and Technology</i> , 2013 , 7, 1138-46	4.1	16
58	Objective assessment of custom-made orthoses benefit in improving balance among figure ice-skaters. <i>Footwear Science</i> , 2013 , 5, S126-S127	1.4	
57	Balance rehabilitation: promoting the role of virtual reality in patients with diabetic peripheral neuropathy. <i>Journal of the American Podiatric Medical Association</i> , 2013 , 103, 498-507	1	28
56	A novel plantar stimulation technology for improving protective sensation and postural control in patients with diabetic peripheral neuropathy: a double-blinded, randomized study. <i>Gerontology</i> , 2013 , 59, 473-80	5.5	25
55	The impact of footwear and walking distance on gait stability in diabetic patients with peripheral neuropathy. <i>Journal of the American Podiatric Medical Association</i> , 2013 , 103, 165-73	1	24
54	Fear of falling is prevalent in older adults with diabetes mellitus but is unrelated to level of neuropathy. <i>Journal of the American Podiatric Medical Association</i> , 2013 , 103, 480-8	1	29

53	Hallux valgus surgery may produce early improvements in balance control: results of a cross-sectional pilot study. <i>Journal of the American Podiatric Medical Association</i> , 2013 , 103, 489-97	1	15
52	Electrical stimulation to accelerate wound healing. <i>Diabetic Foot & Ankle</i> , 2013 , 4,	6.5	113
51	Dynamic plantar loading index: understanding the benefit of custom foot orthoses for painful pes cavus. <i>Journal of Biomechanics</i> , 2012 , 45, 1705-11	2.9	12
50	Accuracy and durability of Semmes-Weinstein monofilaments: what is the useful service life?. <i>Diabetes Research and Clinical Practice</i> , 2012 , 97, 399-404	7.4	21
49	Impact of strut height on offloading capacity of removable cast walkers. <i>Clinical Biomechanics</i> , 2012 , 27, 725-30	2.2	26
48	Training dual-task walking in community-dwelling adults within 1 year of stroke: a protocol for a single-blind randomized controlled trial. <i>BMC Neurology</i> , 2012 , 12, 129	3.1	27
47	Advances in balance assessment and balance training for diabetes. <i>Diabetes Management</i> , 2012 , 2, 293-308		16
46	Methodology for use of a neuroprosthetic to reduce plantar pressure: applications in patients with diabetic foot disease. <i>Journal of Diabetes Science and Technology</i> , 2012 , 6, 222-4	4.1	1
45	Simulations of structural and dynamic anisotropy in nano-confined water between parallel graphite plates. <i>Journal of Chemical Physics</i> , 2012 , 137, 184703	3.9	69
44	Safety and efficacy of mild compression (18-25 mm Hg) therapy in patients with diabetes and lower extremity edema. <i>Journal of Diabetes Science and Technology</i> , 2012 , 6, 641-7	4.1	17
43	Plantar Temperature Response to Walking in Diabetes with and without Acute Charcot: The Charcot Activity Response Test. <i>Journal of Aging Research</i> , 2012 , 2012, 140968	2.3	29
42	Virtualizing the assessment: a novel pragmatic paradigm to evaluate lower extremity joint perception in diabetes. <i>Gerontology</i> , 2012 , 58, 463-71	5.5	22
41	Golfing skill level postural control differences: a brief report. <i>Journal of Sports Science and Medicine</i> , 2012 , 11, 452-8	2.7	9
40	Molecular dynamics simulations of the structure and transport properties of tetra-butylphosphonium amino acid ionic liquids. <i>Physical Chemistry Chemical Physics</i> , 2011 , 13, 8826-37	3.6	43
39	Molecular Dynamics Simulation Study of Adsorption and Patterning of DNA Bases on the Au(111) Surface. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 22484-22494	3.8	23
38	Molecular dynamics simulation of NMR powder lineshapes of linear guests in structure I clathrate hydrates. <i>Physical Chemistry Chemical Physics</i> , 2011 , 13, 2367-77	3.6	8
37	Poster 88 Feasibility of Training Dual Task Walking After Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011 , 92, 1717-1718	2.8	3
36	Continuous monitoring and quantification of multiple parameters of daily physical activity in ambulatory Duchenne muscular dystrophy patients. <i>European Journal of Paediatric Neurology</i> , 2011 , 15, 40-7	3.8	35

35	Laboratory in a box: wearable sensors and its advantages for gait analysis. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2011 , 2011, 6507-10	0.9	44
34	Assessing postural control and postural control strategy in diabetes patients using innovative and wearable technology. <i>Journal of Diabetes Science and Technology</i> , 2010 , 4, 780-91	4.1	107
33	Protocol for constructing subject-specific biomechanical models of knee joint. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2010 , 13, 589-603	2.1	49
32	Importance of time spent standing for those at risk of diabetic foot ulceration. <i>Diabetes Care</i> , 2010 , 33, 2448-50	14.6	53
31	Diabetic foot biomechanics and gait dysfunction. <i>Journal of Diabetes Science and Technology</i> , 2010 , 4, 833-45	4.1	114
30	Molecular dynamics study of congruent melting of the equimolar ionic liquid-benzene inclusion crystal [emim][NTf ₂].C(6)H(6). <i>Journal of Chemical Physics</i> , 2010 , 132, 044507	3.9	11
29	Can we predict outcome of surgical reconstruction of Charcot neuroarthropathy by dynamic plantar pressure assessment?--A proof of concept study. <i>Gait and Posture</i> , 2010 , 31, 87-92	2.6	23
28	Does footwear type impact the number of steps required to reach gait steady state?: an innovative look at the impact of foot orthoses on gait initiation. <i>Gait and Posture</i> , 2010 , 32, 29-33	2.6	39
27	Proximal tibia volumetric bone mineral density is correlated to the magnitude of local acceleration in male long-distance runners. <i>Journal of Applied Physiology</i> , 2010 , 108, 852-7	3.7	7
26	A proof-of-concept study for measuring gait speed, steadiness, and dynamic balance under various footwear conditions outside of the gait laboratory. <i>Journal of the American Podiatric Medical Association</i> , 2010 , 100, 242-50	1	15
25	Molecular dynamics simulation of imidazolium-based ionic liquids. II. Transport coefficients. <i>Journal of Chemical Physics</i> , 2009 , 130, 014703	3.9	63
24	Does walking strategy in older people change as a function of walking distance?. <i>Gait and Posture</i> , 2009 , 29, 261-6	2.6	116
23	Molecular dynamics simulation of ¹³ C NMR powder lineshapes of CO in structure I clathrate hydrate. <i>Physical Chemistry Chemical Physics</i> , 2009 , 11, 8821-8	3.6	17
22	Falls self-efficacy and gait performance after gait and balance training in older people. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 1154-6	5.6	9
21	Molecular dynamics simulation of imidazolium-based ionic liquids. I. Dynamics and diffusion coefficient. <i>Journal of Chemical Physics</i> , 2008 , 129, 224508	3.9	148
20	Distance to achieve steady state walking speed in frail elderly persons. <i>Gait and Posture</i> , 2008 , 27, 91-6	2.6	139
19	Stride-to-stride variability while enumerating animal names among healthy young adults: result of stride velocity or effect of attention-demanding task?. <i>Gait and Posture</i> , 2008 , 27, 138-43	2.6	57
18	Quantification of everyday motor function in a geriatric population. <i>Journal of Rehabilitation Research and Development</i> , 2007 , 44, 417-28		54

17	Relationships between dual-task related changes in stride velocity and stride time variability in healthy older adults. <i>Human Movement Science</i> , 2006 , 25, 372-82	2.4	150
16	Sorption-desorption of cadmium in aqueous palygorskite, sepiolite, and calcite suspensions: isotherm hysteresis. <i>Chemosphere</i> , 2006 , 65, 2178-84	8.4	74
15	Sorption of cadmium on palygorskite, sepiolite and calcite: Equilibria and organic ligand affected kinetics. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2006 , 287, 182-190	5.1	67
14	Stair climbing detection during daily physical activity using a miniature gyroscope. <i>Gait and Posture</i> , 2005 , 22, 287-94	2.6	85
13	Improved physical activity in patients treated for chronic pain by spinal cord stimulation. <i>Neuromodulation</i> , 2005 , 8, 40-8	3.1	22
12	Capturing human motion using body-fixed sensors: outdoor measurement and clinical applications. <i>Computer Animation and Virtual Worlds</i> , 2004 , 15, 79-94	0.9	184
11	Evaluation of an ambulatory system for gait analysis in hip osteoarthritis and after total hip replacement. <i>Gait and Posture</i> , 2004 , 20, 102-7	2.6	131
10	Ambulatory system for human motion analysis using a kinematic sensor: monitoring of daily physical activity in the elderly. <i>IEEE Transactions on Biomedical Engineering</i> , 2003 , 50, 711-23	5	552
9	Age-related decline of gait control under a dual-task condition. <i>Journal of the American Geriatrics Society</i> , 2003 , 51, 1187-8	5.6	100
8	Viscosity calculation of supercritical gases based on the modified Enskog theory. <i>High Temperatures - High Pressures</i> , 2003 , 35/36, 217-226	1.3	9
7	Measurement of stand-sit and sit-stand transitions using a miniature gyroscope and its application in fall risk evaluation in the elderly. <i>IEEE Transactions on Biomedical Engineering</i> , 2002 , 49, 843-51	5	294
6	Spatio-temporal parameters of gait measured by an ambulatory system using miniature gyroscopes. <i>Journal of Biomechanics</i> , 2002 , 35, 689-99	2.9	585
5	Source separation in strong noisy mixtures: A study of wavelet de-noising pre-processing 2002 ,		2
4	Source separation in strong noisy mixtures: a study of wavelet de-noising pre-processing 2002 ,		4
3	Viscosity of nonpolar gases (quaternary mixtures). <i>Journal of Chemical & Engineering Data</i> , 1979 , 24, 24-25	2.8	5
2	An ambulatory system for physical activity monitoring in elderly		11
1	Falling risk evaluation in elderly using miniature gyroscope		4