Naveen Garg

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2548371/publications.pdf

Version: 2024-02-01

471509 276875 62 1,878 17 41 citations h-index g-index papers 63 63 63 3118 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Ibrutinib and Venetoclax for First-Line Treatment of CLL. New England Journal of Medicine, 2019, 380, 2095-2103.	27.0	388
2	Safety and activity of ibrutinib plus rituximab for patients with high-risk chronic lymphocytic leukaemia: a single-arm, phase 2 study. Lancet Oncology, The, 2014, 15, 1090-1099.	10.7	315
3	Characterization of Anthropometric Changes that Occur During Neoadjuvant Therapy for Potentially Resectable Pancreatic Cancer. Annals of Surgical Oncology, 2015, 22, 2416-2423.	1.5	125
4	Beyond the GIST: Mesenchymal Tumors of the Stomach. Radiographics, 2013, 33, 1673-1690.	3.3	116
5	Kinetics of CLL cells in tissues and blood during therapy with the BTK inhibitor ibrutinib. Blood, 2014, 123, 4132-4135.	1.4	86
6	Leukemia cell proliferation and death in chronic lymphocytic leukemia patients on therapy with the BTK inhibitor ibrutinib. JCI Insight, 2017, 2, e89904.	5.0	78
7	A Visually Apparent and Quantifiable CT Imaging Feature Identifies Biophysical Subtypes of Pancreatic Ductal Adenocarcinoma. Clinical Cancer Research, 2018, 24, 5883-5894.	7.0	76
8	Ibrutinib Plus Venetoclax for First-line Treatment of Chronic Lymphocytic Leukemia. JAMA Oncology, 2021, 7, 1213.	7.1	53
9	DropConnect is effective in modeling uncertainty of Bayesian deep networks. Scientific Reports, 2021, 11, 5458.	3.3	43
10	Aggressive Angiomyxomas: A Comprehensive Imaging Review With Clinical and Histopathologic Correlation. American Journal of Roentgenology, 2014, 202, 1171-1178.	2.2	42
11	Anthropometric Changes in Patients with Pancreatic Cancer Undergoing Preoperative Therapy and Pancreatoduodenectomy. Journal of Gastrointestinal Surgery, 2018, 22, 703-712.	1.7	39
12	Dorsal column myelopathy after intrathecal chemotherapy for leukemia. American Journal of Hematology, 2017, 92, 155-160.	4.1	30
13	Liver Calcifications and Calcified Liver Masses: Pattern Recognition Approach on CT. American Journal of Roentgenology, 2018, 211, 76-86.	2.2	29
14	Ibrutinib, fludarabine, cyclophosphamide, and obinutuzumab (iFCG) regimen for chronic lymphocytic leukemia (CLL) with mutated IGHV and without TP53 aberrations. Leukemia, 2021, 35, 3421-3429.	7.2	22
15	Does IGFR1 inhibition result in increased muscle mass loss in patients undergoing treatment for pancreatic cancer?. Journal of Cachexia, Sarcopenia and Muscle, 2014, 5, 307-313.	7.3	21
16	Mammographic breast density is associated with the development of contralateral breast cancer. Cancer, 2017, 123, 1935-1940.	4.1	21
17	Lynch Syndrome: Genomics Update and Imaging Review. Radiographics, 2018, 38, 483-499.	3.3	21
18	Complications of oncologic therapy in the abdomen and pelvis: a review. Abdominal Imaging, 2013, 38, 1-21.	2.0	20

#	Article	IF	CITATIONS
19	The Role of Home-Based Exercise in Maintaining Skeletal Muscle During Preoperative Pancreatic Cancer Treatment. Integrative Cancer Therapies, 2021, 20, 153473542098661.	2.0	20
20	Granulomatous dermatitis associated with ipilimumab therapy (ipilimumab associated granulomatous) Tj ETQq(0 0 ggBT	/Overlock 10 1
21	Combined Ibrutinib and Venetoclax in Patients with Treatment-NaÃ ⁻ ve High-Risk Chronic Lymphocytic Leukemia (CLL). Blood, 2018, 132, 696-696.	1.4	17
22	A phase I study of romidepsin and ifosfamide, carboplatin, etoposide for the treatment of patients with relapsed or refractory peripheral T-cell lymphoma. Haematologica, 2018, 103, e416-e418.	3.5	15
23	Radiation therapy for salivary gland MALT lymphoma: ultra-low dose treatment achieves encouraging early outcomes and spares salivary function. Leukemia and Lymphoma, 2020, 61, 171-175.	1.3	14
24	Ibrutinib, Fludarabine, Cyclophosphamide, and Obinutuzumab (iFCG) for First-Line Treatment of IGHV-Mutated CLL and without Del(17p)/Mutated TP53. Blood, 2019, 134, 357-357.	1.4	14
25	Tumor Thrombus as a Rare Presentation of Lymphoma: A Case Series of 14 Patients. American Journal of Roentgenology, 2015, 204, W398-W404.	2.2	12
26	The Effects of Neoadjuvant Axitinib on Anthropometric Parameters in Patients With Locally Advanced Non-metastatic Renal Cell Carcinoma. Urology, 2017, 108, 114-121.	1.0	11
27	Small Cell Carcinoma of the Ovary, Hypercalcemic Type: Clinical and Imaging Review. Current Problems in Diagnostic Radiology, 2018, 47, 333-339.	1.4	11
28	Whole Tumor Histogram Analysis Using DW MRI in Primary Central Nervous System Lymphoma Correlates with Tumor Biomarkers and Outcome. Cancers, 2019, 11, 1506.	3.7	11
29	Ibrutinib, Fludarabine, Cyclophosphamide, and Obinutuzumab (iFCG) for Firstline Treatment of Patients with CLL with Mutated IGHV and without TP53 Aberrations. Blood, 2018, 132, 695-695.	1.4	11
30	Combined Ibrutinib and Venetoclax in Patients with Relapsed/Refractory (R/R) Chronic Lymphocytic Leukemia (CLL). Blood, 2019, 134, 359-359.	1.4	11
31	Combined Ibrutinib and Venetoclax for First-Line Treatment for Patients with Chronic Lymphocytic Leukemia (CLL): Focus on MRD Results. Blood, 2020, 136, 42-43.	1.4	11
32	Venetoclax, Obinutuzumab and Atezolizumab (PD-L1 Checkpoint Inhibitor) for Treatment for Patients with Richter Transformation. Blood, 2021, 138, 1550-1550.	1.4	11
33	Chemotherapy Response Assessment by FDG-PET-CT in Early-stage Classical Hodgkin Lymphoma: Moving Beyond the Five-Point Deauville Score. International Journal of Radiation Oncology Biology Physics, 2017, 97, 333-338.	0.8	10
34	New paradigm for radiation in multiple myeloma: lower yet effective dose to avoid radiation toxicity. Haematologica, 2020, 105 , e 355 -e 357 .	3.5	10
35	Comparative study of computational visual attention models on two-dimensional medical images. Journal of Medical Imaging, 2017, 4, 025503.	1.5	9
36	Effectiveness of low-dose radiation for primary cutaneous anaplastic large cell lymphoma. Advances in Radiation Oncology, 2017, 2, 363-369.	1.2	9

#	Article	IF	CITATIONS
37	Earlyâ€stage Hodgkin lymphoma outcomes after combined modality therapy according to the postâ€chemotherapy 5â€point score: can residual petâ€positive disease be cured with radiotherapy alone?. British Journal of Haematology, 2017, 179, 488-496.	2.5	9
38	Outcomes of Curative-Intent Treatment for Patients With Breast Cancer Presenting With Sternal or Mediastinal Involvement. International Journal of Radiation Oncology Biology Physics, 2019, 104, 574-581.	0.8	9
39	Frequency of Sarcopenia, Sarcopenic Obesity, and Changes in Physical Function in Surgical Oncology Patients Referred for Prehabilitation. Integrative Cancer Therapies, 2021, 20, 153473542110001.	2.0	9
40	High prevalence of recurrent thrombosis in subsets of cancer patients with isolated gonadal vein thrombosis: A single center retrospective study. Thrombosis Research, 2014, 133, 154-157.	1.7	8
41	Polytetrafluoroethylene or Acellular Dermal Matrix for Diaphragmatic Reconstruction?. Annals of Thoracic Surgery, 2017, 103, 1710-1714.	1.3	8
42	Comparative outcomes of thrombocytopenic acute leukemic patients with venous thromboembolism at a Comprehensive Cancer Center. Journal of Thrombosis and Thrombolysis, 2018, 45, 377-385.	2.1	8
43	Stereoscopic Interpretation of Low-Dose Breast Tomosynthesis Projection Images. Journal of Digital Imaging, 2014, 27, 248-254.	2.9	7
44	Postoperative Radiotherapy for Multiple Myeloma of Long Bones: Should the Entire Rod Be Treated?. Clinical Lymphoma, Myeloma and Leukemia, 2019, 19, e465-e469.	0.4	7
45	Hitting a Moving Target: Successful Management of Diffuse Large B-cell Lymphoma Involving the Mesentery With Volumetric Image-guided Intensity Modulated Radiation Therapy. Clinical Lymphoma, Myeloma and Leukemia, 2019, 19, e51-e61.	0.4	7
46	Vascular flow on doppler sonography may not be a valid characteristic to distinguish colloid nodules from papillary thyroid carcinoma even when accounting for nodular size. Gland Surgery, 2019, 8, 461-468.	1.1	6
47	The Addition of Venetoclax to Ibrutinib Achieves a High Rate of Undetectable Minimal Residual Disease in Patients with High-Risk CLL. Blood, 2020, 136, 28-29.	1.4	6
48	High Response Rate of Romidepsin in Combination with ICE (Ifosfamide, Carboplatin and Etoposide) in Patients with Relapsed or Refractory Peripheral T-Cell Lymphoma: Updates of Phase I Trial. Blood, 2015, 126, 3987-3987.	1.4	6
49	Imaging of Chemotherapy-related latrogenic Abdominal and Pelvic Conditions. Radiologic Clinics of North America, 2014, 52, 1029-1040.	1.8	5
50	An Update of Practical CT Adrenal Imaging: What Physicians Need to Know. Current Radiology Reports, 2015, 3, 1.	1.4	5
51	Performance of 4T score and heparin–platelet factor 4 antibody in the diagnosis of heparin-induced thrombocytopenia (HIT) in cancer. Journal of Thrombosis and Thrombolysis, 2017, 44, 261-266.	2.1	5
52	Dual-Energy X-Ray Absorptiometry Compared to Computed Tomography for Visceral Adiposity Assessment Among Gastrointestinal and Pancreatic Cancer Survivors. Scientific Reports, 2019, 9, 11500.	3.3	5
53	Venetoclax Consolidation in Patients with High-Risk CLL Who Have Been on Ibrutinib More Than a Year Achieves a High Rate of Undetectable Minimal Residual Disease. Blood, 2021, 138, 3723-3723.	1.4	4
54	Bleeding outcomes in thrombocytopenic acute leukemic patients with venous thromboembolism. EJHaem, 2020, 1, 448-456.	1.0	3

#	Article	IF	CITATIONS
55	Combined Ibrutinib and Venetoclax for First-Line Treatment for Patients with Chronic Lymphocytic Leukemia (CLL). Blood, 2019, 134, 34-34.	1.4	3
56	Thrombosis and bleeding outcomes in the treatment of cerebral venous thrombosis in cancer. Thrombosis Journal, $2021,19,37.$	2.1	2
57	Clinical and pathologic features correlated with rare favorable survival in patients with BRAFV600E mutated colorectal cancer. Journal of Gastrointestinal Oncology, 2022, 13, 647-656.	1.4	2
58	Incidental Suspicious Regional Lymph Nodes on Breast Sonography: Is Sampling Necessary?. Current Problems in Diagnostic Radiology, 2017, 46, 100-104.	1.4	1
59	Kinetics Of Chronic Lymphocytic Leukemia Cells In Tissues and Blood During Therapy With The BTK Inhibitor Ibrutinib. Blood, 2013, 122, 4166-4166.	1.4	1
60	Venetoclax, Obinutuzumab and Atezolizumab (PD-L1 Checkpoint Inhibitor) for First-Line Treatment for Patients with Chronic Lymphocytic Leukemia (CLL). Blood, 2021, 138, 2626-2626.	1.4	1
61	Combined Ibrutinib and Venetoclax for First-Line Treatment of Patients with Chronic Lymphocytic Leukemia (CLL): Focus on Long-Term MRD Results. Blood, 2021, 138, 3720-3720.	1.4	1
62	Outcomes of Venous Thromboembolism (VTE) Treatment in Thrombocytopenic Leukemic Patients. Blood, 2016, 128, 4964-4964.	1.4	0