

Seung-June Oh

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2548865/seung-june-oh-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

204
papers

3,168
citations

29
h-index

43
g-index

214
ext. papers

3,754
ext. citations

2.6
avg, IF

5.23
L-index

#	Paper	IF	Citations
204	Prevalence and urodynamic characteristics of detrusor overactivity with impaired contractility in the community-dwelling elderly with non-neurogenic lower urinary tract symptoms: Is it from a single or two independent bladder dysfunctions?. <i>Investigative and Clinical Urology</i> , 2021 , 62, 477-484	1.9	1
203	Mirabegron for treatment of overactive bladder symptoms in patients with Parkinson's disease: A double-blind, randomized placebo-controlled trial (Parkinson's Disease Overactive bladder Mirabegron, PaDoMi Study). <i>Neurourology and Urodynamics</i> , 2021 , 40, 286-294	2.3	8
202	Perioperative Safety and Efficacy of Holmium Laser Enucleation of the Prostate in Patients Receiving Antithrombotic Therapy: A Prospective Cohort Study. <i>Scientific Reports</i> , 2020 , 10, 5308	4.9	3
201	Bipolar enucleation of the prostate-step by step. <i>Andrologia</i> , 2020 , 52, e13631	2.4	3
200	The Current Positioning of Augmentation Enterocystoplasty in the Treatment for Neurogenic Bladder. <i>International Neurourology Journal</i> , 2020 , 24, 200-210	2.6	4
199	Korean Translation and Linguistic Validation of Urgency and Overactive Bladder Questionnaires. <i>International Neurourology Journal</i> , 2020 , 24, 66-76	2.6	2
198	Comprehensive Review of Effective Application of Questionnaires for Clinical Research on Lower Urinary Tract Symptoms With Translation and Cultural Adaptation to the Korean Language. <i>International Neurourology Journal</i> , 2020 , 24, 313-323	2.6	2
197	Enucleation of the prostate: An anatomical perspective. <i>Andrologia</i> , 2020 , 52, e13744	2.4	6
196	Clinical guidelines for interstitial cystitis/bladder pain syndrome. <i>International Journal of Urology</i> , 2020 , 27, 578-589	2.3	39
195	Quality of life after photo-selective vaporization and holmium-laser enucleation of the prostate: 5-year outcomes. <i>Scientific Reports</i> , 2019 , 9, 8261	4.9	8
194	Effect of urodynamic preoperative detrusor overactivity on the outcomes of transurethral surgery in patients with male bladder outlet obstruction: a systematic review and meta-analysis. <i>World Journal of Urology</i> , 2019 , 37, 529-538	4	4
193	Value of computed tomography in calculating prostate volume when transrectal ultrasonography is not applicable. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2019 , 11, O147-O151	1.9	
192	Recent Updates in Urinary Catheter Products for the Neurogenic Bladder Patients with Spinal Cord Injury. <i>Korean Journal of Neurotrauma</i> , 2019 , 15, 77-87	0.7	4
191	Linguistic Validation of the Intermittent Self-catheterization Questionnaire for Patients With Neurogenic Bladder Who Perform Intermittent Catheterization for Voiding Dysfunction. <i>International Neurourology Journal</i> , 2019 , 23, 75-85	2.6	3
190	Reply by Authors. <i>Journal of Urology</i> , 2019 , 202, 572-573	2.5	
189	Efficacy and Safety of Tolterodine and Pilocarpine in Patients with Overactive Bladder. <i>Journal of Urology</i> , 2019 , 202, 564-573	2.5	0
188	Current surgical techniques of enucleation in holmium laser enucleation of the prostate. <i>Investigative and Clinical Urology</i> , 2019 , 60, 333-342	1.9	14

187	Effect of preoperative detrusor underactivity on long-term surgical outcomes of photovaporization and holmium laser enucleation in men with benign prostatic hyperplasia: a lesson from 5-year serial follow-up data. <i>BJU International</i> , 2019 , 123, E34-E42	5.6	9
186	Long-Term Outcomes of Laser Prostatectomy for Storage Symptoms: Comparison of Serial 5-Year Followup Data between High Performance System Photoselective Vaporization and Holmium Laser Enucleation of the Prostate. <i>Journal of Urology</i> , 2018 , 199, 1591-1599	2.5	5
185	Can preoperative detrusor underactivity influence surgical outcomes of 120 W HPS vaporization of the prostate (PVP) or holmium laser enucleation of the prostate (HoLEP)? A serial 3-year follow-up study. <i>Neurourology and Urodynamics</i> , 2018 , 37, 407-416	2.3	9
184	Overview of Urodynamic Study 2018 , 13-23		
183	Epidemiology and pathophysiology of neurogenic bladder after spinal cord injury. <i>World Journal of Urology</i> , 2018 , 36, 1517-1527	4	50
182	Peripheral Lesions and Miscellaneous 2018 , 775-844		
181	Correction of Urodynamic Error 2018 , 221-335		
180	Psychometric validation study of the Korean version of the Functional Assessment of Cancer Therapy-Vanderbilt Cystectomy Index. <i>PLoS ONE</i> , 2018 , 13, e0190570	3.7	1
179	Normal Findings of Urodynamic Study 2018 , 55-98		
178	Urological Diseases 2018 , 339-528		
177	Diagnostic Process 2018 , 27-53		
176	Brain Lesions 2018 , 529-599		
175	Fluoroscopic Abnormalities 2018 , 189-218		
174	Abnormal Findings of Urodynamic Study During Voiding Phase 2018 , 145-187		
173	Spatiotemporal laser speckle flowmetry based on elastic-walled U-shaped tubing apparatus: optical method for urinary flow measurement. <i>Optical Engineering</i> , 2018 , 57, 1	1.1	
172	Effect of Preoperative Urodynamic Detrusor Underactivity on Transurethral Surgery for Benign Prostatic Hyperplasia: A Systematic Review and Meta-Analysis. <i>Journal of Urology</i> , 2018 , 199, 237-244	2.5	25
171	Adherence to the Clean Intermittent Catheterization Following a Customized Intensive Education Program for Patients with Emptying Failure. <i>Journal of Korean Academy of Community Health Nursing</i> , 2018 , 29, 467	0.4	
170	Efficacy of an Alpha-Blocker for the Treatment of Nonneurogenic Voiding Dysfunction in Women: An 8-Week, Randomized, Double-Blind, Placebo-Controlled Trial. <i>International Neurourology Journal</i> , 2018 , 22, 30-40	2.6	8

169	The preventive effect of a free radical scavenger on oxidative stress after the relief of partial bladder outlet obstruction in a rat model. <i>PLoS ONE</i> , 2018 , 13, e0199800	3.7	5
168	Changes in autonomic nervous system activity after treatment with alpha-blocker in men with lower urinary tract symptoms. <i>Investigative and Clinical Urology</i> , 2018 , 59, 49-54	1.9	0
167	Calculi in the Prostatic Surgical Bed as a complication after Holmium Laser Enucleation of the Prostate. <i>Urology Journal</i> , 2018 , 15, 238-241	0.9	1
166	Developmental changes in contractile responses to cholinergic stimuli: role of calcium sensitization and related pathways. <i>American Journal of Physiology - Renal Physiology</i> , 2017 , 313, F370-F377	4.3	0
165	The effect of posture and repetition on urodynamic parameters: A prospective randomized study. <i>Investigative and Clinical Urology</i> , 2017 , 58, 34-41	1.9	4
164	Patient satisfaction after holmium laser enucleation of the prostate (HoLEP): A prospective cohort study. <i>PLoS ONE</i> , 2017 , 12, e0182230	3.7	9
163	Diagnostic value of urodynamic bladder outlet obstruction to select patients for transurethral surgery of the prostate: Systematic review and meta-analysis. <i>PLoS ONE</i> , 2017 , 12, e0172590	3.7	10
162	Patient Perception of Ejaculatory Volume Reduction After Holmium Laser Enucleation of the Prostate (HoLEP). <i>Urology</i> , 2017 , 99, 142-147	1.6	19
161	Expressions of vaginal endothelial nitric oxide synthase and phosphodiesterase 5 in female sexual dysfunction: a pilot study. <i>International Urogynecology Journal</i> , 2017 , 28, 431-436	2	6
160	Efficacy and Safety of Desmopressin Add-On Therapy for Men with Persistent Nocturia on EBlocker Monotherapy for Lower Urinary Tract Symptoms: A Randomized, Double-Blind, Placebo Controlled Study. <i>Journal of Urology</i> , 2017 , 197, 459-464	2.5	11
159	How do we diagnose detrusor underactivity? Comparison of diagnostic criteria based on an urodynamic measure. <i>Investigative and Clinical Urology</i> , 2017 , 58, 247-254	1.9	23
158	Measuring change in prostate size after holmium laser enucleation: A prospective study. <i>Investigative and Clinical Urology</i> , 2017 , 58, 200-204	1.9	3
157	Development of Decision Support Formulas for the Prediction of Bladder Outlet Obstruction and Prostatic Surgery in Patients With Lower Urinary Tract Symptom/Benign Prostatic Hyperplasia: Part I, Development of the Formula and its Internal Validation. <i>International Neurourology Journal</i> , 2017 , 21, S17-23	2.6	4
156	Development of Decision Support Formulas for the Prediction of Bladder Outlet Obstruction and Prostatic Surgery in Patients With Lower Urinary Tract Symptom/Benign Prostatic Hyperplasia: Part II, External Validation and Usability Testing of a Smartphone App. <i>International Neurourology Journal</i> , 2017 , 21, S17-23	2.6	3
155	Translation and Linguistic Validation of the Korean Version of the Treatment Satisfaction Visual Analogue Scale and the Overactive Bladder Satisfaction With Treatment Questionnaire. <i>International Neurourology Journal</i> , 2017 , 21, 309-319	2.6	4
154	The Effect of Ytterbium-Doped Fiber Laser on Rat Buccal Mucosa as a Simulation of Its Effect on the Urinary Tract: A Preclinical Histopathological Evaluation. <i>International Neurourology Journal</i> , 2017 , 21, S17-23	2.6	1
153	Urodynamic Features and Significant Predictors of Bladder Outlet Obstruction in Patients With Lower Urinary Tract Symptoms/Benign Prostatic Hyperplasia and Small Prostate Volume. <i>Urology</i> , 2016 , 89, 96-102	1.6	16
152	Clinical Nomograms to Predict Stone-Free Rates after Shock-Wave Lithotripsy: Development and Internal-Validation. <i>PLoS ONE</i> , 2016 , 11, e0149333	3.7	13

151	Holmium Laser Enucleation of the Prostate is Safe for Patients Above 80 Years: A Prospective Study. <i>International Neurourology Journal</i> , 2016 , 20, 143-50	2.6	13
150	Translation and Linguistic Validation of the Korean Version of the "Benefit, Satisfaction, and Willingness to Continue" Questionnaire for Patients With Overactive Bladder. <i>International Neurourology Journal</i> , 2016 , 20, 255-259	2.6	6
149	Clinical guidelines for interstitial cystitis and hypersensitive bladder updated in 2015. <i>International Journal of Urology</i> , 2016 , 23, 542-9	2.3	69
148	Impact of Detrusor Underactivity on Surgical Outcomes of Laser Prostatectomy: Comparison in Serial 12-Month Follow-Up Outcomes Between Potassium-Titanyl-Phosphate Photoselective Vaporization of the Prostate (PVP) and Holmium Laser Enucleation of the Prostate (HoLEP).	1.6	25
147	Change in storage symptoms following laser prostatectomy: comparison between photoselective vaporization of the prostate (PVP) and holmium laser enucleation of the prostate (HoLEP). <i>World Journal of Urology</i> , 2015 , 33, 1173-80	4	13
146	Low tube voltage computed tomography urography using low-concentration contrast media: Comparison of image quality in conventional computed tomography urography. <i>European Journal of Radiology</i> , 2015 , 84, 2454-63	4.7	12
145	Impaired detrusor contractility is the pathognomonic urodynamic finding of multiple system atrophy compared to idiopathic Parkinson disease. <i>Parkinsonism and Related Disorders</i> , 2015 , 21, 205-10	3.6	23
144	Comparison of retrograde intrarenal surgery versus a single-session percutaneous nephrolithotomy for lower-pole stones with a diameter of 15 to 30 mm: A propensity score-matching study. <i>Korean Journal of Urology</i> , 2015 , 56, 525-32		20
143	Urodynamic assessment of bladder and urethral function among men with lower urinary tract symptoms after radical prostatectomy: A comparison between men with and without urinary incontinence. <i>Korean Journal of Urology</i> , 2015 , 56, 803-10		14
142	Efficacy and safety of holmium laser enucleation of the prostate for extremely large prostatic adenoma in patients with benign prostatic hyperplasia. <i>Korean Journal of Urology</i> , 2015 , 56, 218-26		16
141	A prospective, observational study to assess the association between dry mouth and solifenacin treatment in patients with overactive bladder syndrome. <i>International Urology and Nephrology</i> , 2015 , 47, 235-42	2.3	2
140	Alpha-Blocker Treatment Response in Men With Lower Urinary Tract Symptoms Based on Sympathetic Activity: Prospective, Multicenter, Open-Labelled, Observational Study. <i>International Neurourology Journal</i> , 2015 , 19, 107-12	2.6	5
139	Clinical and Pathological Characteristics of Hard Nodules Resistant to Morcellation During Holmium Laser Enucleation of the Prostate. <i>International Neurourology Journal</i> , 2015 , 19, 90-8	2.6	7
138	The Effectiveness of Bladder Training in Overactive Bladder. <i>Current Bladder Dysfunction Reports</i> , 2014 , 9, 63-70	0.4	5
137	Prospective Trial of Sacral Neuromodulation for Refractory Overactive Bladder Syndrome in Korean Patients. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2014 , 6, 175-9	1.9	3
136	Establishment of the novel cystoscopic classification for bladder trabeculation of neurogenic bladder. <i>Urology</i> , 2014 , 84, 515-9	1.6	10
135	Comparison of surgical outcomes between laparoscopic pyelolithotomy and percutaneous nephrolithotomy in patients with multiple renal stones in various parts of the pelvocalyceal system. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2014 , 24, 634-9	2.1	11
134	Change of nocturnal polyuria after holmium laser enucleation of the prostate in patients with benign prostatic hyperplasia. <i>Urology</i> , 2014 , 84, 650-6	1.6	8

133	External validation and evaluation of reliability and validity of the S-ReSC scoring system to predict stone-free status after percutaneous nephrolithotomy. <i>PLoS ONE</i> , 2014 , 9, e83628	3.7	23
132	Factors affecting de novo urinary retention after Holmium laser enucleation of the prostate. <i>PLoS ONE</i> , 2014 , 9, e84938	3.7	7
131	Non-invasive clinical parameters for the prediction of urodynamic bladder outlet obstruction: analysis using causal Bayesian networks. <i>PLoS ONE</i> , 2014 , 9, e113131	3.7	12
130	Effect of combined systematized behavioral modification education program with desmopressin in patients with nocturia: a prospective, multicenter, randomized, and parallel study. <i>International Neurourology Journal</i> , 2014 , 18, 213-20	2.6	15
129	Salvage Holmium laser enucleation of prostate to treat residual benign prostatic hyperplasia. <i>Canadian Urological Association Journal</i> , 2014 , 8, E235-40	1.2	4
128	Prostate cancer detected after Holmium laser enucleation of prostate (HoLEP): significance of transrectal ultrasonography. <i>International Urology and Nephrology</i> , 2014 , 46, 2079-85	2.3	13
127	Association of high bladder neck elevation with urodynamic bladder outlet obstruction in patients with lower urinary tract symptoms and benign prostatic hyperplasia. <i>Urology</i> , 2014 , 84, 1461-6	1.6	10
126	Voiding diary might serve as a useful tool to understand differences between bladder pain syndrome/interstitial cystitis and overactive bladder. <i>International Journal of Urology</i> , 2014 , 21, 179-83	2.3	20
125	Effect of the systematised critical pathway protocol on emptying failure as a secondary complication of radical hysterectomy due to uterine cervix cancer. <i>Journal of Clinical Nursing</i> , 2014 , 23, 1702-7	3.2	5
124	Laparoscopic stone surgery with the aid of flexible nephroscopy. <i>Korean Journal of Urology</i> , 2014 , 55, 475-81		2
123	Effect of holmium laser enucleation of prostate on overactive bladder symptoms and urodynamic parameters: a prospective study. <i>Urology</i> , 2014 , 83, 581-5	1.6	17
122	Reproducibility study of Overactive Bladder Symptom Score questionnaire and its response to treatment (RESORT) in Korean population with overactive bladder symptoms. <i>Quality of Life Research</i> , 2014 , 23, 285-92	3.7	10
121	Nonspecific genitourinary pain improves after prostatectomy using holmium laser enucleation of prostate in patients with benign prostatic hyperplasia: a prospective study. <i>PLoS ONE</i> , 2014 , 9, e98979	3.7	1
120	HoLEP does not affect the overall sexual function of BPH patients: a prospective study. <i>Asian Journal of Andrology</i> , 2014 , 16, 873-7	2.8	20
119	Nationwide database of surgical treatment pattern for patients with stress urinary incontinence in Korea. <i>International Neurourology Journal</i> , 2014 , 18, 91-4	2.6	6
118	Transurethral surgical anatomy of the arterial bleeder in the enucleated capsular plane of enlarged prostates during holmium laser enucleation of the prostate. <i>International Neurourology Journal</i> , 2014 , 18, 138-44	2.6	11
117	Factors influencing nonabsolute indications for surgery in patients with lower urinary tract symptoms suggestive of benign prostatic hyperplasia: analysis using causal bayesian networks. <i>International Neurourology Journal</i> , 2014 , 18, 198-205	2.6	3
116	How to make the most of big data in the era of complexity. <i>International Neurourology Journal</i> , 2014 , 18, 49	2.6	

115	Establishment of a grading system for bladder trabeculation. <i>Urology</i> , 2013 , 81, 503-7	1.6	6
114	Technical aspects of holmium laser enucleation of the prostate for benign prostatic hyperplasia. <i>Korean Journal of Urology</i> , 2013 , 54, 570-9		47
113	Unsolved issues in managing benign prostatic hyperplasia. <i>Korean Journal of Urology</i> , 2013 , 54, 349-50		6
112	Is concomitant bladder neck reconstruction necessary in neurogenic incontinent patients who undergo augmentation cystoplasty?. <i>Korean Journal of Urology</i> , 2013 , 54, 42-7		8
111	Short-term Effects of a Systematized Bladder Training Program for Idiopathic Overactive Bladder: A Prospective Study. <i>International Neurourology Journal</i> , 2013 , 17, 11-7	2.6	19
110	Transurethral procedures for lower urinary tract symptoms resulting from benign prostatic enlargement: a quality and meta-analysis. <i>International Neurourology Journal</i> , 2013 , 17, 59-66	2.6	17
109	Short-term effects of systematized behavioral modification program for nocturia: a prospective study. <i>Neurourology and Urodynamics</i> , 2012 , 31, 64-8	2.3	25
108	Management of lower urinary tract dysfunction in patients with neurological disorders. <i>Korean Journal of Urology</i> , 2012 , 53, 583-92		8
107	Efficacy and safety of tamsulosin for treating lower urinary tract symptoms associated with benign prostatic hyperplasia: a multicenter, randomized, controlled, open-label non-inferiority study. <i>Korean Journal of Urology</i> , 2012 , 53, 178-83		7
106	Enucleation ratio efficacy might be a better predictor to assess learning curve of holmium laser enucleation of the prostate. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2012 , 38, 362-71; discussions 372	2	40
105	Psychometric Properties of the Korean Version of the Overactive Bladder Questionnaire (OAB-q) in a Korean Population. <i>International Neurourology Journal</i> , 2012 , 16, 77-85	2.6	12
104	Short-term Effect of Radical Hysterectomy with or without Adjuvant Radiation Therapy on Urodynamic Parameters in Patients with Uterine Cervical Cancer. <i>International Neurourology Journal</i> , 2012 , 16, 91-5	2.6	14
103	Poly(ADP-ribose) polymerase is involved in the development of diabetic cystopathy via regulation of nuclear factor kappa B. <i>Urology</i> , 2011 , 77, 1265.e1-8	1.6	12
102	Holmium laser enucleation of prostate for benign prostatic hyperplasia: seoul national university hospital experience. <i>International Neurourology Journal</i> , 2011 , 15, 29-34	2.6	20
101	Effects of level of consciousness on urodynamic procedure in female cats. <i>Journal of Korean Medical Science</i> , 2011 , 26, 803-6	4.7	7
100	Symptom change after discontinuation of successful antimuscarinic treatment in patients with overactive bladder symptoms: a randomised, multicentre trial. <i>International Journal of Clinical Practice</i> , 2011 , 65, 997-1004	2.9	24
99	PARP inhibition prevents oxidative injury of bladder induced by acute urinary retention and subsequent emptying. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2011 , 16, 574-80	5.4	9
98	Prevalence of overactive bladder, urinary incontinence, and lower urinary tract symptoms: results of Korean EPIC study. <i>World Journal of Urology</i> , 2011 , 29, 185-90	4	131

97	Accuracy of post-void residual urine volume measurement using a portable ultrasound bladder scanner with real-time pre-scan imaging. <i>Neurourology and Urodynamics</i> , 2011 , 30, 335-8	2.3	29
96	Predictor of de novo urinary incontinence following holmium laser enucleation of the prostate. <i>Neurourology and Urodynamics</i> , 2011 , 30, 1343-9	2.3	32
95	Detrusor after-contraction is associated with bladder outlet obstruction. <i>Neurourology and Urodynamics</i> , 2011 , 30, 1361-5	2.3	12
94	Korean version of the overactive bladder symptom score questionnaire: translation and linguistic validation. <i>International Neurourology Journal</i> , 2011 , 15, 135-42	2.6	45
93	The impact of overactive bladder on health-related quality of life, sexual life and psychological health in Korea. <i>International Neurourology Journal</i> , 2011 , 15, 143-51	2.6	37
92	Non-invasive parameters predicting bladder outlet obstruction in Korean men with lower urinary tract symptoms. <i>Journal of Korean Medical Science</i> , 2010 , 25, 272-5	4.7	17
91	The learning curve for holmium laser enucleation of the prostate: a single-center experience. <i>Korean Journal of Urology</i> , 2010 , 51, 688-93		47
90	Time dependent bladder apoptosis induced by acute bladder outlet obstruction and subsequent emptying is associated with decreased MnSOD expression and Bcl-2/Bax ratio. <i>Journal of Korean Medical Science</i> , 2010 , 25, 1652-6	4.7	10
89	Long-term outcome of the tension-free vaginal tape procedure in female urinary incontinence: a 6-year follow-up. <i>Korean Journal of Urology</i> , 2010 , 51, 409-15		16
88	Comparison of Three Quality of Life Questionnaires in Urinary Incontinence 2010 , 129-143		
87	Spinal cord/brain injury and the neurogenic bladder. <i>Urologic Clinics of North America</i> , 2010 , 37, 537-46	2.9	46
86	Correlation between prostatic urethral angle and bladder outlet obstruction index in patients with lower urinary tract symptoms. <i>Urology</i> , 2010 , 75, 1467-71	1.6	46
85	The clinical significance of rectal contractions that occur during urodynamic studies. <i>Neurourology and Urodynamics</i> , 2010 , 29, 418-23	2.3	8
84	Diabetic cystopathy is associated with PARP/JNK/mitochondrial apoptotic pathway-mediated bladder apoptosis. <i>Neurourology and Urodynamics</i> , 2010 , 29, 1332-7	2.3	18
83	Translation and linguistic validation of the Korean version of the pelvic pain and urgency/frequency patient symptom scale. <i>International Neurourology Journal</i> , 2010 , 14, 112-21	2.6	5
82	Comparison of voiding questionnaires between female interstitial cystitis and female idiopathic overactive bladder. <i>International Neurourology Journal</i> , 2010 , 14, 86-92	2.6	10
81	The clinical significance of poor bladder compliance. <i>Neurourology and Urodynamics</i> , 2009 , 28, 1010-4	2.3	24
80	Residual fraction as a parameter to predict bladder outlet obstruction in men with lower urinary tract symptoms. <i>International Journal of Urology</i> , 2009 , 16, 739-44	2.3	7

79	Urodynamic findings of the painful bladder syndrome/interstitial cystitis: a comparison with idiopathic overactive bladder. <i>Journal of Urology</i> , 2009 , 181, 2550-4	2.5	47
78	Novel natural fill telemetric pressure flow study of discomfort and bladder outlet obstruction. <i>Journal of Urology</i> , 2009 , 182, 601-6	2.5	1
77	Health-related quality of life and sexual function in women with stress urinary incontinence and overactive bladder. <i>International Journal of Urology</i> , 2008 , 15, 62-7; discussion 67	2.3	58
76	Generic and disease-specific health-related quality of life in women with coital incontinence: a prospective, multicenter study. <i>Gynecologic and Obstetric Investigation</i> , 2008 , 65, 62-7	2.5	9
75	Nephrogenic Diabetes Insipidus Associated with Nonobstructive Dilation of the Urinary Tract and Voiding Difficulty. <i>Korean Journal of Urology</i> , 2008 , 49, 562		1
74	Tension-free vaginal tape, suprapubic arc sling, and transobturator tape in the treatment of mixed urinary incontinence in women. <i>International Urogynecology Journal</i> , 2008 , 19, 123-9	2	62
73	Comparison of three disease-specific quality-of-life questionnaires (Bristol Female Lower Urinary Tract Symptoms, Incontinence Quality of Life and KingQ Health Questionnaire) in women with stress urinary incontinence. <i>Scandinavian Journal of Urology and Nephrology</i> , 2007 , 41, 66-71		9
72	Factors influencing the outcome of mid urethral sling procedures for female urinary incontinence. <i>Journal of Urology</i> , 2007 , 178, 985-9; discussion 989	2.5	35
71	Influence of self-perceived incontinence severity on quality of life and sexual function in women with urinary incontinence. <i>Neurourology and Urodynamics</i> , 2007 , 26, 828-35	2.3	17
70	Anticholinergics [corrected] in patients with overactive bladder: Assessment of ambulatory urodynamics and patient perception. <i>Neurourology and Urodynamics</i> , 2007 , 26, 789-93	2.3	1
69	Voiding patterns in men and women with lower urinary tract symptoms combined with nocturia. <i>International Journal of Urology</i> , 2007 , 14, 699-703	2.3	5
68	Impact of stress urinary incontinence and overactive bladder on micturition patterns and health-related quality of life. <i>International Urogynecology Journal</i> , 2007 , 18, 65-71	2	14
67	Prevalence of urinary incontinence in Korean women:an epidemiologic survey. <i>International Urogynecology Journal</i> , 2007 , 18, 1309-15	2	31
66	Impact of self-perceived bothersomeness on health-related quality of life in women with overactive bladder symptoms. <i>Urologia Internationalis</i> , 2007 , 78, 63-9	1.9	5
65	Is proximal urethral mobility important for transobturator tape procedure in management of female patients with stress urinary incontinence?. <i>Urology</i> , 2007 , 70, 246-50; discussion 250-1	1.6	13
64	A generic health-related quality of life instrument, the Medical Outcomes Study Short Form-36, in women with urinary incontinence. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2007 , 130, 18-24	2.4	14
63	Clinical and urodynamic features according to subjective symptom severity in female urinary incontinence. <i>Neurourology and Urodynamics</i> , 2006 , 25, 215-220	2.3	2
62	Comparison of voiding parameters in men and women with lower urinary tract symptoms. <i>Neurourology and Urodynamics</i> , 2006 , 25, 13-8	2.3	6

61	Does condition-specific quality of life correlate with generic health-related quality of life and objective incontinence severity in women with stress urinary incontinence?. <i>Neurourology and Urodynamics</i> , 2006 , 25, 324-9; discussion 330	2.3	10
60	Comparative study of international prostate symptom scores and urodynamic parameters in men and women with lower urinary tract symptoms. <i>Urologia Internationalis</i> , 2006 , 76, 309-13	1.9	4
59	Patients' experience with ambulatory urodynamics. A prospective study. <i>Scandinavian Journal of Urology and Nephrology</i> , 2006 , 40, 391-6		14
58	A comparative study of patient experiences of conventional fluoroscopic and four-hour ambulatory urodynamic studies. <i>Yonsei Medical Journal</i> , 2006 , 47, 534-41	3	4
57	Sexual activity in Korean male patients on clean intermittent catheterization with neurogenic bladder due to spinal cord injury. <i>International Journal of Urology</i> , 2006 , 13, 42-6	2.3	13
56	Effect of a centralized intensive education system for clean intermittent self-catheterization in patients with voiding dysfunction who start catheterization for the first time. <i>International Journal of Urology</i> , 2006 , 13, 905-9	2.3	26
55	Is a generic quality of life instrument helpful for evaluating women with urinary incontinence?. <i>Quality of Life Research</i> , 2006 , 15, 493-501	3.7	24
54	Health-related quality of life of patients using clean intermittent catheterization for neurogenic bladder secondary to spinal cord injury. <i>Urology</i> , 2005 , 65, 306-10	1.6	57
53	Technique for removal of symptomatic bone anchors placed during stress incontinence surgery. <i>Urology</i> , 2005 , 65, 583-6	1.6	2
52	Quality of life and disease severity in Korean women with stress urinary incontinence. <i>Urology</i> , 2005 , 66, 69-73	1.6	13
51	Effect of glycine on recovery of bladder smooth muscle contractility after acute urinary retention in rats. <i>BJU International</i> , 2005 , 96, 1403-8	5.6	11
50	Systemic chemotherapy in patients with indwelling ureteral stenting. <i>International Journal of Urology</i> , 2005 , 12, 548-51	2.3	6
49	Significance of pad test loss for the evaluation of women with urinary incontinence. <i>Neurourology and Urodynamics</i> , 2005 , 24, 39-43	2.3	16
48	Effects of local anesthetics on human bladder contractility. <i>Neurourology and Urodynamics</i> , 2005 , 24, 288-94	2.3	10
47	Factors influencing self-perceived disease severity in women with stress urinary incontinence combined with or without urge incontinence. <i>Neurourology and Urodynamics</i> , 2005 , 24, 341-7	2.3	16
46	Direct ureteric length measurement from intravenous pyelography: does height represent ureteric length?. <i>Urological Research</i> , 2005 , 33, 199-202		27
45	Complications associated with the tension-free vaginal tape procedure: the Korean experience. <i>International Urogynecology Journal</i> , 2005 , 16, 215-9	2	14
44	Subjective pain scale and the need for analgesia during shock wave lithotripsy. <i>Urologia Internationalis</i> , 2005 , 74, 54-7	1.9	10

43	Psychometric Properties of the Korean Version of the KingQ Health Questionnaire in Women with Stress Urinary Incontinence. <i>Journal of the Korean Continence Society</i> , 2005 , 9, 115		7
42	Adaptation of the Clean Intermittent Catheterization to Daily Life in Patients with Neurogenic Voiding Dysfunction Secondary to Spinal Cord Injury or Spinal Cord Disease. <i>Journal of the Korean Continence Society</i> , 2005 , 9, 93		
41	Nocturia in patients with lower urinary tract symptoms: association with diurnal voiding patterns. <i>BJU International</i> , 2004 , 93, 1005-8	5.6	11
40	Effect of circumcision on urinary tract infection after successful antireflux surgery. <i>BJU International</i> , 2004 , 94, 627-9	5.6	30
39	Influence of pain and urinary symptoms on quality of life in young men with chronic prostatitis-like symptoms. <i>International Journal of Urology</i> , 2004 , 11, 489-93	2.3	19
38	Ureteroscopic lithotripsy under local anesthesia: analysis of the effectiveness and patient tolerability. <i>European Urology</i> , 2004 , 45, 670-3	10.2	33
37	Preoperative maximal flow rate may be a predictive factor for the outcome of tension-free vaginal tape procedure for stress urinary incontinence. <i>International Urogynecology Journal</i> , 2004 , 15, 413-7; discussion 417	2	2
36	Nocturia and complementary indices: determination and quantification of the cause of nocturia by frequency-volume charts in women with lower urinary tract symptoms. <i>Urological Research</i> , 2004 , 32, 181-4		6
35	Voiding diary for the evaluation of urinary incontinence and lower urinary tract symptoms: prospective assessment of patient compliance and burden. <i>Neurourology and Urodynamics</i> , 2004 , 23, 331-5	2.3	60
34	Tension-free vaginal tape procedure for urinary incontinence with low Valsalva leak point pressure. <i>Journal of Urology</i> , 2004 , 172, 1370-3	2.5	60
33	Patient experience with a urodynamic study: a prospective study in 208 patients. <i>Journal of Urology</i> , 2004 , 171, 2307-10	2.5	43
32	Vesicolymphocele fistula following sclerotherapy for lymphocele. <i>Journal of Urology</i> , 2004 , 172, 2266	2.5	4
31	Open conversion from laparoscopic nephrectomy: slippage of surgical clips ligating the renal artery affected by atherosclerosis. <i>Journal of Urology</i> , 2004 , 171, 333-4	2.5	13
30	Shortening of tension-free vaginal tape for the treatment of recurrent incontinence. <i>Journal of Urology</i> , 2004 , 171, 1634	2.5	21
29	Tension-free vaginal tape procedure for the treatment of mixed urinary incontinence: significance of maximal urethral closure pressure. <i>Journal of Urology</i> , 2004 , 172, 1001-5	2.5	40
28	Is questionnaire enough to assess number of nocturic episodes? Prospective comparative study between data from questionnaire and frequency-volume charts. <i>Urology</i> , 2004 , 64, 966-9	1.6	24
27	Percutaneous nephrostomy versus indwelling ureteral stents in the management of extrinsic ureteral obstruction in advanced malignancies: are there differences?. <i>Urology</i> , 2004 , 64, 895-9	1.6	78
26	Novel algorithm for improving accuracy of ultrasound measurement of residual urine volume according to bladder shape. <i>Urology</i> , 2004 , 64, 887-91	1.6	27

25	Histologic and molecular changes in the ipsilateral and contralateral epididymides of the rat in response to unilateral testicular torsion followed by detorsion. <i>Fertility and Sterility</i> , 2004 , 81 Suppl 1, 882-7	4.8	7
24	Translation and Linguistic Validation of Korean Version of the Bristol Female Lower Urinary Tract Symptom Instrument. <i>Journal of the Korean Continence Society</i> , 2004 , 8, 89		15
23	Knowledge of and attitude towards circumcision of adult Korean males by age. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2004 , 93, 1530-4	3.1	2
22	Simple retrograde balloon dilation for treatment of ureteral strictures: etiology-based analysis. <i>Yonsei Medical Journal</i> , 2003 , 44, 273-8	3	23
21	Clinical characteristics and outcome of hydronephrosis detected by prenatal ultrasonography. <i>Journal of Korean Medical Science</i> , 2003 , 18, 859-62	4.7	36
20	Inhibitory effects of potassium channel blockers on carbachol-induced contraction in rat detrusor muscle. <i>Journal of Korean Medical Science</i> , 2003 , 18, 701-6	4.7	2
19	Voltage-dependent ion channel currents in putative neuroendocrine cells dissociated from the ventral prostate of rat. <i>Pflugers Archiv European Journal of Physiology</i> , 2003 , 446, 88-99	4.6	11
18	The natural history of hydronephrosis after radical hysterectomy with no intraoperatively recognisable injury to the ureter: a prospective study. <i>BJU International</i> , 2003 , 92, 748-50	5.6	13
17	Histological and functional aspects of different regions of the rabbit vagina. <i>International Journal of Impotence Research</i> , 2003 , 15, 142-50	2.3	24
16	Characteristics of bacterial colonization and urinary tract infection after indwelling of double-J ureteral stent. <i>Urology</i> , 2003 , 62, 214-7	1.6	101
15	Accuracy of bladder volume determinations by ultrasonography: are they accurate over entire bladder volume range?. <i>Urology</i> , 2003 , 62, 656-60	1.6	63
14	Tension Free Vaginal Tape Procedure in Incontinent Patients with Low Valsalva Leak Point Pressure. <i>Journal of the Korean Continence Society</i> , 2003 , 7, 98		
13	Ureteroenteric fistula after retrograde balloon dilatation of ureteral stricture. <i>International Journal of Urology</i> , 2002 , 9, 707-9	2.3	4
12	Knowledge and attitudes of Korean parents towards their son's circumcision: a nationwide questionnaire study. <i>BJU International</i> , 2002 , 89, 426-32	5.6	20
11	Laparoscopy for definite localization and simultaneous treatment of ectopic ureter draining a dysplastic kidney in children. <i>Journal of Endourology</i> , 2002 , 16, 363-6	2.7	21
10	Translation and Linguistic Validation of Korean Version of the Incontinence Quality of Life(I-QoL) Instrument. <i>Journal of the Korean Continence Society</i> , 2002 , 6, 10		22
9	Pharmacological Effects of Berberine and Palmatine on the Prostatic and Urethral Smooth Muscle of the Rabbit. <i>Journal of the Korean Continence Society</i> , 2002 , 6, 62		1
8	Natural history of refluxing distal ureteral stumps following upper tract surgery in children with ectopic ureter or ureterocele. <i>Urologia Internationalis</i> , 2001 , 67, 142-6	1.9	10

7	EFFECTS OF LOCAL ANESTHETICS ON THE CONTRACTILITY OF RAT BLADDERS. <i>Journal of Urology</i> , 2001 , 165, 2044-2050	2.5	10
6	Active properties of the urinary bladder: in vitro comparative studies between adult and neonatal rats. <i>BJU International</i> , 2000 , 85, 1126-33	5.6	9
5	The management of children with complete ureteric duplication: selective use of uretero-ureterostomy as a primary and salvage procedure. <i>BJU International</i> , 2000 , 86, 508-12	5.6	22
4	Ethnic differences in the age-related distribution of serum prostate-specific antigen values: a study in a healthy Korean male population. <i>Urology</i> , 2000 , 56, 1007-10	1.6	42
3	The Functional Anatomy of Male Urethral Sphincter. <i>Journal of the Korean Continence Society</i> , 2000 , 4, 1		
2	Carbachol-induced sustained tonic contraction of rat detrusor muscle. <i>BJU International</i> , 1999 , 84, 343-95.6		13
1	No further development of renal scarring after antireflux surgery in children with primary vesicoureteral reflux: review of the results of 99mtechnetium dimercapto-succinic acid renal scan. <i>Journal of Urology</i> , 1999 , 162, 1189-92	2.5	2