

Mitsuhiro Denda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2549202/publications.pdf>

Version: 2024-02-01

99
papers

4,083
citations

101384

36
h-index

123241

61
g-index

99
all docs

99
docs citations

99
times ranked

2889
citing authors

#	ARTICLE	IF	CITATIONS
1	Do epidermal keratinocytes have sensory and information processing systems?. <i>Experimental Dermatology</i> , 2022, 31, 459-474.	1.4	12
2	Masking of a malodorous substance on 1,2-dioleoyl-sn-glycero-3-phosphocholine molecular layer. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022, 634, 128045.	2.3	4
3	Polyoxyethylene/polyoxypropylene dimethyl ether (EPDME) random copolymer improves lipid structural ordering in stratum corneum of an epidermal equivalent model as seen by two-photon microscopy. <i>Skin Research and Technology</i> , 2021, 27, 632-638.	0.8	2
4	Substrate membrane bearing close-packed array of micron-level pillars increases air-exposed three-dimensional epidermal equivalent model. <i>Skin Research and Technology</i> , 2021, 27, 863-870.	0.8	2
5	Effects of trans-2-nonenal and olfactory masking odorants on proliferation of human keratinocytes. <i>Biochemical and Biophysical Research Communications</i> , 2021, 548, 1-6.	1.0	4
6	A computational model of the epidermis with the deformable dermis and its application to skin diseases. <i>Scientific Reports</i> , 2021, 11, 13234.	1.6	10
7	Characteristic responses of a 1,2-dioleoyl-sn-glycero-3-phosphocholine molecular layer to monovalent and divalent metal cations. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020, 602, 125115.	2.3	1
8	Can simple physicochemical studies predict the effects of molecules on epidermal water-impermeable barrier function?. <i>Experimental Dermatology</i> , 2020, 29, 393-399.	1.4	6
9	Glutathione Counteracts the Effects of Japanese Cedar (<i>Cryptomeria japonica</i>) Pollen Allergen Cry j1. <i>Biological and Pharmaceutical Bulletin</i> , 2020, 43, 1591-1594.	0.6	1
10	Red light-promoted skin barrier recovery: Spatiotemporal evaluation by transepidermal potential. <i>PLoS ONE</i> , 2019, 14, e0219198.	1.1	7
11	Modulation of lipid fluidity likely contributes to the fructose/xylitol-induced acceleration of epidermal permeability barrier recovery. <i>Archives of Dermatological Research</i> , 2019, 311, 317-324.	1.1	10
12	Characteristic responses of a 1,2-dipalmitoleoyl-sn-glycero-3-phosphoethanolamine molecular layer depending on the number of CH(OH) groups in polyols. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019, 560, 149-153.	2.3	6
13	Characteristic responses of a 1,2-di-myristoyl-sn-glycero-3-phosphocholine molecular layer to polymeric surfactants at an air/water interface. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018, 546, 163-167.	2.3	3
14	Mathematical-model-guided development of full-thickness epidermal equivalent. <i>Scientific Reports</i> , 2018, 8, 17999.	1.6	14
15	Real-time imaging of human epidermal calcium dynamics in response to point laser stimulation. <i>Journal of Dermatological Science</i> , 2017, 86, 13-20.	1.0	11
16	Characteristic Isotherms for a Mixed Molecular Layer Composed of Phospholipid and Fatty Acid. <i>Bulletin of the Chemical Society of Japan</i> , 2017, 90, 801-806.	2.0	6
17	Expression level of Orai3 correlates with aging-related changes in mechanical stimulation-induced calcium signalling in keratinocytes. <i>Experimental Dermatology</i> , 2017, 26, 276-278.	1.4	4
18	Ability of sodium dodecyl sulfate to transiently stabilize a phospholipid molecular layer. <i>Thin Solid Films</i> , 2016, 615, 215-220.	0.8	6

#	ARTICLE	IF	CITATIONS
19	Keratinocytes at the uppermost layer of epidermis might act as sensors of atmospheric pressure change. <i>Extreme Physiology and Medicine</i> , 2016, 5, 11.	2.5	8
20	Mathematical model for calcium-assisted epidermal homeostasis. <i>Journal of Theoretical Biology</i> , 2016, 397, 52-60.	0.8	18
21	Role of <i>STIM1</i> – <i>Orai1</i> system in intracellular calcium elevation induced by <i>ATP</i> in cultured human keratinocytes. <i>Experimental Dermatology</i> , 2016, 25, 323-325.	1.4	3
22	Japanese Cedar (<i>Cryptomeria japonica</i>) pollen allergen induces elevation of intracellular calcium in human keratinocytes and impairs epidermal barrier function of human skin <i>ex vivo</i> . <i>Archives of Dermatological Research</i> , 2016, 308, 49-54.	1.1	14
23	Sensing Environmental Factors: The Emerging Role of Receptors in Epidermal Homeostasis and Whole-Body Health. , 2016, , 403-414.		1
24	Functional glycine receptor in cultured human keratinocytes. <i>Experimental Dermatology</i> , 2015, 24, 307-309.	1.4	3
25	Characteristic responses of a phospholipid molecular layer to polyols. <i>Colloids and Surfaces B: Biointerfaces</i> , 2015, 136, 594-599.	2.5	17
26	Epidermis as the “Third Brain?”. <i>Dermatologica Sinica</i> , 2015, 33, 70-73.	0.2	10
27	Effects of medium flow on axon growth with or without nerve growth factor. <i>Biochemical and Biophysical Research Communications</i> , 2015, 465, 26-29.	1.0	6
28	Newly Discovered Olfactory Receptors in Epidermal Keratinocytes Are Associated with Proliferation, Migration, and Re-Epithelialization of Keratinocytes. <i>Journal of Investigative Dermatology</i> , 2014, 134, 2677-2679.	0.3	11
29	Frontiers in epidermal barrier homeostasis – an approach to mathematical modelling of epidermal calcium dynamics. <i>Experimental Dermatology</i> , 2014, 23, 79-82.	1.4	9
30	Possible Role of Epidermal Keratinocytes in the Construction of Acupuncture Meridians. <i>JAMS Journal of Acupuncture and Meridian Studies</i> , 2014, 7, 92-94.	0.3	8
31	Coculture system of keratinocytes and dorsal root ganglion-derived cells for screening neurotrophic factors involved in guidance of neuronal axon growth in the skin. <i>Experimental Dermatology</i> , 2014, 23, 58-60.	1.4	18
32	Mathematical Modeling of Calcium Waves Induced by Mechanical Stimulation in Keratinocytes. <i>PLoS ONE</i> , 2014, 9, e92650.	1.1	21
33	External negative electric potential accelerates exocytosis of lamellar bodies in human skin <i>in vivo</i> . <i>Experimental Dermatology</i> , 2013, 22, 421-423.	1.4	9
34	How does epidermal pathology interact with mental state?. <i>Medical Hypotheses</i> , 2013, 80, 194-196.	0.8	20
35	Dynamics of intracellular calcium in cultured human keratinocytes after localized cell damage. <i>Experimental Dermatology</i> , 2013, 22, 367-369.	1.4	17
36	Low environmental humidity induces synthesis and release of cortisol in an epidermal organotypic culture system. <i>Experimental Dermatology</i> , 2013, 22, 662-664.	1.4	23

#	ARTICLE	IF	CITATIONS
37	Distinct intracellular calcium responses of individual cultured human keratinocytes to air pressure changes. <i>Skin Research and Technology</i> , 2013, 19, 346-351.	0.8	10
38	Ryanodine Receptors Are Expressed in Epidermal Keratinocytes and Associated with Keratinocyte Differentiation and Epidermal Permeability Barrier Homeostasis. <i>Journal of Investigative Dermatology</i> , 2012, 132, 69-75.	0.3	26
39	Sensory Systems of Epidermal Keratinocytes. , 2012, , 77-94.		0
40	Regulation of permeability barrier homeostasis. <i>Clinics in Dermatology</i> , 2012, 30, 263-268.	0.8	31
41	Interaction between a monosaccharide and a phospholipid molecular layer. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2012, 405, 14-18.	2.3	11
42	<i>In vitro</i> formation of organized structure between keratinocytes and dorsal root ganglion cells. <i>Experimental Dermatology</i> , 2012, 21, 886-888.	1.4	5
43	Oxytocin is expressed in epidermal keratinocytes and released upon stimulation with adenosine 5'-triphosphate <i>in vitro</i> . <i>Experimental Dermatology</i> , 2012, 21, 535-537.	1.4	49
44	Roles of Transient Receptor Potential Proteins (TRPs) in Epidermal Keratinocytes. <i>Advances in Experimental Medicine and Biology</i> , 2011, 704, 847-860.	0.8	44
45	Interactions between Sex Hormones and a 1,2-Di-O-myristoyl-sn-glycero-3-phosphocholine Molecular Layer: Characteristics of the Liposome, Surface Area versus Surface Pressure of the Monolayer, and Microscopic Observation. <i>Bulletin of the Chemical Society of Japan</i> , 2011, 84, 283-289.	2.0	6
46	Phosphodiesterase inhibitors block the acceleration of skin permeability barrier repair by red light. <i>Experimental Dermatology</i> , 2011, 20, 568-571.	1.4	8
47	Morphological and functional differences in coculture system of keratinocytes and dorsal-root-ganglion-derived cells depending on time of seeding. <i>Experimental Dermatology</i> , 2011, 20, 464-467.	1.4	22
48	Skin surface electrical potential as an indicator of skin condition: observation of surfactant-induced dry skin and middle-aged skin. <i>Experimental Dermatology</i> , 2011, 20, 757-759.	1.4	8
49	Intracellular calcium response to high temperature is similar in undifferentiated and differentiated cultured human keratinocytes. <i>Experimental Dermatology</i> , 2011, 20, 839-840.	1.4	14
50	Effects of topical application of aqueous solutions of hexoses on epidermal permeability barrier recovery rate after barrier disruption. <i>Experimental Dermatology</i> , 2011, 20, 943-944.	1.4	15
51	Effects of metals on skin permeability barrier recovery. <i>Experimental Dermatology</i> , 2010, 19, e124-7.	1.4	10
52	Calcium ion propagation in cultured keratinocytes and other cells in skin in response to hydraulic pressure stimulation. <i>Journal of Cellular Physiology</i> , 2010, 224, 229-233.	2.0	24
53	Mathematical analysis of intercellular calcium propagation induced by adenosine triphosphate. <i>Skin Research and Technology</i> , 2010, 16, 146-150.	0.8	7
54	Topical application of TRPM8 agonists accelerates skin permeability barrier recovery and reduces epidermal proliferation induced by barrier insult: role of cold-sensitive TRP receptors in epidermal permeability barrier homeostasis. <i>Experimental Dermatology</i> , 2010, 19, 791-795.	1.4	67

#	ARTICLE	IF	CITATIONS
55	Topical Application of TRPA1 Agonists and Brief Cold Exposure Accelerate Skin Permeability Barrier Recovery. <i>Journal of Investigative Dermatology</i> , 2010, 130, 1942-1945.	0.3	50
56	Neuronal Nitric Oxide Synthase in Epidermis Is Involved in Cutaneous Circulatory Response to Mechanical Stimulation. <i>Journal of Investigative Dermatology</i> , 2010, 130, 1158-1166.	0.3	17
57	Exposure to Low Temperature Induces Elevation of Intracellular Calcium in Cultured Human Keratinocytes. <i>Journal of Investigative Dermatology</i> , 2010, 130, 1945-1948.	0.3	43
58	Glycolic acid induces keratinocyte proliferation in a skin equivalent model via TRPV1 activation. <i>Journal of Dermatological Science</i> , 2010, 57, 108-113.	1.0	30
59	Mechanical-stimulation-evoked calcium waves in proliferating and differentiated human keratinocytes. <i>Cell and Tissue Research</i> , 2009, 338, 99-106.	1.5	80
60	Calcium Ion Gradients and Dynamics in Cultured Skin Slices of Rat Hindpaw in Response to Stimulation with ATP. <i>Journal of Investigative Dermatology</i> , 2009, 129, 584-589.	0.3	27
61	Expressions of rod and cone photoreceptor-like proteins in human epidermis. <i>Experimental Dermatology</i> , 2009, 18, 567-570.	1.4	63
62	Skin surface electric potential as an indicator of skin condition: a new, non-invasive method to evaluate epidermal condition. <i>Experimental Dermatology</i> , 2008, 17, 688-692.	1.4	24
63	Visible Radiation Affects Epidermal Permeability Barrier Recovery: Selective Effects of Red and Blue Light. <i>Journal of Investigative Dermatology</i> , 2008, 128, 1335-1336.	0.3	43
64	Extracellular ATP Has Stimulatory Effects on the Expression and Release of IL-6 Via Purinergic Receptors in Normal Human Epidermal Keratinocytes. <i>Journal of Investigative Dermatology</i> , 2007, 127, 362-371.	0.3	95
65	Effects of Skin Surface Temperature on Epidermal Permeability Barrier Homeostasis. <i>Journal of Investigative Dermatology</i> , 2007, 127, 654-659.	0.3	165
66	Topical Application of Neuronal Nitric Oxide Synthase Inhibitor Accelerates Cutaneous Barrier Recovery and Prevents Epidermal Hyperplasia Induced by Barrier Disruption. <i>Journal of Investigative Dermatology</i> , 2007, 127, 1713-1719.	0.3	32
67	Air-exposed keratinocytes exhibited intracellular calcium oscillation. <i>Skin Research and Technology</i> , 2007, 13, 195-201.	0.8	39
68	Epidermal keratinocytes as the forefront of the sensory system. <i>Experimental Dermatology</i> , 2007, 16, 157-161.	1.4	128
69	Expression of voltage-gated calcium channel subunit alpha1C in epidermal keratinocytes and effects of agonist and antagonists of the channel on skin barrier homeostasis. <i>Experimental Dermatology</i> , 2006, 15, 455-460.	1.4	49
70	Unsaturated Fatty Acids Induce Calcium Influx into Keratinocytes and Cause Abnormal Differentiation of Epidermis. <i>Journal of Investigative Dermatology</i> , 2005, 124, 1008-1013.	0.3	87
71	Characterization of Multiple P2X Receptors in Cultured Normal Human Epidermal Keratinocytes. <i>Journal of Investigative Dermatology</i> , 2005, 124, 756-763.	0.3	53
72	Dopamine D2-Like Receptor Agonists Accelerate Barrier Repair and Inhibit the Epidermal Hyperplasia Induced by Barrier Disruption. <i>Journal of Investigative Dermatology</i> , 2005, 125, 783-789.	0.3	48

#	ARTICLE	IF	CITATIONS
73	Association of Cyclic Adenosine Monophosphate with Permeability Barrier Homeostasis of Murine Skin. <i>Journal of Investigative Dermatology</i> , 2004, 122, 140-146.	0.3	18
74	NMDA-Type Glutamate Receptor Is Associated with Cutaneous Barrier Homeostasis. <i>Journal of Investigative Dermatology</i> , 2003, 120, 1023-1029.	0.3	77
75	Î²2-Adrenergic Receptor Antagonist Accelerates Skin Barrier Recovery and Reduces Epidermal Hyperplasia Induced by Barrier Disruption. <i>Journal of Investigative Dermatology</i> , 2003, 121, 142-148.	0.3	54
76	Influx of Calcium and Chloride Ions into Epidermal Keratinocytes Regulates Exocytosis of Epidermal Lamellar Bodies and Skin Permeability Barrier Homeostasis. <i>Journal of Investigative Dermatology</i> , 2003, 121, 362-367.	0.3	97
77	Altered Distribution of Calcium in Facial Epidermis of Aged Adults. <i>Journal of Investigative Dermatology</i> , 2003, 121, 1557-1558.	0.3	39
78	Changes in environmental humidity affect the water-holding property of the stratum corneum and its free amino acid content, and the expression of filaggrin in the epidermis of hairless mice. <i>Journal of Dermatological Science</i> , 2003, 31, 29-35.	1.0	115
79	Functional Vanilloid Receptors in Cultured Normal Human Epidermal Keratinocytes. <i>Biochemical and Biophysical Research Communications</i> , 2002, 291, 124-129.	1.0	264
80	New strategies to improve skin barrier homeostasis. <i>Advanced Drug Delivery Reviews</i> , 2002, 54, S123-S130.	6.6	23
81	Negative Electric Potential Induces Alteration of Ion Gradient and Lamellar Body Secretion in the Epidermis, and Accelerates Skin Barrier Recovery After Barrier Disruption. <i>Journal of Investigative Dermatology</i> , 2002, 118, 65-72.	0.3	38
82	Î³-Aminobutyric Acid (A) Receptor Agonists Accelerate Cutaneous Barrier Recovery and Prevent Epidermal Hyperplasia Induced by Barrier Disruption. <i>Journal of Investigative Dermatology</i> , 2002, 119, 1041-1047.	0.3	44
83	P2X Purinergic Receptor Antagonist Accelerates Skin Barrier Repair and Prevents Epidermal Hyperplasia Induced by Skin Barrier Disruption. <i>Journal of Investigative Dermatology</i> , 2002, 119, 1034-1040.	0.3	88
84	Modulations in Epidermal Calcium Regulate the Expression of Differentiation-Specific Markers. <i>Journal of Investigative Dermatology</i> , 2002, 119, 1128-1136.	0.3	188
85	Skin Surface Electric Potential Induced by Ion-Flux through Epidermal Cell Layers. <i>Biochemical and Biophysical Research Communications</i> , 2001, 284, 112-117.	1.0	44
86	Immunoreactivity of VR1 on Epidermal Keratinocyte of Human Skin. <i>Biochemical and Biophysical Research Communications</i> , 2001, 285, 1250-1252.	1.0	222
87	Histamine H1 and H2 Receptor Antagonists Accelerate Skin Barrier Repair and Prevent Epidermal Hyperplasia Induced by Barrier Disruption in a Dry Environment. <i>Journal of Investigative Dermatology</i> , 2001, 116, 261-265.	0.3	57
88	Regulation of the cutaneous allergic reaction by humidity. <i>Contact Dermatitis</i> , 2000, 42, 81-84.	0.8	40
89	Visual Imaging of Ion Distribution in Human Epidermis. <i>Biochemical and Biophysical Research Communications</i> , 2000, 272, 134-137.	1.0	94
90	Influence of dry environment on epidermal function. <i>Journal of Dermatological Science</i> , 2000, 24, S22-S28.	1.0	27

#	ARTICLE	IF	CITATIONS
91	Loss of water from the stratum corneum induces epidermal DNA synthesis in hairless mice. Archives of Dermatological Research, 1998, 290, 634-637.	1.1	30
92	Exposure to a Dry Environment Enhances Epidermal Permeability Barrier Function. Journal of Investigative Dermatology, 1998, 111, 858-863.	0.3	200
93	Low Humidity Stimulates Epidermal DNA Synthesis and Amplifies the Hyperproliferative Response to Barrier Disruption: Implication for Seasonal Exacerbations of Inflammatory Dermatoses. Journal of Investigative Dermatology, 1998, 111, 873-878.	0.3	218
94	Dry condition affects desquamation of stratum corneum in vivo. Journal of Dermatological Science, 1998, 18, 163-169.	1.0	54
95	trans-4-(Aminomethyl)cyclohexane Carboxylic Acid (T-AMCHA), an Anti-Fibrinolytic Agent, Accelerates Barrier Recovery and Prevents the Epidermal Hyperplasia Induced by Epidermal Injury in Hairless Mice and Humans. Journal of Investigative Dermatology, 1997, 109, 84-90.	0.3	86
96	Epidermal injury stimulates prenylation in the epidermis of hairless mice. Archives of Dermatological Research, 1997, 289, 104-110.	1.1	5
97	The epidermal hyperplasia associated with repeated barrier disruption by acetone treatment or tape stripping cannot be attributed to increased water loss. Archives of Dermatological Research, 1996, 288, 230-238.	1.1	117
98	The epidermal hyperplasia associated with repeated barrier disruption by acetone treatment or tape stripping cannot be attributed to increased water loss. Archives of Dermatological Research, 1996, 288, 230-238.	1.1	88
99	Physical and Chemical Factors that Improve Epidermal Permeability Barrier Homeostasis. , 0, , .		1