

Maria Aberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2549206/publications.pdf>

Version: 2024-02-01

28
papers

465
citations

840776

11
h-index

752698

20
g-index

29
all docs

29
docs citations

29
times ranked

706
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Cardiorespiratory fitness and muscle strength in late adolescence and long-term risk of early heart failure in Swedish men. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 876-884. | 1.8 | 56 |
| 2 | Body weight in adolescence and long-term risk of early heart failure in adulthood among men in Sweden. <i>European Heart Journal</i> , 2017, 38, ehv221. | 2.2 | 55 |
| 3 | Higher Body Mass Index in Adolescence Predicts Cardiomyopathy Risk in Midlife. <i>Circulation</i> , 2019, 140, 117-125. | 1.6 | 52 |
| 4 | Effects of exercise on symptoms of anxiety in primary care patients: A randomized controlled trial. <i>Journal of Affective Disorders</i> , 2022, 297, 26-34. | 4.1 | 37 |
| 5 | Resting heart rate in late adolescence and long term risk of cardiovascular disease in Swedish men. <i>International Journal of Cardiology</i> , 2018, 259, 109-115. | 1.7 | 31 |
| 6 | Body Mass Index in Young Women and Risk of Cardiomyopathy. <i>Circulation</i> , 2020, 141, 520-529. | 1.6 | 31 |
| 7 | Fitness, strength and severity of COVID-19: a prospective register study of 1 559 187 Swedish conscripts. <i>BMJ Open</i> , 2021, 11, e051316. | 1.9 | 29 |
| 8 | Body Mass Index in Young Adulthood and Suicidal Behavior up to Age 59 in a Cohort of Swedish Men. <i>PLoS ONE</i> , 2014, 9, e101213. | 2.5 | 18 |
| 9 | Risk factors in Swedish young men for amyotrophic lateral sclerosis in adulthood. <i>Journal of Neurology</i> , 2018, 265, 460-470. | 3.6 | 17 |
| 10 | Mental disorders and stress resilience in adolescence and long-term risk of early heart failure among Swedish men. <i>International Journal of Cardiology</i> , 2017, 243, 326-331. | 1.7 | 14 |
| 11 | Obesity in adolescent men increases the risk of venous thromboembolism in adult life. <i>Journal of Internal Medicine</i> , 2020, 287, 734-745. | 6.0 | 13 |
| 12 | Pain could negatively affect school grades - Swedish middle school students with low school grades most affected. <i>PLoS ONE</i> , 2018, 13, e0208435. | 2.5 | 11 |
| 13 | A Growing Social Divide in Body Mass Index, Strength, and Fitness of Swedish Male Conscripts. <i>Journal of Adolescent Health</i> , 2019, 65, 232-238. | 2.5 | 11 |
| 14 | High IQ in Early Adulthood Is Associated with Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2020, 10, 1649-1656. | 2.8 | 11 |
| 15 | Elevated resting heart rate in adolescent men and risk of heart failure and cardiomyopathy. <i>ESC Heart Failure</i> , 2020, 7, 1178-1185. | 3.1 | 9 |
| 16 | Diverging trends for onset of acute myocardial infarction, heart failure, stroke and mortality in young males: role of changes in obesity and fitness. <i>Journal of Internal Medicine</i> , 2021, 290, 373-385. | 6.0 | 8 |
| 17 | Future marginalisation and mortality in young Swedish men with non-psychotic psychiatric disorders and the resilience effect of cognitive ability: a prospective, population-based study. <i>BMJ Open</i> , 2016, 6, e010769. | 1.9 | 7 |
| 18 | Cognitive performance in late adolescence and long-term risk of early heart failure in Swedish men. <i>European Journal of Heart Failure</i> , 2018, 20, 989-997. | 7.1 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Anxiety severity and cognitive function in primary care patients with anxiety disorder: a cross-sectional study. <i>BMC Psychiatry</i> , 2021, 21, 617. | 2.6 | 7 |
| 20 | Severe COVID-19 in people 55 and older during the first year of the pandemic in Sweden. <i>Journal of Internal Medicine</i> , 2022, 292, 641-653. | 6.0 | 7 |
| 21 | Cause-specific mortality in Swedish males diagnosed with non-psychotic mental disorders in late adolescence: a prospective population-based study. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 582-588. | 3.7 | 6 |
| 22 | Cardiovascular fitness and risk of migraine: a large, prospective population-based study of Swedish young adult men. <i>BMJ Open</i> , 2019, 9, e029147. | 1.9 | 6 |
| 23 | Association Between Levels of Serum Insulin-like Growth Factor I and Functional Recovery, Mortality, and Recurrent Stroke at a 7-year Follow-up. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2020, 128, 303-310. | 1.2 | 6 |
| 24 | Effects of exercise on symptoms of anxiety, cognitive ability and sick leave in patients with anxiety disorders in primary care: study protocol for PHYSBI, a randomized controlled trial. <i>BMC Psychiatry</i> , 2019, 19, 172. | 2.6 | 5 |
| 25 | BMI in early adulthood is associated with severe COVID-19 later in life: A prospective cohort study of 1.5 million Swedish men. <i>Obesity</i> , 2022, 30, 779-787. | 3.0 | 5 |
| 26 | The erythrocyte sedimentation rate in male adolescents and subsequent risk of Parkinson's disease: an observational study. <i>Journal of Neurology</i> , 2021, 268, 1508-1516. | 3.6 | 3 |
| 27 | Cardiorespiratory fitness in late adolescence and long-term risk of psoriasis and psoriatic arthritis among Swedish men. <i>PLoS ONE</i> , 2021, 16, e0243348. | 2.5 | 3 |
| 28 | Resting heart rate in late adolescence and long term risk of early heart failure in Swedish men. <i>European Heart Journal</i> , 2018, 39, . | 2.2 | 0 |