Michele Maio

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2549462/publications.pdf

Version: 2024-02-01

232 papers 63,439 citations

78 h-index

7087

231 g-index

254 all docs

254 docs citations

times ranked

254

48072 citing authors

#	Article	IF	CITATIONS
1	Improved Survival with Vemurafenib in Melanoma with BRAF V600E Mutation. New England Journal of Medicine, 2011, 364, 2507-2516.	13.9	6,976
2	Combined Nivolumab and Ipilimumab or Monotherapy in Untreated Melanoma. New England Journal of Medicine, 2015, 373, 23-34.	13.9	6,773
3	Nivolumab in Previously Untreated Melanoma without <i>BRAF</i> Mutation. New England Journal of Medicine, 2015, 372, 320-330.	13.9	4,795
4	Ipilimumab plus Dacarbazine for Previously Untreated Metastatic Melanoma. New England Journal of Medicine, 2011, 364, 2517-2526.	13.9	4,074
5	Overall Survival with Combined Nivolumab and Ipilimumab in Advanced Melanoma. New England Journal of Medicine, 2017, 377, 1345-1356.	13.9	3,589
6	Guidelines for the Evaluation of Immune Therapy Activity in Solid Tumors: Immune-Related Response Criteria. Clinical Cancer Research, 2009, 15, 7412-7420.	3.2	2,857
7	Five-Year Survival with Combined Nivolumab and Ipilimumab in Advanced Melanoma. New England Journal of Medicine, 2019, 381, 1535-1546.	13.9	2,484
8	Nivolumab versus chemotherapy in patients with advanced melanoma who progressed after anti-CTLA-4 treatment (CheckMate 037): a randomised, controlled, open-label, phase 3 trial. Lancet Oncology, The, 2015, 16, 375-384.	5.1	2,353
9	Combined Vemurafenib and Cobimetinib in <i>BRAF</i> Mutated Melanoma. New England Journal of Medicine, 2014, 371, 1867-1876.	13.9	1,824
10	Adjuvant Nivolumab versus Ipilimumab in Resected Stage III or IV Melanoma. New England Journal of Medicine, 2017, 377, 1824-1835.	13.9	1,752
11	International validation of the consensus Immunoscore for the classification of colon cancer: a prognostic and accuracy study. Lancet, The, 2018, 391, 2128-2139.	6.3	1,487
12	Adjuvant Pembrolizumab versus Placebo in Resected Stage III Melanoma. New England Journal of Medicine, 2018, 378, 1789-1801.	13.9	1,441
13	Ipilimumab versus placebo after radiotherapy in patients with metastatic castration-resistant prostate cancer that had progressed after docetaxel chemotherapy (CA184-043): a multicentre, randomised, double-blind, phase 3 trial. Lancet Oncology, The, 2014, 15, 700-712.	5.1	1,280
14	Towards the introduction of the †Immunoscore' in the classification of malignant tumours. Journal of Pathology, 2014, 232, 199-209.	2.1	1,151
15	Prolonged Survival in Stage III Melanoma with Ipilimumab Adjuvant Therapy. New England Journal of Medicine, 2016, 375, 1845-1855.	13.9	1,140
16	Adjuvant ipilimumab versus placebo after complete resection of high-risk stage III melanoma (EORTC) Tj ETQq0	0 0 ggBT /0	Overlock 10 Tf
17	Safety and efficacy of vemurafenib in BRAFV600E and BRAFV600K mutation-positive melanoma (BRIM-3): extended follow-up of a phase 3, randomised, open-label study. Lancet Oncology, The, 2014, 15, 323-332.	5.1	890
18	High Levels of Exosomes Expressing CD63 and Caveolin-1 in Plasma of Melanoma Patients. PLoS ONE, 2009, 4, e5219.	1,1	806

#	Article	IF	Citations
19	Phase III Randomized Clinical Trial Comparing Tremelimumab With Standard-of-Care Chemotherapy in Patients With Advanced Melanoma. Journal of Clinical Oncology, 2013, 31, 616-622.	0.8	720
20	Cancer classification using the Immunoscore: a worldwide task force. Journal of Translational Medicine, 2012, 10, 205.	1.8	676
21	The role of BRAF V600 mutation in melanoma. Journal of Translational Medicine, 2012, 10, 85.	1.8	563
22	Baseline Biomarkers for Outcome of Melanoma Patients Treated with Pembrolizumab. Clinical Cancer Research, 2016, 22, 5487-5496.	3.2	480
23	Baseline Peripheral Blood Biomarkers Associated with Clinical Outcome of Advanced Melanoma Patients Treated with Ipilimumab. Clinical Cancer Research, 2016, 22, 2908-2918.	3.2	459
24	Long-Term Outcomes With Nivolumab Plus Ipilimumab or Nivolumab Alone Versus Ipilimumab in Patients With Advanced Melanoma. Journal of Clinical Oncology, 2022, 40, 127-137.	0.8	446
25	Five-Year Survival Rates for Treatment-Naive Patients With Advanced Melanoma Who Received Ipilimumab Plus Dacarbazine in a Phase III Trial. Journal of Clinical Oncology, 2015, 33, 1191-1196.	0.8	445
26	lpilimumab 10 mg/kg versus ipilimumab 3 mg/kg in patients with unresectable or metastatic melanoma: a randomised, double-blind, multicentre, phase 3 trial. Lancet Oncology, The, 2017, 18, 611-622.	5.1	428
27	Vaccination of Metastatic Melanoma Patients With Autologous Tumor-Derived Heat Shock Protein gp96-Peptide Complexes: Clinical and Immunologic Findings. Journal of Clinical Oncology, 2002, 20, 4169-4180.	0.8	361
28	Tremelimumab as second-line or third-line treatment in relapsed malignant mesothelioma (DETERMINE): a multicentre, international, randomised, double-blind, placebo-controlled phase 2b trial. Lancet Oncology, The, 2017, 18, 1261-1273.	5.1	356
29	Adjuvant nivolumab versus ipilimumab in resected stage IIIB–C and stage IV melanoma (CheckMate 238): 4-year results from a multicentre, double-blind, randomised, controlled, phase 3 trial. Lancet Oncology, The, 2020, 21, 1465-1477.	5.1	330
30	Tremelimumab for patients with chemotherapy-resistant advanced malignant mesothelioma: an open-label, single-arm, phase 2 trial. Lancet Oncology, The, 2013, 14, 1104-1111.	5.1	326
31	Results from an Integrated Safety Analysis of Urelumab, an Agonist Anti-CD137 Monoclonal Antibody. Clinical Cancer Research, 2017, 23, 1929-1936.	3.2	290
32	The biology of cancer testis antigens: Putative function, regulation and therapeutic potential. Molecular Oncology, 2011, 5, 164-182.	2.1	281
33	Ipilimumab and fotemustine in patients with advanced melanoma (NIBIT-M1): an open-label, single-arm phase 2 trial. Lancet Oncology, The, 2012, 13, 879-886.	5.1	273
34	Therapeutic efficacy of ipilimumab, an anti-CTLA-4 monoclonal antibody, in patients with metastatic melanoma unresponsive to prior systemic treatments: clinical and immunological evidence from three patient cases. Cancer Immunology, Immunotherapy, 2009, 58, 1297-1306.	2.0	246
35	The Emerging Toxicity Profiles of Anti–CTLA-4 Antibodies Across Clinical Indications. Seminars in Oncology, 2010, 37, 499-507.	0.8	224
36	Adjuvant pembrolizumab versus placebo in resected stage III melanoma (EORTC 1325-MG/KEYNOTE-054): distant metastasis-free survival results from a double-blind, randomised, controlled, phase 3 trial. Lancet Oncology, The, 2021, 22, 643-654.	5.1	224

#	Article	IF	CITATIONS
37	Endoglin (CD105): a powerful therapeutic target on tumor-associated angiogenetic blood vessels. Oncogene, 2003, 22, 6557-6563.	2.6	222
38	Myeloid-Derived Suppressor Cells Predict Survival of Patients with Advanced Melanoma: Comparison with Regulatory T Cells and NY-ESO-1- or Melan-A–Specific T Cells. Clinical Cancer Research, 2014, 20, 1601-1609.	3.2	222
39	Intratumor Heterogeneity of Cancer/Testis Antigens Expression in Human Cutaneous Melanoma Is Methylation-Regulated and Functionally Reverted by 5-Aza-2′-deoxycytidine. Cancer Research, 2004, 64, 9167-9171.	0.4	193
40	Pembrolizumab in Patients With Microsatellite Instability–High Advanced Endometrial Cancer: Results From the KEYNOTE-158 Study. Journal of Clinical Oncology, 2022, 40, 752-761.	0.8	189
41	Selection of Immunostimulant AS15 for Active Immunization With MAGE-A3 Protein: Results of a Randomized Phase II Study of the European Organisation for Research and Treatment of Cancer Melanoma Group in Metastatic Melanoma. Journal of Clinical Oncology, 2013, 31, 2413-2420.	0.8	188
42	Efficacy and safety of an intensified schedule of tremelimumab for chemotherapy-resistant malignant mesothelioma: an open-label, single-arm, phase 2 study. Lancet Respiratory Medicine, the, 2015, 3, 301-309.	5.2	185
43	Tremelimumab combined with durvalumab in patients with mesothelioma (NIBIT-MESO-1): an open-label, non-randomised, phase 2 study. Lancet Respiratory Medicine, the, 2018, 6, 451-460.	5.2	185
44	Adjuvant vemurafenib in resected, BRAFV600 mutation-positive melanoma (BRIM8): a randomised, double-blind, placebo-controlled, multicentre, phase 3 trial. Lancet Oncology, The, 2018, 19, 510-520.	5.1	183
45	Durable benefit and the potential for long-term survival with immunotherapy in advanced melanoma. Cancer Treatment Reviews, 2014, 40, 1056-1064.	3.4	178
46	Endoglin: An accessory component of the TGF-?-binding receptor-complex with diagnostic, prognostic, and bioimmunotherapeutic potential in human malignancies. Journal of Cellular Physiology, 2001, 188, 1-7.	2.0	162
47	Tumor cell-specific BRCA1 and RASSF1A hypermethylation in serum, plasma and peritoneal fluid from ovarian cancer patients. Women's Oncology Review, 2005, 5, 19-21.	0.0	159
48	Clinical experience with ipilimumab 3Âmg/kg: real-world efficacy and safety data from an expanded access programme cohort. Journal of Translational Medicine, 2014, 12, 116.	1.8	149
49	Efficacy and safety of ipilimumab 3mg/kg in patients with pretreated, metastatic, mucosal melanoma. European Journal of Cancer, 2014, 50, 121-127.	1.3	149
50	Targeting cancer vasculature via endoglin/CD105: a novel antibody-based diagnostic and therapeutic strategy in solid tumours. Cardiovascular Research, 2010, 86, 12-19.	1.8	147
51	Anticancer immunotherapy by CTLA-4 blockade: obligatory contribution of IL-2 receptors and negative prognostic impact of soluble CD25. Cell Research, 2015, 25, 208-224.	5.7	143
52	Highlights on endoglin (CD105): from basic findings towards clinical applications in human cancer. Journal of Translational Medicine, 2004, 2, 18.	1.8	139
53	Defining the critical hurdles in cancer immunotherapy. Journal of Translational Medicine, 2011, 9, 214.	1.8	139
54	Intralesional administration of L19-IL2/L19-TNF in stage III or stage IVM1a melanoma patients: results of a phase II study. Cancer Immunology, Immunotherapy, 2015, 64, 999-1009.	2.0	138

#	Article	IF	CITATIONS
55	A phase II trial of vaccination with autologous, tumor-derived heat-shock protein peptide complexes Gp96, in combination with GM-CSF and interferon-l± in metastatic melanoma patients. Cancer Immunology, Immunotherapy, 2006, 55, 958-968.	2.0	134
56	Adjuvant ipilimumab versus placebo after complete resection of stage III melanoma: long-term follow-up results of the European Organisation for Research and Treatment of Cancer 18071 double-blind phase 3 randomised trial. European Journal of Cancer, 2019, 119, 1-10.	1.3	132
57	Multicenter International Society for Immunotherapy of Cancer Study of the Consensus Immunoscore for the Prediction of Survival and Response to Chemotherapy in Stage III Colon Cancer. Journal of Clinical Oncology, 2020, 38, 3638-3651.	0.8	130
58	Epigenetic drugs as pleiotropic agents in cancer treatment: Biomolecular aspects and clinical applications. Journal of Cellular Physiology, 2007, 212, 330-344.	2.0	124
59	Long-term survival and immunological parameters in metastatic melanoma patients who responded to ipilimumab 10Åmg/kg within an expanded access programme. Cancer Immunology, Immunotherapy, 2013, 62, 1021-1028.	2.0	121
60	Functional Up-regulation of Human Leukocyte Antigen Class I Antigens Expression by 5-aza-2′-deoxycytidine in Cutaneous Melanoma: Immunotherapeutic Implications. Clinical Cancer Research, 2007, 13, 3333-3338.	3.2	120
61	Prolonged Upregulation of the Expression of HLA Class I Antigens and Co stimulatory Molecules on Melanoma Cells Treated with 5-aza-2??-deoxycytidine (5-AZA-CdR). Journal of Immunotherapy, 1999, 22, 16-24.	1.2	119
62	Ipilimumab in pretreated patients with metastatic uveal melanoma: safety and clinical efficacy. Cancer Immunology, Immunotherapy, 2012, 61, 41-48.	2.0	118
63	Three-year follow-up of advanced melanoma patients who received ipilimumab plus fotemustine in the Italian Network for Tumor Biotherapy (NIBIT)-M1 phase II study. Annals of Oncology, 2015, 26, 798-803.	0.6	118
64	Heat shock proteins: biological functions and clinical application as personalized vaccines for human cancer. Cancer Immunology, Immunotherapy, 2004, 53, 227-233.	2.0	116
65	5-aza-2'-deoxycytidine-induced expression of functional cancer testis antigens in human renal cell carcinoma: immunotherapeutic implications. Clinical Cancer Research, 2002, 8, 2690-5.	3.2	114
66	Functional T Cells Targeting NY-ESO-1 or Melan-A Are Predictive for Survival of Patients With Distant Melanoma Metastasis. Journal of Clinical Oncology, 2012, 30, 1835-1841.	0.8	112
67	Promoter Methylation Controls the Expression of MAGE2, 3 and 4 Genes in Human Cutaneous Melanoma. Journal of Immunotherapy, 2002, 25, 16-26.	1.2	111
68	Recommendations from the iSBTc-SITC/FDA/NCI Workshop on Immunotherapy Biomarkers. Clinical Cancer Research, 2011, 17, 3064-3076.	3.2	108
69	Efficacy and safety of ipilimumab in patients with advanced melanoma and brain metastases. Journal of Neuro-Oncology, 2014, 118, 109-116.	1.4	103
70	Efficacy and safety of ipilimumab in elderly patients with pretreated advanced melanoma treated at Italian centres through the expanded access programme. Journal of Experimental and Clinical Cancer Research, 2014, 33, 30.	3.5	97
71	Epigenetics of human cutaneous melanoma: setting the stage for new therapeutic strategies. Journal of Translational Medicine, 2010, 8, 56.	1.8	94
72	Epigenetic drugs as immunomodulators for combination therapies in solid tumors., 2014, 142, 339-350.		92

#	Article	IF	Citations
73	Health-related quality of life with adjuvant ipilimumab versus placebo after complete resection of high-risk stage III melanoma (EORTC 18071): secondary outcomes of a multinational, randomised, double-blind, phase 3 trial. Lancet Oncology, The, 2017, 18, 393-403.	5.1	91
74	Sequential Treatment with Ipilimumab and BRAF Inhibitors in Patients With Metastatic Melanoma: Data From the Italian Cohort of the Ipilimumab Expanded Access Program. Cancer Investigation, 2014, 32, 144-149.	0.6	90
75	Molecular Pathways: At the Crossroads of Cancer Epigenetics and Immunotherapy. Clinical Cancer Research, 2015, 21, 4040-4047.	3.2	89
76	Peripheral CD8 effector-memory type 1 T-cells correlate with outcome in ipilimumab-treated stage IV melanoma patients. European Journal of Cancer, 2017, 73, 61-70.	1.3	88
77	Challenges in lung cancer therapy during the COVID-19 pandemic. Lancet Respiratory Medicine, the, 2020, 8, 542-544.	5.2	88
78	Updated overall survival (OS) results for BRIM-3, a phase III randomized, open-label, multicenter trial comparing BRAF inhibitor vemurafenib (vem) with dacarbazine (DTIC) in previously untreated patients with <i>BRAF^{V600E}</i> -mutated melanoma Journal of Clinical Oncology, 2012, 30, 8502-8502.	0.8	86
79	Limited Antitumor T Cell Response in Melanoma Patients Vaccinated with Interleukin-2 Gene-Transduced Allogeneic Melanoma Cells. Human Gene Therapy, 1996, 7, 1955-1963.	1.4	83
80	Ipilimumab experience in heavily pretreated patients with melanoma in an expanded access program at the University Hospital of Siena (Italy). Cancer Immunology, Immunotherapy, 2011, 60, 467-477.	2.0	79
81	5-Aza-2′-deoxycytidine (decitabine) treatment of hematopoietic malignancies: a multimechanism therapeutic approach?. Blood, 2003, 101, 4644-4646.	0.6	78
82	Chemokine receptor patterns in lymphocytes mirror metastatic spreading in melanoma. Journal of Clinical Investigation, 2016, 126, 921-937.	3.9	71
83	Immunotherapy of brain metastases: breaking a "dogma― Journal of Experimental and Clinical Cancer Research, 2019, 38, 419.	3.5	70
84	Epigenetic targets for immune intervention in human malignancies. Oncogene, 2003, 22, 6484-6488.	2.6	68
85	Immune Checkpoint Inhibitors in Melanoma Provide the Cornerstones for Curative Therapies. Seminars in Oncology, 2015, 42, 429-435.	0.8	68
86	Active immunization of metastatic melanoma patients with interleukin-2-transduced allogeneic melanoma cells: evaluation of efficacy and tolerability. Cancer Immunology, Immunotherapy, 1997, 44, 197-203.	2.0	67
87	CXCR6, a Newly Defined Biomarker of Tissue-Specific Stem Cell Asymmetric Self-Renewal, Identifies More Aggressive Human Melanoma Cancer Stem Cells. PLoS ONE, 2010, 5, e15183.	1.1	65
88	Implementing liquid biopsies into clinical decision making for cancer immunotherapy. Oncotarget, 2017, 8, 48507-48520.	0.8	63
89	Heat Shock Proteins and Their Use as Anticancer Vaccines. Clinical Cancer Research, 2004, 10, 8142-8146.	3.2	62
90	Large Randomized Study of Thymosin \hat{l}_{\pm} 1, Interferon Alfa, or Both in Combination With Dacarbazine in Patients With Metastatic Melanoma. Journal of Clinical Oncology, 2010, 28, 1780-1787.	0.8	62

#	Article	IF	CITATIONS
91	Vaccination of Melanoma Patients with Interleukin 4 Gene-Transduced Allogeneic Melanoma Cells. Human Gene Therapy, 1999, 10, 2907-2916.	1.4	61
92	Analysis of Cancer/Testis Antigens in Sporadic Medullary Thyroid Carcinoma: Expression and Humoral Response to NY-ESO-1. Journal of Clinical Endocrinology and Metabolism, 2003, 88, 748-754.	1.8	61
93	Limited Induction of Tumor Cross-Reactive T Cells without a Measurable Clinical Benefit in Early Melanoma Patients Vaccinated with Human Leukocyte Antigen Class l–Modified Peptides. Clinical Cancer Research, 2012, 18, 6485-6496.	3.2	61
94	Immunomodulatory activity of SGI-110, a 5-aza-2′-deoxycytidine-containing demethylating dinucleotide. Cancer Immunology, Immunotherapy, 2013, 62, 605-614.	2.0	61
95	Antitumor activity of epigenetic immunomodulation combined with CTLA-4 blockade in syngeneic mouse models. Oncolmmunology, 2015, 4, e1019978.	2.1	61
96	Safety and efficacy of nivolumab in patients with rare melanoma subtypes who progressed on or after ipilimumab treatment: a single-arm, open-label, phase II study (CheckMate 172). European Journal of Cancer, 2019, 119, 168-178.	1.3	61
97	Guadecitabine Plus Ipilimumab in Unresectable Melanoma: The NIBIT-M4 Clinical Trial. Clinical Cancer Research, 2019, 25, 7351-7362.	3.2	61
98	MODULATION OF HLA-DR ANTIGENS EXPRESSION IN HUMAN MYELOID LEUKAEMIA CELLS BY CYTARABINE AND 5-AZA-2'-DEOXYCYTIDINE. Lancet, The, 1984, 324, 867-868.	6.3	59
99	Peptide-based vaccines for cancer therapy. Human Vaccines and Immunotherapeutics, 2014, 10, 3175-3178.	1.4	59
100	Cancer testis antigens in human melanoma stem cells: Expression, distribution, and methylation status. Journal of Cellular Physiology, 2008, 215, 287-291.	2.0	56
101	Bempegaldesleukin Plus Nivolumab in First-Line Metastatic Melanoma. Journal of Clinical Oncology, 2021, 39, 2914-2925.	0.8	55
102	Phenotypic and functional changes of human melanoma xenografts induced by DNA hypomethylation: Immunotherapeutic implications. Journal of Cellular Physiology, 2006, 207, 58-66.	2.0	52
103	Clinical Studies With Anti–CTLA-4 Antibodies in Non-melanoma Indications. Seminars in Oncology, 2010, 37, 460-467.	0.8	52
104	Methylation levels of the "long interspersed nucleotide element-1" repetitive sequences predict survival of melanoma patients. Journal of Translational Medicine, 2011, 9, 78.	1.8	52
105	Whole genome methylation profiles as independent markers of survival in stage IIIC melanoma patients. Journal of Translational Medicine, 2012, 10, 185.	1.8	49
106	Differential levels of soluble endoglin (CD105) in myeloid malignancies. Journal of Cellular Physiology, 2003, 194, 171-175.	2.0	48
107	Targeted therapy of solid malignancies via HLA class II antigens: a new biotherapeutic approach?. Oncogene, 2003, 22, 6564-6569.	2.6	46
108	Strong association between an HLAâ€DR antigen and thyroid carcinoma. Tissue Antigens, 1982, 20, 155-158.	1.0	45

#	Article	IF	Citations
109	A systematic approach to biomarker discovery; Preamble to "the iSBTc-FDA taskforce on immunotherapy biomarkers". Journal of Translational Medicine, 2008, 6, 81.	1.8	45
110	Epigenetic Modulation of Solid Tumors as a Novel Approach for Cancer Immunotherapy. Seminars in Oncology, 2005, 32, 473-478.	0.8	44
111	Conservation of Genetic Alterations in Recurrent Melanoma Supports the Melanoma Stem Cell Hypothesis. Cancer Research, 2008, 68, 122-131.	0.4	42
112	Soluble NKG2D ligands are biomarkers associated with the clinical outcome to immune checkpoint blockade therapy of metastatic melanoma patients. Oncolmmunology, 2017, 6, e1323618.	2.1	42
113	Methylation-regulated expression of HLA class I antigens in melanoma. International Journal of Cancer, 2003, 105, 430-431.	2.3	41
114	Biology and Clinical Applications of CD40 in Cancer Treatment. Seminars in Oncology, 2010, 37, 517-523.	0.8	41
115	The Coincidence of Chromosome 15 Aberrations and \hat{I}^2 2-Microglobulin Gene Mutations Is Causative for the Total Loss of Human Leukocyte Antigen Class I Expression in Melanoma. Clinical Cancer Research, 2006, 12, 3297-3305.	3.2	39
116	Overall survival at 5 years of follow-up in a phase III trial comparing ipilimumab 10 mg/kg with 3 mg/kg in patients with advanced melanoma., 2020, 8, e000391.		39
117	Vaccination of Stage IV patients with allogeneic IL-4- or IL-2-gene-transduced melanoma cells generates functional antibodies against vaccinating and autologous melanoma cells. Cancer Immunology, Immunotherapy, 2002, 51, 9-14.	2.0	38
118	Anti–CTLA-4 Antibody Adjuvant Therapy in Melanoma. Seminars in Oncology, 2010, 37, 455-459.	0.8	37
119	Adjuvant pembrolizumab versus placebo in resected stage III melanoma (EORTC 1325-MG/KEYNOTE-054): health-related quality-of-life results from a double-blind, randomised, controlled, phase 3 trial. Lancet Oncology, The, 2021, 22, 655-664.	5.1	37
120	Circulating CD4+ T Cells That Produce IL4 or IL17 When Stimulated by Melan-A but Not by NY-ESO-1 Have Negative Impacts on Survival of Patients with Stage IV Melanoma. Clinical Cancer Research, 2014, 20, 4390-4399.	3.2	36
121	Primary Analysis and 4-Year Follow-Up of the Phase III NIBIT-M2 Trial in Melanoma Patients With Brain Metastases. Clinical Cancer Research, 2021, 27, 4737-4745.	3.2	35
122	Brain Metastasis in Melanoma: Clinical Activity of CTLA-4 Antibody Therapy. Seminars in Oncology, 2010, 37, 468-472.	0.8	33
123	Prevalence of hypophysitis in a cohort of patients with metastatic melanoma and prostate cancer treated with ipilimumab. Endocrine, 2017, 58, 535-541.	1.1	33
124	Epigenetics Meets Immune Checkpoints. Seminars in Oncology, 2015, 42, 506-513.	0.8	32
125	Genomic Features of Exceptional Response in Vemurafenib ± Cobimetinib–treated Patients with ⟨i⟩BRAF⟨/i⟩V600-mutated Metastatic Melanoma. Clinical Cancer Research, 2019, 25, 3239-3246.	3.2	32
126	Expression and Functional Role of CD54/Intercellular Adhesion Molecule-1 (ICAM-1) on Human Blood Cells. Leukemia and Lymphoma, 1992, 8, 23-33.	0.6	31

#	Article	IF	Citations
127	Effects of cyclophosphamide and IL-2 on regulatory CD4+ T cell frequency and function in melanoma patients vaccinated with HLA-class I peptides: impact on the antigen-specific T cell response. Cancer Immunology, Immunotherapy, 2013, 62, 897-908.	2.0	31
128	Heterogeneous distribution of BRAF/NRAS mutations among Italian patients with advanced melanoma. Journal of Translational Medicine, 2013, 11, 202.	1.8	31
129	NK―and Tâ€cell subsets in malignant mesothelioma patients: Baseline pattern and changes in the context of antiâ€CTLAâ€4 therapy. International Journal of Cancer, 2019, 145, 2238-2248.	2.3	31
130	Immune Checkpoint Inhibitors for Cancer Therapy in the COVID-19 Era. Clinical Cancer Research, 2020, 26, 4201-4205.	3.2	30
131	Tremelimumab plus durvalumab retreatment and 4-year outcomes in patients with mesothelioma: a follow-up of the open label, non-randomised, phase 2 NIBIT-MESO-1 study. Lancet Respiratory Medicine,the, 2021, 9, 969-976.	5.2	29
132	Differential modulation by tumor necrosis factor and immune interferon of HLA class-II antigens expressed by melanoma cells. International Journal of Cancer, 1989, 44, 554-559.	2.3	28
133	Update on the role of ipilimumab in melanoma and first data on new combination therapies. Current Opinion in Oncology, 2013, 25, 166-172.	1.1	27
134	Safety and efficacy of nivolumab in challenging subgroups with advanced melanoma who progressed on or after ipilimumab treatment: A single-arm, open-label, phase II study (CheckMate 172). European Journal of Cancer, 2019, 121, 144-153.	1.3	27
135	Overexpression of protectin (CD59) down-modulates the susceptibility of human melanoma cells to homologous complement. Journal of Cellular Physiology, 2000, 185, 317-323.	2.0	26
136	The cost of unresectable stage III or stage IV melanoma in Italy. Journal of Experimental and Clinical Cancer Research, 2012, 31, 91.	3.5	25
137	The Ipilimumab Lesson in Melanoma: Achieving Long-Term Survival. Seminars in Oncology, 2015, 42, 387-401.	0.8	24
138	Methylation-regulated expression of cancer testis antigens in primary effusion lymphoma: Immunotherapeutic implications. Journal of Cellular Physiology, 2005, 202, 474-477.	2.0	23
139	Clinical experience with ipilimumab 10Âmg/kg in patients with melanoma treated at Italian centres as part of a European expanded access programme. Journal of Experimental and Clinical Cancer Research, 2013, 32, 82.	3.5	23
140	Pregnancy and Malignant Neoplasms of the Head and Neck. Annals of Otology, Rhinology and Laryngology, 1998, 107, 991-998.	0.6	22
141	5-AZA-2′-Deoxycytidine in Cancer Immunotherapy: A Mouse to Man Story. Cancer Research, 2007, 67, 2900-2900.	0.4	21
142	Immunological markers and clinical outcome of advanced melanoma patients receiving ipilimumab plus fotemustine in the NIBIT-M1 study. OncoImmunology, 2016, 5, e1071007.	2.1	21
143	Neoadjuvant immunotherapy is reshaping cancer management across multiple tumour types: The future is now!. European Journal of Cancer, 2021, 152, 155-164.	1.3	21
144	COVID and Lung Cancer. Current Oncology Reports, 2021, 23, 134.	1.8	21

#	Article	IF	CITATIONS
145	CD40 Expression by Human Melanocytic Lesions and Melanoma Cell Lines and Direct CD40 Targeting With the Therapeutic Anti-CD40 Antibody CP-870,893. Journal of Immunotherapy, 2010, 33, 810-816.	1.2	20
146	Clinical and immunologic responses in melanoma patients vaccinated with MAGEâ€A3â€genetically modified lymphocytes. International Journal of Cancer, 2013, 132, 2557-2566.	2.3	20
147	Immunomodulatory Properties of DNA Hypomethylating Agents: Selecting the Optimal Epigenetic Partner for Cancer Immunotherapy. Frontiers in Pharmacology, 2018, 9, 1443.	1.6	20
148	SARS-COV-2 infection in patients with cancer undergoing checkpoint blockade: Clinical course and outcome. European Journal of Cancer, 2020, 133, 1-3.	1.3	20
149	Differential levels of soluble intercellular adhesion molecule-1 (sICAM-1) in early breast cancer and benign breast lesions. Breast Cancer Research and Treatment, 1999, 58, 19-23.	1.1	19
150	The overlooked ?nonclassical? functions of major histocompatibility complex (MHC) class II antigens in immune and nonimmune cells. Journal of Cellular Physiology, 1999, 179, 251-256.	2.0	19
151	Epigenetically regulated clonal heritability of CTA expression profiles in human melanoma. Journal of Cellular Physiology, 2010, 223, 352-358.	2.0	19
152	A randomized, openâ€label clinical trial of tasisulam sodium versus paclitaxel as secondâ€line treatment in patients with metastatic melanoma. Cancer, 2014, 120, 2016-2024.	2.0	19
153	Health-related quality of life impact of cobimetinib in combination with vemurafenib in patients with advanced or metastatic BRAFV600 mutation–positive melanoma. British Journal of Cancer, 2018, 118, 777-784.	2.9	19
154	Circulating Levels of PD-L1 in Mesothelioma Patients from the NIBIT-MESO-1 Study: Correlation with Survival. Cancers, 2020, 12, 361.	1.7	19
155	Epigenetics of melanoma: implications for immune-based therapies. Immunotherapy, 2013, 5, 1103-1116.	1.0	18
156	CTLA4 blockade in mesothelioma: finally a competing strategy over cytotoxic/target therapy?. Cancer Immunology, Immunotherapy, 2015, 64, 105-112.	2.0	18
157	Melanoma-Associated Hypopigmentation: Where Are the Antibodies?. American Journal of Clinical Oncology: Cancer Clinical Trials, 1996, 19, 613-618.	0.6	18
158	Epigenetic Immunomodulation of Hematopoietic Malignancies. Seminars in Oncology, 2005, 32, 503-510.	0.8	17
159	Expression and regulation of B7â€H3 immunoregulatory receptor, in human mesothelial and mesothelioma cells: Immunotherapeutic implications. Journal of Cellular Physiology, 2011, 226, 2595-2600.	2.0	17
160	Immune checkpoint blockade in malignant mesothelioma. OncoImmunology, 2014, 3, e27482.	2.1	17
161	Thymosin $\hat{l}\pm 1$ in melanoma: from the clinical trial setting to the daily practice and beyond. Annals of the New York Academy of Sciences, 2012, 1270, 8-12.	1.8	14
162	Integrating Immune Checkpoint Blockade with Anti-Neo/Mutated Antigens Reactivity to Increase the Clinical Outcome of Immunotherapy. Vaccines, 2015, 3, 420-428.	2.1	14

#	Article	IF	Citations
163	Ipilimumab versus placebo after complete resection of stage III melanoma: Initial efficacy and safety results from the EORTC 18071 phase III trial Journal of Clinical Oncology, 2014, 32, LBA9008-LBA9008.	0.8	14
164	Loss of Spry1 reduces growth of BRAFV600-mutant cutaneous melanoma and improves response to targeted therapy. Cell Death and Disease, 2020, 11, 392.	2.7	14
165	Long-term follow up of metastatic melanoma patients treated with Thymosin alpha-1: investigating immune checkpoints synergy. Expert Opinion on Biological Therapy, 2018, 18, 77-83.	1.4	13
166	Permanent diabetes insipidus in a patient with mesothelioma treated with immunotherapy. Archives of Endocrinology and Metabolism, 2020, 64, 483-486.	0.3	13
167	HLA and prognostic factors in primary breast cancer. International Journal of Cancer, 1985, 35, 581-585.	2.3	12
168	Is it the primetime for endoglin (CD105) in the clinical setting?. Cardiovascular Research, 2006, 69, 781-783.	1.8	12
169	Nivolumab improved survival vs dacarbazine in patients with untreated advanced melanoma. Journal of Translational Medicine, 2015, 13, .	1.8	12
170	Melanoma and immunotherapy bridge 2015. Journal of Translational Medicine, 2016, 14, 65.	1.8	12
171	Long-term survival in patients with metastatic melanoma who received ipilimumab in four phase II trials Journal of Clinical Oncology, 2013, 31, 9053-9053.	0.8	12
172	Back to simplicity: a four-marker blood cell score to quantify prognostically relevant myeloid cells in melanoma patients., 2021, 9, e001167.		11
173	The pleiotropic roles of circular and long noncoding RNAs in cutaneous melanoma. Molecular Oncology, 2022, 16, 565-593.	2.1	11
174	Unbalanced expression of HLA-A and -B antigens: A specific feature of cutaneous melanoma and other non-hemopoietic malignancies reverted by IFN-?. International Journal of Cancer, 2001, 91, 500-507.	2.3	10
175	Expanded access programmes: patient interests versus clinical trial integrity. Lancet Oncology, The, 2015, 16, 15-17.	5.1	10
176	coBRIM: a phase 3, double-blind, placebo-controlled study of vemurafenib versus vemurafenib + cobimetinib in previously untreated BRAFV600 mutation–positive patients with unresectable locally advanced or metastatic melanoma (NCT01689519). Journal of Translational Medicine, 2015, 13, O4.	1.8	10
177	Modulation by cytokines of HLA antigens, intercellular adhesion molecule 1 and high molecular weight melanoma associated antigen expression and of immune lysis of clones derived from the melanoma cell line MeM 50-10. Cancer Immunology, Immunotherapy, 1989, 30, 34-42.	2.0	8
178	In vitro analysis of the melanoma/endothelium interaction increasing the release of soluble intercellular adhesion molecule 1 by endothelial cells. Cancer Immunology, Immunotherapy, 1999, 48, 132-138.	2.0	8
179	Immune Checkpoint Blockade in Malignant Mesothelioma. Seminars in Oncology, 2015, 42, 418-422.	0.8	8
180	Immunotherapy targeting immune check-point(s) in brain metastases. Cytokine and Growth Factor Reviews, 2017, 36, 33-38.	3.2	8

#	Article	IF	Citations
181	Immune checkpoint therapy of mesothelioma: Pre-clinical bases and clinical evidences. Cytokine and Growth Factor Reviews, 2017, 36, 25-31.	3.2	8
182	New horizons from immunotherapy in malignant pleural mesothelioma. Journal of Thoracic Disease, 2018, 10, S322-S332.	0.6	8
183	Recombinant transmembrane CD59 (CD59-TM) confers complement resistance to GPI-anchored protein defective melanoma cells*. Journal of Cellular Physiology, 2002, 190, 200-206.	2.0	7
184	Targeting of HLA-DR molecules transduces agonistic functional signals in cutaneous melanoma. Journal of Cellular Physiology, 2004, 200, 272-276.	2.0	7
185	Severe acute respiratory syndrome coronavirus 2 vaccination and cancer therapy: A successful but mindful mix. European Journal of Cancer, 2021, 156, 119-121.	1.3	7
186	First-in-human, open-label, phase $1/2$ study of the monoclonal antibody programmed cell death protein-1 (PD-1) inhibitor cetrelimab (JNJ-63723283) in patients with advanced cancers. Cancer Chemotherapy and Pharmacology, 2022, 89, 499-514.	1.1	7
187	Bioimmunotherapeutic targets on angiogenetic blood vessels in solid malignangies. Frontiers in Bioscience - Landmark, 2001, 6, d776.	3.0	6
188	Epigenetic Markers of Prognosis in Melanoma. Methods in Molecular Biology, 2014, 1102, 481-499.	0.4	6
189	Vemurafenib inBRAFV600 mutated metastatic melanoma: a subanalysis of the Italian population of a global safety study. Future Oncology, 2015, 11, 1355-1362.	1.1	6
190	Abstract CT039: INDUCE-1: a phase I open-label study of GSK3359609, an ICOS agonist antibody, administered alone and in combination with pembrolizumab in patients with selected, advanced solid tumors. Cancer Research, 2017, 77, CT039-CT039.	0.4	6
191	A phase 2 single-arm study with tremelimumab at an optimized dosing schedule in second-line mesothelioma patients Journal of Clinical Oncology, 2014, 32, 7531-7531.	0.8	6
192	Cancer testis antigens and melanoma stem cells: new promises for therapeutic intervention. Cancer Immunology, Immunotherapy, 2010, 59, 487-488.	2.0	5
193	A randomized, phase III study of fotemustine versus the combination of fotemustine and ipilimumab or the combination of ipilimumab and nivolumab in patients with metastatic melanoma with brain metastasis: the NIBIT-M2 trial Journal of Clinical Oncology, 2015, 33, TPS9090-TPS9090.	0.8	5
194	Nivolumab plus ipilimumab in melanoma brain metastases. Lancet Oncology, The, 2022, 23, e53.	5.1	5
195	Signaling by HLA class II antigens on B cells. Trends in Immunology, 1995, 16, 548.	7.5	4
196	Optimizing complement-activating antibody-based cancer immunotherapy: a feasible strategy?. Journal of Translational Medicine, 2004, 2, 21.	1.8	4
197	Diagnostic and Therapeutic Approaches in Italian Hospitals: Adjuvant and Metastatic Therapy in Melanoma. Dermatology, 2013, 226, 22-27.	0.9	4
198	Immune checkpoint blockade therapy of mesothelioma: a clinical and radiological challenge. Cancer Immunology, Immunotherapy, 2018, 67, 1317-1324.	2.0	4

#	Article	IF	CITATIONS
199	Pembrolizumab in microsatellite instability high (MSI-H)/mismatch repair deficient (dMMR) cancers: Updated analysis from phase 2 KEYNOTE-158 study Journal of Clinical Oncology, 2021, 39, 2565-2565.	0.8	4
200	Abstract CT270: A randomized, multi-center, phase II study of nivolumab combined with ipilimumab and guadecitabine or nivolumab combined with ipilimumab in melanoma and NSCLC patients resistant to anti-PD-1/-PD-L1: The NIBIT-ML1 Study., 2020,,.		4
201	Ipilimumab (Ipi) retreatment at 10 mg/kg in patients with metastatic melanoma previously treated in phase II trials Journal of Clinical Oncology, 2013, 31, 9059-9059.	0.8	4
202	BRIM8: A phase III, randomized, double-blind, placebo-controlled study of vemurafenib adjuvant therapy in patients with surgically resected, cutaneous BRAF-mutant melanoma at high risk for recurrence (NCT01667419) Journal of Clinical Oncology, 2014, 32, TPS9118-TPS9118.	0.8	4
203	KEYNOTE-022: Pembrolizumab with trametinib in patients with BRAF wild-type melanoma or advanced solid tumours irrespective of BRAF mutation. European Journal of Cancer, 2022, 160, 1-11.	1.3	4
204	The Association Between Congenital Adrenal Hyperplasia and HLA in Southern Italy. Annals of the New York Academy of Sciences, 1985, 458, 46-51.	1.8	3
205	European approach to antibody-based immunotherapy of melanoma. Seminars in Oncology, 2002, 29, 471-478.	0.8	3
206	The Italian Network for Tumor Biotherapy (NIBIT). Sharing Visions, Goals and Efforts at European Level. Tumori, 2008, 94, 179-181.	0.6	3
207	Longitudinal Study of Recurrent Metastatic Melanoma Cell Lines Underscores the Individuality of Cancer Biology. Journal of Investigative Dermatology, 2014, 134, 1389-1396.	0.3	3
208	Biomarkers for immune checkpoint inhibitors – Authors' reply. Lancet Oncology, The, 2014, 15, e1-e2.	5.1	3
209	Fourteenth Meeting of the Network Italiano per la Bioterapia dei Tumori (NIBIT) on Cancer Bio-Immunotherapy, Siena, Italy, October 13–15, 2016. Cancer Immunology, Immunotherapy, 2018, 67, 1023-1030.	2.0	3
210	A vision of immuno-oncology: the Siena think tank of the Italian network for tumor biotherapy (NIBIT) foundation. Journal of Experimental and Clinical Cancer Research, 2021, 40, 240.	3.5	3
211	Epigenetic Immune Remodeling of Mesothelioma Cells: A New Strategy to Improve the Efficacy of Immunotherapy. Epigenomes, 2021, 5, 27.	0.8	3
212	Health-related quality of life in patients treated with pembrolizumab for microsatellite instability–high/mismatch repair–deficient advanced solid tumours: Results from the KEYNOTE-158 study. European Journal of Cancer, 2022, 169, 188-197.	1.3	3
213	SARS-CoV-2 infection in cancer patients on active therapy after the booster dose of mRNA vaccines. European Journal of Cancer, 2022, 171, 143-149.	1.3	3
214	Introduction to Immunologic Checkpoints for Cancer Treatment: From Scientific Rationale to Clinical Application. Seminars in Oncology, 2010, 37, 429.	0.8	2
215	ICOS Expression as Immunologic Marker in Immune Activating Monoclonal Antibodies. Methods in Molecular Biology, 2016, 1393, 133-139.	0.4	2
216	Immunotherapy Bridge 2017 and Melanoma Bridge 2017: meeting abstracts. Journal of Translational Medicine, 2018, 16 , .	1.8	2

#	Article	IF	CITATIONS
217	The future of mesothelioma treatment: time to shift gear. Lancet Respiratory Medicine, the, 2019, 7, 554-555.	5.2	2
218	The Italian Network for Tumor Biotherapy (NIBIT): past, present and future goals. Reviews in Health Care, 2014, 5, 3-6.	0.1	2
219	Abstract CT557: Phase 1/2 study of quavonlimab (Qmab) + pembrolizumab (pembro) in patients (pts) with advanced melanoma that progressed on a PD-1/PD-L1 inhibitor. Cancer Research, 2022, 82, CT557-CT557.	0.4	2
220	Epigenetically regulated tumor-associated antigens in melanoma. Expert Review of Dermatology, 2009, 4, 145-154.	0.3	1
221	Goals and objectives of the Italian Network for Tumor Biotherapy (NIBIT). Cytokine and Growth Factor Reviews, 2017, 36, 1-3.	3.2	1
222	The Italian Network for Tumor Bio-Immunotherapy (NIBIT) Foundation: ongoing and prospective activities in immuno-oncology. Cancer Immunology, Immunotherapy, 2019, 68, 143-150.	2.0	1
223	Serafino Zappacosta: An Enlightened Mentor and Educator. Frontiers in Immunology, 2020, 11, 217.	2.2	1
224	Unbalanced expression of HLAâ€A and â€B antigens: A specific feature of cutaneous melanoma and other nonâ€hemopoietic malignancies reverted by IFNâ€Î³. International Journal of Cancer, 2001, 91, 500-507.	2.3	1
225	Introduction: Melanoma: American and European perspectives on diagnosis and treatment. Seminars in Oncology, 2002, 29, 306-307.	0.8	0
226	Biomolecular strategies for therapeutic intervention in cancer. Oncogene, 2003, 22, 6469-6469.	2.6	0
227	Introduction: Cancer Epigenetics and Epigenetic Treatment of Cancer. Seminars in Oncology, 2005, 32, 435-436.	0.8	0
228	"Cancer Bio-Immunotherapy in Siena― Eleventh Meeting of the Network Italiano per la Bioterapia dei Tumori (NIBIT), Siena, Italy, October 17–19, 2013. Cancer Immunology, Immunotherapy, 2015, 64, 131-135.	2.0	0
229	Immunologic Checkpoints for Cancer Treatment: A Continuing Success. Seminars in Oncology, 2015, 42, 362.	0.8	0
230	"Cancer Bio-Immunotherapy in Siena― Twelfth Meeting of the Network Italiano per la Bioterapia dei Tumori (NIBIT), Siena, Italy, October 9–11, 2014. Cancer Immunology, Immunotherapy, 2016, 65, 119-126.	2.0	0
231	Perspectives of Immunotherapy in Advanced Melanoma: Combinations and Sequencing., 2021,, 281-310.		0
232	Endoglin (CD105): A Strong Candidate for Immunologic Targeting of Tumor Neovasculature in Human Malignancies. , 2008, , 395-410.		0