

Annelie Brauner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/255152/publications.pdf>

Version: 2024-02-01

104
papers

3,651
citations

159358

30
h-index

155451

55
g-index

107
all docs

107
docs citations

107
times ranked

4154
citing authors

#	ARTICLE	IF	CITATIONS
1	HIF-1 mediated activation of antimicrobial peptide LL-37 in type 2 diabetic patients. <i>Journal of Molecular Medicine</i> , 2022, 100, 101-113.	1.7	4
2	Distribution of serotypes and antibiotic resistance of invasive <i>Pseudomonas aeruginosa</i> in a multi-country collection. <i>BMC Microbiology</i> , 2022, 22, 13.	1.3	24
3	Antibiotic Prescribing in Connection to Childbirth: An Observational Study in Two Districts in Lao PDR. <i>Antibiotics</i> , 2022, 11, 448.	1.5	1
4	Patatin-like phospholipase CapV in <i>Escherichia coli</i> - morphological and physiological effects of one amino acid substitution. <i>Npj Biofilms and Microbiomes</i> , 2022, 8, 39.	2.9	3
5	A stable cyclized antimicrobial peptide derived from LL-37 with host immunomodulatory effects and activity against uropathogens. <i>Cellular and Molecular Life Sciences</i> , 2022, 79, .	2.4	14
6	Nanogel Encapsulated Hydrogels As Advanced Wound Dressings for the Controlled Delivery of Antibiotics. <i>Advanced Functional Materials</i> , 2021, 31, 2006453.	7.8	58
7	Ag@ZnO Nanoparticles Induce Antimicrobial Peptides and Promote Migration and Antibacterial Activity of Keratinocytes. <i>ACS Infectious Diseases</i> , 2021, 7, 2068-2072.	1.8	16
8	Metformin strengthens uroepithelial immunity against <i>E. coli</i> infection. <i>Scientific Reports</i> , 2021, 11, 19263.	1.6	6
9	Dendritic Hydrogels Induce Immune Modulation in Human Keratinocytes and Effectively Eradicate Bacterial Pathogens. <i>Journal of the American Chemical Society</i> , 2021, 143, 17180-17190.	6.6	14
10	Knowledge, Attitudes, Perception and Reported Practices of Healthcare Providers on Antibiotic Use and Resistance in Pregnancy, Childbirth and Children under Two in Lao PDR: A Mixed Methods Study. <i>Antibiotics</i> , 2021, 10, 1462.	1.5	5
11	Making medical devices safer: impact of plastic and silicone oil on microbial biofilm formation. <i>Journal of Hospital Infection</i> , 2020, 106, 155-162.	1.4	17
12	Anti-biofilm activity of chlorhexidine digluconate against <i>Candida albicans</i> vaginal isolates. <i>PLoS ONE</i> , 2020, 15, e0238428.	1.1	14
13	Activation of NLRP3 by uropathogenic <i>Escherichia coli</i> is associated with IL-1 β release and regulation of antimicrobial properties in human neutrophils. <i>Scientific Reports</i> , 2020, 10, 21837.	1.6	23
14	The Diversity of Lipopolysaccharide (O) and Capsular Polysaccharide (K) Antigens of Invasive <i>Klebsiella pneumoniae</i> in a Multi-Country Collection. <i>Frontiers in Microbiology</i> , 2020, 11, 1249.	1.5	52
15	Vitamin D strengthens the bladder epithelial barrier by inducing tight junction proteins during <i>E. coli</i> urinary tract infection. <i>Cell and Tissue Research</i> , 2020, 380, 669-673.	1.5	17
16	Draft Genome Sequence of the Urinary Catheter Isolate <i>Enterobacter ludwigii</i> CEB04 with High Biofilm Forming Capacity. <i>Microorganisms</i> , 2020, 8, 522.	1.6	2
17	Containment of Antibiotic REsistanceâ€”measures to improve antibiotic use in pregnancy, childbirth and young children (CAREChild): a protocol of a prospective, quasiexperimental interventional study in Lao PDR. <i>BMJ Open</i> , 2020, 10, e040334.	0.8	6
18	Association between vitamin D, antimicrobial peptides and urinary tract infection in infants and young children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019, 108, 551-556.	0.7	37

#	ARTICLE	IF	CITATIONS
19	Analysis of the Ribonuclease A Superfamily of Antimicrobial Peptides in Patients Undergoing Chronic Peritoneal Dialysis. <i>Scientific Reports</i> , 2019, 9, 7753.	1.6	3
20	Expression of Psoriasin in Human Papillomavirus-Induced Cervical High-Grade Squamous Intraepithelial Lesions. <i>Journal of Lower Genital Tract Disease</i> , 2019, 23, 33-38.	0.9	2
21	Statins influence epithelial expression of the anti-microbial peptide LL-37/hCAP-18 independently of the mevalonate pathway. <i>Clinical and Experimental Immunology</i> , 2019, 195, 265-276.	1.1	5
22	<i>Amaranthus caudatus</i> extract inhibits the invasion of <i>E. coli</i> into uroepithelial cells. <i>Journal of Ethnopharmacology</i> , 2018, 220, 155-158.	2.0	11
23	“a gut feeling” <i>Escherichia coli</i> biofilm formation in the gastrointestinal tract environment. <i>Critical Reviews in Microbiology</i> , 2018, 44, 1-30.	2.7	87
24	<i>Lupinus mutabilis</i> Edible Beans Protect against Bacterial Infection in Uroepithelial Cells. Evidence-based Complementary and Alternative Medicine, 2018, 2018, 1-8.	0.5	4
25	Rapid diagnostic assay for detection of cellulose in urine as biomarker for biofilm-related urinary tract infections. <i>Npj Biofilms and Microbiomes</i> , 2018, 4, 26.	2.9	20
26	Rapid Phenotypic Antibiotic Susceptibility Testing of Uropathogens Using Optical Signal Analysis on the Nanowell Slide. <i>Frontiers in Microbiology</i> , 2018, 9, 1530.	1.5	19
27	The neutrophil-mobilizing cytokine interleukin-26 in the airways of long-term tobacco smokers. <i>Clinical Science</i> , 2018, 132, 959-983.	1.8	19
28	Activation of the NLRP3 Inflammasome Pathway by Uropathogenic <i>Escherichia coli</i> Is Virulence Factor-Dependent and Influences Colonization of Bladder Epithelial Cells. <i>Frontiers in Cellular and Infection Microbiology</i> , 2018, 8, 81.	1.8	50
29	Psoriasin, a novel anti- <i>Candida albicans</i> adhesin. <i>Journal of Molecular Medicine</i> , 2018, 96, 537-545.	1.7	18
30	Discovery of New Genes Involved in Curli Production by a Uropathogenic <i>Escherichia coli</i> Strain from the Highly Virulent O45:K1:H7 Lineage. <i>MBio</i> , 2018, 9, .	1.8	35
31	Extract of <i>Clinopodium bolivianum</i> protects against <i>E. coli</i> invasion of uroepithelial cells. <i>Journal of Ethnopharmacology</i> , 2017, 198, 214-220.	2.0	17
32	Draft Genome Sequences of Semiconstitutive Red, Dry, and Rough Biofilm-Forming Commensal and Uropathogenic <i>Escherichia coli</i> Isolates. <i>Genome Announcements</i> , 2017, 5, .	0.8	5
33	Elevated nitric oxide in recurrent vulvovaginal candidiasis “ association with clinical findings. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2017, 96, 295-301.	1.3	5
34	Alterations of c-di-GMP turnover proteins modulate semi-constitutive rdar biofilm formation in commensal and uropathogenic <i>Escherichia coli</i> . <i>MicrobiologyOpen</i> , 2017, 6, e00508.	1.2	25
35	Antibiotic Overconsumption in Pregnant Women With Urinary Tract Symptoms in Uganda. <i>Clinical Infectious Diseases</i> , 2017, 65, 544-550.	2.9	18
36	Stand-Alone EAL Domain Proteins Form a Distinct Subclass of EAL Proteins Involved in Regulation of Cell Motility and Biofilm Formation in Enterobacteria. <i>Journal of Bacteriology</i> , 2017, 199, .	1.0	36

#	ARTICLE	IF	CITATIONS
37	Vitamin D-deficient mice have more invasive urinary tract infection. <i>PLoS ONE</i> , 2017, 12, e0180810.	1.1	17
38	Novel Strategies in the Prevention and Treatment of Urinary Tract Infections. <i>Pathogens</i> , 2016, 5, 13.	1.2	24
39	A ten-year retrospective case series of glucocorticoid treatment of bacterial meningitis in children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2016, 105, 979-982.	0.7	1
40	Improved cell surface display of <i>Salmonella enterica</i> serovar Enteritidis antigens in <i>Escherichia coli</i> . <i>Microbial Cell Factories</i> , 2015, 14, 47.	1.9	8
41	The impact of vitamin D on the innate immune response to uropathogenic <i>Escherichia coli</i> during pregnancy. <i>Clinical Microbiology and Infection</i> , 2015, 21, 482.e1-482.e7.	2.8	19
42	<i>Gynostemma pentaphyllum</i> exhibits anti-inflammatory properties and modulates antimicrobial peptide expression in the urinary bladder. <i>Journal of Functional Foods</i> , 2015, 17, 283-292.	1.6	10
43	Bacterial Nanoscale Cultures for Phenotypic Multiplexed Antibiotic Susceptibility Testing. <i>Journal of Clinical Microbiology</i> , 2014, 52, 3310-3317.	1.8	29
44	Virulence Factors of Uropathogenic <i>E. coli</i> and Their Interaction with the Host. <i>Advances in Microbial Physiology</i> , 2014, 65, 337-372.	1.0	133
45	Estrogenic action on innate defense mechanisms in the urinary tract. <i>Maturitas</i> , 2014, 77, 32-36.	1.0	75
46	Markers of innate immune activity in patients with type 1 and type 2 diabetes mellitus and the effect of the anti-oxidant coenzyme Q10 on inflammatory activity. <i>Clinical and Experimental Immunology</i> , 2014, 177, 478-482.	1.1	62
47	Control of pathogen growth and biofilm formation using a urinary catheter that releases antimicrobial nitrogen oxides. <i>Free Radical Biology and Medicine</i> , 2013, 65, 1257-1264.	1.3	31
48	Decoctions from <i>Citrus reticulata</i> Blanco seeds protect the uroepithelium against <i>Escherichia coli</i> invasion. <i>Journal of Ethnopharmacology</i> , 2013, 150, 770-774.	2.0	16
49	Red meat allergy in Sweden: Association with tick sensitization and B-negative blood groups. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 132, 1431-1434.e6.	1.5	132
50	Estrogen Supports Urothelial Defense Mechanisms. <i>Science Translational Medicine</i> , 2013, 5, 190ra80.	5.8	109
51	Uropathogenic <i>Escherichia coli</i> Isolates from Pregnant Women in Different Countries. <i>Journal of Clinical Microbiology</i> , 2012, 50, 3569-3574.	1.8	22
52	Septicaemia caused by <i>Arcanobacterium haemolyticum</i> smooth type in an immunocompetent patient. <i>Journal of Medical Microbiology</i> , 2012, 61, 1328-1329.	0.7	8
53	Do <i>Escherichia coli</i> strains causing acute cystitis have a distinct virulence repertoire?. <i>Microbial Pathogenesis</i> , 2012, 52, 10-16.	1.3	44
54	<i>Lactuca indica</i> extract interferes with uroepithelial infection by <i>Escherichia coli</i> . <i>Journal of Ethnopharmacology</i> , 2011, 135, 672-677.	2.0	16

#	ARTICLE	IF	CITATIONS
55	Labisia pumila var. alata reduces bacterial load by inducing uroepithelial cell apoptosis. Journal of Ethnopharmacology, 2011, 136, 111-116.	2.0	14
56	The erythropoietin analogue ARA290 modulates the innate immune response and reduces Escherichia coli invasion into urothelial cells. FEMS Immunology and Medical Microbiology, 2011, 62, 190-196.	2.7	12
57	Characterisation of uropathogenic Escherichia coli from children with urinary tract infection in different countries. European Journal of Clinical Microbiology and Infectious Diseases, 2011, 30, 1587-1593.	1.3	34
58	Cellulose and PapG are important for Escherichia coli causing recurrent urinary tract infection in women. Infection, 2011, 39, 571-574.	2.3	15
59	Population structure and uropathogenic virulence-associated genes of faecal Escherichia coli from healthy young and elderly adults. Journal of Medical Microbiology, 2011, 60, 574-581.	0.7	32
60	Characteristics of Biofilms from Urinary Tract Catheters and Presence of Biofilm-Related Components in Escherichia coli. Current Microbiology, 2010, 60, 446-453.	1.0	37
61	Ag43 Promotes Persistence of Uropathogenic Escherichia coli Isolates in the Urinary Tract. Journal of Clinical Microbiology, 2010, 48, 2316-2317.	1.8	25
62	Putative Link between the Virulence-Associated fluA Gene and Fluoroquinolone Resistance in Uropathogenic Escherichia coli. Journal of Clinical Microbiology, 2010, 48, 675-676.	1.8	5
63	Stereotyping at the undergraduate level revealed during interprofessional learning between future doctors and biomedical scientists. Journal of Interprofessional Care, 2010, 24, 53-62.	0.8	19
64	Uropathogenic Escherichia coli Modulates Immune Responses and Its Curli Fimbriae Interact with the Antimicrobial Peptide LL-37. PLoS Pathogens, 2010, 6, e1001010.	2.1	203
65	Is there a risk of cancer development after Campylobacter infection?. Scandinavian Journal of Gastroenterology, 2010, 45, 893-897.	0.6	20
66	Vitamin D Induction of the Human Antimicrobial Peptide Cathelicidin in the Urinary Bladder. PLoS ONE, 2010, 5, e15580.	1.1	108
67	Characterization of cellulose production in Escherichia coli Nissle 1917 and its biological consequences. Environmental Microbiology, 2009, 11, 1105-1116.	1.8	76
68	Antimicrobial mechanisms of the urinary tract. Journal of Molecular Medicine, 2008, 86, 37-47.	1.7	25
69	Cytotoxic necrotizing factor 1 (CNF1) induces an inflammatory response in the urinary tract in vitro but not in vivo. Toxicon, 2008, 51, 1544-1547.	0.8	6
70	Open-ended assignments and student responsibility. Biochemistry and Molecular Biology Education, 2007, 35, 187-192.	0.5	13
71	The antimicrobial peptide cathelicidin protects the urinary tract against invasive bacterial infection. Nature Medicine, 2006, 12, 636-641.	15.2	553
72	INTERLEUKIN-8 RESPONSE IN CELLS FROM THE HUMAN URINARY TRACT INDUCED BY LIPOPOLYSACCHARIDES OF PROTEUS MIRABILIS O3 AND O18. Journal of Urology, 2005, 173, 1381-1384.	0.2	10

#	ARTICLE	IF	CITATIONS
73	Tissue Inhibitor of Metalloproteinase 1 Activates Normal Human Granulocytes, Protects Them from Apoptosis, and Blocks Their Transmigration during Inflammation. <i>Infection and Immunity</i> , 2004, 72, 82-88.	1.0	63
74	51 The Human Cathelicidin: Another Antimicrobial Peptide of Urinary Tract. <i>Pediatric Research</i> , 2004, 56, 472-472.	1.1	0
75	Matrix metalloproteinase-8 correlates with the cervical ripening process in humans. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2003, 82, 904-911.	1.3	40
76	Enhanced chemokine response in experimental acute <i>Escherichia coli</i> pyelonephritis in IL-1 β -deficient mice. <i>Clinical and Experimental Immunology</i> , 2003, 131, 225-233.	1.1	39
77	Matrix Metalloproteinase-9 and Tissue Inhibitor of Metalloproteinases-1 in Acute Pyelonephritis and Renal Scarring. <i>Pediatric Research</i> , 2003, 53, 698-705.	1.1	55
78	Capd Peritonitis Induces the Production of a Novel Peptide, Daintain/Allograft Inflammatory Factor-1. <i>Peritoneal Dialysis International</i> , 2003, 23, 5-13.	1.1	10
79	CAPD peritonitis induces the production of a novel peptide, daintain/allograft inflammatory factor-1. <i>Peritoneal Dialysis International</i> , 2003, 23, 5-13.	1.1	6
80	<i>Escherichia coli</i> -induced expression of IL-1 α , IL-1 β , IL-6 and IL-8 in normal human renal tubular epithelial cells. <i>Clinical and Experimental Immunology</i> , 2001, 124, 423-428.	1.1	35
81	Increased expression of CD25 and HLA-DR on lymphocytes recruited into the peritoneal cavity in non-infected CAPD patients. <i>Inflammation</i> , 2001, 25, 399-404.	1.7	7
82	Meconium Induces Expression of Inducible NO Synthase and Activation of NF- κ B in Rat Alveolar Macrophages. <i>Pediatric Research</i> , 2001, 49, 820-825.	1.1	29
83	Expression of and Cytokine Activation by <i>Escherichia coli</i> Curli Fibers in Human Sepsis. <i>Journal of Infectious Diseases</i> , 2000, 181, 602-612.	1.9	181
84	Downregulatory cytokines in tracheobronchial aspirate fluid from infants with chronic lung disease of prematurity. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2000, 89, 1375-1380.	0.7	43
85	<i>Ureaplasma urealyticum</i> -Induced Production of Proinflammatory Cytokines by Macrophages. <i>Pediatric Research</i> , 2000, 48, 114-119.	1.1	58
86	Increased levels of transforming growth factor beta 1 and basic fibroblast growth factor in patients on CAPD: a study during non-infected steady state and peritonitis. <i>Inflammation</i> , 1999, 23, 131-139.	1.7	32
87	Granulocyte stimulating factor in patients on peritoneal dialysis and LPS stimulated peripheral blood mononuclear cells. <i>Inflammation</i> , 1998, 22, 393-401.	1.7	4
88	Difference in the blood monocyte phenotype between uremic patients and healthy controls: its relation to monocyte differentiation into macrophages in the peritoneal cavity. <i>Inflammation</i> , 1998, 22, 55-66.	1.7	30
89	CYTOKINE GENE EXPRESSION DURING EXPERIMENTAL <i>ESCHERICHIA COLI</i> PYELONEPHRITIS IN MICE. <i>Journal of Urology</i> , 1997, 158, 1576-1580.	0.2	39
90	Cytokine gene expression during experimental <i>Escherichia coli</i> pyelonephritis in mice. <i>Journal of Urology</i> , 1997, 158, 1576-80.	0.2	17

#	ARTICLE	IF	CITATIONS
91	Interleukin-10, Interferon Gamma, Interleukin-2, and Soluble Interleukin-2 Receptor Alpha Detected during Peritonitis in the Dialysate and Serum of Patients on Continuous Ambulatory Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 1996, 16, 607-612.	1.1	14
92	Interleukin-1& and interleukin-6 in the urine, kidney, and bladder of mice inoculated with <i>Escherichia coli</i> . <i>Pediatric Nephrology</i> , 1996, 10, 453-457.	0.9	14
93	Elevated cytokine levels in tracheobronchial aspirate fluids from ventilator treated neonates with bronchopulmonary dysplasia. <i>European Journal of Pediatrics</i> , 1996, 155, 112-116.	1.3	14
94	P-fimbriation and haemolysin production are the most important virulence factors in diabetic patients with <i>Escherichia coli</i> bacteraemia: A multivariate statistical analysis of seven bacterial virulence factors. <i>Journal of Infection</i> , 1995, 31, 27-31.	1.7	20
95	Bacteriuria, Bacterial Virulence and Host Factors in Diabetic Patients. <i>Diabetic Medicine</i> , 1993, 10, 550-554.	1.2	44
96	Serum resistance in <i>Escherichia coli</i> strains causing acute pyelonephritis and bacteraemia. <i>Apmis</i> , 1992, 100, 147-153.	0.9	27
97	Urinary <i>Escherichia coli</i> causing recurrent infections—a prospective follow-up of biochemical phenotypes. <i>Clinical Nephrology</i> , 1992, 38, 318-23.	0.4	44
98	Relative Importance of Eight Virulence Characteristics of Pyelonephritogenic <i>Escherichia Coli</i> Strains Assessed by Multivariate Statistical Analysis. <i>Journal of Urology</i> , 1991, 146, 1153-1155.	0.2	26
99	Production of cytotoxic necrotizing factor, verocytotoxin and haemolysin by pyelonephritogenic <i>Escherichia coli</i> . <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 1990, 9, 762-767.	1.3	30
100	Aerobactin-mediated uptake of iron by strains of <i>Escherichia coli</i> causing acute pyelonephritis and bacteraemia. <i>Journal of Infection</i> , 1988, 16, 147-152.	1.7	31
101	Bacteraemia with <i>Escherichia coli</i> in diabetic patients. Studies on bacterial virulence and host factors. <i>Diab�te & M�tabolisme</i> , 1988, 14, 625-8.	0.3	2
102	The Use of Biochemical Markers, Serotype and Fimbriation in the Detection of <i>Escherichia coli</i> Clones. <i>Microbiology (United Kingdom)</i> , 1987, 133, 2825-2834.	0.7	17
103	Bacteremia with P-fimbriated <i>Escherichia coli</i> in diabetic patients: correlation between proteinuria and non-P-fimbriated strains. <i>Diabetes Research</i> , 1987, 6, 61-5.	0.1	7
104	<i>Pseudomonas cepacia</i> Septicemia in Patients with Burns: Report of Two Cases. <i>Scandinavian Journal of Infectious Diseases</i> , 1985, 17, 63-66.	1.5	9