George PrayGod

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2552286/publications.pdf

Version: 2024-02-01

62 papers 1,611 citations

304701 22 h-index 315719 38 g-index

64 all docs 64
docs citations

64 times ranked 2637 citing authors

#	Article	IF	CITATIONS
1	Levels and correlates of physical activity and capacity among HIV-infected compared to HIV-uninfected individuals. PLoS ONE, 2022, 17, e0262298.	2.5	6
2	Gender and Age Differences in Meal Structures, Food Away from Home, Chrono-Nutrition, and Nutrition Intakes among Adults and Children in Tanzania Using a Newly Developed Tablet-Based 24-Hour Recall Tool. Current Developments in Nutrition, 2022, 6, nzac015.	0.3	3
3	The association of Schistosoma and geohelminth infections with \hat{I}^2 -cell function and insulin resistance among HIV-infected and HIV-uninfected adults: A cross-sectional study in Tanzania. PLoS ONE, 2022, 17, e0262860.	2.5	4
4	Association of sickle cell trait with $\hat{l}^2 \hat{a} \in ell$ dysfunction and physical activity in adults living with and without HIV in Tanzania. Apmis, 2022, 130, 230-239.	2.0	2
5	βâ€cell dysfunction and insulin resistance in relation to preâ€diabetes and diabetes among adults in northâ€western Tanzania: a crossâ€sectional study. Tropical Medicine and International Health, 2021, 26, 435-443.	2.3	18
6	Prior undernutrition and insulin production several years later in Tanzanian adults. American Journal of Clinical Nutrition, 2021, 113, 1600-1608.	4.7	11
7	Prevalence of Mycobacterium tuberculosis infection as measured by the QuantiFERON-TB Gold assay and ESAT-6 free IGRA among adolescents in Mwanza, Tanzania. PLoS ONE, 2021, 16, e0252808.	2.5	6
8	Risk factors for impaired renal function in HIV-infected and HIV-uninfected adults: cross-sectional study in North-Western Tanzania. BMC Nephrology, 2021, 22, 355.	1.8	3
9	Does adipose tissue have a role in tuberculosis?. Expert Review of Anti-Infective Therapy, 2020, 18, 839-841.	4.4	2
10	Diabetes prevalence by HbA1c and oral glucose tolerance test among HIV-infected and uninfected Tanzanian adults. PLoS ONE, 2020, 15, e0230723.	2.5	37
11	Influence of hemoglobinopathies and glucose-6-phosphate dehydrogenase deficiency on diagnosis of diabetes by HbA1c among Tanzanian adults with and without HIV: A cross-sectional study. PLoS ONE, 2020, 15, e0244782.	2.5	8
12	Complementary Feeding of Sorghum-Based and Corn-Based Fortified Blended Foods Results in Similar Iron, Vitamin A, and Anthropometric Outcomes in the MFFAPP Tanzania Efficacy Study. Current Developments in Nutrition, 2019, 3, nzz027.	0.3	6
13	Effects on body composition and handgrip strength of a nutritional intervention for malnourished HIV-infected adults referred for antiretroviral therapy: a randomised controlled trial. Journal of Nutritional Science, 2019, 8, e19.	1.9	2
14	Safety and Immunogenicity of a 2-Dose Heterologous Vaccination Regimen With Ad26.ZEBOV and MVA-BN-Filo Ebola Vaccines: 12-Month Data From a Phase 1 Randomized Clinical Trial in Uganda and Tanzania. Journal of Infectious Diseases, 2019, 220, 46-56.	4.0	117
15	Validity of HbA1c in Diagnosing Diabetes Among People with Sickle Cell Trait in Tanzania. Blood, 2019, 134, 4852-4852.	1.4	1
16	Growth Status, Inflammation, and Enteropathy in Young Children in Northern Tanzania. American Journal of Tropical Medicine and Hygiene, 2019, 100, 192-201.	1.4	6
17	Nutritional support to reduce mortality in patients with HIV?. Lancet HIV, the, 2018, 5, e202-e204.	4.7	5
18	HIV treatment is associated with a twofold higher probability of raised triglycerides: pooled analyses in 21Â023 individuals in sub-Saharan Africa. Global Health, Epidemiology and Genomics, 2018, 3, .	0.8	11

#	Article	IF	CITATIONS
19	Dysglycemia associations with adipose tissue among HIV-infected patients after 2 years of antiretroviral therapy in Mwanza: a follow-up cross-sectional study. BMC Infectious Diseases, 2017, 17, 103.	2.9	17
20	Changes in serum phosphate and potassium and their effects on mortality in malnourished African HIV-infected adults starting antiretroviral therapy and given vitamins and minerals in lipid-based nutritional supplements: secondary analysis from the Nutritional Support for African Adults Starting Antiretroviral Therapy (NUSTART) trial. British Journal of Nutrition, 2017, 117, 814-821.	2.3	5
21	Nutritional status is the major factor affecting grip strength of African <scp>HIV</scp> patients before and during antiretroviral treatment. Tropical Medicine and International Health, 2017, 22, 1302-1313.	2.3	14
22	Elevated blood pressure and correlates in a cohort of <scp>HIV</scp> â€infected adults who started antiretroviral therapy when undernourished. Journal of Clinical Hypertension, 2017, 19, 803-806.	2.0	0
23	Risk factors for mortality among malnourished HIV-infected adults eligible for antiretroviral therapy. BMC Infectious Diseases, 2016, 16, 562.	2.9	18
24	From Wasting to Obesity: The Contribution of Nutritional Status to Immune Activation in HIV Infection. Journal of Infectious Diseases, 2016, 214, S75-S82.	4.0	30
25	A longitudinal study of systemic inflammation and recovery of lean body mass among malnourished HIV-infected adults starting antiretroviral therapy in Tanzania and Zambia. European Journal of Clinical Nutrition, 2016, 70, 499-504.	2.9	18
26	Indoor Air Pollution and Delayed Measles Vaccination Increase the Risk of Severe Pneumonia in Children: Results from a Case-Control Study in Mwanza, Tanzania. PLoS ONE, 2016, 11, e0160804.	2.5	14
27	Minimal impact of an iron-fortified lipid-based nutrient supplement on Hb and iron status: a randomised controlled trial in malnourished HIV-positive African adults starting antiretroviral therapy. British Journal of Nutrition, 2015, 114, 387-397.	2.3	7
28	Pharmacokinetics of Isoniazid, Pyrazinamide, and Ethambutol in Newly Diagnosed Pulmonary TB Patients in Tanzania. PLoS ONE, 2015, 10, e0141002.	2.5	73
29	Predictors of body composition changes during tuberculosis treatment in Mwanza, Tanzania. European Journal of Clinical Nutrition, 2015, 69, 1125-1132.	2.9	8
30	Microbiota at Multiple Body Sites during Pregnancy in a Rural Tanzanian Population and Effects of Moringa-Supplemented Probiotic Yogurt. Applied and Environmental Microbiology, 2015, 81, 4965-4975.	3.1	85
31	Appetite testing in HIV-infected African adults recovering from malnutrition and given antiretroviral therapy. Public Health Nutrition, 2015, 18, 742-751.	2.2	12
32	Effects on mortality of a nutritional intervention for malnourished HIV-infected adults referred for antiretroviral therapy: a randomised controlled trial. BMC Medicine, 2015, 13, 17.	5.5	40
33	Effects on Anthropometry and Appetite of Vitamins and Minerals Given in Lipid Nutritional Supplements for Malnourished HIV-Infected Adults Referred for Antiretroviral Therapy. Journal of Acquired Immune Deficiency Syndromes (1999), 2015, 68, 405-412.	2.1	12
34	Height as a prognostic marker for survival during antituberculous therapy. Infectious Diseases, 2015, 47, 515-516.	2.8	1
35	The use of combined heart rate response and accelerometry to assess the level and predictors of physical activity in tuberculosis patients in Tanzania. Epidemiology and Infection, 2014, 142, 1334-1342.	2.1	6
36	The Association Between Conventional Risk Factors and Diabetes Is Weak Among Urban Tanzanians: Table 1. Diabetes Care, 2014, 37, e5-e6.	8.6	11

#	Article	IF	CITATIONS
37	Diabetes is associated with lower tuberculosis antigen-specific interferon gamma release in Tanzanian tuberculosis patients and non-tuberculosis controls. Scandinavian Journal of Infectious Diseases, 2014, 46, 384-391.	1.5	46
38	Nutritional Supplementation Increases Rifampin Exposure among Tuberculosis Patients Coinfected with HIV. Antimicrobial Agents and Chemotherapy, 2014, 58, 3468-3474.	3.2	51
39	Increased level of acute phase reactants in patients infected with modern Mycobacterium tuberculosis genotypes in Mwanza, Tanzania. BMC Infectious Diseases, 2014, 14, 309.	2.9	18
40	Patient costs during tuberculosis treatment in Bangladesh and Tanzania: the potential of shorter regimens. International Journal of Tuberculosis and Lung Disease, 2014, 18, 810-817.	1.2	33
41	BCG protects against tuberculosis irrespective of HIV status: a matched case-control study in Mwanza, Tanzania: TableÂ1. Thorax, 2013, 68, 288-289.	5.6	16
42	Association of HIV and ART with cardiometabolic traits in sub-Saharan Africa: a systematic review and meta-analysis. International Journal of Epidemiology, 2013, 42, 1754-1771.	1.9	158
43	Sex, Smoking, and Socioeconomic Status Are Associated with Body Composition among Tuberculosis Patients in a Deuterium Dilution Cross-Sectional Study in Mwanza, Tanzania. Journal of Nutrition, 2013, 143, 735-741.	2.9	8
44	Diabetes is a strong predictor of mortality during tuberculosis treatment: a prospective cohort study among tuberculosis patients from <scp>M</scp> wanza, <scp>T</scp> anzania. Tropical Medicine and International Health, 2013, 18, 822-829.	2.3	90
45	The Prevalence of Latent Mycobacterium tuberculosis Infection Based on an Interferon-Î ³ Release Assay: A Cross-Sectional Survey among Urban Adults in Mwanza, Tanzania. PLoS ONE, 2013, 8, e64008.	2.5	20
46	Vitamin D Status among Pulmonary TB Patients and Non-TB Controls: A Cross-Sectional Study from Mwanza, Tanzania. PLoS ONE, 2013, 8, e81142.	2.5	28
47	The role of anthropometric and other predictors for diabetes among urban Tanzanians with tuberculosis. International Journal of Tuberculosis and Lung Disease, 2012, 16, 1680-1685.	1.2	23
48	The effect of energy–protein supplementation on weight, body composition and handgrip strength among pulmonary tuberculosis HIV-co-infected patients: randomised controlled trial in Mwanza, Tanzania. British Journal of Nutrition, 2012, 107, 263-271.	2.3	36
49	Early childhood tuberculosis in northwestern Tanzania. International Journal of Tuberculosis and Lung Disease, 2012, 16, 1455-1460.	1.2	5
50	The role of diabetes co-morbidity for tuberculosis treatment outcomes: a prospective cohort study from Mwanza, Tanzania. BMC Infectious Diseases, 2012, 12, 165.	2.9	26
51	Negative effect of smoking on the performance of the QuantiFERON TB gold in tube test. BMC Infectious Diseases, 2012, 12, 379.	2.9	23
52	CD4 lymphocyte dynamics in Tanzanian pulmonary tuberculosis patients with and without hiv co-infection. BMC Infectious Diseases, 2012, 12, 66.	2.9	13
53	The role of diabetes on the clinical manifestations of pulmonary tuberculosis. Tropical Medicine and International Health, 2012, 17, 877-883.	2.3	25
54	Diabetes Is a Risk Factor for Pulmonary Tuberculosis: A Case-Control Study from Mwanza, Tanzania. PLoS ONE, 2011, 6, e24215.	2.5	96

#	Article	IF	CITATION
55	Weight, body composition and handgrip strength among pulmonary tuberculosis patients: a matched cross-sectional study in Mwanza, Tanzania. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2011, 105, 140-147.	1.8	33
56	Daily Multi-Micronutrient Supplementation during Tuberculosis Treatment Increases Weight and Grip Strength among HIV-Uninfected but Not HIV-Infected Patients in Mwanza, Tanzania1–4. Journal of Nutrition, 2011, 141, 685-691.	2.9	40
57	Infrequent detection of Pneumocystis jirovecii by PCR in oral wash specimens from TB patients with or without HIV and healthy contacts in Tanzania. BMC Infectious Diseases, 2010, 10, 140.	2.9	18
58	BCG vaccination status may predict sputum conversion in patients with pulmonary tuberculosis: a new consideration for an old vaccine?. Thorax, 2010, 65, 1072-1076.	5 . 6	14
59	Potential of interferon-Â-inducible protein 10 in improving tuberculosis diagnosis in HIV-infected patients. European Respiratory Journal, 2010, 36, 1488-1490.	6.7	49
60	The Impact of HIV Infection and CD4 Cell Count on the Performance of an Interferon Gamma Release Assay in Patients with Pulmonary Tuberculosis. PLoS ONE, 2009, 4, e4220.	2.5	88
61	Artemisinin derivatives versus quinine in treating severe malaria in children: a systematic review. Malaria Journal, 2008, 7, 210.	2.3	33
62	Long-term health after Severe Acute Malnutrition in children and adults- the role of the Pancreas (SAMPA): Protocol. F1000Research, 0, 11, 777.	1.6	0