List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2554031/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Gender-based inequalities in the effects of housing on health: A critical review. SSM - Population Health, 2022, 17, 101068.	1.3	6
2	Barcelona Salut als Barris: Twelve years' experience of tackling social health inequalities through community-based interventions. Gaceta Sanitaria, 2021, 35, 282-288.	0.6	12
3	Follow-up 18F-FDG PET/CT in an oncological asymptomatic COVID-19 patient. Revista Espanola De Medicina Nuclear E Imagen Molecular, 2021, 40, 374-375.	0.1	0
4	18F-FDG PET/TC de seguimiento en un paciente oncológico portador asintomático de COVID-19. Revista Espanola De Medicina Nuclear E Imagen Molecular, 2021, 40, 374-375.	0.0	1
5	El avance de la gentrificación en Barcelona y Madrid, 2011-2019: análisis socioespacial a partir de un Ãndice de gentrificación. Estudios Geograficos, 2021, 82, e084.	0.4	1
6	Reasons for medication non-initiation: A qualitative exploration of the patients' perspective. Research in Social and Administrative Pharmacy, 2020, 16, 663-672.	1.5	15
7	Utilidad de la PET/TC con 18F-FDG en el diagnóstico de la encefalitis lÃmbica paraneoplásica. Revista Espanola De Medicina Nuclear E Imagen Molecular, 2020, 39, 173-174.	0.0	0
8	Our lives in boxes: perceived community mediators between housing insecurity and health using a PHOTOVOICE approach. International Journal for Equity in Health, 2019, 18, 52.	1.5	14
9	Community intervention to reduce social isolation in older adults in disadvantaged urban areas: study protocol for a mixed methods multi-approach evaluation. BMC Geriatrics, 2019, 19, 44.	1.1	10
10	Valor de la 18F-FDG PET/TC en el diagnóstico de corea-acantocitosis. Revista Espanola De Medicina Nuclear E Imagen Molecular, 2018, 37, 328-329.	0.0	1
11	A personalized intervention to prevent depression in primary care: cost-effectiveness study nested into a clustered randomized trial. BMC Medicine, 2018, 16, 28.	2.3	21
12	Effect of copayment policies on initial medication non-adherence according to income: a population-based study. BMJ Quality and Safety, 2018, 27, 878-891.	1.8	22
13	Reducing the Mental Health–Related Stigma of Social Work Students. Research on Social Work Practice, 2018, 28, 164-172.	1.1	18
14	Development and validation of a prediction algorithm for the onset of common mental disorders in a working population. Australian and New Zealand Journal of Psychiatry, 2018, 52, 47-58.	1.3	26
15	Impact of initial medication non-adherence to SSRIs on medical visits and sick leaves. Journal of Affective Disorders, 2018, 226, 282-286.	2.0	11
16	Initial medication nonâ€adherence: prevalence and predictive factors in a cohort of 1.6 million primary care patients. British Journal of Clinical Pharmacology, 2017, 83, 1328-1340.	1.1	37
17	In-hospital prognosis and long-term mortality of STEMI in a reperfusion network. "Head to head― analisys: invasive reperfusion vs optimal medical therapy. BMC Cardiovascular Disorders, 2017, 17, 139.	0.7	13
18	Mortality decrease according to socioeconomic groups. Lancet, The, 2017, 389, 1794.	6.3	2

#	Article	IF	CITATIONS
19	Integrated mental health atlas of the Western Sydney Local Health District: gaps and recommendations. Australian Health Review, 2017, 41, 38.	0.5	29
20	Impact of initial medication non-adherence on use of healthcare services and sick leave: a longitudinal study in a large primary care cohort in Spain. British Journal of General Practice, 2017, 67, e614-e622.	0.7	18
21	Working draft: Classifications of interventions in mental health care. An expert review. European Journal of Psychiatry, 2017, 31, 127-144.	0.7	10
22	The brain injury case management taxonomy (BICM-T); a classification of community-based case management interventions for a common language. Disability and Health Journal, 2016, 9, 272-280.	1.6	24
23	Setting-based interventions to promote mental health at the university: a systematic review. International Journal of Public Health, 2016, 61, 797-807.	1.0	75
24	Impact of the mass media OBERTAMENT campaign on the levels of stigma among the population of Catalonia, Spain. European Psychiatry, 2016, 31, 44-51.	0.1	23
25	Gender differences in the impact of mental disorders and chronic physical conditions on health-related quality of life among non-demented primary care elderly patients. Quality of Life Research, 2016, 25, 1461-1474.	1.5	15
26	Use of an integrated Atlas of Mental Health Care for evidence informed policy in Catalonia (Spain). Epidemiology and Psychiatric Sciences, 2015, 24, 512-524.	1.8	31
27	Effects of the economic crisis and social support on health-related quality of life: first wave of a longitudinal study in Spain. British Journal of General Practice, 2015, 65, e198-e203.	0.7	26
28	Attitudes and intended behaviour to mental disorders and associated factors in catalan population, Spain: cross-sectional population-based survey. BMC Public Health, 2015, 16, 127.	1.2	20
29	Evidence-based medicine: is it a bridge too far?. Health Research Policy and Systems, 2015, 13, 66.	1.1	59
30	Primary Care Patients' Perspectives of Barriers and Enablers of Primary Prevention and Health Promotion—A Meta-Ethnographic Synthesis. PLoS ONE, 2015, 10, e0125004.	1.1	44
31	Flooding and Mental Health: A Systematic Mapping Review. PLoS ONE, 2015, 10, e0119929.	1.1	188
32	Is there a case for mental health promotion in the primary care setting? A systematic review. Preventive Medicine, 2015, 76, S5-S11.	1.6	13
33	Effectiveness of psychological and/or educational interventions to prevent the onset of episodes of depression: A systematic review of systematic reviews and meta-analyses. Preventive Medicine, 2015, 76, S22-S32.	1.6	41
34	Prevalence of mental disorders in non-demented elderly people in primary care. International Psychogeriatrics, 2015, 27, 757-768.	0.6	27
35	Patients' Opinions about Knowing Their Risk for Depression and What to Do about It. The PredictD-Qualitative Study. PLoS ONE, 2014, 9, e92008.	1.1	15
36	Perceptions of collaboration between general practitioners and community pharmacists: findings from a qualitative study based in Spain. Journal of Interprofessional Care, 2014, 28, 352-357.	0.8	25

#	Article	IF	CITATIONS
37	Health care frames – from <scp>V</scp> irchow to <scp>O</scp> bama and beyond. Journal of Evaluation in Clinical Practice, 2014, 20, 1036-1044.	0.9	6
38	Framing of scientific knowledge as a new category of health care research. Journal of Evaluation in Clinical Practice, 2014, 20, 1045-1055.	0.9	25
39	Barriers and Facilitators for the Implementation of Primary Prevention and Health Promotion Activities in Primary Care: A Synthesis through Meta-Ethnography. PLoS ONE, 2014, 9, e89554.	1.1	153
40	The development of a preliminary taxonomy on case management of brain injury for a common language. International Journal of Integrated Care, 2014, 14, .	0.1	1
41	Preventing the onset of major depression based on the level and profile of risk of primary care attendees: protocol of a cluster randomised trial (the predictD-CCRT study). BMC Psychiatry, 2013, 13, 171.	1.1	20
42	Evaluation of a pharmacist intervention on patients initiating pharmacological treatment for depression: A randomized controlled superiority trial. European Neuropsychopharmacology, 2013, 23, 1057-1066.	0.3	41
43	Cost-Effectiveness of a Community Pharmacist Intervention in Patients with Depression: A Randomized Controlled Trial (PRODEFAR Study). PLoS ONE, 2013, 8, e70588.	1.1	31
44	Psychotropic prescribing in Catalonia: results from an epidemiological study. Family Practice, 2012, 29, 154-162.	0.8	21
45	Adjustment disorders in primary care: prevalence, recognition and use of services. British Journal of Psychiatry, 2012, 201, 137-142.	1.7	73
46	Factors affecting collaboration between general practitioners and community pharmacists: a qualitative study. BMC Health Services Research, 2012, 12, 188.	0.9	40
47	Recognition of anxiety disorders by the general practitioner: results from the DASMAP Study. General Hospital Psychiatry, 2012, 34, 227-233.	1.2	30
48	Effectiveness of Pharmacist Care in the Improvement of Adherence to Antidepressants: A Systematic Review and Meta-Analysis. Annals of Pharmacotherapy, 2011, 45, 39-48.	0.9	75
49	Dropping out of mental health treatment among patients with depression and anxiety by type of provider: results of the European Study of the Epidemiology of Mental Disorders. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 273-280.	1.6	19
50	Measuring use of services for mental health problems in epidemiological surveys. International Journal of Methods in Psychiatric Research, 2011, 20, 182-191.	1.1	8
51	Use of Primary and Specialized Mental Health Care for a Major Depressive Episode in Spain by ESEMeD Respondents. Psychiatric Services, 2011, 62, 152-161.	1.1	40
52	Burden of chronic physical conditions and mental disorders in primary care. British Journal of Psychiatry, 2010, 196, 302-309.	1.7	63
53	Prevalence of mental disorders in primary care: results from the diagnosis and treatment of mental disorders in primary care study (DASMAP). Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 201-210.	1.6	137
54	Utility of the twelve-item World Health Organization Disability Assessment Schedule II (WHO-DAS II) for discriminating depression "caseness―and severity in Spanish primary care patients. Quality of Life Research, 2010, 19, 97-101.	1.5	30

#	Article	IF	CITATIONS
55	The 12-item World Health Organization Disability Assessment Schedule II (WHO-DAS II): a nonparametric item response analysis. BMC Medical Research Methodology, 2010, 10, 45.	1.4	67
56	Epidemiology of major depressive episode in a southern European country: Results from the ESEMeD-Spain project. Journal of Affective Disorders, 2010, 120, 76-85.	2.0	98
57	Psychometric properties of the twelve item World Health Organization Disability Assessment Schedule II (WHO-DAS II) in Spanish primary care patients with a first major depressive episode. Journal of Affective Disorders, 2010, 121, 52-58.	2.0	78
58	Factor structure, internal consistency and construct validity of the Sheehan Disability Scale in a Spanish primary care sample. Journal of Evaluation in Clinical Practice, 2010, 16, 895-901.	0.9	54
59	Frequent attendance in primary care: comparison and implications of different definitions. British Journal of General Practice, 2010, 60, e49-e55.	0.7	45
60	Comparison of Different Valuation Methods for Population Health Status Measured by the EQ-5D in Three European Countries. Value in Health, 2009, 12, 750-758.	0.1	78
61	Age patterns in the prevalence of DSM-IV depressive/anxiety disorders with and without physical co-morbidity. Psychological Medicine, 2008, 38, 1659-1669.	2.7	105
62	Treatment adequacy for anxiety and depressive disorders in six European countries. British Journal of Psychiatry, 2007, 190, 172-173.	1.7	147
63	Barreras y facilitadores del abordaje de la violencia contra las mujeres: perspectivas profesionales entre Cataluña y Costa Rica Poblacion Y Salud En Mesoamerica, 0, , .	0.1	0