

# Patricia Johnson

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2554945/publications.pdf>

Version: 2024-02-01

12  
papers

347  
citations

933447

10  
h-index

1199594

12  
g-index

12  
all docs

12  
docs citations

12  
times ranked

357  
citing authors

#	ARTICLE	IF	CITATIONS
1	Consumer liking of <i>M. longissimus lumborum</i> from New Zealand pasture-finished lamb is influenced by intramuscular fat. <i>Meat Science</i> , 2021, 173, 108380.	5.5	31
2	Relationships between intramuscular fat percentage and fatty acid composition in <i>M. longissimus lumborum</i> of pasture-finished lambs in New Zealand. <i>Meat Science</i> , 2021, 181, 108618.	5.5	17
3	Application of Hyperspectral imaging to predict the pH, intramuscular fatty acid content and composition of lamb <i>M. longissimus lumborum</i> at 24 h post mortem. <i>Meat Science</i> , 2017, 132, 19-28.	5.5	47
4	Estimates of genetic parameters for breech strike and potential indirect indicators in sheep. <i>New Zealand Veterinary Journal</i> , 2015, 63, 98-103.	0.9	14
5	Effect and mode of action of the Texel muscling QTL (TM-QTL) on carcass traits in purebred Texel lambs. <i>Animal</i> , 2014, 8, 1053-1061.	3.3	4
6	Genetic relationships between dagginess, breech bareness, and wool traits in New Zealand dual-purpose sheep <sup>1</sup> . <i>Journal of Animal Science</i> , 2013, 91, 4578-4588.	0.5	16
7	Genetic parameters for production traits in New Zealand dual-purpose sheep, with an emphasis on dagginess <sup>1</sup> . <i>Journal of Animal Science</i> , 2012, 90, 1411-1420.	0.5	31
8	Investigations into the GDF8 g+6723G-A polymorphism in New Zealand Texel sheep <sup>1</sup> . <i>Journal of Animal Science</i> , 2009, 87, 1856-1864.	0.5	52
9	The bone-muscle ratio of fetal lambs is affected more by maternal nutrition during pregnancy than by maternal size. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2008, 294, R1890-R1894.	1.8	7
10	A directed search in the region of GDF8 for quantitative trait loci affecting carcass traits in Texel sheep <sup>1</sup> . <i>Journal of Animal Science</i> , 2005, 83, 1988-2000.	0.5	49
11	Meat quality traits were unaffected by a quantitative trait locus affecting leg composition traits in Texel sheep <sup>1</sup> . <i>Journal of Animal Science</i> , 2005, 83, 2729-2735.	0.5	30
12	Carcass composition and meat quality differences between pasture-reared ewe and ram lambs. <i>Meat Science</i> , 2005, 71, 383-391.	5.5	49