

# Peter J Margetts

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2555159/publications.pdf>

Version: 2024-02-01

29  
papers

1,211  
citations

516710

16  
h-index

477307

29  
g-index

29  
all docs

29  
docs citations

29  
times ranked

1049  
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of Bioelectrical Impedanceâ€“Guided Fluid Management and Vitamin D Supplementation on Left Ventricular Mass in Patients Receiving Peritoneal Dialysis: A Randomized Controlled Trial. <i>American Journal of Kidney Diseases</i> , 2022, 79, 820-831.	1.9	6
2	Recours Ã lâ€™analyse par bio-impÃ©dance pour Ã©valuer les patients atteints de sepsis Ã lâ€™unitÃ© de soins intensifs en pÃ©riode post-rÃ©animation: une Ã©tude observationnelle prospective multicentrique. <i>Canadian Journal of Anaesthesia</i> , 2020, 67, 437-444.	1.6	4
3	Chronic Inflammatory Demyelinating Polyneuropathy and Concurrent Membranous Nephropathy. <i>Canadian Journal of Neurological Sciences</i> , 2020, 47, 585-587.	0.5	15
4	The role of WNT5A and Ror2 in peritoneal membrane injury. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 3481-3491.	3.6	10
5	Circulating microvesicle protein is associated with renal transplant outcome. <i>Transplant Immunology</i> , 2019, 55, 101210.	1.2	9
6	SMAD3-dependent and -independent pathways in glomerular injury associated with experimental glomerulonephritis. <i>American Journal of Physiology - Renal Physiology</i> , 2019, 317, F152-F162.	2.7	8
7	Intrafamilial Variability of ADPKD. <i>Kidney International Reports</i> , 2019, 4, 995-1003.	0.8	42
8	WNT signaling is required for peritoneal membrane angiogenesis. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 314, F1036-F1045.	2.7	10
9	Matrix metalloproteinase 9 is associated with peritoneal membrane solute transport and induces angiogenesis through $\beta$ -catenin signaling. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, gfw076.	0.7	14
10	Assessment of Postresuscitation Volume Status by Bioimpedance Analysis in Patients with Sepsis in the Intensive Care Unit: A Pilot Observational Study. <i>Canadian Respiratory Journal</i> , 2016, 2016, 1-8.	1.6	12
11	Experimental systems to study the origin of the myofibroblast in peritoneal fibrosis. <i>Kidney Research and Clinical Practice</i> , 2016, 35, 133-141.	2.2	16
12	Peritoneal Dialysis Catheter Increases Leukocyte Recruitment in the Mouse Parietal Peritoneum Microcirculation and Causes Fibrosis. <i>Peritoneal Dialysis International</i> , 2016, 36, 7-15.	2.3	7
13	Peritoneal Membrane Injury and Peritoneal Dialysis. <i>Advances in Nephrology</i> , 2014, 2014, 1-10.	0.2	4
14	Gremlin Promotes Peritoneal Membrane Injury in an Experimental Mouse Model and Is Associated with Increased Solute Transport in Peritoneal Dialysis Patients. <i>American Journal of Pathology</i> , 2014, 184, 2976-2984.	3.8	16
15	SREBP-1 is a novel mediator of TGF $\beta$ 1 signaling in mesangial cells. <i>Journal of Molecular Cell Biology</i> , 2014, 6, 516-530.	3.3	36
16	Transforming growth factor $\beta$ -induced peritoneal fibrosis is mouse strain dependent*. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 2015-2027.	0.7	27
17	Adenovirus-Mediated Gene Transfer of TGF $\beta$ 1 to the Renal Glomeruli Leads to Proteinuria. <i>American Journal of Pathology</i> , 2012, 180, 940-951.	3.8	20
18	Prolonged Peritoneal Gene Expression Using a Helper-Dependent Adenovirus. <i>Peritoneal Dialysis International</i> , 2009, 29, 508-516.	2.3	18

#	ARTICLE	IF	CITATIONS
19	Heparin and the peritoneal membrane. <i>Peritoneal Dialysis International</i> , 2009, 29, 16-9.	2.3	4
20	Vascular Endothelial Growth Factor Expression in Peritoneal Mesothelial Cells Undergoing Transdifferentiation. <i>Peritoneal Dialysis International</i> , 2008, 28, 497-504.	2.3	20
21	Peritoneal dialysis, membranes and beyond. <i>Current Opinion in Nephrology and Hypertension</i> , 2006, 15, 571-576.	2.0	8
22	Transforming Growth Factor- $\beta$ 2: Importance in Long-Term Peritoneal Membrane Changes. <i>Peritoneal Dialysis International</i> , 2005, 25, 15-17.	2.3	32
23	Transient Overexpression of TGF- $\beta$ 1 Induces Epithelial Mesenchymal Transition in the Rodent Peritoneum. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 425-436.	6.1	263
24	Transforming growth factor-beta: importance in long-term peritoneal membrane changes. <i>Peritoneal Dialysis International</i> , 2005, 25 Suppl 3, S15-7.	2.3	16
25	Basic Mechanisms and Clinical Implications of Peritoneal Fibrosis. <i>Peritoneal Dialysis International</i> , 2003, 23, 530-541.	2.3	158
26	Basic mechanisms and clinical implications of peritoneal fibrosis. <i>Peritoneal Dialysis International</i> , 2003, 23, 530-41.	2.3	79
27	Acquired Ultrafiltration Dysfunction in Peritoneal Dialysis Patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2002, 13, 2787-2794.	6.1	61
28	Antiangiogenic and Antifibrotic Gene Therapy in a Chronic Infusion Model of Peritoneal Dialysis in Rats. <i>Journal of the American Society of Nephrology: JASN</i> , 2002, 13, 721-728.	6.1	112
29	Gene Transfer of Transforming Growth Factor- $\beta$ 1 to the Rat Peritoneum. <i>Journal of the American Society of Nephrology: JASN</i> , 2001, 12, 2029-2039.	6.1	184