
Usha Gurunathan M Epi Fanzca

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2555856/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A multimodal surgical prehabilitation programme for major abdominal cancer surgery at a tertiary metropolitan institution in Australia: Our initial experience. Anaesthesia and Intensive Care, 2022, , 0310057X2110278.	0.2	1
2	Perioperative Presentations of Kounis Syndrome: A Systematic Literature Review. Journal of Cardiothoracic and Vascular Anesthesia, 2022, 36, 2070-2076.	0.6	7
3	A simplified (modified) Duke Activity Status Index (M-DASI) to characterise functional capacity: a secondary analysis of the Measurement of Exercise Tolerance before Surgery (METS) study. British Journal of Anaesthesia, 2021, 126, 181-190.	1.5	27
4	Postoperative Pain Management and the Incidence of Ipsilateral Shoulder Pain After Thoracic Surgery at an Australian Tertiary-Care Hospital: A Prospective Audit. Journal of Cardiothoracic and Vascular Anesthesia, 2021, 35, 555-562.	0.6	6
5	Bias Assessment in Outcomes Research: The Role of Relative Versus Absolute Approaches. Value in Health, 2021, 24, 1145-1149.	0.1	13
6	Perioperative fluid balance and its relationship with patient outcomes. Comment on Br J Anaesth 2021; 126: 720–9. British Journal of Anaesthesia, 2021, 127, e101-e102.	1.5	0
7	Integration of the Duke Activity Status Index into preoperativeÂriskÂevaluation: a multicentre prospective cohort study. British Journal of Anaesthesia, 2020, 124, 261-270.	1.5	83
8	Effect of Midazolam in Addition to Propofol and Opiate Sedation on the Quality of Recovery After Colonoscopy: A Randomized Clinical Trial. Anesthesia and Analgesia, 2020, 131, 741-750.	1.1	16
9	Association of preoperative anaemia with cardiopulmonary exercise capacity and postoperative outcomes in noncardiac surgery: a substudy of the Measurement of Exercise Tolerance before Surgery (METS) Study. British Journal of Anaesthesia, 2019, 123, 161-169.	1.5	15
10	Heart rate recovery and morbidity after noncardiac surgery: Planned secondary analysis of two prospective, multi-centre, blinded observational studies. PLoS ONE, 2019, 14, e0221277.	1.1	14
11	Letter re: stratification by quality is not recommended in meta-analysis. Journal of Clinical Epidemiology, 2019, 115, 172-174.	2.4	0
12	Use of sugammadex in patients with neuromuscular disorders: a systematic review of case reports. BMC Anesthesiology, 2019, 19, 213.	0.7	25
13	Association of Obesity With Septic Complications After Major Abdominal Surgery. JAMA Network Open, 2019, 2, e1916345.	2.8	14
14	A preliminary study using rotational thromboelastometry to investigate perioperative coagulation changes and to identify hypercoagulability in obese patients undergoing total hip or knee replacement. Anaesthesia and Intensive Care, 2019, 47, 461-468.	0.2	5
15	Stratification by quality induced selection bias in a meta-analysis of clinical trials. Journal of Clinical Epidemiology, 2019, 107, 51-59.	2.4	49
16	Using the 6-minute walk test to predict disability-free survival after major surgery. British Journal of Anaesthesia, 2019, 122, 111-119.	1.5	46
17	Population Pharmacokinetics of Periarticular Ketorolac in Adult Patients Undergoing Total Hip or Total Knee Replacement Surgery. Anesthesia and Analgesia, 2019, 129, 701-708.	1.1	6
18	Takotsubo Cardiomyopathy and Intraoperative Cardiac Arrest: Is Desvenlafaxine a Contributing Factor?. Journal of Cardiothoracic and Vascular Anesthesia, 2018, 32, e16-e18.	0.6	7

Usha Gurunathan M Epi

#	Article	IF	CITATIONS
19	Higher body mass index is not a risk factor for in-hospital adverse outcomes following total knee arthroplasty. Journal of Orthopaedic Surgery, 2018, 26, 230949901880242.	0.4	10
20	Body mass index and in-hospital postoperative complications following primary total hip arthroplasty. HIP International, 2018, 28, 613-621.	0.9	12
21	Assessment of functional capacity before major non-cardiac surgery: an international, prospective cohort study. Lancet, The, 2018, 391, 2631-2640.	6.3	317
22	Usefulness of a visual aid in achieving optimal positioning for spinal anesthesia: a randomized trial. BMC Anesthesiology, 2018, 18, 11.	0.7	4
23	Perioperative hypothermia during hip fracture surgery: An observational study. Journal of Evaluation in Clinical Practice, 2017, 23, 762-766.	0.9	14
24	Association Between Obesity and Wound Infection Following Colorectal Surgery: Systematic Review and Meta-Analysis. Journal of Gastrointestinal Surgery, 2017, 21, 1700-1712.	0.9	51
25	Waist circumference is better than body mass index, but sagittal anterior diameter may be even better: Reply. British Journal of Anaesthesia, 2017, 118, 274-275.	1.5	1
26	Intentions and Barriers to Research Activities among Australian and New Zealand anaesthetists: A Survey. Anaesthesia and Intensive Care, 2016, 44, 111-118.	0.2	9
27	Preoperative Delirium. Anesthesia and Analgesia, 2016, 122, 1727.	1.1	4
28	Measurement of Exercise Tolerance before Surgery (METS) study: a protocol for an international multicentre prospective cohort study of cardiopulmonary exercise testing prior to major non-cardiac surgery. BMJ Open, 2016, 6, e010359.	0.8	50
29	A case of mutism on emergence from general anesthesia. Journal of Anesthesia, 2016, 30, 545-545.	0.7	1
30	Limitations of body mass index as an obesity measure of perioperative risk. British Journal of Anaesthesia, 2016, 116, 319-321.	1.5	89
31	The effect of pregabalin and celecoxib on the analgesic requirements after laparoscopic cholecystectomy: a randomized controlled trial. Journal of Anesthesia, 2016, 30, 64-71.	0.7	17
32	The successful use of sugammadex and uneventful recovery from general anaesthesia in a patient with myotonic dystrophy. Indian Journal of Anaesthesia, 2015, 59, 325.	0.3	7
33	Perioperative considerations of bilateral total knee replacement: a review. Journal of Clinical Anesthesia, 2013, 25, 232-239.	0.7	10
34	Tracheobronchopathia osteochondroplastica: a rare cause of difficult intubation. British Journal of Anaesthesia, 2010, 104, 787-788.	1.5	16
35	Staggered Bilateral Knee Arthroplasty: Good or Bad?. Anesthesiology, 2010, 113, 256-256.	1.3	2
36	Unsuspected Pheochromocytoma: Von Hippel-Lindau Disease. Journal of Neurosurgical	0.6	8

Anesthesiology, 2004, 16, 26-28.