

# June Myung Kim

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/2556328/june-myung-kim-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

93  
papers

1,068  
citations

17  
h-index

27  
g-index

98  
ext. papers

1,335  
ext. citations

3.6  
avg, IF

3.82  
L-index

| #  | Paper  | IF  | Citations |
|----|--|-----|-----------|
| 93 | 489. Risk Factors for Mortality in Patients with Elizabethkingia and Clinical Impact of Antimicrobial Susceptibility Patterns. <i>Open Forum Infectious Diseases</i> , <b>2019</b> , 6, S239-S239  | 1   | 78        |
| 92 | 2130. Impact of Sarcopenic Obesity on Surgical Site Infection After Gastric Cancer Surgery: A Retrospective Study of 1,038 Patients. <i>Open Forum Infectious Diseases</i> , <b>2018</b> , 5, S627-S627  | 1   | 78        |
| 91 | The C-Reactive Protein/Albumin Ratio as an Independent Predictor of Mortality in Patients with Severe Sepsis or Septic Shock Treated with Early Goal-Directed Therapy. <i>PLoS ONE</i> , <b>2015</b> , 10, e0132109  | 3.7 | 72        |
| 90 | Resistance to carbapenems in sequence type 11 Klebsiella pneumoniae is related to DHA-1 and loss of OmpK35 and/or OmpK36. <i>Journal of Medical Microbiology</i> , <b>2012</b> , 61, 239-245   | 3.2 | 46        |
| 89 | Epidemiology and clinical features of HIV infection/AIDS in Korea. <i>Yonsei Medical Journal</i> , <b>2003</b> , 44, 363-370   | 3.0 | 42        |
| 88 | Characteristics of Resting-State Functional Connectivity in HIV-Associated Neurocognitive Disorder. <i>PLoS ONE</i> , <b>2016</b> , 11, e0153493   | 3.7 | 31        |
| 87 | Risk factors for mortality in patients with Serratia marcescens bacteremia. <i>Yonsei Medical Journal</i> , <b>2015</b> , 56, 348-54   | 3   | 30        |
| 86 | Risk factors for the acquisition of carbapenem-resistant Escherichia coli at a tertiary care center in South Korea: a matched case-control study. <i>American Journal of Infection Control</i> , <b>2014</b> , 42, 621-5   | 3.8 | 29        |
| 85 | Incidence and risk factors for surgical site infection after gastric surgery: a multicenter prospective cohort study. <i>Infection and Chemotherapy</i> , <b>2013</b> , 45, 422-30   | 3.9 | 26        |
| 84 | Opportunistic diseases among HIV-infected patients: a multicenter-nationwide Korean HIV/AIDS cohort study, 2006 to 2013. <i>Korean Journal of Internal Medicine</i> , <b>2016</b> , 31, 953-60   | 2.5 | 24        |
| 83 | Anxiety and depressive symptoms among patients infected with human immunodeficiency virus in South Korea. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2015</b> , 27, 1174-82   | 2.2 | 21        |
| 82 | Risk factors for mortality in patients with bloodstream infections caused by carbapenem-resistant Pseudomonas aeruginosa: clinical impact of bacterial virulence and strains on outcome. <i>Diagnostic Microbiology and Infectious Disease</i> , <b>2014</b> , 80, 130-5 | 2.9 | 21        |
| 81 | Development of DNA microarray for pathogen detection. <i>Biotechnology and Bioprocess Engineering</i> , <b>2004</b> , 9, 93-99   | 3.1 | 20        |
| 80 | Utility of the Montreal Cognitive Assessment (MoCA) and its subset in HIV-associated neurocognitive disorder (HAND) screening. <i>Journal of Psychosomatic Research</i> , <b>2016</b> , 80, 53-7   | 4.1 | 19        |
| 79 | Delta neutrophil index as a prognostic marker of early mortality in gram negative bacteremia. <i>Infection and Chemotherapy</i> , <b>2014</b> , 46, 94-102   | 3.9 | 19        |
| 78 | Epidemiology and clinical features of toxigenic culture-confirmed hospital-onset Clostridium difficile infection: a multicentre prospective study in tertiary hospitals of South Korea. <i>Journal of Medical Microbiology</i> , <b>2014</b> , 63, 1542-1551             | 3.2 | 19        |
| 77 | HIV antiretroviral resistance mutations among antiretroviral treatment-naive and -experienced patients in South Korea. <i>AIDS Research and Human Retroviruses</i> , <b>2013</b> , 29, 1617-20   | 1.6 | 17        |

|    |   |      |    |
|----|---|------|----|
| 76 | An increased chloride level in hypochloremia is associated with decreased mortality in patients with severe sepsis or septic shock. <i>Scientific Reports</i> , <b>2017</b> , 7, 15883  | 4.9  | 16 |
| 75 | Incidence of and risk factors for infectious complications in patients with cardiac device implantation. <i>International Journal of Infectious Diseases</i> , <b>2015</b> , 36, 9-14   | 10.5 | 16 |
| 74 | Vancomycin-resistant enterococcal infections in Korea. <i>Yonsei Medical Journal</i> , <b>1998</b> , 39, 562-8  | 3    | 16 |
| 73 | A Simple Scoring System Using the Red Blood Cell Distribution Width, Delta Neutrophil Index, and Platelet Count to Predict Mortality in Patients With Severe Sepsis and Septic Shock. <i>Journal of Intensive Care Medicine</i> , <b>2019</b> , 34, 133-139 | 3.3  | 15 |
| 72 | Mortality Risk Factors for Patients with Septic Shock after Implementation of the Surviving Sepsis Campaign Bundles. <i>Infection and Chemotherapy</i> , <b>2016</b> , 48, 199-208  | 3.9  | 15 |
| 71 | Impaired polyfunctionality of CD8 T cells in severe sepsis patients with human cytomegalovirus reactivation. <i>Experimental and Molecular Medicine</i> , <b>2017</b> , 49, e382  | 12.8 | 14 |
| 70 | Can early initiation of continuous renal replacement therapy improve patient survival with septic acute kidney injury when enrolled in early goal-directed therapy?. <i>Journal of Critical Care</i> , <b>2016</b> , 35, 51-6                               | 4    | 14 |
| 69 | Anti-cytomegalovirus antibody levels are associated with carotid atherosclerosis and inflammatory cytokine production in elderly Koreans. <i>Clinica Chimica Acta</i> , <b>2015</b> , 445, 65-9   | 6.2  | 13 |
| 68 | Antibiotic-Related Adverse Drug Reactions at a Tertiary Care Hospital in South Korea. <i>BioMed Research International</i> , <b>2017</b> , 2017, 4304973  | 3    | 13 |
| 67 | Long Pentraxin 3 as a Predictive Marker of Mortality in Severe Septic Patients Who Received Successful Early Goal-Directed Therapy. <i>Yonsei Medical Journal</i> , <b>2017</b> , 58, 370-379   | 3    | 13 |
| 66 | Metabolic Complications among Korean Patients with HIV Infection: The Korea HIV/AIDS Cohort Study. <i>Journal of Korean Medical Science</i> , <b>2017</b> , 32, 1268-1274   | 4.7  | 13 |
| 65 | In vivo efficacy of combination of colistin with fosfomycin or minocycline in a mouse model of multidrug-resistant <i>Acinetobacter baumannii</i> pneumonia. <i>Scientific Reports</i> , <b>2019</b> , 9, 17127   | 4.9  | 13 |
| 64 | The Prevalence and Risk Factors of Renal Insufficiency among Korean HIV-Infected Patients: The Korea HIV/AIDS Cohort Study. <i>Infection and Chemotherapy</i> , <b>2017</b> , 49, 194-204   | 3.9  | 11 |
| 63 | Clinical factors associated with carotid plaque and intima-medial thickness in HIV-infected patients. <i>Yonsei Medical Journal</i> , <b>2013</b> , 54, 990-8   | 3    | 11 |
| 62 | Korea HIV/AIDS Cohort Study: study design and baseline characteristics. <i>Epidemiology and Health</i> , <b>2018</b> , 40, e2018023   | 5.6  | 11 |
| 61 | Risk factors for mortality in patients with low lactate level and septic shock. <i>Journal of Microbiology, Immunology and Infection</i> , <b>2019</b> , 52, 418-425  | 8.5  | 11 |
| 60 | The impact of production of extended-spectrum $\beta$ -lactamases on the 28-day mortality rate of patients with <i>Proteus mirabilis</i> bacteremia in Korea. <i>BMC Infectious Diseases</i> , <b>2017</b> , 17, 327  | 4    | 10 |
| 59 | The effect of bortezomib on expression of inflammatory cytokines and survival in a murine sepsis model induced by cecal ligation and puncture. <i>Yonsei Medical Journal</i> , <b>2015</b> , 56, 112-23   | 3    | 10 |

|    |   |      |    |
|----|---|------|----|
| 58 | Serum retinol-binding protein 4 correlates with obesity, insulin resistance, and dyslipidemia in HIV-infected subjects receiving highly active antiretroviral therapy. <i>Metabolism: Clinical and Experimental</i> , <b>2009</b> , 58, 1523-9  | 12.7 | 10 |
| 57 | A Case of Infective Endocarditis caused by <i>Abiotrophia defectiva</i> in Korea. <i>Infection and Chemotherapy</i> , <b>2016</b> , 48, 229-233   | 3.9  | 10 |
| 56 | Impact of matrix-assisted laser desorption/ionization time of flight mass spectrometric evaluation on the clinical outcomes of patients with bacteremia and fungemia in clinical settings lacking an antimicrobial stewardship program: a pre-post quasi experimental study. <i>BMC Infectious Diseases</i> , <b>2018</b> , 18, 385 | 4    | 10 |
| 55 | Recent Trends of Anaerobic Bacteria Isolated from Clinical Specimens and Clinical Characteristics of Anaerobic Bacteremia. <i>Infection and Chemotherapy</i> , <b>2009</b> , 41, 216  | 3.9  | 9  |
| 54 | Epidemiological characteristics of HIV infected Korean: Korea HIV/AIDS Cohort Study. <i>Epidemiology and Health</i> , <b>2019</b> , 41, e2019037  | 5.6  | 9  |
| 53 | Trend of CD4+ Cell Counts at Diagnosis and Initiation of Highly Active Antiretroviral Therapy (HAART): Korea HIV/AIDS Cohort Study, 1992-2015. <i>Infection and Chemotherapy</i> , <b>2017</b> , 49, 101-108  | 3.9  | 8  |
| 52 | Effects of Early Exercise Rehabilitation on Functional Recovery in Patients with Severe Sepsis. <i>Yonsei Medical Journal</i> , <b>2018</b> , 59, 843-851   | 3    | 8  |
| 51 | Integrase Strand Transfer Inhibitor Resistance Mutations in Antiretroviral Therapy-Naive and Treatment-Experienced HIV Patients in South Korea. <i>AIDS Research and Human Retroviruses</i> , <b>2019</b> , 35, 213-216   | 1.6  | 8  |
| 50 | Human Immunodeficiency Virus (HIV) and Hepatitis Virus Coinfection among HIV-Infected Korean Patients: The Korea HIV/AIDS Cohort Study. <i>Infection and Chemotherapy</i> , <b>2017</b> , 49, 268-274   | 3.9  | 7  |
| 49 | A Case of Community-Acquired Pneumonia Caused by Multidrug-Resistant <i>Acinetobacter baumannii</i> in Korea. <i>Infection and Chemotherapy</i> , <b>2017</b> , 49, 297-300   | 3.9  | 7  |
| 48 | Clinical factors associated with acquisition of resistance to levofloxacin in <i>Stenotrophomonas maltophilia</i> . <i>Yonsei Medical Journal</i> , <b>2014</b> , 55, 987-93  | 3    | 7  |
| 47 | Pandemic Influenza (H1N1) and <i>Mycobacterium tuberculosis</i> Co-infection. <i>Tuberculosis and Respiratory Diseases</i> , <b>2014</b> , 76, 84-7   | 3.2  | 7  |
| 46 | A Case of Rectal Squamous Cell Carcinoma with Metachronous Diffuse Large B Cell Lymphoma in an HIV-Infected Patient. <i>Infection and Chemotherapy</i> , <b>2014</b> , 46, 257-60   | 3.9  | 7  |
| 45 | Serum retinol-binding protein-4 levels are increased in HIV-infected subjects with metabolic syndrome receiving highly active antiretroviral therapy. <i>Yonsei Medical Journal</i> , <b>2012</b> , 53, 1211-5  | 3    | 7  |
| 44 | Spontaneous programmed cell death of peripheral blood mononuclear cells from HIV-infected persons is decreased with interleukin-15. <i>Yonsei Medical Journal</i> , <b>2000</b> , 41, 112-8   | 3    | 7  |
| 43 | Association between human cytomegalovirus antibody levels, and essential hypertension and functional status in elderly Koreans. <i>Geriatrics and Gerontology International</i> , <b>2016</b> , 16, 21-7  | 2.9  | 7  |
| 42 | A comparison of the predicted risk for cardiovascular disease between HIV-infected and uninfected persons in Korea. <i>Scandinavian Journal of Infectious Diseases</i> , <b>2013</b> , 45, 855-62   |      | 6  |
| 41 | Immunotherapeutic restoration in HIV-infected individuals. <i>Immunotherapy</i> , <b>2011</b> , 3, 247-67   | 3.8  | 6  |

|    |  |      |   |
|----|--|------|---|
| 40 | Antibodies to human T-cell lymphotropic virus type I (HTLV-I) by particle agglutination (PA) test in Korean blood donors. <i>Yonsei Medical Journal</i> , <b>1999</b> , 40, 173-7  | 3    | 6 |
| 39 | History of Acquired Immune Deficiency Syndrome in Korea. <i>Infection and Chemotherapy</i> , <b>2020</b> , 52, 234-244   |      | 6 |
| 38 | Viral Shedding of 2009 Pandemic H1N1 and Evaluation of Quarantine Recommendations. <i>Japanese Journal of Infectious Diseases</i> , <b>2012</b> , 65, 105-110  | 2.7  | 6 |
| 37 | Changes in the utilization patterns of antifungal agents, medical cost and clinical outcomes of candidemia from the health-care benefit expansion to include newer antifungal agents. <i>International Journal of Infectious Diseases</i> , <b>2019</b> , 83, 49-55                | 10.5 | 5 |
| 36 | A multicenter retrospective analysis of the antifungal susceptibility patterns of <i>Candida</i> species and the predictive factors of mortality in South Korean patients with candidemia. <i>Medicine (United States)</i> , <b>2020</b> , 99, e19494                              | 1.8  | 5 |
| 35 | Causes of HIV Drug Non-Adherence in Korea: Korea HIV/AIDS Cohort Study, 2006-2015. <i>Infection and Chemotherapy</i> , <b>2017</b> , 49, 213-218   | 3.9  | 5 |
| 34 | Predictive factors for unfavorable outcomes of tuberculous pericarditis in human immunodeficiency virus-uninfected patients in an intermediate tuberculosis burden country. <i>BMC Infectious Diseases</i> , <b>2016</b> , 16, 719   | 4    | 5 |
| 33 | Short Communication: HIV-1 Transmission Networks Across South Korea. <i>AIDS Research and Human Retroviruses</i> , <b>2017</b> , 33, 827-831   | 1.6  | 4 |
| 32 | An Imported Case of <i>Brucella melitensis</i> Infection in South Korea. <i>Infection and Chemotherapy</i> , <b>2018</b> , 50, 149-152   | 3.9  | 4 |
| 31 | An Outbreak of KPC-Producing Linked with an Index Case of Community-Acquired KPC-Producing Isolate: Epidemiological Investigation and Whole Genome Sequencing Analysis. <i>Microbial Drug Resistance</i> , <b>2019</b> , 25, 1475-1483   | 2.9  | 4 |
| 30 | Clinical usefulness of the 2010 clinical and laboratory standards institute revised breakpoints for cephalosporin use in the treatment of bacteremia caused by <i>Escherichia coli</i> or <i>Klebsiella</i> spp. <i>BioMed Research International</i> , <b>2015</b> , 2015, 831074 | 3    | 4 |
| 29 | Clinical factors associated with hepatitis A virus seropositivity in HIV-infected adults living in a country with an epidemiologic shift for hepatitis A virus infection. <i>Journal of Korean Medical Science</i> , <b>2012</b> , 27, 969-71                                      | 4.7  | 4 |
| 28 | Prevalence of and clinical factors associated with lipoatrophy in HIV-infected Koreans receiving highly active antiretroviral therapy. <i>Tohoku Journal of Experimental Medicine</i> , <b>2009</b> , 219, 145-53  | 2.4  | 4 |
| 27 | Restoration of P-glycoprotein function is involved in the increase of natural killer activity with exogenous interleukin-15 in human immunodeficiency virus-infected individuals. <i>Yonsei Medical Journal</i> , <b>2000</b> , 41, 600-6  | 3    | 4 |
| 26 | A case of primary bone lymphoma associated with acquired immunodeficiency syndrome. <i>Yonsei Medical Journal</i> , <b>1998</b> , 39, 383-9  | 3    | 4 |
| 25 | Fecal Transplantation using a Nasoenteric Tube during an Initial Episode of Severe <i>Clostridium difficile</i> Infection. <i>Infection and Chemotherapy</i> , <b>2016</b> , 48, 31-5  | 3.9  | 4 |
| 24 | Chronic kidney disease with genitourinary tuberculosis: old disease but ongoing complication. <i>BMC Nephrology</i> , <b>2018</b> , 19, 193  | 2.7  | 3 |
| 23 | National Academy of Medicine of Korea (NAMOK) Key Statements on COVID-19. <i>Journal of Korean Medical Science</i> , <b>2021</b> , 36, e287  | 4.7  | 3 |

|    |  |      |   |
|----|--|------|---|
| 22 | Evaluation of the Effect of Initial dose of Vancomycin using Serum Cystatin C as a Marker in Elderly Patients. <i>Infection and Chemotherapy</i> , <b>2009</b> , 41, 224   | 3.9  | 3 |
| 21 | A case of bronchiolitis obliterans organizing pneumonia in an HIV-infected Korean patient successfully treated with clarithromycin. <i>BMC Infectious Diseases</i> , <b>2015</b> , 15, 280   | 4    | 2 |
| 20 | Change in Renal Function among HIV-Infected Koreans Receiving Tenofovir Disoproxil Fumarate-Backbone Antiretroviral Therapy: A 3-Year Follow-Up Study. <i>Yonsei Medical Journal</i> , <b>2017</b> , 58, 770-777                                       | 3    | 2 |
| 19 | Recurrent Coccidioidomycosis Manifesting as Osteomyelitis in Korea. <i>Infection and Chemotherapy</i> , <b>2009</b> , 41, 253  | 3.9  | 2 |
| 18 | Associations of depression and anxiety with cardiovascular risk among people living with HIV/AIDS in Korea. <i>Epidemiology and Health</i> , <b>2021</b> , 43, e2021002  | 5.6  | 2 |
| 17 | Significance of Increased Rapid Treatment from HIV Diagnosis to the First Antiretroviral Therapy in the Recent 20 Years and Its Implications: the Korea HIV/AIDS Cohort Study. <i>Journal of Korean Medical Science</i> , <b>2019</b> , 34, e239       | 4.7  | 2 |
| 16 | Pregnancy Rates and Outcomes of HIV-Infected Women in Korea. <i>Journal of Korean Medical Science</i> , <b>2018</b> , 33, e296   | 4.7  | 2 |
| 15 | Prognostic Factors of Community-acquired Bacteremic Patients with Severe sepsis: A Prospective, Observational Study. <i>Infection and Chemotherapy</i> , <b>2012</b> , 44, 168   | 3.9  | 1 |
| 14 | Updates on the prevention and treatment of AIDS. <i>Journal of the Korean Medical Association</i> , <b>2012</b> , 55, 146  | 0.5  | 1 |
| 13 | Evaluation of a simultaneous HIV antigen and antibody detection test in Korean population. <i>Yonsei Medical Journal</i> , <b>2001</b> , 42, 185-93  | 3    | 1 |
| 12 | Urethral diverticulo-rectal fistula in AIDS. <i>Yonsei Medical Journal</i> , <b>2001</b> , 42, 563-5   | 3    | 1 |
| 11 | Significance of Decreasing Rate of HIV and HBV Co-infection in a Nationwide Korean HIV/AIDS Cohort. <i>Journal of Korean Medical Science</i> , <b>2020</b> , 35, e7  | 4.7  | 1 |
| 10 | HIV migration between blood plasma and cellular subsets before and after HIV therapy. <i>Journal of Medical Virology</i> , <b>2016</b> , 88, 606-13  | 19.7 | 1 |
| 9  | Risk factors for mortality in patients with <i>Pseudomonas aeruginosa</i> pneumonia: Clinical impact of muCA gene mutation. <i>Respiratory Medicine</i> , <b>2018</b> , 140, 27-31   | 4.6  | 0 |
| 8  | DNA Microarray-based Detection of Bacteria in Samples Containing Antibiotics: Effect of Antibiotics on the Performance of Pathogen Detection Assays. <i>Biotechnology and Bioprocess Engineering</i> , <b>2021</b> , 26, 447-455                       | 3.1  | 0 |
| 7  | Comparison of the efficacy of nafcillin and glycopeptides as definitive therapy for patients with methicillin-susceptible <i>Staphylococcus aureus</i> bacteremia: a retrospective cohort study. <i>BMC Infectious Diseases</i> , <b>2018</b> , 18, 60 | 4    |   |
| 6  | Lipid Profile Changes after Switch to Atazanavir from other Protease Inhibitor-based Combined Antiretroviral Treatment in HIV-infected Korean. <i>Infection and Chemotherapy</i> , <b>2012</b> , 44, 377   | 3.9  |   |
| 5  | Comparison of the reverse transcription-PCR with the branched DNA assay for measurement of human immunodeficiency virus type 1 RNA levels in plasma of Korean patients. <i>Yonsei Medical Journal</i> , <b>2001</b> , 42, 204-8                        | 3    |   |

|   |   |     |
|---|---|-----|
| 4 | In vitro Activities of Mecillinam Against Clinical Isolates of Enterobacteriaceae. <i>Infection and Chemotherapy</i> , <b>2009</b> , 41, 174                                  | 3.9 |
| 3 | Encephalitis due to Acute Human Immunodeficiency Virus Infection. <i>Infection and Chemotherapy</i> , <b>2012</b> , 44, 540   | 3.9 |
| 2 | A Case of Pulmonary Mucormycosis with Necrotizing Pneumonia and Bronchopleural Fistula Cured by Surgical Resection. <i>Korean Journal of Medicine</i> , <b>2012</b> , 83, 395 | 0.5 |
| 1 | A Case of Continuous Ambulatory Peritoneal Dialysis-Associated Peritonitis Caused by Mycobacterium abscessus. <i>Korean Journal of Medicine</i> , <b>2014</b> , 87, 110       | 0.5 |