Miao-Meng Tiao

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2556566/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Metformin ameliorates maternal high-fat diet-induced maternal dysbiosis and fetal liver apoptosis. Lipids in Health and Disease, 2021, 20, 100.	1.2	12
2	A study on how using an interactive multimedia e-book improves teachers' ability to teach evidence-based medicine depending on their seniority. BMC Medical Education, 2021, 21, 547.	1.0	4
3	Maternal Obesity Related to High Fat Diet Induces Placenta Remodeling and Gut Microbiome Shaping That Are Responsible for Fetal Liver Lipid Dysmetabolism. Frontiers in Nutrition, 2021, 8, 736944.	1.6	17
4	Resveratrol treatment improves the altered metabolism and related dysbiosis of gut programed by prenatal high-fat diet and postnatal high-fat diet exposure. Journal of Nutritional Biochemistry, 2020, 75, 108260.	1.9	25
5	Preface: Should single-incision laparoscopic appendectomy the new standard for pediatric appendicitis?. Pediatrics and Neonatology, 2020, 61, 369-370.	0.3	0
6	Resveratrol intake during pregnancy and lactation re-programs adiposity and ameliorates leptin resistance in male progeny induced by maternal high-fat/high sucrose plus postnatal high-fat/high sucrose diets via fat metabolism regulation. Lipids in Health and Disease, 2020, 19, 174.	1.2	6
7	Long term N-acetylcysteine administration rescues liver steatosis via endoplasmic reticulum stress with unfolded protein response in mice. Lipids in Health and Disease, 2020, 19, 105.	1.2	17
8	Maternal Tryptophan Supplementation Protects Adult Rat Offspring against Hypertension Programmed by Maternal Chronic Kidney Disease: Implication of Tryptophan-Metabolizing Microbiome and Aryl Hydrocarbon Receptor. International Journal of Molecular Sciences, 2020, 21, 4552.	1.8	21
9	Maternal Resveratrol Treatment Re-Programs and Maternal High-Fat Diet-Induced Retroperitoneal Adiposity in Male Offspring. International Journal of Environmental Research and Public Health, 2020, 17, 2780.	1.2	18
10	Effects of a quasi-experimental study of using flipped classroom approach to teach evidence-based medicine to medical technology students. BMC Medical Education, 2020, 20, 31.	1.0	24
11	Obesity programmed by prenatal dexamethasone and postnatal high-fat diet leads to distinct alterations in nutrition sensory signals and circadian-clock genes in visceral adipose tissue. Lipids in Health and Disease, 2019, 18, 19.	1.2	15
12	Resveratrol Treatment Ameliorates Leptin Resistance and Adiposity Programed by the Combined Effect of Maternal and Postâ€Weaning Highâ€Fat Diet. Molecular Nutrition and Food Research, 2019, 63, e1801385.	1.5	18
13	Prenatal dexamethasone and postnatal high-fat diet have a synergistic effect of elevating blood pressure through a distinct programming mechanism of systemic and adipose renin–angiotensin systems. Lipids in Health and Disease, 2018, 17, 50.	1.2	23
14	Toll-like receptor 7 agonist induces hypoplasia of the biliary system in a neonatal mouse model. Journal of Microbiology, Immunology and Infection, 2018, 51, 166-173.	1.5	8
15	Resveratrol provides neuroprotective effects through modulation of mitochondrial dynamics and ERK1/2 regulated autophagy. Free Radical Research, 2018, 52, 1371-1386.	1.5	53
16	Regulation of Leptin Methylation Not via Apoptosis by Melatonin in the Rescue of Chronic Programming Liver Steatosis. International Journal of Molecular Sciences, 2018, 19, 3565.	1.8	6
17	Resveratrol ameliorates maternal and post-weaning high-fat diet-induced nonalcoholic fatty liver disease via renin-angiotensin system. Lipids in Health and Disease, 2018, 17, 178.	1.2	59
18	Melatonin alleviates liver steatosis induced by prenatal dexamethasone exposure and postnatal high‑fat diet. Experimental and Therapeutic Medicine, 2018, 16, 917-924.	0.8	10

MIAO-MENG TIAO

#	Article	IF	CITATIONS
19	Detrimental effect of maternal and post-weaning high-fat diet on the reproductive function in the adult female offspring rat: roles of insulin-like growth factor 2 and the ovarian circadian clock. Journal of Assisted Reproduction and Genetics, 2017, 34, 817-826.	1.2	15
20	Prenatal Dexamethasone Exposure Programs the Development of the Pancreas and the Secretion of Insulin in Rats. Pediatrics and Neonatology, 2017, 58, 135-144.	0.3	19
21	High Fat Diets Sex-Specifically Affect the Renal Transcriptome and Program Obesity, Kidney Injury, and Hypertension in the Offspring. Nutrients, 2017, 9, 357.	1.7	74
22	Postnatal High-Fat Diet Increases Liver Steatosis and Apoptosis Threatened by Prenatal Dexamethasone through the Oxidative Effect. International Journal of Molecular Sciences, 2016, 17, 369.	1.8	16
23	Programming Effects of Prenatal Glucocorticoid Exposure with a Postnatal High-Fat Diet in Diabetes Mellitus. International Journal of Molecular Sciences, 2016, 17, 533.	1.8	20
24	Melatonin Alleviates Liver Apoptosis in Bile Duct Ligation Young Rats. International Journal of Molecular Sciences, 2016, 17, 1365.	1.8	21
25	Prenatal Dexamethasone and Postnatal High-Fat Diet Decrease Interferon Gamma Production through an Age-Dependent Histone Modification in Male Sprague-Dawley Rats. International Journal of Molecular Sciences, 2016, 17, 1610.	1.8	15
26	Early and late effects of prenatal corticosteroid treatment on the microRNA profiles of lung tissue in rats. Experimental and Therapeutic Medicine, 2016, 11, 753-762.	0.8	6
27	Using interactive multimedia e-Books for learning blood cell morphology in pediatric hematology. BMC Medical Education, 2016, 16, 290.	1.0	35
28	Early postnatal treatment with soluble epoxide hydrolase inhibitor or 15-deoxy-Δ12,14-prostagandin J2 prevents prenatal dexamethasone and postnatal high saturated fat diet induced programmed hypertension in adult rat offspring. Prostaglandins and Other Lipid Mediators, 2016, 124, 1-8.	1.0	11
29	Postnatal high-fat diet leads to spatial deficit, obesity, and central and peripheral inflammation in prenatal dexamethasone adult offspring rats. NeuroReport, 2016, 27, 818-825.	0.6	4
30	Maternal N-acetylcysteine therapy regulates hydrogen sulfide-generating pathway and prevents programmed hypertension in male offspring exposed to prenatal dexamethasone and postnatal high-fat diet. Nitric Oxide - Biology and Chemistry, 2016, 53, 6-12.	1.2	45
31	Prenatal glucocorticoid contributed to rat lung dysplasia is related to asymmetric dimethylarginine/nitric oxide pathway. Science Bulletin, 2015, 60, 1416-1425.	4.3	5
32	Maternal Melatonin Therapy Rescues Prenatal Dexamethasone and Postnatal High-Fat Diet Induced Programmed Hypertension in Male Rat Offspring. Frontiers in Physiology, 2015, 6, 377.	1.3	41
33	The Characteristics of Antioxidant Activity after Liver Transplantation in Biliary Atresia Patients. BioMed Research International, 2015, 2015, 1-7.	0.9	5
34	Prenatal dexamethasone-induced programmed hypertension and renal programming. Life Sciences, 2015, 132, 41-48.	2.0	40
35	Cross-Fostering Increases Th1/Th2 Expression in a Prenatal Dexamethasone Exposure Rat Model. PLoS ONE, 2014, 9, e115554.	1.1	4
36	Prenatal dexamethasone exposure in rats results in longâ€ŧerm epigenetic histone modifications and tumour necrosis factorâ€ <i>α</i> production decrease. Immunology, 2014, 143, 651-660.	2.0	30

MIAO-MENG TIAO

#	Article	IF	CITATIONS
37	Resveratrol Partially Prevents Rotenone-Induced Neurotoxicity in Dopaminergic SH-SY5Y Cells through Induction of Heme Oxygenase-1 Dependent Autophagy. International Journal of Molecular Sciences, 2014, 15, 1625-1646.	1.8	144
38	Melatonin in the Regulation of Liver Steatosis following Prenatal Glucocorticoid Exposure. BioMed Research International, 2014, 2014, 1-9.	0.9	28
39	MicroRNA-29a protects against acute liver injury in a mouse model of obstructive jaundice via inhibition of the extrinsic apoptosis pathway. Apoptosis: an International Journal on Programmed Cell Death, 2014, 19, 30-41.	2.2	52
40	Melatonin attenuates prenatal dexamethasone-induced blood pressure increase in a rat model. Journal of the American Society of Hypertension, 2014, 8, 216-226.	2.3	60
41	Characteristics and Outcome of Liver Transplantation in Children with Alagille Syndrome: A Single-center Experience. Pediatrics and Neonatology, 2014, 55, 135-138.	0.3	10
42	<scp>l</scp> â€Arginine modulates neonatal lymphocyte proliferation through an interleukinâ€2 independent pathway. Immunology, 2014, 143, 184-192.	2.0	19
43	Associations of Mitochondrial Haplogroups B4 and E with Biliary Atresia and Differential Susceptibility to Hydrophobic Bile Acid. PLoS Genetics, 2013, 9, e1003696.	1.5	17
44	Roles of Melatonin in Fetal Programming in Compromised Pregnancies. International Journal of Molecular Sciences, 2013, 14, 5380-5401.	1.8	68
45	Multisource feedback analysis of pediatric outpatient teaching. BMC Medical Education, 2013, 13, 145.	1.0	6
46	Hepcidin protects against lipopolysaccharide-induced liver injury in a mouse model of obstructive jaundice. Peptides, 2012, 35, 212-217.	1.2	26
47	Alterations in NADPH oxidase expression and blood–brain barrier in bile duct ligation-treated young rats: Effects of melatonin. Neurochemistry International, 2012, 60, 751-758.	1.9	24
48	The effect of the red wine polyphenol resveratrol on a rat model of biliary obstructed cholestasis: involvement of anti-apoptotic signalling, mitochondrial biogenesis and the induction of autophagy. Apoptosis: an International Journal on Programmed Cell Death, 2012, 17, 871-879.	2.2	33
49	Dexamethasone decreases cholestatic liver injury via inhibition of intrinsic pathway with simultaneous enhancement of mitochondrial biogenesis. Steroids, 2011, 76, 660-666.	0.8	19
50	Epidemiological features of infantile hypertrophic pyloric stenosis in Taiwan: A national study 1996–2004. Journal of Gastroenterology and Hepatology (Australia), 2011, 26, 78-81.	1.4	7
51	Melatonin Ameliorates Bile Duct Ligation-Induced Systemic Oxidative Stress and Spatial Memory Deficits in Developing Rats. Pediatric Research, 2009, 65, 176-180.	1.1	57
52	Early transcriptional deregulation of hepatic mitochondrial biogenesis and its consequent effects on murine cholestatic liver injury. Apoptosis: an International Journal on Programmed Cell Death, 2009, 14, 890-899.	2.2	34
53	Early Stage of Biliary Atresia Is Associated With Significant Changes in 8â€Hydroxydeoxyguanosine and Mitochondrial Copy Number. Journal of Pediatric Gastroenterology and Nutrition, 2007, 45, 329-334. 	0.9	39
54	Salmonella Gastroenteritis Complicated with Bacteremia and Ruptured Cholangitis in an Infant with Congenital Choledochal Cyst. Journal of the Formosan Medical Association, 2007, 106, S20-S23.	0.8	4

MIAO-MENG TIAO

#	Article	IF	CITATIONS
55	Management of biliary atresia: experience in a single institute. Chang Gung Medical Journal, 2007, 30, 122-7.	0.7	5
56	Atypical Kawasaki Disease Presenting as Intestinal Pseudo-obstruction. Journal of the Formosan Medical Association, 2006, 105, 252-255.	0.8	12
57	Low Plasma Nitrite in Infantile Hypertrophic Pyloric Stenosis Patients. Digestive Diseases and Sciences, 2006, 51, 869-872.	1.1	20
58	Urachal inflammatory mass mimicking an intra-abdominal tumor two years after excision of the urachal sinus in a child. Chang Gung Medical Journal, 2003, 26, 598-601.	0.7	3
59	Pancreatitis in children: clinical analysis of 61 cases in southern Taiwan. Chang Gung Medical Journal, 2002, 25, 162-8.	0.7	18
60	Different Management Options for Anaphylactoid Purpura with Intussusception A Case Report. Academic Emergency Medicine, 2001, 8, 1005-1007.	0.8	6
61	Sonographic Features of Small-bowel Intussusception in Pediatric Patients. Academic Emergency Medicine, 2001, 8, 368-373.	0.8	57