

Patrick Verschueren

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2557526/patrick-verschueren-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

122
papers

2,015
citations

26
h-index

41
g-index

153
ext. papers

2,539
ext. citations

4
avg, IF

4.59
L-index

#	Paper	IF	Citations
122	Technical and diagnostic performance of 6 assays for the measurement of citrullinated protein/peptide antibodies in the diagnosis of rheumatoid arthritis. <i>Clinical Chemistry</i> , 2007 , 53, 498-504 ^{5.5}		128
121	Treatment of early rheumatoid arthritis: a randomized magnetic resonance imaging study comparing the effects of methotrexate alone, methotrexate in combination with infliximab, and methotrexate in combination with intravenous pulse methylprednisolone. <i>Arthritis and Rheumatism</i> , 2007 , 56, 3919-27		102
120	Detection of antinuclear antibodies by indirect immunofluorescence and by solid phase assay. <i>Autoimmunity Reviews</i> , 2011 , 10, 801-8	13.6	89
119	Methotrexate in combination with other DMARDs is not superior to methotrexate alone for remission induction with moderate-to-high-dose glucocorticoid bridging in early rheumatoid arthritis after 16 weeks of treatment: the CareRA trial. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 27-34	2.4	82
118	Daily practice effectiveness of a step-down treatment in comparison with a tight step-up for early rheumatoid arthritis. <i>Rheumatology</i> , 2008 , 47, 59-64	3.9	82
117	Development of sarcoidosis in etanercept-treated rheumatoid arthritis patients. <i>Clinical Rheumatology</i> , 2007 , 26, 1969-71	3.9	78
116	Antinuclear antibody detection by automated multiplex immunoassay in untreated patients at the time of diagnosis. <i>Autoimmunity Reviews</i> , 2012 , 12, 137-43	13.6	72
115	Contemporary concepts of inflammation, damage and repair in rheumatic diseases. <i>Best Practice and Research in Clinical Rheumatology</i> , 2006 , 20, 829-48	5.3	71
114	Effectiveness of methotrexate with step-down glucocorticoid remission induction (COBRA Slim) versus other intensive treatment strategies for early rheumatoid arthritis in a treat-to-target approach: 1-year results of CareRA, a randomised pragmatic open-label superiority trial. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 514-520	2.4	58
113	Systemic Inflammation Affects Human Osteocyte-Specific Protein and Cytokine Expression. <i>Calcified Tissue International</i> , 2016 , 98, 596-608	3.9	48
112	CCR5 blockade in rheumatoid arthritis: a randomised, double-blind, placebo-controlled clinical trial. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 2013-6	2.4	47
111	Detection of antinuclear antibodies by automated indirect immunofluorescence analysis. <i>Clinica Chimica Acta</i> , 2013 , 415, 101-6	6.2	43
110	Rituximab versus tocilizumab in anti-TNF inadequate responder patients with rheumatoid arthritis (R4RA): 16-week outcomes of a stratified, biopsy-driven, multicentre, open-label, phase 4 randomised controlled trial. <i>Lancet, The</i> , 2021 , 397, 305-317	40	42
109	Predictors of remission, normalized physical function, and changes in the working situation during follow-up of patients with early rheumatoid arthritis: an observational study. <i>Scandinavian Journal of Rheumatology</i> , 2009 , 38, 166-72	1.9	39
108	The presence of forefoot problems and the role of surgery in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2006 , 65, 1254-5	2.4	37
107	A detailed analysis of treatment delay from the onset of symptoms in early rheumatoid arthritis patients. <i>Scandinavian Journal of Rheumatology</i> , 2014 , 43, 1-8	1.9	33
106	Patients lacking classical poor prognostic markers might also benefit from a step-down glucocorticoid bridging scheme in early rheumatoid arthritis: week 16 results from the randomized multicenter CareRA trial. <i>Arthritis Research and Therapy</i> , 2015 , 17, 97	5.7	32

105	Pyoderma gangrenosum developing during therapy with TNF-alpha antagonists in a patient with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2007 , 26, 2205-2206	3.9	32
104	CXCL8 and CCL20 Enhance Osteoclastogenesis via Modulation of Cytokine Production by Human Primary Osteoblasts. <i>PLoS ONE</i> , 2015 , 10, e0131041	3.7	30
103	A randomised comparative study of the short term clinical and biological effects of intravenous pulse methylprednisolone and infliximab in patients with active rheumatoid arthritis despite methotrexate treatment. <i>Annals of the Rheumatic Diseases</i> , 2004 , 63, 1069-74	2.4	29
102	Mechanical loading reduces inflammation-induced human osteocyte-to-osteoclast communication. <i>Calcified Tissue International</i> , 2015 , 97, 169-78	3.9	28
101	Inflammatory factors in the circulation of patients with active rheumatoid arthritis stimulate osteoclastogenesis via endogenous cytokine production by osteoblasts. <i>Osteoporosis International</i> , 2014 , 25, 2453-63	5.3	28
100	Safety, tolerability, pharmacokinetics, pharmacodynamics and efficacy of the monoclonal antibody ASK8007 blocking osteopontin in patients with rheumatoid arthritis: a randomised, placebo controlled, proof-of-concept study. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 180-5	2.4	28
99	A new test set-up for skull fracture characterisation. <i>Journal of Biomechanics</i> , 2007 , 40, 3389-96	2.9	28
98	The epidemiology of rheumatoid arthritis in Kinshasa, Democratic Republic of Congo--a population-based study. <i>Rheumatology</i> , 2012 , 51, 1644-7	3.9	27
97	Unraveling Patient-Preferred Health and Treatment Outcomes in Early Rheumatoid Arthritis: A Longitudinal Qualitative Study. <i>Arthritis Care and Research</i> , 2016 , 68, 1278-87	4.7	26
96	Likelihood ratios as a function of antibody concentration for anti-cyclic citrullinated peptide antibodies and rheumatoid factor. <i>Annals of the Rheumatic Diseases</i> , 2009 , 68, 287-9	2.4	25
95	Effectiveness of an integrated outpatient care programme compared with present-day standard care in early rheumatoid arthritis. <i>Musculoskeletal Care</i> , 2009 , 7, 1-16	1.6	25
94	Performance characteristics of rheumatoid factor and anti-cyclic citrullinated peptide antibody assays may impact ACR/EULAR classification of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 667-677	2.4	24
93	Malignancies and anti-TNF therapy in rheumatoid arthritis: a single-center observational cohort study. <i>Clinical Rheumatology</i> , 2015 , 34, 1687-95	3.9	23
92	Benefit of anti-TNFalpha treatment for nephrotic syndrome in a patient with juvenile inflammatory bowel disease associated spondyloarthritis complicated with amyloidosis and glomerulonephritis. <i>Annals of the Rheumatic Diseases</i> , 2003 , 62, 368-9	2.4	23
91	The association of illness perceptions with physical and mental health in systemic sclerosis patients: an exploratory study. <i>Musculoskeletal Care</i> , 2012 , 10, 18-28	1.6	22
90	Anti-PM/Scl-100 and anti-RNA-polymerase III antibodies in scleroderma. <i>Clinica Chimica Acta</i> , 2010 , 411, 965-71	6.2	22
89	Detection, identification and in vivo treatment responsiveness of bone morphogenetic protein (BMP)-activated cell populations in the synovium of patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2009 , 68, 117-23	2.4	21
88	Optimal care for early RA patients: the challenge of translating scientific data into clinical practice. <i>Rheumatology</i> , 2011 , 50, 1194-200	3.9	20

87	Debilitating diarrhoea and weight loss due to colitis in two RA patients treated with leflunomide. <i>Clinical Rheumatology</i> , 2005 , 24, 87-90	3.9	20
86	Value-added reporting of antinuclear antibody testing by automated indirect immunofluorescence analysis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2014 , 52, 547-51	5.9	19
85	Effectiveness of different combinations of DMARDs and glucocorticoid bridging in early rheumatoid arthritis: two-year results of CareRA. <i>Rheumatology</i> , 2019 , 58, 2284-2294	3.9	18
84	Effectiveness of initial treatment allocation based on expert opinion for prevention of rapid radiographic progression in daily practice of an early RA cohort. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 634-7	2.4	18
83	Orthopaedic surgery in patients with rheumatoid arthritis: a shift towards more frequent and earlier non-joint-sacrificing surgery. <i>Annals of the Rheumatic Diseases</i> , 2006 , 65, 694-5	2.4	18
82	Factors influencing the prescription of intensive combination treatment strategies for early rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2014 , 43, 265-72	1.9	16
81	Long-term efficacy of infliximab treatment for AA-amyloidosis secondary to chronic inflammatory arthritis. <i>Annals of the Rheumatic Diseases</i> , 2009 , 68, 759-61	2.4	16
80	Anti-TNF therapy and malignancy in spondyloarthritis in the Leuven spondyloarthritis biologics cohort (BIOSPAR). <i>Clinical and Experimental Rheumatology</i> , 2014 , 32, 71-6	2.2	16
79	Are illness perception and coping style associated with the delay between symptom onset and the first general practitioner consultation in early rheumatoid arthritis management? An exploratory study within the CareRA trial. <i>Scandinavian Journal of Rheumatology</i> , 2016 , 45, 171-8	1.9	15
78	Heterogeneous nuclear RNPs as targets of autoantibodies in systemic rheumatic diseases. <i>Arthritis and Rheumatism</i> , 2012 , 64, 213-21		15
77	Two-year clinical and radiologic follow-up of early RA patients treated with initial step up monotherapy or initial step down therapy with glucocorticoids, followed by a tight control approach: lessons from a cohort study in daily practice. <i>Clinical Rheumatology</i> , 2014 , 33, 125-30	3.9	15
76	A general practice perspective on early rheumatoid arthritis management: A qualitative study from Flanders. <i>European Journal of General Practice</i> , 2015 , 21, 231-7	2.8	14
75	Patient experiences with intensive combination-treatment strategies with glucocorticoids for early rheumatoid arthritis. <i>Patient Education and Counseling</i> , 2015 , 98, 384-90	3.1	14
74	The performance of matrices in daily clinical practice to predict rapid radiologic progression in patients with early RA. <i>Seminars in Arthritis and Rheumatism</i> , 2014 , 43, 627-31	5.3	13
73	Safety of immunomodulatory therapy in patients with bronchiectasis associated with rheumatic disease and IBD: a retrospective and cohort analysis. <i>Clinical Rheumatology</i> , 2012 , 31, 367-73	3.9	12
72	Heterogeneous nuclear ribonucleoprotein h1, a novel nuclear autoantigen. <i>Clinical Chemistry</i> , 2009 , 55, 946-54	5.5	10
71	Physical therapy in adult inflammatory myopathy patients: a systematic review. <i>Clinical Rheumatology</i> , 2019 , 38, 2039-2051	3.9	9
70	A maximum difference scaling survey of barriers to intensive combination treatment strategies with glucocorticoids in early rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2015 , 34, 861-9	3.9	9

69	The optimal combination therapy for the treatment of early rheumatoid arthritis. <i>Expert Opinion on Pharmacotherapy</i> , 2015 , 16, 1615-25	4	9
68	Patient-Reported Outcome Data From an Early Rheumatoid Arthritis Trial: Opportunities for Broadening the Scope of Treating to Target. <i>Arthritis Care and Research</i> , 2019 , 71, 1566-1575	4.7	8
67	One in five patients with rapidly and persistently controlled early rheumatoid arthritis report poor well-being after 1 year of treatment. <i>RMD Open</i> , 2020 , 6,	5.9	8
66	Illness representations of systemic lupus erythematosus and systemic sclerosis: a comparison of patients, their rheumatologists and their general practitioners. <i>Lupus Science and Medicine</i> , 2017 , 4, e000232	4.6	8
65	Septic arthritis due to <i>Staphylococcus warneri</i> : a diagnostic challenge. <i>Open Rheumatology Journal</i> , 2012 , 6, 310-1	0.2	8
64	Rheumatoid granulomatous disease and pachymeningitis successfully treated with rituximab. <i>Acta Clinica Belgica</i> , 2018 , 73, 307-312	1.8	7
63	Translating co-stimulation blockade into clinical practice. <i>Arthritis Research and Therapy</i> , 2008 , 10 Suppl 1, S4	5.7	7
62	Two-year cost-effectiveness of different COBRA-like intensive remission induction schemes in early rheumatoid arthritis: a piggyback study on the pragmatic randomised controlled CareRA trial. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 556-565	2.4	6
61	THU0137 Associated with A Glucocorticoid Bridging Scheme, Methotrexate is as Effective Alone as in Combination with Other DMARDs for Early Rheumatoid Arthritis, with Fewer Reported Side Effects: 16 Weeks Remission Induction Data from the Carera Trial. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 2262-2266	2.4	6
60	Assessment of activity limitations with the health assessment questionnaire predicts the need for support measures in patients with rheumatoid arthritis: a multicenter observational study. <i>PLoS ONE</i> , 2014 , 9, e106749	3.7	6
59	PAS-positive macrophages--not always infection. <i>Lancet, The</i> , 2011 , 377, 1890	4.0	6
58	The use of glucocorticoids in early rheumatoid arthritis. <i>Rheumatology</i> , 2018 , 57, 1316-1317	3.9	5
57	Incidence of renal cell carcinoma in inflammatory bowel disease patients with and without anti-TNF treatment. <i>European Journal of Gastroenterology and Hepatology</i> , 2017 , 29, 84-90	2.2	5
56	cDNA phage display for the discovery of theranostic autoantibodies in rheumatoid arthritis. <i>Immunologic Research</i> , 2017 , 65, 307-325	4.3	5
55	The phenotype and genotype of rheumatoid arthritis in the Democratic Republic of Congo. <i>Arthritis Research and Therapy</i> , 2013 , 15, R89	5.7	5
54	Intranasal administration of recombinant human cartilage glycoprotein-39 as a treatment for rheumatoid arthritis: a phase II, multicentre, double-blind, randomised, placebo-controlled, parallel-group, dose-finding trial. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 1655-9	2.4	5
53	Belgian rheumatologists' perception on eligibility of RA patients for anti-TNF treatment matches more closely Dutch rather than Belgian reimbursement criteria. <i>Rheumatology</i> , 2009 , 48, 546-50	3.9	5
52	Diagnostic characteristics of a gelatin based Waaler-Rose assay (Serodia-RA) for the detection of rheumatoid factor. <i>Annals of the Rheumatic Diseases</i> , 2004 , 63, 1169-71	2.4	5

51	THU0215 Efficacy of sarilumab in patients with rheumatoid arthritis with and without previous response to tocilizumab 2018 ,		5
50	An updated matrix to predict rapid radiographic progression of early rheumatoid arthritis patients: pooled analyses from several databases. <i>Rheumatology</i> , 2020 , 59, 1842-1852	3.9	5
49	Subcutaneous Sarilumab in Patients With Rheumatoid Arthritis who Previously Received Subcutaneous Sarilumab or Intravenous Tocilizumab: An Open-Label Extension of a Randomized Clinical Trial. <i>ACR Open Rheumatology</i> , 2020 , 2, 672-680	3.5	5
48	Five-year treat-to-target outcomes after methotrexate induction therapy with or without other csDMARDs and temporary glucocorticoids for rheumatoid arthritis in the CareRA trial. <i>Annals of the Rheumatic Diseases</i> , 2021 ,	2.4	5
47	The perspective of patients with early rheumatoid arthritis on the journey from symptom onset until referral to a rheumatologist. <i>Rheumatology Advances in Practice</i> , 2019 , 3, rkz035	1.1	4
46	Prevalence and associated factors of subclinical atherosclerosis in rheumatoid arthritis at the university hospital of Kinshasa. <i>BMC Rheumatology</i> , 2019 , 3, 37	2.9	4
45	THU0121 Comparison of MTX Therapy with or without A Moderate Dose Glucocorticoid Bridging Scheme in Early Rheumatoid Arthritis Patients Lacking Classical Poor Prognostic Markers: Week 16 Results from the Randomized Multicenter Carera Trial. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 220.1-220	2.4	4
44	Treatment of rheumatoid arthritis with methotrexate in Congolese patients. <i>Clinical Rheumatology</i> , 2013 , 32, 1323-7	3.9	4
43	Increased cellularity and expression of adhesion molecules in muscle biopsy specimens from patients with rheumatoid arthritis with clinical suspicion of vasculitis, but negative routine histology. <i>Annals of the Rheumatic Diseases</i> , 2000 , 59, 598-606	2.4	4
42	Does Including Pain, Fatigue, and Physical Function When Assessing Patients with Early Rheumatoid Arthritis Provide a Comprehensive Picture of Disease Burden?. <i>Journal of Rheumatology</i> , 2021 , 48, 174-178	4.1	4
41	OP0137-HPR Unravelling Preferred Outcomes of Disease and Treatment in Patients with Early Rheumatoid Arthritis: A Longitudinal Qualitative Interview Study. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 112.2-112	2.4	3
40	A systematic review on the effect of DMARDs on fertility in rheumatoid arthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2020 , 50, 873-878	5.3	3
39	EULAR/eumusc.net standards of care for rheumatoid arthritis: cross-sectional analyses of importance, level of implementation and care gaps experienced by patients and rheumatologists across 35 European countries. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 1423-1431	2.4	3
38	Tapering of Etanercept is feasible in patients with Rheumatoid Arthritis in sustained remission: a pragmatic randomized controlled trial. <i>Scandinavian Journal of Rheumatology</i> , 2021 , 1-11	1.9	3
37	The efficacy and safety of abatacept in rheumatoid arthritis. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2010 , 2, 89-94	3.8	2
36	Having a co-morbidity predicts worse outcome in early rheumatoid arthritis despite intensive treatment: a post hoc evaluation of the pragmatic randomized controlled CareRA trial. <i>Rheumatology</i> , 2021 , 60, 3699-3708	3.9	2
35	Short-term glucocorticoids reduce risk of chronic NSAID and analgesic use in early methotrexate-treated rheumatoid arthritis patients with favourable prognosis: subanalysis of the CareRA randomised controlled trial. <i>RMD Open</i> , 2021 , 7,	5.9	2
34	Comorbidity burden in the first three years after diagnosis in patients with rheumatoid arthritis, psoriatic arthritis or spondyloarthritis: a general practice registry-based study. <i>RMD Open</i> , 2021 , 7,	5.9	2

33	Non-infective endocarditis with systemic embolization and recurrent stroke in systemic sclerosis. <i>Rheumatology</i> , 2016 , 55, 589-91	3.9	1
32	SAT0214 Effectiveness of a randomized step-down to methotrexate or leflunomide maintenance therapy in patients with low disease activity, 40 weeks after starting combined methotrexate-leflunomide remission induction therapy in early rheumatoid arthritis: results from		1
31	OP0180 Remission Induction with Dmard Combinations and Glucocorticoids is not Superior to Remission Induction with MTX Monotherapy and Glucocorticoids: Week 52 Results of the High-Risk Group from the Carera Trial. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 139.2-139	2.4	1
30	Correspondence on EULAR recommendations for a core data set for pregnancy registries in rheumatology <i>Annals of the Rheumatic Diseases</i> , 2020 ,	2.4	1
29	Proteoform Analysis of Matrix Metalloproteinase-9/Gelatinase B and Discovery of Its Citrullination in Rheumatoid Arthritis Synovial Fluids.. <i>Frontiers in Immunology</i> , 2021 , 12, 763832	8.4	1
28	SAT0028 THE FLARE-RA QUESTIONNAIRE CAN PREDICT FLARES IN PATIENTS WITH ESTABLISHED RHEUMATOID ARTHRITIS PARTICIPATING IN THE TAPERA TRIAL. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 944.3-944	2.4	1
27	Fulminant macrophage activation syndrome in a patient with anti-synthetase syndrome. <i>Rheumatology</i> , 2020 , 59, 1775-1777	3.9	1
26	O07 Randomised, open labelled clinical trial to investigate synovial mechanisms determining response: resistance to rituximab versus tocilizumab in RA patients failing TNF inhibitor therapy. <i>Rheumatology</i> , 2020 , 59,	3.9	1
25	From ELISA to Immunosorbent Tandem Mass Spectrometry Proteoform Analysis: The Example of CXCL8/Interleukin-8. <i>Frontiers in Immunology</i> , 2021 , 12, 644725	8.4	1
24	P440 First results of the BELCOMID study: BELgian Cohort study of COVID-19 in Immune Mediated Inflammatory Diseases (IMID). <i>Journal of Crohnts and Colitis</i> , 2021 , 15, S440-S440	1.5	1
23	POS0503 THE DISCORDANCE BETWEEN PATIENT-REPORTED AND CLINICAL/BIOLOGICAL OUTCOMES COULD HELP IN PREDICTING FUTURE DISEASE IMPACT IN PATIENTS WITH RHEUMATOID ARTHRITIS. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 484.1-484	2.4	1
22	Serum of patients with active rheumatoid arthritis inhibits differentiation of osteochondrogenic precursor cells. <i>Connective Tissue Research</i> , 2016 , 57, 226-35	3.3	1
21	A mixed method study exploring patient satisfaction and feasibility of two exercise programmes in systemic sclerosis-associated microstomia. <i>Rheumatology Advances in Practice</i> , 2021 , 5, rkab017	1.1	1
20	The ideal mHealth-application for rheumatoid arthritis: qualitative findings from stakeholder focus groups. <i>BMC Musculoskeletal Disorders</i> , 2021 , 22, 746	2.8	1
19	Psychological stress in rheumatoid arthritis: a systematic scoping review.. <i>Seminars in Arthritis and Rheumatism</i> , 2022 , 55, 152014	5.3	1
18	Evaluation of Disease Burden by (Separate) Patient-reported, Clinical, and Laboratory Factor Scores in Patients With Established Rheumatoid Arthritis: A Factor Analysis Replication.. <i>Journal of Rheumatology</i> , 2022 ,	4.1	0
17	The perception of stakeholders on the applicability of nurse-led clinics in the management of rheumatoid arthritis. <i>Rheumatology Advances in Practice</i> , 2021 , 5, ii45-ii52	1.1	0
16	Treatment response and several patient-reported outcomes are early determinants of future self-efficacy in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2021 , 23, 269	5.7	0

15	Response to: Correspondence on Five-year treat-to-target outcomes after methotrexate induction therapy with or without other csDMARDs and temporary glucocorticoids for rheumatoid arthritis in the CareRA trial by Jain and Dhir. <i>Annals of the Rheumatic Diseases</i> , 2021 ,	2.4	0
14	Effectiveness of maintenance therapy with methotrexate compared with leflunomide for patients with RA having achieved disease control with both these drugs: results of a predefined sub-analysis of CareRA, a pragmatic RCT. <i>Clinical Rheumatology</i> , 2020 , 39, 2593-2601	3.9	
13	Antibodies to heterogeneous nuclear ribonucleoprotein H1 are directed to RNA recognition motif 3. <i>Rheumatology</i> , 2011 , 50, 621-2	3.9	
12	Antibodies to hnRNPs in patients with a systemic rheumatic disease with no antibodies to extractable nuclear antigens or dsDNA. <i>Rheumatology</i> , 2012 , 51, 1515-6	3.9	
11	P115 Implementation of a vaccination tool in the electronic patient health record significantly increases vaccination coverage. <i>Journal of Crohnts and Colitis</i> , 2022 , 16, i206-i207	1.5	
10	P529 Evolution of COVID19 serology in a real-life population of IMID patients. Results of the BELCOMID study: BELgian Cohort study of COVID-19 in Immune Mediated Inflammatory Diseases (IMID). <i>Journal of Crohnts and Colitis</i> , 2022 , 16, i482-i483	1.5	
9	Belgian rheumatologists Preferences regarding measures of disease activity in patients with rheumatoid arthritis: results from a mixed-methods study. <i>Rheumatology International</i> , 2021 , 1	3.6	
8	FRI0596 NOVEL AUTOANTIBODY BIOMARKERS FOR THE PREDICTION OF THERAPY RESPONSE IN RHEUMATOID ARTHRITIS. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 904.1-904	2.4	
7	AB1209 A SYSTEMATIC REVIEW ON THE EFFECT OF DMARDs ON FERTILITY IN RHEUMATOID ARTHRITIS. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 1896.2-1896	2.4	
6	AB1153 ANALGESIC AND ANTI-INFLAMMATORY DRUG USE IN PATIENTS WITH RHEUMATOID ARTHRITIS, PSORIATIC ARTHRITIS AND SPONDYLOARTHRITIS VERSUS CONTROLS IN A BELGIAN GENERAL PRACTITIONER REGISTRY.. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 1867.1-1867	2.4	
5	POS1434 WHICH PROGNOSTIC FACTORS MIGHT PREDICT THE NEED FOR TREATMENT ADAPTATION IN EARLY RHEUMATOID ARTHRITIS? A COMPARISON OF MACHINE LEARNING, SURVIVAL ANALYSIS AND REGRESSION METHODS. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 1001.2-1002	2.4	
4	P290 Compliance to vaccination guidelines in patients with immune-mediated inflammatory diseases: a cross-sectional, single-centre study. <i>Journal of Crohnts and Colitis</i> , 2019 , 13, S244-S245	1.5	
3	Response to Unmet needs in the treatment of rheumatoid arthritis. An observational study and a real-life experience from a single university center. <i>Seminars in Arthritis and Rheumatism</i> , 2020 , 50, e6	5.3	
2	Comment on: what is the best treatment for early rheumatoid arthritis?. <i>Rheumatology</i> , 2021 , 60, e177-e178	3.7	
1	Dysphagia during glucocorticoid treatment of dermatomyositis: a differential diagnostic challenge. <i>Rheumatology Advances in Practice</i> , 2018 , 2, rky010	1.1	