

# GÃ©rard Zalcman

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2559246/publications.pdf>

Version: 2024-02-01

153  
papers

18,355  
citations

53939

47  
h-index

14779

131  
g-index

173  
all docs

173  
docs citations

173  
times ranked

24259  
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficacy of Severe Acute Respiratory Syndrome Coronavirus-2 Vaccine in Patients With Thoracic Cancer: A Prospective Study Supporting a Third Dose in Patients With Minimal Serologic Response After Two Vaccine Doses. <i>Journal of Thoracic Oncology</i> , 2022, 17, 239-251.	0.5	51
2	Third dose of anti-SARS-CoV-2 vaccine for patients with cancer: Should humoral responses be monitored? A position article. <i>European Journal of Cancer</i> , 2022, 162, 182-193.	1.3	40
3	Combination of Trastuzumab, Pertuzumab, and Docetaxel in Patients With Advanced Non-Small-Cell Lung Cancer Harboring <i>HER2</i> Mutations: Results From the IFCT-1703 R2D2 Trial. <i>Journal of Clinical Oncology</i> , 2022, 40, 719-728.	0.8	37
4	Postoperative radiotherapy versus no postoperative radiotherapy in patients with completely resected non-small-cell lung cancer and proven mediastinal N2 involvement (Lung ART, IFCT 0503): an open-label, randomised, phase 3 trial. <i>Lancet Oncology</i> , The, 2022, 23, 104-114.	5.1	123
5	SARS-CoV-2 Antibody Response to 2 or 3 Doses of the BNT162b2 Vaccine in Patients Treated With Anticancer Agents. <i>JAMA Oncology</i> , 2022, 8, 612.	3.4	35
6	Intestinal <i>Akkermansia muciniphila</i> predicts clinical response to PD-1 blockade in patients with advanced non-small-cell lung cancer. <i>Nature Medicine</i> , 2022, 28, 315-324.	15.2	225
7	Measuring Walking Speed Failed to Predict Early Death and Toxicity in Elderly Patients with Metastatic Non-Small-Cell Lung Cancer (NSCLC) Selected for Undergoing First-Line Systemic Treatment: An Observational Exploratory Study. <i>Cancers</i> , 2022, 14, 1344.	1.7	3
8	First-line nivolumab plus ipilimumab versus chemotherapy for the treatment of unresectable malignant pleural mesothelioma: patient-reported outcomes in CheckMate 743. <i>Lung Cancer</i> , 2022, 167, 8-16.	0.9	9
9	The Use of Pro-Angiogenic and/or Pro-Hypoxic miRNAs as Tools to Monitor Patients with Diffuse Gliomas. <i>International Journal of Molecular Sciences</i> , 2022, 23, 6042.	1.8	1
10	Systematic review and meta-analysis evaluating the impact of antibiotic use on the clinical outcomes of patients with cancer treated with immune checkpoint inhibitors.. <i>Journal of Clinical Oncology</i> , 2022, 40, 2585-2585.	0.8	0
11	Influence of the SARS-CoV-2 outbreak on management and prognosis of new lung cancer cases, a retrospective multicentre Areal-life cohort study. <i>European Journal of Cancer</i> , 2022, 173, 33-40.	1.3	5
12	The STK38-XPO1 axis, a new actor in physiology and cancer. <i>Cellular and Molecular Life Sciences</i> , 2021, 78, 1943-1955.	2.4	8
13	In vitro bone metastasis dwelling in a 3D bioengineered niche. <i>Biomaterials</i> , 2021, 269, 120624.	5.7	17
14	First-line nivolumab plus ipilimumab in unresectable malignant pleural mesothelioma (CheckMate 743): a multicentre, randomised, open-label, phase 3 trial. <i>Lancet</i> , The, 2021, 397, 375-386.	6.3	638
15	Biomarkers of Response to Etoposide-Platinum Chemotherapy in Patients with Grade 3 Neuroendocrine Neoplasms. <i>Cancers</i> , 2021, 13, 643.	1.7	19
16	Immune checkpoint blockade for patients with lung cancer and idiopathic pulmonary fibrosis. <i>European Journal of Cancer</i> , 2021, 145, 179-182.	1.3	9
17	Does Very Poor Performance Status Systematically Preclude Single Agent Anti-PD-1 Immunotherapy? A Multicenter Study of 35 Consecutive Patients. <i>Cancers</i> , 2021, 13, 1040.	1.7	13
18	Treatment strategies and safety of rechallenge in the setting of immune checkpoint inhibitors-related myositis: a national multicentre study. <i>Rheumatology</i> , 2021, 60, 5753-5764.	0.9	17

#	ARTICLE	IF	CITATIONS
19	National early access programs and clinical trials: What opportunities for early access to therapeutic innovations for patients with malignant melanoma?. <i>Cancer</i> , 2021, 127, 2181-2183.	2.0	2
20	Intergroupe francophone de cancérologie thoracique, Société de pneumologie de langue française, and Société d'imagerie thoracique statement paper on lung cancer screening. <i>Diagnostic and Interventional Imaging</i> , 2021, 102, 199-211.	1.8	10
21	Combination of trastuzumab, pertuzumab and docetaxel in patients with advanced non-small cell lung cancer (NSCLC) harboring HER2 mutation: Final results from the IFCT-1703 R2D2 trial.. <i>Journal of Clinical Oncology</i> , 2021, 39, 9015-9015.	0.8	8
22	Response to letter entitled: Re: Immune checkpoint blockade for patients with lung cancer and idiopathic pulmonary fibrosis. <i>European Journal of Cancer</i> , 2021, 151, 252-253.	1.3	1
23	Heterogeneity of treatment effects in malignant pleural mesothelioma – Authors' reply. <i>Lancet</i> , The, 2021, 398, 302.	6.3	2
24	Poor performance status patient with long-lasting major response to pembrolizumab in advanced non-small-cell lung cancer with coexisting POLE mutation and deficient mismatch repair pathway. <i>Lung Cancer</i> , 2021, 160, 28-31.	0.9	7
25	Tailoring maintenance chemotherapy upon response to induction chemotherapy as compared with pemetrexed continuation maintenance in advanced non-squamous NSCLC patients: results of the IFCT-GFPC-1101 multicenter randomized phase III trial. <i>Lung Cancer</i> , 2021, 164, 84-90.	0.9	0
26	Comparison of Fast-Progression, Hyperprogressive Disease, and Early Deaths in Advanced Non-Small-Cell Lung Cancer Treated With PD-1/PD-L1 Inhibitors or Chemotherapy. <i>JCO Precision Oncology</i> , 2020, 4, 829-840.	1.5	25
27	Epidermal growth factor receptor-mutant non-small cell lung Cancer and Choroidal metastases: long-term outcome and response to epidermal growth factor receptor tyrosine kinase inhibitors. <i>BMC Cancer</i> , 2020, 20, 1186.	1.1	8
28	Risk factors for Coronavirus Disease 2019 (COVID-19) severity and mortality among solid cancer patients and impact of the disease on anticancer treatment: A French nationwide cohort study (GCO-002 CACOVID-19). <i>European Journal of Cancer</i> , 2020, 141, 62-81.	1.3	122
29	Unmet needs in clinical nutrition in oncology: a multinational analysis of real-world evidence. <i>Therapeutic Advances in Medical Oncology</i> , 2020, 12, 175883591989985.	1.4	42
30	Weekly paclitaxel plus bevacizumab versus docetaxel as second- or third-line treatment in advanced non-squamous non-small-cell lung cancer: Results of the IFCT-1103 ULTIMATE study. <i>European Journal of Cancer</i> , 2020, 131, 27-36.	1.3	44
31	NSCLC Immunotherapy Efficacy and Antibiotic Use: A Systematic Review and Meta-Analysis. <i>Journal of Thoracic Oncology</i> , 2020, 15, 1147-1159.	0.5	88
32	Glucocorticoids with low-dose anti-IL1 anakinra rescue in severe non-ICU COVID-19 infection: A cohort study. <i>PLoS ONE</i> , 2020, 15, e0243961.	1.1	15
33	Title is missing!. , 2020, 15, e0243961.		0
34	Title is missing!. , 2020, 15, e0243961.		0
35	Title is missing!. , 2020, 15, e0243961.		0
36	Title is missing!. , 2020, 15, e0243961.		0

#	ARTICLE	IF	CITATIONS
37	<scp>STK</scp> 38 kinase acts as <scp>XPO</scp> 1 gatekeeper regulating the nuclear export of autophagy proteins and other cargoes. EMBO Reports, 2019, 20, e48150.	2.0	34
38	Clinical Relevance of EGFR- or KRAS-mutated Subclones in Patients With Advanced Nonâ€“small-cell Lung Cancer Receiving Erlotinib in a French Prospective Cohort (IFCT ERMETIC2 Cohort - Part 2). Clinical Lung Cancer, 2019, 20, 222-230.	1.1	3
39	Health-Related Quality of Life Impact from Adding Bevacizumab to Cisplatin-Pemetrexed in Malignant Pleural Mesothelioma in the MAPS IFCT-GFPC-0701 Phase III Trial. Clinical Cancer Research, 2019, 25, 5759-5765.	3.2	13
40	Promoter Hypermethylation of Genes Encoding for RASSF/Hippo Pathway Members Reveals Specific Alteration Pattern in Diffuse Gliomas. Journal of Molecular Diagnostics, 2019, 21, 695-704.	1.2	11
41	Shorter Survival in Malignant Pleural Mesothelioma Patients With High PD-L1 Expression Associated With Sarcomatoid or Biphasic Histology Subtype: A Series of 214 Cases From the Bio-MAPS Cohort. Clinical Lung Cancer, 2019, 20, e564-e575.	1.1	49
42	Association of TP53 mutations with response and longer survival under immune checkpoint inhibitors in advanced non-small-cell lung cancer. Lung Cancer, 2019, 132, 65-71.	0.9	120
43	NDR2 kinase contributes to cell invasion and cytokinesis defects induced by the inactivation of RASSF1A tumor-suppressor gene in lung cancer cells. Journal of Experimental and Clinical Cancer Research, 2019, 38, 158.	3.5	22
44	MST1/Hippo promoter gene methylation predicts poor survival in patients with malignant pleural mesothelioma in the IFCT-GFPC-0701 MAPS Phase 3 trial. British Journal of Cancer, 2019, 120, 387-397.	2.9	19
45	RET-Rearranged Lung Adenocarcinoma with Paraneoplastic Meige Syndrome. Journal of Thoracic Oncology, 2019, 14, e250-e251.	0.5	1
46	RASSF1A, puppeteer of cellular homeostasis, fights tumorigenesis, and metastasisâ€“an updated review. Cell Death and Disease, 2019, 10, 928.	2.7	51
47	Role of the YAP-1 Transcriptional Target cIAP2 in the Differential Susceptibility to Chemotherapy of Non-Small-Cell Lung Cancer (NSCLC) Patients with Tumor RASSF1A Gene Methylation from the Phase 3 IFCT-0002 Trial. Cancers, 2019, 11, 1835.	1.7	4
48	Nivolumab or nivolumab plus ipilimumab in patients with relapsed malignant pleural mesothelioma (IFCT-1501 MAPS2): a multicentre, open-label, randomised, non-comparative, phase 2 trial. Lancet Oncology, The, 2019, 20, 239-253.	5.1	342
49	Immunotherapy in relapsed mesothelioma. Immunotherapy, 2018, 10, 77-80.	1.0	5
50	Phase Ib/II study of the pan-cyclin-dependent kinase inhibitor roniciclib in combination with chemotherapy in patients with extensive-disease small-cell lung cancer. Lung Cancer, 2018, 123, 14-21.	0.9	21
51	Cost-effectiveness of <i>KRAS</i>, <i>EGFR</i> and <i>ALK</i> testing for decision making in advanced nonsmall cell lung carcinoma: the French IFCT-PREDICT.amm study. European Respiratory Journal, 2018, 51, 1701467.	3.1	16
52	Gut microbiome influences efficacy of PD-1â€“based immunotherapy against epithelial tumors. Science, 2018, 359, 91-97.	6.0	3,689
53	Lazarus Syndrome With Crizotinib in a Nonâ€“Small Cell Lung Cancer Patient With ROS1 Rearrangement and Disseminated Intravascular Coagulation. Clinical Lung Cancer, 2018, 19, e57-e61.	1.1	5
54	A role for RASSF1A in tunneling nanotube formation between cells through GEFH1/Rab11 pathway control. Cell Communication and Signaling, 2018, 16, 66.	2.7	28

#	ARTICLE	IF	CITATIONS
55	Hyperprogressive Disease in Patients With Advanced Non-â€“Small Cell Lung Cancer Treated With PD-1/PD-L1 Inhibitors or With Single-Agent Chemotherapy. <i>JAMA Oncology</i> , 2018, 4, 1543.	3.4	567
56	Phase I dose-escalation studies of roniciclib, a pan-cyclin-dependent kinase inhibitor, in advanced malignancies. <i>British Journal of Cancer</i> , 2017, 116, 1505-1512.	2.9	25
57	Bevacizumab in advanced lung cancer: state of the art. <i>Future Oncology</i> , 2017, 13, 2515-2535.	1.1	53
58	A review of bevacizumab in the treatment of malignant pleural mesothelioma. <i>Future Oncology</i> , 2017, 13, 2537-2546.	1.1	14
59	Lazarus syndrome in nonsmall cell lung cancer patients with poor performance status and major leukocytosis following nivolumab treatment. <i>European Respiratory Journal</i> , 2017, 50, 1700310.	3.1	21
60	Morphologic and molecular study of lung cancers associated with idiopathic pulmonary fibrosis and other pulmonary fibroses. <i>Respiratory Research</i> , 2017, 18, 120.	1.4	41
61	Targeting RET in Patients With <i>RET</i>-Rearranged Lung Cancers: Results From the Global, Multicenter <i>RET</i> Registry. <i>Journal of Clinical Oncology</i> , 2017, 35, 1403-1410.	0.8	277
62	MSH2/BRCA1 expression as a DNA-repair signature predicting survival in early-stage lung cancer patients from the IFCT-0002 Phase 3 Trial. <i>Oncotarget</i> , 2017, 8, 4313-4329.	0.8	16
63	Health-related quality of life in elderly patients with advanced non-small cell lung cancer comparing carboplatin and weekly paclitaxel doublet chemotherapy with monotherapy. <i>European Respiratory Journal</i> , 2016, 48, 861-872.	3.1	17
64	Sensitivity to chemotherapy/tyrosine kinase inhibitors of mucinous lepidic adenocarcinoma should be tested in a phase III trial?. <i>European Respiratory Journal</i> , 2016, 47, 1890-1891.	3.1	1
65	Routine molecular profiling of patients with advanced non-small-cell lung cancer: results of a 1-year nationwide programme of the French Cooperative Thoracic Intergroup (IFCT). <i>Lancet, The</i> , 2016, 387, 1415-1426.	6.3	790
66	RASSF1A Suppresses the Invasion and Metastatic Potential of Human Non-â€“Small Cell Lung Cancer Cells by Inhibiting YAP Activation through the GEF-H1/RhoB Pathway. <i>Cancer Research</i> , 2016, 76, 1627-1640.	0.4	92
67	ROS-1 rearrangements in non-small cell lung cancer (NSCLC): a new target for a small subset of patients but a giant leap in therapeutics. <i>Current Pulmonology Reports</i> , 2016, 5, 57-62.	0.5	1
68	Bevacizumab for newly diagnosed pleural mesothelioma in the Mesothelioma Avastin Cisplatin Pemetrexed Study (MAPS): a randomised, controlled, open-label, phase 3 trial. <i>Lancet, The</i> , 2016, 387, 1405-1414.	6.3	753
69	Prognostic value of health-related quality of life for overall survival in elderly non-small-cell lung cancer patients. <i>European Journal of Cancer</i> , 2016, 52, 120-128.	1.3	42
70	Targeted Therapy for Patients with BRAF-Mutant Lung Cancer Results from the European EURAF Cohort. <i>Journal of Thoracic Oncology</i> , 2015, 10, 1451-1457.	0.5	141
71	Do atmospheric conditions influence the first episode of primary spontaneous pneumothorax?. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2015, 21, 296-300.	0.5	13
72	<i>ALK</i>-rearranged non-small cell lung cancers: how best to optimize the safety of crizotinib in clinical practice?. <i>Expert Review of Anticancer Therapy</i> , 2015, 15, 225-233.	1.1	9

#	ARTICLE	IF	CITATIONS
73	BioCAST/IFCT-1002: epidemiological and molecular features of lung cancer in never-smokers. <i>European Respiratory Journal</i> , 2015, 45, 1403-1414.	3.1	66
74	Activity and safety of nivolumab, an anti-PD-1 immune checkpoint inhibitor, for patients with advanced, refractory squamous non-small-cell lung cancer (CheckMate 063): a phase 2, single-arm trial. <i>Lancet Oncology</i> , 2015, 16, 257-265.	5.1	1,269
75	Non-small cell lung cancer recurrence following surgery and perioperative chemotherapy: Comparison of two chemotherapy regimens (IFCT-0702: A randomized phase 3 final results study). <i>Lung Cancer</i> , 2015, 89, 139-145.	0.9	10
76	No impact of passive smoke on the somatic profile of lung cancers in never-smokers. <i>European Respiratory Journal</i> , 2015, 45, 1415-1425.	3.1	27
77	Randomized phase III study of bevacizumab in combination with chemotherapy in previously untreated extensive small-cell lung cancer: results from the IFCT-0802 trial. <i>Annals of Oncology</i> , 2015, 26, 908-914.	0.6	81
78	Crizotinib Therapy for Advanced Lung Adenocarcinoma and a ROS1 Rearrangement: Results From the EUROS1 Cohort. <i>Journal of Clinical Oncology</i> , 2015, 33, 992-999.	0.8	326
79	Erlotinib versus carboplatin and paclitaxel in advanced lepidic adenocarcinoma: IFCT-0504. <i>European Respiratory Journal</i> , 2015, 46, 1440-1450.	3.1	7
80	Postoperative Radiotherapy for Pathologic N2 Non-Small-Cell Lung Cancer Treated With Adjuvant Chemotherapy: Need for Randomized Evidence. <i>Journal of Clinical Oncology</i> , 2015, 33, 2930-2931.	0.8	15
81	SMARCA4 inactivation defines a group of undifferentiated thoracic malignancies transcriptionally related to BAF-deficient sarcomas. <i>Nature Genetics</i> , 2015, 47, 1200-1205.	9.4	252
82	First-in-human phase I administration of YS110, a monoclonal antibody directed against the CD26 immunostimulatory molecule in advanced cancer patients. <i>Journal of Clinical Oncology</i> , 2015, 33, 2519-2519.	0.8	0
83	Phase II Study of Nivolumab (anti-PD-1, BMS-936558, ONO-4538) in Patients with Advanced, Refractory Squamous Non-Small Cell Lung Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 90, 1266-1267.	0.4	17
84	Cost-utility analysis of maintenance therapy with gemcitabine or erlotinib versus observation with predefined second-line treatment after cisplatin-gemcitabine induction chemotherapy for advanced NSCLC: IFCT-GFPC 0502-Eco phase III study. <i>BMC Cancer</i> , 2014, 14, 953.	1.1	12
85	Reply to letter. <i>European Journal of Cancer</i> , 2014, 50, 678.	1.3	0
86	A phase II randomized study evaluating the addition of iniparib to gemcitabine plus cisplatin as first-line therapy for metastatic non-small-cell lung cancer. <i>Annals of Oncology</i> , 2014, 25, 2156-2162.	0.6	26
87	Retrospective observational study of diagnostic accuracy of the Xpert <sup>®</sup> MTB/RIF assay on fiberoptic bronchoscopy sampling for early diagnosis of smear-negative or sputum-scarce patients with suspected tuberculosis. <i>BMC Pulmonary Medicine</i> , 2014, 14, 137.	0.8	45
88	Rare EGFR exon 18 and exon 20 mutations in non-small-cell lung cancer on 10 117 patients: a multicentre observational study by the French ERMETIC-IFCT network. <i>Annals of Oncology</i> , 2014, 25, 126-131.	0.6	270
89	A Multicenter Blinded Study Evaluating EGFR and KRAS Mutation Testing Methods in the Clinical Non-Small Cell Lung Cancer Setting—IFCT/ERMETIC2 Project Part 1. <i>Journal of Molecular Diagnostics</i> , 2014, 16, 45-55.	1.2	31
90	Noninvasive Diagnosis of Actionable Mutations by Deep Sequencing of Circulating Free DNA in Lung Cancer from Never-Smokers: A Proof-of-Concept Study from BioCAST/IFCT-1002. <i>Clinical Cancer Research</i> , 2014, 20, 4613-4624.	3.2	195

#	ARTICLE	IF	CITATIONS
91	A phase II study of cisplatin with intravenous and oral vinorelbine as induction chemotherapy followed by concomitant chemoradiotherapy with oral vinorelbine and cisplatin for locally advanced non-small cell lung cancer. BMC Cancer, 2014, 14, 231.	1.1	19
92	Customized Adjuvant Phase II Trial in Patients With Non-â€Small-Cell Lung Cancer: IFCT-0801 TASTE. Journal of Clinical Oncology, 2014, 32, 1256-1261.	0.8	66
93	Second-line therapy in elderly patients with advanced nonsmall cell lung cancer. European Respiratory Journal, 2014, 43, 240-249.	3.1	10
94	Abstract CT209: A phase I study with the oral pan-CDK inhibitor BAY 1000394 in patients with advanced stage small cell lung or ovarian cancer. , 2014, , .		1
95	Efficacy of crizotinib in ROS1-rearranged lung cancer: The European experience.. Journal of Clinical Oncology, 2014, 32, 11035-11035.	0.8	4
96	Randomized phase II-III study of bevacizumab in combination with chemotherapy in previously untreated extensive small-cell lung cancer: Results from the IFCT-0802 trial.. Journal of Clinical Oncology, 2014, 32, 7505-7505.	0.8	1
97	National multidisciplinary tumor board (MTB): Report of the first 526 questions raised within RYTHMIC, the network for thymic malignancies in France.. Journal of Clinical Oncology, 2014, 32, 7605-7605.	0.8	0
98	Phase II study of cetuximab, pemetrexed, cisplatin and concurrent radiotherapy in patients with locally advanced, unresectable, stage III, non-squamous, non-small cell lung cancer (NSCLC): Results of the IFCT-0803 trial.. Journal of Clinical Oncology, 2014, 32, 7511-7511.	0.8	0
99	Extended antigen sparing potential of AS03-adjuvanted pandemic H1N1 vaccines in children, and immunological equivalence of two formulations of AS03-adjuvanted H1N1 vaccines: results from two randomised trials. BMC Infectious Diseases, 2013, 13, 435.	1.3	11
100	A randomised trial comparing preoperative to perioperative chemotherapy in early-stage non-small-cell lung cancer (IFCT 0002 trial). European Journal of Cancer, 2013, 49, 2654-2664.	1.3	47
101	Does Bilobectomy Offer Satisfactory Long-Term Survival Outcome for Non-Small Cell Lung Cancer?. Annals of Thoracic Surgery, 2013, 95, 1726-1733.	0.7	6
102	Predictive biomarkers in patients with resected non-small cell lung cancer treated with perioperative chemotherapy. European Respiratory Review, 2013, 22, 565-576.	3.0	23
103	From randomized trials to the clinic: is it time to implement individual lung-cancer screening in clinical practice? A multidisciplinary statement from French experts on behalf of the french intergroup (IFCT) and the groupe d'Oncologie de langue franÃ§aise (GOLF). Annals of Oncology, 2013, 24, 586-597.	0.6	88
104	<i>In vivo</i>probe-based confocal laser endomicroscopy in amiodarone-related pneumonia. European Respiratory Journal, 2013, 42, 1646-1658.	3.1	38
105	Topics in thoracic oncology: from surgical resection to molecular dissection. European Respiratory Review, 2013, 22, 101-102.	3.0	3
106	Efficacy of Pemetrexed as Second-Line Therapy in Advanced NSCLC after Either Treatment-Free Interval or Maintenance Therapy with Gemcitabine or Erlotinib in IFCT-GFPC 05-02 Phase III Study. Journal of Thoracic Oncology, 2013, 8, 906-914.	0.5	12
107	Biomarkers (BM) France: Results of routine EGFR, HER2, KRAS, BRAF, PI3KCA mutations detection and EML4-ALK gene fusion assessment on the first 10,000 non-small cell lung cancer (NSCLC) patients (pts).. Journal of Clinical Oncology, 2013, 31, 8000-8000.	0.8	70
108	An Apoptosis Methylation Prognostic Signature for Early Lung Cancer in the IFCT-0002 Trial. Clinical Cancer Research, 2012, 18, 2976-2986.	3.2	52

#	ARTICLE	IF	CITATIONS
109	Impact of Point Spread Function Reconstruction on Thoracic Lymph Node Staging With 18F-FDG PET/CT in Non-Small Cell Lung Cancer. <i>Clinical Nuclear Medicine</i> , 2012, 37, 971-976.	0.7	53
110	Plasma Cell Membrane Localization of c-MET Predicts Longer Survival in Patients with Malignant Mesothelioma: A Series of 157 Cases from the MESOPATH Group. <i>Journal of Thoracic Oncology</i> , 2012, 7, 599-606.	0.5	43
111	Pathologic Complete Response to Preoperative Chemotherapy Predicts Cure in Early-Stage Non-Small-Cell Lung Cancer: Combined Analysis of Two IFCT Randomized Trials. <i>Journal of Thoracic Oncology</i> , 2012, 7, 841-849.	0.5	104
112	Impact of Systematic EGFR and KRAS Mutation Evaluation on Progression-Free Survival and Overall Survival in Patients with Advanced Non-Small-Cell Lung Cancer Treated by Erlotinib in a French Prospective Cohort (ERMETIC Project Part 2). <i>Journal of Thoracic Oncology</i> , 2012, 7, 1490-1502.	0.5	69
113	High TUBB3 Expression, an Independent Prognostic Marker in Patients with Early Non-Small Cell Lung Cancer Treated by Preoperative Chemotherapy, Is Regulated by K-Ras Signaling Pathway. <i>Molecular Cancer Therapeutics</i> , 2012, 11, 1203-1213.	1.9	77
114	A STEPP too far for FLEX?. <i>Lancet Oncology</i> , The, 2012, 13, e51.	5.1	1
115	Lung cancer in never smokers – A review. <i>European Journal of Cancer</i> , 2012, 48, 1299-1311.	1.3	694
116	Randomized, Phase III Study of Gemcitabine or Erlotinib Maintenance Therapy Versus Observation, With Predefined Second-Line Treatment, After Cisplatin-Gemcitabine Induction Chemotherapy in Advanced Non-Small-Cell Lung Cancer. <i>Journal of Clinical Oncology</i> , 2012, 30, 3516-3524.	0.8	214
117	Observational Study of QuantiFERON®-TB Gold In-Tube Assay in Tuberculosis Contacts in a Low Incidence Area. <i>PLoS ONE</i> , 2012, 7, e43520.	1.1	17
118	Pulmonary Arterial Hypertension in Patients Treated by Dasatinib. <i>Circulation</i> , 2012, 125, 2128-2137.	1.6	548
119	Prognostic value of pathologic complete response to preoperative chemotherapy in early-stage non small cell lung cancer: Combined analysis of two IFCT randomized trials.. <i>Journal of Clinical Oncology</i> , 2012, 30, 7057-7057.	0.8	0
120	Myocardial Strain Assessment in Cystic Fibrosis. <i>Journal of the American Society of Echocardiography</i> , 2011, 24, 1037-1045.	1.2	24
121	Chemotherapy in elderly patients with advanced non-small cell lung cancer. <i>Lung Cancer</i> , 2011, 74, 364-368.	0.9	24
122	Carboplatin and weekly paclitaxel doublet chemotherapy compared with monotherapy in elderly patients with advanced non-small-cell lung cancer: IFCT-0501 randomised, phase 3 trial. <i>Lancet</i> , The, 2011, 378, 1079-1088.	6.3	521
123	Evaluation of current practice. <i>Anti-Cancer Drugs</i> , 2011, 22, 919-925.	0.7	15
124	Pulmonary Hypertension in Patients With Neurofibromatosis Type I. <i>Medicine (United States)</i> , 2011, 90, 201-211.	0.4	60
125	Cross-Validation Study for Epidermal Growth Factor Receptor and KRAS Mutation Detection in 74 Blinded Non-small Cell Lung Carcinoma Samples: A Total of 5550 Exons Sequenced by 15 Molecular French Laboratories (Evaluation of the EGFR Mutation Status for the Administration of EGFR-TKIs in Tj ETQq1 1 0.784314 rg51 /Overbo 1006-1015.	1.0	14
126	Genetic profiling and epidermal growth factor receptor-directed therapy in nonsmall cell lung cancer. <i>European Respiratory Journal</i> , 2011, 37, 183-193.	3.1	37



#	ARTICLE	IF	CITATIONS
127	Admission of advanced lung cancer patients to intensive care unit: A retrospective study of 76 patients. <i>BMC Cancer</i> , 2011, 11, 159.	1.1	58
128	Integrating biomarkers into clinical trials: methodological issues for a new paradigm in nonsmall cell lung cancer. <i>Current Opinion in Oncology</i> , 2011, 23, 106-111.	1.1	12
129	Osteoblastic Reaction in Non-small Cell Lung Carcinoma and its Association to Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitors Response and Prolonged Survival. <i>Journal of Thoracic Oncology</i> , 2010, 5, 491-496.	0.5	51
130	Randomized phase II trial of gefitinib or gemcitabine or docetaxel chemotherapy in patients with advanced non-small-cell lung cancer and a performance status of 2 or 3 (IFCT-0301 study). <i>Lung Cancer</i> , 2010, 70, 301-307.	0.9	40
131	La recherche clinique en cancérologie thoracique: place et rôle de l'Intergroupe francophone de cancérologie thoracique (IFCT). <i>Oncologie</i> , 2009, 11, 343-347.	0.2	0
132	Gefitinib plus docetaxel in non-small-cell lung cancer. <i>Lancet</i> , The, 2009, 373, 541.	6.3	3
133	Prise en charge diagnostique et thérapeutique du mésothéliome pleural malin en 2008. <i>Oncologie</i> , 2008, 10, 545-550.	0.2	1
134	Breathing-Swallowing Interaction in Neuromuscular Patients. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007, 175, 269-276.	2.5	76
135	Long-term results of endobronchial brachytherapy: A curative treatment?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 67, 425-430.	0.4	56
136	Efficiency of 18F-FDG and 99mTc-depreotide SPECT in the diagnosis of malignancy of solitary pulmonary nodules. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2005, 32, 1026-1032.	3.3	42
137	Cisplatin-Based Adjuvant Chemotherapy in Patients with Completely Resected Non-Small-Cell Lung Cancer. <i>New England Journal of Medicine</i> , 2004, 350, 351-360.	13.9	2,161
138	Randomised, multicentre phase II study assessing two doses of docetaxel (75 or 100 mg/m <sup>2</sup> ) as second-line monotherapy for non-small-cell lung cancer. <i>Annals of Oncology</i> , 2004, 15, 38-44.	0.6	36
139	Rapid and Sensitive p53 Alteration Analysis in Biopsies from Lung Cancer Patients Using a Functional Assay and A Universal Oligonucleotide Array. <i>Clinical Cancer Research</i> , 2004, 10, 3479-3489.	3.2	277
140	RhoA induces MMP-9 expression at CD44 lamellipodial focal complexes and promotes HMEC-1 cell invasion. <i>Experimental Cell Research</i> , 2003, 291, 363-376.	1.2	94
141	Detection of p53 antibodies in patients with various types of cancer: immunological characterization. <i>British Journal of Cancer</i> , 2001, 84, 57-63.	2.9	19
142	Prognostic significance of serum p53 antibodies in patients with limited-stage small cell lung cancer. <i>International Journal of Cancer</i> , 2000, 89, 81-86.	2.3	40
143	A Misleading Pulmonary Lesion in a Patient with Acute Monoblastic Leukemia. <i>Leukemia and Lymphoma</i> , 2000, 37, 457-459.	0.6	0
144	Interaction of the Grb7 adapter protein with Rnd1, a new member of the Rho family. <i>FEBS Letters</i> , 2000, 467, 91-96.	1.3	24

#	ARTICLE	IF	CITATIONS
145	Quantitative Fluorescence in Situ Hybridization in Lung Cancer as a Diagnostic Marker. Journal of Molecular Diagnostics, 1999, 1, 33-37.	1.2	8
146	RhoGAPs and RhoGDIs, (His)stories of Two Families. Progress in Molecular and Subcellular Biology, 1999, 22, 85-113.	0.9	33
147	The p53 Tumor Suppressor Gene in Lung Cancer: From Molecular to Serological Diagnosis. , 1998, , 221-230.		0
148	Fluoxetine-induced pulmonary granulomatosis. European Respiratory Journal, 1996, 9, 615-617.	3.1	23
149	RhoGDI-3 Is a New GDP Dissociation Inhibitor (GDI). Journal of Biological Chemistry, 1996, 271, 30366-30374.	1.6	107
150	Serum p53 antibodies as early markers of lung cancer. Nature Medicine, 1995, 1, 701-702.	15.2	293
151	Prolonged Survival After High-Dose Rate Endobronchial Radiation for Malignant Airway Obstruction. Chest, 1994, 105, 767-772.	0.4	93
152	Detection and Sequencing of p53 Gene Mutations in Bronchial Biopsy Samples in Patients With Lung Cancer. Chest, 1994, 106, 1309-1310.	0.4	0
153	Analyses of p53 antibodies in sera of patients with lung carcinoma define immunodominant regions in the p53 protein. British Journal of Cancer, 1994, 69, 809-816.	2.9	141