
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2559499/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Skin distress associated with xenobiotics exposure: An epigenetic study in the Mediterranean fin whale (Balaenoptera physalus). Marine Genomics, 2021, 57, 100822.	1.1	3
2	Effects of microplastics on head kidney gene expression and enzymatic biomarkers in adult zebrafish. Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2021, 245, 109037.	2.6	11
3	Microplastics induce transcriptional changes, immune response and behavioral alterations in adult zebrafish. Scientific Reports, 2019, 9, 15775.	3.3	200
4	The chronicles of the contaminated Mediterranean seas: a story told by the cetaceans' skin genes. Marine Pollution Bulletin, 2018, 127, 10-14.	5.0	1
5	Water Oxygen Content Affects Distribution of T and B Lymphocytes in Lymphoid Tissues of Farmed Sea Bass (Dicentrarchus Labrax). Fishes, 2017, 2, 16.	1.7	12
6	Transcriptomic analysis of bottlenose dolphin (Tursiops truncatus) skin biopsies to assess the effects of emerging contaminants. Marine Environmental Research, 2016, 114, 74-79.	2.5	32
7	Developmental Biology of Teleost Lymphocytes. , 2016, , 215-224.		2
8	Accelerated Tumor Progression in Mice Lacking the ATP Receptor P2X7. Cancer Research, 2015, 75, 635-644.	0.9	157
9	Microarray applications to understand the impact of exposure to environmental contaminants in wild dolphins (Tursiops truncatus). Marine Genomics, 2015, 19, 47-57.	1.1	18
10	MHC II-β chain gene expression studies define the regional organization of the thymus in the developing bony fish Dicentrarchus labrax (L.). Fish and Shellfish Immunology, 2015, 42, 483-493.	3.6	21
11	Innovative vaccination protocol against vibriosis in Dicentrarchus labrax (L.) juveniles: Improvement of immune parameters and protection to challenge. Vaccine, 2013, 31, 1224-1230.	3.8	31
12	Heat shock protein 70ÂkDa (HSP70) increase in sea bass (Dicentrarchus labrax, L 1758) thymus after vaccination against Listonella anguillarum. Fish Physiology and Biochemistry, 2013, 39, 615-626.	2.3	10
13	Immune modulatory effects of Aloe arborescens extract on the piscine SAF-1 cell line. Fish and Shellfish Immunology, 2013, 34, 1335-1344.	3.6	25
14	Teleost intestinal immunology. Fish and Shellfish Immunology, 2011, 31, 616-626.	3.6	467
15	Intestinal T cells of Dicentrarchus labrax (L.): Gene expression and functional studies. Fish and Shellfish Immunology, 2011, 30, 609-617.	3.6	51
16	Capsaicin-sensitive mechanisms and experimentally induced duodenal ulcers in rats. Journal of Pharmacy and Pharmacology, 2011, 39, 559-561.	2.4	42
17	Nervous control of photophores in luminescent fishes. Acta Histochemica, 2011, 113, 387-394.	1.8	6
18	Immunolocalization of neurotransmitter-synthesizing enzymes and neuropeptides with associated receptors in the photophores of the hatchetfish, Argyropelecus hemigymnus Cocco, 1829. Acta Histochemica, 2011, 113, 457-464.	1.8	5

#	Article	IF	CITATIONS
19	cAMP efflux from human trophoblast cell lines: a role for multidrug resistance protein (MRP)1 transporter. Molecular Human Reproduction, 2010, 16, 481-491.	2.8	19
20	Stimulation of Gut Immune System by Early Administration of Probiotic Strains in Dicentrarchus labrax and Sparus aurata. Annals of the New York Academy of Sciences, 2009, 1163, 340-342.	3.8	38
21	Early treatment with Lactobacillus delbrueckii strain induces an increase in intestinal T-cells and granulocytes and modulates immune-related genes of larval Dicentrarchus labrax (L.). Fish and Shellfish Immunology, 2009, 26, 368-376.	3.6	180
22	Lymphocyte differentiation in sea bass thymus: CD4 and CD8-α gene expression studies. Fish and Shellfish Immunology, 2009, 27, 50-56.	3.6	44
23	Somatostatin as a Regulator of First-Trimester Human Trophoblast Functions. Placenta, 2008, 29, 660-670.	1.5	4
24	Monospecies and multispecies probiotic formulations produce different systemic and local immunostimulatory effects in the gilthead seabream (Sparus aurata L.). Fish and Shellfish Immunology, 2008, 25, 114-123.	3.6	210
25	Compartmentalisation of T cells expressing CD8α and TCRβ in developing thymus of sea bass Dicentrarchus labrax (L.). Developmental and Comparative Immunology, 2008, 32, 92-99.	2.3	49
26	Effects of administration of probiotic strains on GALT of larval gilthead seabream: Immunohistochemical and ultrastructural studies. Fish and Shellfish Immunology, 2007, 22, 57-67.	3.6	129
27	Majority of TcRβ+ T-lymphocytes located in thymus and midgut of the bony fish, Dicentrarchus labrax (L.). Cell and Tissue Research, 2007, 329, 479-489.	2.9	36
28	Immunoglobulin protein and gene transcripts in sea bream (Sparus aurata L.) oocytes. Fish and Shellfish Immunology, 2006, 20, 398-404.	3.6	33
29	In vivo allograft rejection in a bony fish Dicentrarchus labrax (L.): characterisation of effector lymphocytes. Cell and Tissue Research, 2005, 321, 353-363.	2.9	13
30	Short- and long-term effects of a dietary yeast Î ² -glucan (Macrogard) and alginic acid (Ergosan) preparation on immune response in sea bass (Dicentrarchus labrax). Fish and Shellfish Immunology, 2005, 18, 311-325.	3.6	242
31	Evidence for hepato-biliary transport of immunoglobulin in the antarctic teleost fish Trematomus bernacchii. Developmental and Comparative Immunology, 2005, 29, 431-442.	2.3	39
32	Formation of the egg envelope of a teleost, Dicentrarchus labrax (L.): immunochemical and cytochemical detection of multiple components. Anatomy and Embryology, 2004, 208, 43-53.	1.5	30
33	Immunoglobulin protein and gene transcripts in ovarian follicles throughout oogenesis in the teleost Dicentrarchus labrax. Cell and Tissue Research, 2004, 315, 259-270.	2.9	51
34	Adaptation of fish lymphomyeloid organs to polar water. Chemistry and Ecology, 2004, 20, 65-77.	1.6	4
35	17β-Estradiol Stimulates Arachidonate Release from Human Amnion-Like WISH Cells through a Rapid Mechanism Involving a Membrane Receptor. Endocrinology, 2003, 144, 3359-3367.	2.8	15
36	The immune system of sea bass, Dicentrarchus labrax, reared in aquaculture. Developmental and Comparative Immunology, 2002, 26, 151-160.	2.3	49

#	Article	IF	CITATIONS
37	Is Cryopreservation a Homogeneous Process? Ultrastructure and Motility of Untreated, Prefreezing, and Postthawed Spermatozoa of Diplodus puntazzo (Cetti). Cryobiology, 2001, 42, 244-255.	0.7	37
38	Sex-related variations of serum immunoglobulins during reproduction in gilthead sea bream and evidence for a transfer from the female to the eggs. Journal of Fish Biology, 2001, 59, 1503-1511.	1.6	48
39	Lymphomyeloid organs of the Antarctic fish Trematomus nicolai and Chionodraco hamatus (Teleostei:) Tj ETQq1	1 0.78431 1.2	4 rgBT /Ovei 17
40	Immunopurification of T-cells from sea bass Dicentrarchus labrax (L.). Fish and Shellfish Immunology, 2000, 10, 329-341.	3.6	61
41	Immunodetection of Lymphocyte Subpopulations Involved in Allograft Rejection in a Teleost,Dicentrarchus labrax(L.). Cellular Immunology, 1999, 191, 152-160.	3.0	38
42	Ontogeny of the thymus in a teleost fish, Cyprinus carpio L.: developing thymocytes in the epithelial microenvironment. Developmental and Comparative Immunology, 1999, 23, 123-137.	2.3	56
43	Monoclonal antibodies in fish immunology: identification, ontogeny and activity of T- and B-lymphocytes. Aquaculture, 1999, 172, 3-28.	3.5	64
44	Distribution of macrophages during fish development: an immunohistochemical study in carp () Tj ETQq0 0 0 rgB	T /Overloc 1.5	k 10 Tf 50 40
45	Apoptosis of thymocytes in developing sea bassDicentrarchus labrax(L.). Fish and Shellfish Immunology, 1998, 8, 13-24.	3.6	39
46	Immunohistochemistry of gut-associated lymphoid tissue of the sea bassDicentrarchus labrax(L.). Fish and Shellfish Immunology, 1997, 7, 235-245.	3.6	81
47	Histological observations on lymphomyeloid organs of the Antarctic fish Trematomus bernacchii (Teleostei: Nototheniidae). Polar Biology, 1997, 18, 358-362.	1.2	16
48	Expression of lymphocyte antigenic determinants in developing gut-associated lymphoid tissue of the sea bass Dicentrarchus labrax (L.). Anatomy and Embryology, 1997, 196, 457-463.	1.5	69
49	Immunocytochemical detection and cytomorphology of lymphocyte subpopulations in a teleost fish Dicentrarchus labrax. Cell and Tissue Research, 1997, 289, 163-171.	2.9	55
50	Monoclonal antibodies against sea bassDicentrarchus labrax(L.) immunoglobulins: immunolocalisation of immunoglobulin-bearing cells and applicability in immunoassays. Fish and Shellfish Immunology, 1996, 6, 383-401.	3.6	79
51	Immunocytochemical detection of thymocyte antigenic determinants in developing lymphoid organs of sea bassDicentrarchus labrax(L.). Fish and Shellfish Immunology, 1996, 6, 493-505.	3.6	74
52	Immunohistochemical and Ultrastructural Evidence of Adrenal Chromaffin Cell Subtypes in Sea BassDicentrarchus labrax(L.). General and Comparative Endocrinology, 1996, 102, 113-122.	1.8	32
53	Influence of partial decerebration and hypophyseal allograft on differentiation of thymic epithelial cells in chick embryos: an ultrastructural study. Anatomy and Embryology, 1996, 193, 593-600.	1.5	5
54	Organ distribution of carp <i>(Cyprinus carpio)</i> leucocytes during ontogeny. Italian Journal of Zoology, 1996, 63, 333-335.	0.6	1

4

#	Article	IF	CITATIONS
55	Ontogeny of thymocytes in sea bass <i>Dicentrarchus labrax:</i> Studies with monoclonal antibodies. Italian Journal of Zoology, 1996, 63, 329-331.	0.6	5
56	Distribution of human i-NANC bronchodilator and nitric oxide-immunoreactive nerves American Journal of Respiratory Cell and Molecular Biology, 1995, 13, 175-184.	2.9	87
57	Production and characterisation of a monoclonal antibody against the thymocytes of the sea bassDicentrarchus labrax(L.) (Teleostea, Percicthydae). Fish and Shellfish Immunology, 1995, 5, 393-405.	3.6	74
58	New antagonists of platelet-activating factor containing 2-oxazolidinone or 2-morpholinone. European Journal of Medicinal Chemistry, 1994, 29, 401-406.	5.5	24
59	Capsaicin-like effect of resiniferatoxin in the rat stomach. Neuropeptides, 1994, 26, 29-32.	2.2	11
60	Isbufylline, a new xanthine derivative, inhibits airway hyperresponsiveness and airway inflammation in guinea pigs. European Journal of Pharmacology, 1993, 249, 251-257.	3.5	19
61	Rectospinal neurons: Cell bodies, pathways, immunocytochemistry and ultrastructure. Neuroscience, 1993, 56, 367-378.	2.3	39
62	Relative contribution of sympathetic and sensory nerves to thermal nociception and tissue trophism in rats. Neuroscience, 1993, 57, 739-745.	2.3	63
63	Microvascular leakage induced by substance P in rat urinary bladder: involvement of cyclo-oxygenase metabolites of arachidonic acid. Autonomic and Autacoid Pharmacology, 1992, 12, 269-276.	0.6	22
64	Effect of mequitamium iodide (LG 30435) on airway microvascular leakage in the guinea-pig. Pulmonary Pharmacology, 1992, 5, 137-141.	0.6	5
65	Acrylamide-induced visceral neuropathy: Evidence for the involvement of capsaicin-sensitive nerves of the rat urinary bladder. Neuroscience, 1991, 41, 311-321.	2.3	24
66	NKâ€l Receptors and VascularPermeability in Rat Airways. Annals of the New York Academy of Sciences, 1991, 632, 358-359.	3.8	9
67	Mechanical Irritation Induces Neurogenic Inflammation in the Rat Urethra. Journal of Urology, 1991, 146, 1624-1626.	0.4	22
68	Facilitation of Reflex Micturition By Intravesical Administration of [β Ala 8]-Neurokinin A (4–10), A Selective NK-2 Tachykinin Receptor Agonist. Journal of Urology, 1991, 145, 184-187.	0.4	31
69	Effect of synthetic tachykinin analogues on airway microvascular leakage in rats and guineaâ€pigs: evidence for the involvement of NK″ receptors. Autonomic and Autacoid Pharmacology, 1991, 11, 267-276.	0.6	42
70	Heterogeneous visceral nerve changes in acrylamide intoxication. Experimental Brain Research, 1991, 87, 363-70.	1.5	7
71	Involvement of capsaicin-sensitive nerves of the rat urinary bladder in acrylamide neuropathy. Journal of the Autonomic Nervous System, 1990, 30, S3-S4.	1.9	4
72	Motor and inflammatory effect of hyperosmolar solutions on the rat urinary bladder in relation to capsaicin-sensitive sensory nerves. General Pharmacology, 1990, 21, 97-103.	0.7	12

#	Article	IF	CITATIONS
73	In vivo pharmacology of [βAla8]neurokinin A-(4-10), a selective NK-2 tachykinin receptor agonist. European Journal of Pharmacology, 1990, 177, 81-86.	3.5	37
74	Neuronal intermediate filaments in rat dorsal root ganglia: differential distribution of peripherin and neurofilament protein immunoreactivity and effect of capsaicin. Brain Research, 1990, 515, 331-335.	2.2	57
75	Effects of tachykinins and selective tachykinin receptor agonists on vascular permeability in the rat lower urinary tract: evidence for the involvement of NKâ€1 receptors. Autonomic and Autacoid Pharmacology, 1989, 9, 253-264.	0.6	35
76	Topical versus systemic capsaicin desensitization: Specific and unspecific effects as indicated by modification or reflex micturition in rats. Neuroscience, 1989, 31, 745-756.	2.3	66
77	Regional Differences in the Motor and Inflammatory Responses to Capsaicin in Guinea Pig Airways: Correlation with Content and Release of Substance P—like Immunoreactivity. The American Review of Respiratory Disease, 1989, 140, 936-941.	2.9	37
78	A Method for Studying Pain Arising from the Urinary Bladder in Conscious, Freely-Moving Rats. Journal of Urology, 1989, 141, 148-151.	0.4	49
79	Synthesis and hypolipidemic activity of new substituted (benzofuran-2-yl)-phenyl-carbinols. European Journal of Medicinal Chemistry, 1988, 23, 203-206.	5.5	23
80	The contribution of capsaicin-sensitive sensory nerves to xylene-induced visceral pain in conscious, freely moving rats. Naunyn-Schmiedeberg's Archives of Pharmacology, 1988, 337, 545-51.	3.0	66
81	The contribution of capsaicin- sensitive sensory nerves to xylene-induced visceral pain in conscious, freely moving rats. Regulatory Peptides, 1988, 22, 26.	1.9	Ο
82	Effect of intravenous tachykinins and tachykinin -related peptides on vascular permeability in the rat lower urinary tract. Regulatory Peptides, 1988, 22, 27.	1.9	2
83	Tachykinin receptors in the rat lower urinary tract. Regulatory Peptides, 1988, 22, 141.	1.9	Ο
84	The contribution of sensory nerves to xylene-induced cystitis in rats. Neuroscience, 1988, 26, 709-723.	2.3	60
85	Further studies on the mechanisms of the tachykinin-induced activation of micturition reflex in rats: evidence for the involvement of the capsaicin-sensitive bladder mechanoreceptors. European Journal of Pharmacology, 1987, 136, 189-205.	3.5	60
86	Visceromotor responses to calcitonin gene-related peptide (CGRP) in the rat lower urinary tract: evidence for a transmitter role in the capsaicin-sensitive nerves of the ureter. European Journal of Pharmacology, 1987, 143, 73-82.	3.5	68
87	Regional differences in the effects of capsaicin and tachykinins on motor activity and vascular permeability of the rat lower urinary tract. Naunyn-Schmiedeberg's Archives of Pharmacology, 1987, 335, 636-645.	3.0	70
88	Cutaneous lesions in capsaicin-pretreated rats. A trophic role of capsaicin-sensitive afferents?. Naunyn-Schmiedeberg's Archives of Pharmacology, 1987, 336, 538-45.	3.0	74
89	Species-related variations in the effects of capsaicin on urinary bladder functions: relation to bladder content of substance P-like immunoreactivity. Naunyn-Schmiedeberg's Archives of Pharmacology, 1987, 336, 546-55.	3.0	54
90	The motor effect of the capsaicin-sensitive inhibitory innervation of the rat ureter. European Journal of Pharmacology, 1986, 126, 333-336.	3.5	41

#	Article	IF	CITATIONS
91	The effect of urethane and thiopental sodium on platelet aggregation in vitro and in vivo. Journal of Pharmacological Methods, 1984, 12, 107-112.	0.7	6