

# Yoon-Kyung Chang

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/2559866/yon-kyung-chang-publications-by-citations.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

39  
papers

417  
citations

11  
h-index

19  
g-index

43  
ext. papers

619  
ext. citations

3.7  
avg, IF

4.04  
L-index

#	Paper	IF	Citations
39	Rescue Stenting for Failed Mechanical Thrombectomy in Acute Ischemic Stroke: A Multicenter Experience. <i>Stroke</i> , <b>2018</b> , 49, 958-964	6.7	85
38	Moderate-to-severe obstructive sleep apnea is associated with cerebral small vessel disease. <i>Sleep Medicine</i> , <b>2017</b> , 30, 36-42	4.6	51
37	Improved oral hygiene care is associated with decreased risk of occurrence for atrial fibrillation and heart failure: A nationwide population-based cohort study. <i>European Journal of Preventive Cardiology</i> , <b>2020</b> , 27, 1835-1845	3.9	29
36	Low levels of plasma omega 3-polyunsaturated fatty acids are associated with cerebral small vessel diseases in acute ischemic stroke patients. <i>Nutrition Research</i> , <b>2015</b> , 35, 368-74	4	26
35	Improved oral hygiene is associated with decreased risk of new-onset diabetes: a nationwide population-based cohort study. <i>Diabetologia</i> , <b>2020</b> , 63, 924-933	10.3	24
34	Benefit of Targeting a LDL (Low-Density Lipoprotein) Cholesterol . <i>Stroke</i> , <b>2020</b> , 51, 1231-1239	6.7	19
33	Better oral hygiene is associated with lower risk of stroke. <i>Journal of Periodontology</i> , <b>2021</b> , 92, 87-94	4.6	19
32	Low Plasma Proportion of Omega 3-Polyunsaturated Fatty Acids Predicts Poor Outcome in Acute Non-Cardiogenic Ischemic Stroke Patients. <i>Journal of Stroke</i> , <b>2015</b> , 17, 168-76	5.6	18
31	Interarm Blood Pressure Difference is Associated with Early Neurological Deterioration, Poor Short-Term Functional Outcome, and Mortality in Noncardioembolic Stroke Patients. <i>Journal of Clinical Neurology (Korea)</i> , <b>2018</b> , 14, 555-565	1.7	15
30	Oral health and gastrointestinal cancer: A nationwide cohort study. <i>Journal of Clinical Periodontology</i> , <b>2020</b> , 47, 796-808	7.7	13
29	Interarm Systolic and Diastolic Blood Pressure Difference Is Diversely Associated With Cerebral Atherosclerosis in Noncardioembolic Stroke Patients. <i>American Journal of Hypertension</i> , <b>2017</b> , 31, 35-42	2.3	12
28	Is obstructive sleep apnea associated with the presence of intracranial cerebral atherosclerosis?. <i>Sleep and Breathing</i> , <b>2017</b> , 21, 639-646	3.1	11
27	High Dietary Glycemic Load is Associated with Poor Functional Outcome in Patients with Acute Cerebral Infarction. <i>Journal of Clinical Neurology (Korea)</i> , <b>2018</b> , 14, 165-173	1.7	10
26	High dietary glycemic load was associated with the presence and burden of cerebral small vessel diseases in acute ischemic stroke patients. <i>Nutrition Research</i> , <b>2018</b> , 51, 93-101	4	9
25	Plasma Klotho concentration is associated with the presence, burden and progression of cerebral small vessel disease in patients with acute ischaemic stroke. <i>PLoS ONE</i> , <b>2019</b> , 14, e0220796	3.7	9
24	Low-density-lipoprotein particle size predicts a poor outcome in patients with atherothrombotic stroke. <i>Journal of Clinical Neurology (Korea)</i> , <b>2015</b> , 11, 80-6	1.7	9
23	Insulin resistance is associated with poor functional outcome after acute ischemic stroke in non-diabetic patients. <i>Scientific Reports</i> , <b>2021</b> , 11, 1229	4.9	8

22	Plasma Klotho concentrations predict functional outcome at three months after acute ischemic stroke patients. <i>Annals of Medicine</i> , <b>2019</b> , 51, 262-269	1.5	6
21	Interarm Blood Pressure Difference has Various Associations with the Presence and Burden of Cerebral Small-Vessel Diseases in Noncardioembolic Stroke Patients. <i>Journal of Clinical Neurology (Korea)</i> , <b>2019</b> , 15, 159-167	1.7	6
20	Inter-arm Blood Pressure Difference is Associated with Recurrent Stroke in Non-cardioembolic Stroke Patients. <i>Scientific Reports</i> , <b>2019</b> , 9, 12758	4.9	5
19	Association of Tooth Loss with New-Onset Parkinson's Disease: A Nationwide Population-Based Cohort Study. <i>Parkinson's Disease</i> , <b>2020</b> , 2020, 4760512	2.6	5
18	Microbiota dysbiosis and functional outcome in acute ischemic stroke patients. <i>Scientific Reports</i> , <b>2021</b> , 11, 10977	4.9	5
17	Plasma Fibroblast Growth Factor 23 Concentration Is Associated with Intracranial Cerebral Atherosclerosis in Acute Ischemic Stroke Patients. <i>Journal of Clinical Neurology (Korea)</i> , <b>2020</b> , 16, 29-36	1.7	4
16	Oral health and longitudinal changes in fasting glucose levels: A nationwide cohort study. <i>PLoS ONE</i> , <b>2021</b> , 16, e0253769	3.7	3
15	Recurrent Episodes of Rhabdomyolysis after Seizures in a Patient with Glycogen Storage Disease Type V. <i>Journal of Clinical Neurology (Korea)</i> , <b>2016</b> , 12, 373-5	1.7	3
14	Increased Thrombogenicity in Chronic Renal Failure in a Rat Model Induced by 5/6 Ablation/Infarction. <i>Yonsei Medical Journal</i> , <b>2018</b> , 59, 754-759	3	2
13	Association between intakes of minerals (potassium, magnesium, and calcium) and diet quality and risk of cerebral atherosclerosis in ischemic stroke patients. <i>Journal of Nutrition and Health</i> , <b>2015</b> , 48, 167	0.8	2
12	Association between Findings in Oral Health Screening and Body Mass Index: A Nation-Wide Longitudinal Study. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	2
11	Association of Alzheimer's Disease with COVID-19 Susceptibility and Severe Complications: A Nationwide Cohort Study.. <i>Journal of Alzheimer's Disease</i> , <b>2022</b> ,	4.3	2
10	Plasma osteoprotegerin levels are associated with the presence and burden of cerebral small vessel disease in patients with acute ischemic stroke. <i>Clinical Neurology and Neurosurgery</i> , <b>2021</b> , 210, 107010	2	1
9	Tooth loss is associated with an increased risk of hypertension: A nationwide population-based cohort study. <i>PLoS ONE</i> , <b>2021</b> , 16, e0253257	3.7	1
8	Clinical Implications of Atrial Fibrillation Detection Using Wearable Devices in Patients With Cryptogenic Stroke (CANDLE-AF) Trial: Design and Rationale.. <i>Frontiers in Cardiovascular Medicine</i> , <b>2022</b> , 9, 837958	5.4	1
7	Improved oral hygiene care and chronic kidney disease occurrence: A nationwide population-based retrospective cohort study.. <i>Medicine (United States)</i> , <b>2021</b> , 100, e27845	1.8	1
6	Association between the fatty liver index and the risk of severe complications in COVID-19 patients: a nationwide retrospective cohort study.. <i>BMC Infectious Diseases</i> , <b>2022</b> , 22, 384	4	1
5	Outcome in Patients Treated with Intra-arterial thrombectomy: The optimal Blood Pressure control (OPTIMAL-BP) Trial. <i>International Journal of Stroke</i> , <b>2021</b> , 17474930211041213	6.3	0

4	Characteristics for Ischemic Stroke in 1880 Years Old Patients, Multicenter Stroke Registry Study. <i>The Ewha Medical Journal</i> , <b>2017</b> , 40, 128	0.1
3	Prognostic significance of acute hypertensive response in ischemic stroke or transient ischemic attack patients and its relationship with left ventricular myocardial function. <i>Journal of Hypertension</i> , <b>2019</b> , 37, 2345-2353	1.9
2	The association of plasma osteoprotegerin levels and functional outcomes post endovascular thrombectomy in acute ischemic stroke patients: a retrospective observational study.. <i>PeerJ</i> , <b>2022</b> , 10, e13327	3.1
1	Plasma osteoprotegerin level is associated with hemorrhagic transformation in stroke patients who underwent endovascular thrombectomy. <i>Clinical Neurology and Neurosurgery</i> , <b>2022</b> , 219, 107305	2