

# Renato R Hilário

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2560288/publications.pdf>

Version: 2024-02-01

43  
papers

711  
citations

623734

14  
h-index

642732

23  
g-index

45  
all docs

45  
docs citations

45  
times ranked

1307  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | The Density of <i>Callicebus coimbrai</i> is Better Predicted by Vegetation Structure Variables than by Surrounding Landscape. <i>International Journal of Primatology</i> , 2024, 45, 54-71.   | 1.9 | 5         |
| 2  | Species-specific resource availability as potential correlates of foraging strategy in Atlantic Forest edge-living common marmosets. <i>Ethology Ecology and Evolution</i> , 2022, 34, 449-470.   | 1.4 | 5         |
| 3  | Filtering Effect of Large Rivers on Primate Distribution in the Brazilian Amazonia. <i>Frontiers in Ecology and Evolution</i> , 2022, 10, .   | 2.2 | 5         |
| 4  | AMAZONIA CAMTRAP: A data set of mammal, bird, and reptile species recorded with camera traps in the Amazon forest. <i>Ecology</i> , 2022, 103, e3738.   | 3.2 | 6         |
| 5  | Drivers of hunting in the savannahs of Amapá: implications for conservation. <i>Oryx</i> , 2021, 55, 268-274.   | 1.0 | 3         |
| 6  | Amazon tree dominance across forest strata. <i>Nature Ecology and Evolution</i> , 2021, 5, 757-767.   | 7.8 | 27        |
| 7  | Taxonomic, functional and phylogenetic bat diversity decrease from more to less complex natural habitats in the Amazon. <i>Oecologia</i> , 2021, 197, 223-239.  | 2.0 | 21        |
| 8  | Drivers of human-wildlife impact events involving mammals in Southeastern Brazil. <i>Science of the Total Environment</i> , 2021, 794, 148600.  | 8.0 | 4         |
| 9  | Temperature and exudative as drivers of the marmoset ( <i>Callithrix</i> spp.) daily activity period. <i>American Journal of Primatology</i> , 2021, , e23341.  | 1.7 | 3         |
| 10 | Priority areas for conservation of primates in a threatened Amazonian savanna. <i>Journal for Nature Conservation</i> , 2021, 65, 126109.   | 1.8 | 0         |
| 11 | Drivers of primate richness and occurrence in a naturally patchy landscape in the Brazilian Amazon. <i>Biodiversity and Conservation</i> , 2020, 29, 3369-3391.   | 2.6 | 4         |
| 12 | Influence of life history traits on the occurrence of carnivores within exotic <i>Eucalyptus</i> plantations. <i>Diversity and Distributions</i> , 2020, 26, 1071-1082.   | 4.1 | 7         |
| 13 | The occurrence of the red-handed howler monkey ( <i>Alouatta belzebul</i> ) in amazonian savannas is related to forest patch area and density of flooded area palms. <i>American Journal of Primatology</i> , 2020, 82, e23210.                       | 1.7 | 4         |
| 14 | NEOTROPICAL CARNIVORES: a data set on carnivore distribution in the Neotropics. <i>Ecology</i> , 2020, 101, e03128.   | 3.2 | 26        |
| 15 | Consequences of Replacing Native Savannahs With Acacia Plantations for the Taxonomic, Functional, and Phylogenetic $\alpha$ - and $\beta$ -Diversity of Bats in the Northern Brazilian Amazon. <i>Frontiers in Ecology and Evolution</i> , 2020, 8, . | 2.2 | 11        |
| 16 | Biased-corrected richness estimates for the Amazonian tree flora. <i>Scientific Reports</i> , 2020, 10, 10130.  | 3.3 | 53        |
| 17 | Tree-gouging by marmosets (Primates: Callitrichidae) enhances tree turnover. <i>Biotropica</i> , 2020, 52, 808-812.   | 1.6 | 3         |
| 18 | Niche differentiation mechanisms among canopy frugivores and zoochoric trees in the northeastern extreme of the Amazon. <i>Acta Amazonica</i> , 2020, 50, 263-272.  | 0.7 | 4         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Drivers of mammal richness, diversity and occurrence in heterogeneous landscapes composed by plantation forests and natural environments. <i>Forest Ecology and Management</i> , 2019, 449, 117467.   | 3.2 | 15        |
| 20 | Deforestation control in the Brazilian Amazon: A conservation struggle being lost as agreements and regulations are subverted and bypassed. <i>Perspectives in Ecology and Conservation</i> , 2019, 17, 122-130.  | 1.9 | 108       |
| 21 | Terrestrial Behavior in Titi Monkeys ( <i>Callicebus</i> , <i>Cheracebus</i> , and <i>Plecturocebus</i> ): Potential Correlates, Patterns, and Differences between Genera. <i>International Journal of Primatology</i> , 2019, 40, 553-572.   | 1.9 | 23        |
| 22 | Detection of "Candidatus <i>Rickettsia wissemanni</i> " in ticks parasitizing bats (Mammalia: Chiroptera) in the northern Brazilian Amazon. <i>Parasitology Research</i> , 2019, 118, 3185-3189.  | 1.6 | 18        |
| 23 | Rarity of monodominance in hyperdiverse Amazonian forests. <i>Scientific Reports</i> , 2019, 9, 13822.  | 3.3 | 28        |
| 24 | Effect of Site Attributes and Matrix Composition on Neotropical Primate Species Richness and Functional Traits: A Comparison Among Regions. <i>Diversity</i> , 2019, 11, 83.  | 1.7 | 4         |
| 25 | Predation of an American fruit-eating bat ( <i>Artibeus</i> sp.) by an Amazon tree boa ( <i>Corallus hortulanus</i> ) in the northern Brazilian Amazon. <i>Acta Amazonica</i> , 2019, 49, 24-27.  | 0.7 | 6         |
| 26 | <scp>ATLANTIC</scp> "PRIMATES": a dataset of communities and occurrences of primates in the Atlantic Forests of South America. <i>Ecology</i> , 2019, 100, e02525.  | 3.2 | 55        |
| 27 | A primate at risk in Northeast Brazil: local extinctions of Coimbra Filho's titi ( <i>Callicebus coimbrai</i> ). <i>Primates</i> , 2017, 58, 343-352.   | 1.1 | 11        |
| 28 | Predation of birds in mist nets by callitrichids (primates): how to prevent similar events. <i>Studies on Neotropical Fauna and Environment</i> , 2017, 52, 168-172.  | 1.0 | 4         |
| 29 | The Fate of an Amazonian Savanna: Government Land-Use Planning Endangers Sustainable Development in Amapá, the Most Protected Brazilian State. <i>Tropical Conservation Science</i> , 2017, 10, 194008291773541.  | 1.2 | 18        |
| 30 | Effects of climate and forest structure on palms, bromeliads and bamboos in Atlantic Forest fragments of Northeastern Brazil. <i>Brazilian Journal of Biology</i> , 2016, 76, 834-844.  | 0.9 | 5         |
| 31 | Dense understory and absence of capuchin monkeys ( <i>Sapajus xanthosternos</i> ) predict higher density of common marmosets ( <i>Callithrix jacchus</i> ) in the Brazilian Northeast. <i>American Journal of Primatology</i> , 2015, 77, 425-433.  | 1.7 | 56        |
| 32 | Seasonal variation in the length of the daily activity period in buffy-headed marmosets ( <i>Callithrix flaviceps</i> ): An important consideration for the analysis of foraging strategies in observational field studies of primates. <i>American Journal of Primatology</i> , 2014, 76, 385-392. | 1.7 | 11        |
| 33 | Living on the Edge: Habitat Fragmentation at the Interface of the Semiarid Zone in the Brazilian Northeast. , 2013, , 121-135.  |     | 6         |
| 34 | Can Roads Be Used as Transects for Primate Population Surveys. <i>Folia Primatologica</i> , 2012, 83, 47-55.  | 0.7 | 10        |
| 35 | Use of water sources by buffy-headed marmosets ( <i>Callithrix flaviceps</i> ) at two sites in the Brazilian Atlantic Forest. <i>Primates</i> , 2012, 53, 65-70.  | 1.1 | 16        |
| 36 | Densidade, tamanho populacional e conservação de primatas em fragmento de Mata Atlântica no sul do Estado de Minas Gerais, Brasil. <i>Iheringia - Serie Zoologia</i> , 2012, 102, 5-10.   | 0.5 | 7         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Unexpected effects of pigeon-peas ( <i>Cajanus cajan</i> ) in the restoration of rupestrian fields. <i>Planta Daninha</i> , 2011, 29, 717-723.   | 0.5 | 16        |
| 38 | Why Feed on Fungi? The Nutritional Content of Sporocarps Consumed by Buffy-Headed Marmosets, <i>Callithrix flaviceps</i> (Primates: Callitrichidae), in Southeastern Brazil. <i>Journal of Chemical Ecology</i> , 2011, 37, 145-149. | 1.8 | 6         |
| 39 | Double infanticide in a free-ranging group of buffy-headed marmosets, <i>Callithrix flaviceps</i> . <i>Journal of Ethology</i> , 2010, 28, 195-199.  | 0.8 | 14        |
| 40 | Feeding ecology of a group of buffy-headed marmosets ( <i>Callithrix flaviceps</i> ): fungi as a preferred resource. <i>American Journal of Primatology</i> , 2010, 72, 515-521.   | 1.7 | 22        |
| 41 | Four Breeding Females in a Free-Ranging Group of Buffy-Headed Marmosets ( <i>Callithrix flaviceps</i> ). <i>Folia Primatologica</i> , 2010, 81, 31-40.   | 0.7 | 10        |
| 42 | Biodiversity, threats and conservation challenges in the Cerrado of Amapá, an Amazonian savanna. <i>Nature Conservation</i> , 0, 22, 107-127.  | 0.0 | 41        |
| 43 | Vulnerability of mammals to land-use changes in Colombia's post-conflict era. <i>Nature Conservation</i> , 0, 29, 79-92.   | 0.0 | 10        |