

Jenni Ilomaki

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2561660/jenni-ilomaki-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

106
papers

1,603
citations

19
h-index

35
g-index

115
ext. papers

2,169
ext. citations

4.1
avg, IF

4.8
L-index

#	Paper	IF	Citations
106	One-year readmission and mortality following ischaemic stroke by diabetes status, sex, and socioeconomic disadvantage: An analysis of 27,802 strokes from 2012 to 2017.. <i>Journal of the Neurological Sciences</i> , 2022 , 434, 120149	3.2	0
105	Long-acting reversible contraception use after medical abortion is associated with reduced likelihood of a second medical abortion.. <i>Medical Journal of Australia</i> , 2022 ,	4	0
104	Impact of Medication Regimen Simplification on Medication Incidents in Residential Aged Care: SIMPLER Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
103	Trends in the Utilization of Lipid-Lowering Medications in Australia: An Analysis of National Pharmacy Claims Data. <i>Current Problems in Cardiology</i> , 2021 , 100880	17.1	2
102	Switching, Persistence and Adherence to Statin Therapy: a Retrospective Cohort Study Using the Australian National Pharmacy Data. <i>Cardiovascular Drugs and Therapy</i> , 2021 , 1	3.9	3
101	Global epidemiology of hip fractures: a study protocol using a common analytical platform among multiple countries. <i>BMJ Open</i> , 2021 , 11, e047258	3	4
100	Medication administration in Australian residential aged care: A time-and-motion study. <i>Journal of Evaluation in Clinical Practice</i> , 2021 , 27, 103-110	2.5	3
99	Rates of PRN Medication Administration in Australian Residential Aged Care. <i>Journal of the American Medical Directors Association</i> , 2021 , 22, 117-123.e1	5.9	6
98	The association of socioeconomic disadvantage and remoteness with receipt of type 2 diabetes medications in Australia: a nationwide registry study. <i>Diabetologia</i> , 2021 , 64, 349-360	10.3	8
97	The changing pattern of statin use in people with dementia: A population-based study. <i>Journal of Clinical Lipidology</i> , 2021 , 15, 192-201	4.9	2
96	What is the Best Definition of Polypharmacy for Predicting Falls, Hospitalizations, and Mortality in Long-Term Care Facilities?. <i>Journal of the American Medical Directors Association</i> , 2021 , 22, 470-471	5.9	1
95	Changes in use of hormonal long-acting reversible contraceptive methods in Australia between 2006 and 2018: A population-based study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2021 , 61, 128-134	1.7	3
94	Use of Falls Risk Increasing Drugs in Residents at High and Low Falls Risk in Aged Care Services. <i>Journal of Applied Gerontology</i> , 2021 , 40, 77-86	3.3	3
93	Can patterns of medication use explain the increasing incidence of end stage kidney disease among people with diabetes in Australia?. <i>Diabetes Research and Clinical Practice</i> , 2021 , 172, 108635	7.4	
92	Treatment Dynamics in People Who Initiate Metformin or Sulfonylureas for Type 2 Diabetes: A National Cohort Study.. <i>Frontiers in Pharmacology</i> , 2021 , 12, 794273	5.6	
91	Natural Regression of Frailty Among Community-Dwelling Older Adults: A Systematic Review and Meta-Analysis. <i>Gerontologist, The</i> , 2020 , 60, e286-e298	5	10
90	Root Cause Analysis to Identify Medication and Non-Medication Strategies to Prevent Infection-Related Hospitalizations from Australian Residential Aged Care Services. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	3

89	Trends in oral anticoagulant prescribing in individuals with type 2 diabetes mellitus: a population-based study in the UK. <i>BMJ Open</i> , 2020 , 10, e034573	3	9
88	Application of Healthcare Big Data Un CNS Drug Research: The Example of the Neurological and mental health Global Epidemiology Network (NeuroGEN). <i>CNS Drugs</i> , 2020 , 34, 897-913	6.7	5
87	Risk of cardiovascular events and death associated with initiation of SGLT2 inhibitors compared with DPP-4 inhibitors: an analysis from the CVD-REAL 2 multinational cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2020 , 8, 606-615	18.1	37
86	Using clinical registries, administrative data and electronic medical records to improve medication safety and effectiveness in dementia. <i>Current Opinion in Psychiatry</i> , 2020 , 33, 163-169	4.9	2
85	Statin use and fall-related hospitalizations among residents of long-term care facilities: A case-control study. <i>Journal of Clinical Lipidology</i> , 2020 , 14, 507-514	4.9	4
84	Impact of Medication Regimen Simplification on Medication Administration Times and Health Outcomes in Residential Aged Care: 12 Month Follow Up of the SIMPLER Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	8
83	Trends in the Dispensing and Costs of Glucose-Lowering Medications Among Older Australians: Findings from National Claims Data. <i>Drugs and Aging</i> , 2020 , 37, 393-398	4.7	1
82	Lifestyle Changes in Relation to Initiation of Antihypertensive and Lipid-Lowering Medication: A Cohort Study. <i>Journal of the American Heart Association</i> , 2020 , 9, e014168	6	11
81	Safety and Effectiveness of Direct Oral Anticoagulants vs Warfarin in People With Atrial Fibrillation and Dementia. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 1058-1064.e6	5.9	13
80	Trajectory Analyses of Adherence Patterns in a Real-Life Moderate to Severe Asthma Population. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020 , 8, 1961-1969.e6	5.4	17
79	Transition to high-dose or strong opioids: a population-based study of people initiating opioids in Australia. <i>Addiction</i> , 2020 , 115, 1088-1097	4.6	2
78	Reducing the Burden of Complex Medication Regimens: Simplification of Medications Prescribed to Long-term care Residents (SIMPLER) Cluster Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 1114-1120.e4	5.9	10
77	Incidence and prevalence of hypoglycaemia in type 1 and type 2 diabetes individuals: A systematic review and meta-analysis. <i>Diabetes Research and Clinical Practice</i> , 2020 , 170, 108522	7.4	5
76	Gastrointestinal bleeding risk with rivaroxaban vs aspirin in atrial fibrillation: A multinational study. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 1550-1561	2.6	
75	Multiple antihypertensive use and risk of mortality in residents of aged care services: a prospective cohort study. <i>Aging Clinical and Experimental Research</i> , 2020 , 32, 1541-1549	4.8	2
74	Adherence, Persistence, and Switching Among People Prescribed Sodium Glucose Co-transporter 2 Inhibitors: A Nationwide Retrospective Cohort Study. <i>Advances in Therapy</i> , 2019 , 36, 3265-3278	4.1	6
73	Proton Pump Inhibitors and Infection-Related Hospitalizations Among Residents of Long-Term Care Facilities: A Case-Control Study. <i>Drugs and Aging</i> , 2019 , 36, 1027-1034	4.7	2
72	Long-term persistence and adherence to blood pressure lowering agents among older Australians. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 788-795	2.6	4

71	Harms associated with extramedical use of prescription opioid analgesics in Australia: A scoping review. <i>Research in Social and Administrative Pharmacy</i> , 2019 , 15, 925-935	2.9	4
70	Global Incidence of Frailty and Prefrailty Among Community-Dwelling Older Adults: A Systematic Review and Meta-analysis. <i>JAMA Network Open</i> , 2019 , 2, e198398	10.4	119
69	Trends and Predictors of Oral Anticoagulant Use in People with Alzheimer's Disease and the General Population in Australia. <i>Journal of Alzheimer's Disease</i> , 2019 , 70, 733-745	4.3	5
68	Dynamics of switching, adherence, and persistence of dipeptidyl peptidase-4 inhibitors use: A nationwide cohort study. <i>Diabetes Research and Clinical Practice</i> , 2019 , 158, 107909	7.4	1
67	Process, impact and outcomes of medication review in Australian residential aged care facilities: A systematic review. <i>Australasian Journal on Ageing</i> , 2019 , 38 Suppl 2, 9-25	1.5	21
66	Protocol for a non-randomised pilot and feasibility study evaluating a multicomponent intervention to simplify medication regimens for people receiving community-based home care services. <i>BMJ Open</i> , 2019 , 9, e025345	3	4
65	Medication Regimen Complexity In 8 Australian Residential Aged Care Facilities: Impact Of Age, Length Of Stay, Comorbidity, Frailty, And Dependence In Activities Of Daily Living. <i>Clinical Interventions in Aging</i> , 2019 , 14, 1783-1795	4	11
64	Trajectories of sickness absence and disability pension before and after opioid initiation for noncancer pain: a 10-year population-based study. <i>Pain</i> , 2019 , 160, 1224-1233	8	6
63	Predictors of first-year nonadherence and discontinuation of statins among older adults: a retrospective cohort study. <i>British Journal of Clinical Pharmacology</i> , 2019 , 85, 227-235	3.8	21
62	Predictors of statin use among older adults: A nationwide cross-sectional study. <i>Journal of Clinical Lipidology</i> , 2019 , 13, 156-162.e1	4.9	7
61	Dispensing Patterns of Blood Pressure Lowering Agents in Older Australians From 2006 to 2016. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2019 , 24, 242-250	2.6	2
60	Prevalence and incidence of prescription opioid analgesic use in Australia. <i>British Journal of Clinical Pharmacology</i> , 2019 , 85, 202-215	3.8	44
59	Prescribing for people with type 2 diabetes and renal impairment in Australian general practice: A national cross sectional study. <i>Primary Care Diabetes</i> , 2019 , 13, 113-121	2.4	9
58	Patterns of statin use and long-term adherence and persistence among older adults with diabetes. <i>Journal of Diabetes</i> , 2018 , 10, 699-707	3.8	23
57	Spontaneously reported adverse drug events related to tapentadol and oxycodone/naloxone in Australia. <i>Therapeutic Advances in Drug Safety</i> , 2018 , 9, 197-205	3.5	7
56	Predictors of persistent prescription opioid analgesic use among people without cancer in Australia. <i>British Journal of Clinical Pharmacology</i> , 2018 , 84, 1267-1278	3.8	34
55	Hospital Admissions due to Dysglycaemia and Prescriptions of Antidiabetic Medications in England and Wales: An Ecological Study. <i>Diabetes Therapy</i> , 2018 , 9, 153-163	3.6	12
54	Frequency of and factors related to pro re nata (PRN) medication use in aged care services. <i>Research in Social and Administrative Pharmacy</i> , 2018 , 14, 964-967	2.9	15

53	Cardiovascular Events Associated With SGLT-2 Inhibitors Versus Other Glucose-Lowering Drugs: The CVD-REAL 2 Study. <i>Journal of the American College of Cardiology</i> , 2018 , 71, 2628-2639	15.1	263
52	Selective prescribing of statins and the risk of mortality, hospitalizations, and falls in aged care services. <i>Journal of Clinical Lipidology</i> , 2018 , 12, 652-661	4.9	13
51	Medications and Prescribing Patterns as Factors Associated with Hospitalizations from Long-Term Care Facilities: A Systematic Review. <i>Drugs and Aging</i> , 2018 , 35, 423-457	4.7	32
50	Demographic, clinical and lifestyle factors associated with high-intensity statin therapy in Australia: the AusDiab study. <i>European Journal of Clinical Pharmacology</i> , 2018 , 74, 1493-1501	2.8	2
49	Prevalence and Incidence of Statin Use and 3-Year Adherence and Discontinuation Rates Among Older Adults With Dementia. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2018 , 33, 527-534	2.5	8
48	Simplification of Medications Prescribed to Long-term care Residents (SIMPLER): study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2018 , 19, 37	2.8	18
47	Prevalence, Safety, and Effectiveness of Oral Anticoagulant Use in People with and without Dementia or Cognitive Impairment: A Systematic Review and Meta-Analysis. <i>Journal of Alzheimer's Disease</i> , 2018 , 65, 489-517	4.3	10
46	Screening and diagnosis of chronic kidney disease in people with type 2 diabetes attending Australian general practice. <i>Australian Journal of Primary Health</i> , 2018 , 24, 280-286	1.4	8
45	Patterns of Medication Dispensation for Multiple Comorbidities among Older Adults in Australia. <i>Pharmacy (Basel, Switzerland)</i> , 2018 , 6,	2	2
44	Switching, Discontinuation, and Reinitiation of Statins Among Older Adults. <i>Journal of the American College of Cardiology</i> , 2018 , 72, 2675-2677	15.1	10
43	Validity of electronic hospital discharge prescription records as a source of medication data for pharmacoepidemiological research. <i>Therapeutic Advances in Drug Safety</i> , 2018 , 9, 425-438	3.5	1
42	Development and validation of the Medication Regimen Simplification Guide for Residential Aged Care (MRS GRACE). <i>Clinical Interventions in Aging</i> , 2018 , 13, 975-986	4	17
41	A 10-Year Trend in Statin Use Among Older Adults in Australia: an Analysis Using National Pharmacy Claims Data. <i>Cardiovascular Drugs and Therapy</i> , 2018 , 32, 265-272	3.9	14
40	Medication management policy, practice and research in Australian residential aged care: Current and future directions. <i>Pharmacological Research</i> , 2017 , 116, 20-28	10.2	51
39	Adverse Drug Reactions Associated With Cholinesterase Inhibitors-Sequence Symmetry Analyses Using Prescription Claims Data. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 186-189	5.9	4
38	Do statin users adhere to a healthy diet and lifestyle? The Australian Diabetes, Obesity and Lifestyle Study. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 621-627	3.9	18
37	Drug Burden Index and change in cognition over time in community-dwelling older men: the CHAMP study. <i>Annals of Medicine</i> , 2017 , 49, 157-164	1.5	15
36	The representativeness of direct oral anticoagulant clinical trials to hospitalized patients with atrial fibrillation. <i>European Journal of Clinical Pharmacology</i> , 2017 , 73, 1427-1436	2.8	11

35	Medication Use and Fall-Related Hospital Admissions from Long-Term Care Facilities: A Hospital-Based Case-Control Study. <i>Drugs and Aging</i> , 2017 , 34, 625-633	4.7	13
34	A systematic review of the statistical methods in prospective cohort studies investigating the effect of medications on cognition in older people. <i>Research in Social and Administrative Pharmacy</i> , 2016 , 12, 20-28	2.9	5
33	Polypharmacy and Medication Regimen Complexity as Risk Factors for Hospitalization Among Residents of Long-Term Care Facilities: A Prospective Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 1067.e1-1067.e6	5.9	55
32	Adherence to statin therapy and the incidence of ischemic stroke in patients with diabetes. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 161-9	2.6	24
31	Factors associated with antidepressant use in residents with and without dementia in Australian aged care facilities. <i>Therapeutic Advances in Drug Safety</i> , 2016 , 7, 79-88	3.5	4
30	Potentially Inappropriate Medications and Anticholinergic Burden in Older People Attending Memory Clinics in Australia. <i>Drugs and Aging</i> , 2016 , 33, 37-44	4.7	31
29	Spontaneously reported haemorrhagic adverse events associated with rivaroxaban and dabigatran in Australia. <i>Therapeutic Advances in Drug Safety</i> , 2016 , 7, 4-10	3.5	7
28	Analgesic use and pain in residents with and without dementia in aged care facilities: A cross-sectional study. <i>Australasian Journal on Ageing</i> , 2016 , 35, 180-7	1.5	17
27	Responding to cough presentations: an interview study with Cambodian pharmacies participating in a National Tuberculosis Referral Program. <i>Journal of Evaluation in Clinical Practice</i> , 2016 , 22, 261-6	2.5	3
26	Effects of Changes in Number of Medications and Drug Burden Index Exposure on Transitions Between Frailty States and Death: The Concord Health and Ageing in Men Project Cohort Study. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 89-95	5.6	75
25	Analgesic use before and after oral anticoagulant initiation—a population-based study in Finland. <i>European Journal of Clinical Pharmacology</i> , 2015 , 71, 723-732	2.8	6
24	Referral of tuberculosis symptomatic clients from private pharmacies to public sector clinics for diagnosis and treatment in Cambodia. <i>Journal of Evaluation in Clinical Practice</i> , 2015 , 21, 285-91	2.5	12
23	Analgesic Use and Daytime Sleepiness in Residents With and Without Dementia in Residential Aged Care Facilities. <i>Drugs and Aging</i> , 2015 , 32, 1045-53	4.7	9
22	Alcohol Consumption, Dementia and Cognitive Decline: An Overview of Systematic Reviews. <i>Current Clinical Pharmacology</i> , 2015 , 10, 204-12	2.5	61
21	Factors associated with buprenorphine compared to amphetamine abuse among clients seeking treatment in Finland. <i>Journal of Substance Abuse Treatment</i> , 2014 , 46, 561-6	4.2	3
20	The performance of sequence symmetry analysis as a tool for post-market surveillance of newly marketed medicines: a simulation study. <i>BMC Medical Research Methodology</i> , 2014 , 14, 66	4.7	22
19	Community pharmacy services for drug misuse: attitudes and practices of Finnish pharmacists. <i>International Journal of Drug Policy</i> , 2014 , 25, 1139-42	5.5	4
18	Analgesic use, pain and daytime sedation in people with and without dementia in aged care facilities: a cross-sectional, multisite, epidemiological study protocol. <i>BMJ Open</i> , 2014 , 4, e005757	3	29

17	Alcohol consumption and tobacco smoking among community-dwelling older Australian men: the Concord Health and Ageing in Men Project. <i>Australasian Journal on Ageing</i> , 2014 , 33, 185-92	1.5	4
16	Coexisting social conditions and health problems among clients seeking treatment for illicit drug use in Finland: the HUUTI study. <i>BMC Public Health</i> , 2013 , 13, 380	4.1	13
15	COX-2 inhibitor and non-selective NSAID use in those at increased risk of NSAID-related adverse events: a retrospective database study. <i>Drugs and Aging</i> , 2013 , 30, 23-30	4.7	6
14	First insights into community pharmacy based buprenorphine-naloxone dispensing in Finland. <i>International Journal of Drug Policy</i> , 2013 , 24, 492-7	5.5	7
13	Psychotropic drug use and alcohol drinking in community-dwelling older Australian men: the CHAMP study. <i>Drug and Alcohol Review</i> , 2013 , 32, 218-22	3.2	17
12	Antihypertensive use before and after initiation of fixed-dose combination products in Australia: a retrospective study. <i>International Journal of Clinical Pharmacy</i> , 2013 , 35, 613-20	2.3	6
11	Prevalence of concomitant use of alcohol and sedative-hypnotic drugs in middle and older aged persons: a systematic review. <i>Annals of Pharmacotherapy</i> , 2013 , 47, 257-68	2.9	33
10	Initiation of antihypertensive therapy is associated with an increased risk of hip fracture. <i>Aging Health</i> , 2013 , 9, 201-203		
9	Use of benzodiazepines and risk of dementia over a 15-year follow-up period. <i>Aging Health</i> , 2013 , 9, 73-75		
8	Nonbenzodiazepine hypnotics are associated with an increased risk of hip fracture in residential aged care facilities. <i>Aging Health</i> , 2013 , 9, 421-423		
7	Non-Medical Use of Prescription Drugs among Clients Admitted to an Acute Psychiatric Unit. <i>Journal of Pharmacy Practice and Research</i> , 2013 , 43, 269-271	0.7	1
6	Relationship between alcohol consumption and myocardial infarction among ageing men using a marginal structural model. <i>European Journal of Public Health</i> , 2012 , 22, 825-30	2.1	12
5	Alcohol consumption and dietary patterns: the FinDrink study. <i>PLoS ONE</i> , 2012 , 7, e38607	3.7	41
4	Heavy drinking and use of sedative or anxiolytic drugs among aging men: an 11-year follow-up of the FinDrink study. <i>Annals of Pharmacotherapy</i> , 2011 , 45, 1240-7	2.9	7
3	Changes in alcohol consumption and drinking patterns during 11 years of follow-up among ageing men: the FinDrink study. <i>European Journal of Public Health</i> , 2010 , 20, 133-8	2.1	19
2	An intervention to develop repeat prescribing in community pharmacy. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2009 , 34, 261-5	2.2	7
1	Risk drinking behavior among psychotropic drug users in an aging Finnish population: the FinDrink study. <i>Alcohol</i> , 2008 , 42, 261-7	2.7	17