

# Kurt Boman

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2562263/publications.pdf>

Version: 2024-02-01

52  
papers

1,369  
citations

361045

20  
h-index

344852

36  
g-index

52  
all docs

52  
docs citations

52  
times ranked

2289  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of person-centred and integrated chronic heart failure and palliative home care. <sc>PREFER</sc>: a randomized controlled study. European Journal of Heart Failure, 2014, 16, 1142-1151.	2.9	268
2	Living with Severe Chronic Heart Failure in Palliative Advanced Home Care. European Journal of Cardiovascular Nursing, 2006, 5, 295-302.	0.4	89
3	Four-Group Classification of Left Ventricular Hypertrophy Based on Ventricular Concentricity and Dilatation Identifies a Low-Risk Subset of Eccentric Hypertrophy in Hypertensive Patients. Circulation: Cardiovascular Imaging, 2014, 7, 422-429.	1.3	87
4	A cost-effectiveness study of person-centered integrated heart failure and palliative home care: Based on a randomized controlled trial. Palliative Medicine, 2016, 30, 296-302.	1.3	86
5	Effect of Overweight and Obesity on Cardiovascular Events in Asymptomatic Aortic Stenosis. Journal of the American College of Cardiology, 2013, 62, 1683-1690.	1.2	54
6	Impact of a combined community and primary care prevention strategy on all-cause and cardiovascular mortality: a cohort analysis based on 1 million person-years of follow-up in VÄsterbotten County, Sweden, during 1990-2006. BMJ Open, 2015, 5, e009651.	0.8	53
7	Efficacy of Tafamidis in Patients With Hereditary and Wild-Type Transthyretin Amyloid Cardiomyopathy. JACC: Heart Failure, 2021, 9, 115-123.	1.9	52
8	Robot-Assisted Remote Echocardiographic Examination and Teleconsultation. JACC: Cardiovascular Imaging, 2014, 7, 799-803.	2.3	50
9	Velocity ratio predicts outcomes in patients with low gradient severe aortic stenosis and preserved EF. Heart, 2014, 100, 1946-1953.	1.2	41
10	Unequal care for dying patients in Sweden: a comparative registry study of deaths from heart disease and cancer. European Journal of Cardiovascular Nursing, 2012, 11, 454-459.	0.4	37
11	Assessing Optimal Blood Pressure in Patients With Asymptomatic Aortic Valve Stenosis. Circulation, 2016, 134, 455-468.	1.6	37
12	A new model for integrated heart failure and palliative advanced homecare - rationale and design of a prospective randomized study. European Journal of Cardiovascular Nursing, 2013, 12, 269-275.	0.4	32
13	Epidemiology of heart failure and trends in diagnostic work-up: a retrospective, population-based cohort study in Sweden. Clinical Epidemiology, 2019, Volume 11, 231-244.	1.5	32
14	Renin-angiotensin system inhibition is not associated with increased sudden cardiac death, cardiovascular mortality or all-cause mortality in patients with aortic stenosis. International Journal of Cardiology, 2014, 175, 492-498.	0.8	31
15	Longitudinal 10-year changes in dietary intake and associations with cardio-metabolic risk factors in the Northern Sweden Health and Disease Study. Nutrition Journal, 2017, 16, 20.	1.5	27
16	Effect Modifications of Lipid-Lowering Therapy on Progression of Aortic Stenosis (from the) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 147 T 739-745.	0.7	27
17	Stroke in Patients With Aortic Stenosis. Stroke, 2014, 45, 1939-1946.	1.0	25
18	Effect of Randomized Lipid Lowering With Simvastatin and Ezetimibe on Cataract Development (from) Tj ETQq0 0 0 rgBT /Overlock 10 T 1840-1844.	0.7	25

#	ARTICLE	IF	CITATIONS
19	Antihypertensive Treatment With Î²-Blockade in Patients With Asymptomatic Aortic Stenosis and Association With Cardiovascular Events. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	24
20	Left Ventricular Wall Stressâ€“Heart Rate Product and Cardiovascular Events in Treated Hypertensive Patients. <i>Hypertension</i> , 2015, 66, 945-953.	1.3	20
21	Adjusting parameters of aortic valve stenosis severity by body size. <i>Heart</i> , 2014, 100, 1024-1030.	1.2	18
22	Changes in Dietary Fat Intake and Projections for Coronary Heart Disease Mortality in Sweden: A Simulation Study. <i>PLoS ONE</i> , 2016, 11, e0160474.	1.1	18
23	A client-centred programme focusing energy conservation for people with heart failure. <i>Scandinavian Journal of Occupational Therapy</i> , 2017, 24, 455-467.	1.1	15
24	Can BNP-guided therapy improve health-related quality of life, and do responders to BNP-guided heart failure treatment have improved health-related quality of life? Results from the UPSTEP study. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 39.	0.7	13
25	Impacts of person-centred integrated chronic heart failure and palliative home care on pharmacological heart failure treatment: a substudy of a randomised trial. <i>BMJ Supportive and Palliative Care</i> , 2019, 9, e10-e10.	0.8	13
26	Recurrent heart failure hospitalizations increase the risk of cardiovascular and all-cause mortality in patients with heart failure in Sweden: a real-world study. <i>ESC Heart Failure</i> , 2021, 8, 2144-2153.	1.4	13
27	Relation of Lipid-Lowering Therapy to Need for Aortic Valve Replacement in Patients With Asymptomatic Mild to Moderate Aortic Stenosis. <i>American Journal of Cardiology</i> , 2019, 124, 1736-1740.	0.7	12
28	d-dimer predicts major bleeding, cardiovascular events and all-cause mortality during warfarin treatment. <i>Clinical Biochemistry</i> , 2014, 47, 570-573.	0.8	11
29	Resting heart rate and risk of adverse cardiovascular outcomes in asymptomatic aortic stenosis: The SEAS study. <i>International Journal of Cardiology</i> , 2015, 180, 122-128.	0.8	11
30	Increased hsCRP is associated with higher risk of aortic valve replacement in patients with aortic stenosis. <i>Scandinavian Cardiovascular Journal</i> , 2016, 50, 138-145.	0.4	11
31	SuPAR Predicts Cardiovascular Events and Mortality in Patients With Asymptomatic Aortic Stenosis. <i>Canadian Journal of Cardiology</i> , 2016, 32, 1462-1469.	0.8	11
32	SuPAR predicts postoperative complications and mortality in patients with asymptomatic aortic stenosis. <i>Open Heart</i> , 2018, 5, e000743.	0.9	11
33	Testosterone, sex hormone-binding globulin and risk of cardiovascular events: A report from the Outcome Reduction with an Initial Glargine Intervention trial. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 847-854.	0.8	11
34	Patientsâ€™ experiences of person-centred integrated heart failure care and palliative care at home: an interview study. <i>BMJ Supportive and Palliative Care</i> , 2020, 10, e9-e9.	0.8	10
35	Healthcare resource utilisation and costs associated with a heart failure diagnosis: a retrospective, population-based cohort study in Sweden. <i>BMJ Open</i> , 2021, 11, e053806.	0.8	10
36	Usefulness of the Electrocardiogram in Predicting Cardiovascular Mortality in Asymptomatic Adults With Aortic Stenosis (from the Simvastatin and Ezetimibe in Aortic Stenosis Study). <i>American Journal of Cardiology</i> , 2014, 114, 751-756.	0.7	8

#	ARTICLE	IF	CITATIONS
37	Responder to BNP-guided treatment in heart failure. The process of defining a responder. <i>Scandinavian Cardiovascular Journal</i> , 2015, 49, 316-324.	0.4	8
38	Anaemia, but not iron deficiency, is associated with clinical symptoms and quality of life in patients with severe heart failure and palliative home care: A substudy of the PREFER trial. <i>European Journal of Internal Medicine</i> , 2017, 46, 35-40.	1.0	8
39	Left ventricular structure and function in sedentary and physically active subjects with left ventricular hypertrophy (the LIFE Study). <i>American Journal of Cardiology</i> , 2005, 95, 280-283.	0.7	7
40	Effects of carvedilol or metoprolol on PAI-1, tPA-mass concentration or Von Willebrand factor in chronic heart failure - a COMET substudy. <i>Thrombosis Research</i> , 2010, 125, e46-e50.	0.8	7
41	High sensitivity C reactive protein as a prognostic marker in patients with mild to moderate aortic valve stenosis during lipid-lowering treatment: an SEAS substudy. <i>Open Heart</i> , 2015, 2, e000152.	0.9	7
42	Areas for quality improvements in heart failure care: quality of care from the patient's perspective. <i>Scandinavian Journal of Caring Sciences</i> , 2017, 31, 830-838.	1.0	6
43	The impact of time to heart failure diagnosis on outcomes in patients tailored for heart failure treatment by use of natriuretic peptides. Results from the UPSTEP study. <i>International Journal of Cardiology</i> , 2017, 236, 315-320.	0.8	6
44	Effect of simvastatin and ezetimibe on suPAR levels and outcomes. <i>Atherosclerosis</i> , 2018, 272, 129-136.	0.4	6
45	Clinical profile of rural community hospital inpatients in Sweden – a register study. <i>Scandinavian Journal of Primary Health Care</i> , 2021, 39, 92-100.	0.6	6
46	Family members' experiences of integrated palliative advanced home and heart failure care: A qualitative study of the PREFER intervention. <i>Palliative and Supportive Care</i> , 2018, 16, 278-285.	0.6	5
47	The effect of basal insulin glargine on the fibrinolytic system and von Willebrand factor in people with dysglycaemia and high risk for cardiovascular events: Swedish substudy of the Outcome Reduction with an Initial Glargine Intervention trial. <i>Diabetes and Vascular Disease Research</i> , 2017, 14, 345-352.	0.9	3
48	Areas for quality improvements in heart failure care: quality of care from the family members' perspective. <i>Scandinavian Journal of Caring Sciences</i> , 2018, 32, 346-353.	1.0	3
49	A pilot test of a new tool for remote blood pressure monitoring. <i>Journal of Telemedicine and Telecare</i> , 2014, 20, 239-241.	1.4	2
50	Markers of fibrinolysis may predict development of lower extremity arterial disease in patients with diabetes: A longitudinal prospective cohort study with 10 years of follow-up. <i>Diabetes and Vascular Disease Research</i> , 2016, 13, 183-191.	0.9	2
51	Flawed conclusions on the VÄsterbotten Intervention Program by San Sebastian et .al. <i>BMC Public Health</i> , 2019, 19, 1095.	1.2	0
52	Leptin levels are not affected by enalapril treatment after an uncomplicated myocardial infarction, but associate strongly with changes in fibrinolytic variables in men. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2020, 80, 303-308.	0.6	0