

Angelica Terashima

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2564984/publications.pdf>

Version: 2024-02-01

38
papers

1,953
citations

279798

23
h-index

315739

38
g-index

40
all docs

40
docs citations

40
times ranked

1910
citing authors

#	ARTICLE	IF	CITATIONS
1	Strongyloides hyperinfection syndrome: an emerging global infectious disease. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2008, 102, 314-318.	1.8	245
2	Update on hepatobiliary flukes: fascioliasis, opisthorchiasis and clonorchiasis. Current Opinion in Infectious Diseases, 2008, 21, 523-530.	3.1	167
3	Strongyloides stercoralis hyperinfection associated with human T cell lymphotropic virus type-1 infection in Peru.. American Journal of Tropical Medicine and Hygiene, 1999, 60, 146-149.	1.4	158
4	Update on Strongyloidiasis in the Immunocompromised Host. Current Infectious Disease Reports, 2011, 13, 35-46.	3.0	130
5	Ivermectin versus albendazole or thiabendazole for <i>Strongyloides stercoralis</i> infection. The Cochrane Library, 2016, 2016, CD007745.	2.8	124
6	Regulatory T Cell Expansion in HTLV-1 and Strongyloidiasis Co-infection Is Associated with Reduced IL-5 Responses to Strongyloides stercoralis Antigen. PLoS Neglected Tropical Diseases, 2009, 3, e456.	3.0	108
7	EVALUATION OF FAS2-ELISA FOR THE SEROLOGICAL DETECTION OF FASCIOLA HEPATICA INFECTION IN HUMANS. American Journal of Tropical Medicine and Hygiene, 2007, 76, 977-982.	1.4	100
8	<i>Cryptosporidium muris</i>, a Rodent Pathogen, Recovered from a Human in PerÃº. Emerging Infectious Diseases, 2003, 9, 1174-1176.	4.3	77
9	Natural History, Clinicoradiologic Correlates, and Response to Triclabendazole in Acute Massive Fascioliasis. American Journal of Tropical Medicine and Hygiene, 2008, 78, 222-227.	1.4	59
10	Strongyloides stercoralis hyperinfectionÂ syndrome: a deeper understanding of a neglected disease. Journal of Parasitic Diseases, 2019, 43, 167-175.	1.0	58
11	Risk factors for Fasciola hepatica infection in children: a caseâ€“control study. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2006, 100, 158-166.	1.8	56
12	Field Evaluation of a Coproantigen Detection Test for Fascioliasis Diagnosis and Surveillance in Human Hyperendemic Areas of Andean Countries. PLoS Neglected Tropical Diseases, 2012, 6, e1812.	3.0	56
13	Treatment failure in intestinal strongyloidiasis: an indicator of HTLV-I infection. International Journal of Infectious Diseases, 2002, 6, 28-30.	3.3	52
14	Hepatic fibrosis and <i>Fasciola hepatica</i> infection in cattle. Journal of Helminthology, 2007, 81, 381-386.	1.0	50
15	Association of Fasciola hepatica Infection with Liver Fibrosis, Cirrhosis, and Cancer: A Systematic Review. PLoS Neglected Tropical Diseases, 2016, 10, e0004962.	3.0	50
16	Diagnosis of soil-transmitted helminthiasis in an Amazonic community of Peru using multiple diagnostic techniques. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2012, 106, 333-339.	1.8	48
17	Sarcoptes-World Molecular Network (Sarcoptes-WMN): integrating research on scabies. International Journal of Infectious Diseases, 2011, 15, e294-e297.	3.3	46
18	Highly effective and inexpensive parasitological technique for diagnosis of intestinal parasites in developing countries: spontaneous sedimentation technique in tube. International Journal of Infectious Diseases, 2012, 16, e414-e416.	3.3	39

#	ARTICLE	IF	CITATIONS
19	Frequent HTLV-1 infection in the offspring of Peruvian women with HTLV-1-associated myelopathy/tropical spastic paraparesis or strongyloidiasis. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2007, 22, 223-230.	1.1	30
20	Fascioliasis in relatives of patients with <i>Fasciola hepatica</i> infection in Peru. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2005, 47, 219-222.	1.1	28
21	Prevalence and risk factors associated with pediculosis capitis in an impoverished urban community in Lima, Peru. <i>Journal of Global Infectious Diseases</i> , 2013, 5, 138.	0.5	26
22	Gelatin particle indirect agglutination and enzyme-linked immunosorbent assay for diagnosis of strongyloidiasis using <i>Strongyloides venezuelensis</i> antigen. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2003, 97, 535-538.	1.8	24
23	Detection of antibodies against <i>Fasciola hepatica</i> in cirrhotic patients from Peru. <i>Journal of Helminthology</i> , 2009, 83, 23-26.	1.0	21
24	Use of Ivermectin to Treat an Institutional Outbreak of Scabies in a Low-Resource Setting. <i>Infection Control and Hospital Epidemiology</i> , 2007, 28, 1337-1338.	1.8	19
25	Mechanisms of Liver Fibrosis Associated with Experimental <i>Fasciola hepatica</i> Infection: Roles of Fas2 Proteinase and Hepatic Stellate Cell Activation. <i>Journal of Parasitology</i> , 2011, 97, 82.	0.7	19
26	Cutaneous anthrax in Lima, Peru: retrospective analysis of 71 cases, including four with a meningoencephalic complication. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2005, 47, 25-30.	1.1	19
27	Preliminary antigenic characterisation of an adult worm vomit preparation of <i>Fasciola hepatica</i> by infected human sera. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2007, 49, 31-35.	1.1	12
28	Efficacy and tolerability of two single-day regimens of triclabendazole for fascioliasis in Peruvian children. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2015, 48, 445-453.	0.9	12
29	Occurrence and molecular characterization of <i>Giardia duodenalis</i> cysts and <i>Cryptosporidium</i> oocysts in raw water samples from the R�mac River, Peru. <i>Environmental Science and Pollution Research</i> , 2018, 25, 11454-11467.	5.3	11
30	Soil-Transmitted Helminthiasis in Children from a Rural Community Taking Part in a Periodic Deworming Program in the Peruvian Amazon. <i>American Journal of Tropical Medicine and Hygiene</i> , 2019, 101, 636-640.	1.4	10
31	<i>Strongyloides stercoralis</i> infection after the use of emergency corticosteroids: a case report on hyperinfection syndrome. <i>Journal of Medical Case Reports</i> , 2019, 13, 121.	0.8	9
32	Triclabendazole for the treatment of human fascioliasis and the threat of treatment failures. <i>Expert Review of Anti-Infective Therapy</i> , 2021, 19, 817-823.	4.4	8
33	Medical Student Knowledge of Neglected Tropical Diseases in Peru: A Cross-Sectional Study. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0004197.	3.0	7
34	A 52-Year-Old Woman with a Subcapsular Liver Hematoma. <i>Clinical Infectious Diseases</i> , 2011, 52, 1137-1137.	5.8	5
35	Evaluating the role of intestinal parasites in the high rates of irritable bowel syndrome in South America: a pilot study. <i>Folia Parasitologica</i> , 2015, 62, .	1.3	5
36	Differences in prevalence of geohelminth infections between indigenous and settler populations in a remote Amazonian region of Peru. <i>Tropical Medicine and International Health</i> , 2013, 18, 615-618.	2.3	4

#	ARTICLE	IF	CITATIONS
37	Observational study on the effectiveness and safety of multiple regimens of triclabendazole in human fascioliasis after failure to standard-of-care regimens. <i>Journal of Global Antimicrobial Resistance</i> , 2021, 25, 264-267.	2.2	4
38	Improving soil-transmitted helminths detection in chronic kidney disease patients. <i>Infection</i> , 2016, 44, 389-390.	4.7	0